

RI

SKIPTON

S. D. W.

YORKSHIRE

1911-1913-1920

FORM A2.
BRITISH RAINFALL
0-JAN-1912

Kept at Skipton.

in the County of W.R.2

by Arthur E. W.

ft. 9 in.
level 318 ft.
Skipton

ace 1333 ft. Direction NW

result entered to the rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the year in the space provided

IMPORTANT NOTE
previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January of the year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following,

0.00.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.31		.26	.02					.12		1
2			.38		.03								2
3					.12		.73	.05			.26		3
4	.24		.14		.40			.02			.18		4
5	.02				.03			.23	.06			.38	5
6	.19		.18								1.02		6
7				.25				.70			.31		7
8	.18										.15	.54	8
9	.06		.18							.018		.72	9
10													10
11	.25	.05	.02					.02				.92	11
12	.08							.02					12
13									.92		.95		13
14											.09	.47	14
15	.05	.27	.25		.40							.31	15
16		.18	.13									.32	16
17		.64					.11			.09	.76		17
18	.02				.78						.05	.17	18
19						.83							19
20		.50	.45	.06		.02	.22			.10	.17		20
21		.10		.15			.11	.31				.40	21
22		.61					.06	.09				.12	22
23	.12					.03			.53	.55	.04		23
24		.54			.06								24
25	.11			.12					.11	.23			25
26	.02			.12		.86			.60			.48	26
27		.61		.48	.03					1.02	.37	.27	27
28	.05	.18	.06	.18				.40	.40				28
29						.15						.29	29
30						.28			.31	.65		.11	30
31					.05			.08		.27			31
Total	1.39	3.68	2.10	1.36	2.16	2.19	.63	1.92	2.92	3.09	4.47	5.50	TOTAL 31.44
No. of Rain Days.	13	10	10	7	10	7	5	10	7	8	13	14	114

RI

FORM A2.
BRITISH RAINFALL
6-JAN-1912

✓ Kept at Skipton. Sewage Disposal Works
in the County of WR York. 9
by Arthur E. W. Aldridge, Surveyor Skipton

Pattern Standard
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 9 in.
" " " Sea Level 318 ft.
Time of Observation _____
Nearest Railway Station { Name Skipton
Distance 133 1/4 Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.00.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.31		.26	.02					.12		1
2			.38		.03								2
3					.12		.13	.06			.26		3
4	.24		.14		.40			.02			.18		4
5	.02				.03			.23	.06			.38	5
6	.19		.18								1.02		6
7				.25				.70			.31		7
8	.18										.15	.54	8
9	.06		.18							.018		.72	9
10													10
11	.25	.05	.02					.02				.92	11
12	.08							.02					12
13									.92		.95		13
14											.09	.47	14
15	.05	.27	.25		.40							.31	15
16		.18	.13									.32	16
17		.64					.11			.09	.76		17
18	.02				.78						.05	.17	18
19						.83							19
20		.50	.45	.06		.02	.22			.10	.17		20
21		.10		.15			.11	.31				.40	21
22		.61					.06	.09				.12	22
23	.12					.03			.53	.55	.04		23
24		.54			.06								24
25	.11			.12					.11	.23			25
26	.02			.12		.86			.60			.48	26
27		.61		.48	.03					1.02	.37	.27	27
28	.05	.18	.06	.18				.40	.40				28
29						.15						.29	29
30						.28			.31	.65		.11	30
31					.05			.08		.27			31
Total	1.39	3.68	2.10	1.36	2.16	2.19	.63	1.92	2.92	3.09	4.47	5.50	TOTAL 31.44
No. of Rain Days.	13	10	10	7	10	7	5	10	7	8	13	14	114

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

Kept at Sludge Disposal works
in the County of Slipton W. Yorks
by Urban District Council

Lat. _____ Long. _____
Time of Observation 9 Am.
Nearest Railway Station SKIPTON Goods 1360 yds
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.165	0.05	0.18	0.08							0.07		1
2		.20	.63	.03		0.18					.22		2
3	.05	.30	.38		.46					.065	.11		3
4	.35	.07	.11		.04		.05		.02			0.74	4
5	.18	.06	.19					.03					5
6	.08	.325	.29		.80		.502			.10	.06		6
7		.27	.04		.28	.45	.04					.03	7
8		.09			.35					.70	.16		8
9		.17	.39		.30	.50		.33			.11		9
10			.21	.13			.02						10
11	.31			.43		.08				.04	.15		11
12									.085		.38	.19	12
13			.33						.30				13
14	.21	.02	.19	.19				.05		.13	.21		14
15	.225		.60	.485					.05		.50	.07	15
16			.08	.11							.14		16
17		.03		.11		.08	.11		.09		.23		17
18	.10		.34	.30		.09						.05	18
19	.16			.13	.06					.08	.25		19
20	.17		.16		.04	.08				.17	.62		20
21		.015			.07		.13	.37					21
22	.22		.04		.09			.35					22
23	.22		.66			.23		.19	.28		.07		23
24	.42	.02											24
25		.02		.07		.23				.04	.26	.68	25
26			.10	.40					.51			.24	26
27				.12						.30	.01	.09	27
28	.345		.11	.30						.015			28
29	.045		.43	.36	.20			.22			.10		29
30	.51				.05					.029			30
31	.19		.11		.08				.17				31
Total	3.95	1.64	5.57	3.245	2.72	1.92	0.852	1.54	1.505	1.669	3.65	2.09	YEAR'S TOTAL 30.351
Rain Days.	18	14	22	15	13	9	6	7	8	11	18	10	151

REGISTER OF RAINFALL IN 1914

Kept at *Sewage Disposal works Skipton*
in the County of *York*
by *Urban District Council*

Lat. _____ Long. _____
Time of Observation *9 am.*
Nearest Railway Station *Skipton Goods*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground _____ ft. *10* in.
" " " " Sea Level _____ ft.

5-MAY 1915
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.24						0.96	0.37				0.38	1
2	0.15						0.18	0.33			0.28	0.12	2
3	0.36							0.09				1.02	3
4	0.15										0.105	0.87	4
5						0.09					0.31	0.20	5
6								0.02			0.045	0.08	6
7	0.03					0.02		0.05				0.32	7
8	0.93					0.21		0.30			0.025	0.21	8
9	0.43					1.05		0.13			0.14	0.01	9
10									0.03		0.44		10
11							0.06		0.08		0.815	0.47	11
12					1.22		0.15		0.38		0.300	0.78	12
13	0.06						0.04		0.085		0.25	0.27	13
14							0.08		0.09		0.11	0.44	14
15									0.17	0.05	0.47	0.03	15
16							0.85		0.69				16
17	0.04						0.03		0.20			0.52	17
18						0.16			0.03	0.01		0.08	18
19							0.03		0.05		0.025	0.19	19
20						0.02							20
21						0.52		0.13		0.07	0.03	0.11	21
22	0.01				0.20	0.32		0.03		0.08			22
23					0.17	0.10							23
24							0.175	0.28			0.135		24
25					0.18			0.28		0.70	0.01	0.42	25
26										0.21	0.32	0.29	26
27										0.18	0.64	0.58	27
28					0.025	0.04					0.285	0.03	28
29					0.05					0.42	0.17		29
30								0.07		0.10	0.31	0.12	30
31	0.85						0.43			0.25			31
Total	3.25	3.06	4.9	1.05	1.845	2.53	2.985	2.08	1.805	2.07	5.215	7.54	38.33
Rain Days.	11					10	11	12	10	10	21	23	

REGISTER OF RAINFALL IN 1915

Kept at The U.A.C. Sewage Disposal works
in the County of Skipton Co. Yorks.
by J. Morrison Manager

Lat. _____ Long. _____
Time of Observation 9 am.
Nearest Railway Station Skipton Road 1360 ft. A.S.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.45	0.35			0.35		0.01	0.21	0.08		0.15		1
2	.03	.44	0.21	0.17		0.04	.205	.24					2
3	.63	.021	.70				.26	.12				0.61	3
4	.02	.14	.65		0.65		x	.01					4
5	.26	.22	.165		.07			.04					5
6	.38	.21	.13	0.20			x.42	.04					6
7	.67	.71	.008	.38			.38	.28				0.32	7
8	.31	.16		.17			.42	.10			.33		8
9		.06					~~.38~~	.015		0.04	.26	.50	9
10	.52		.01	.01			.0142	.22		.05		.27	10
11	.13	.04			.73		.04	.12			.12	.19	11
12	.19			.16	.15		.395	.06		.15	1.07		12
13	.20	.57		.02			~~.27~~	.08	0.05			.09	13
14	.14	.04		.03	.13		.1257	.13	.01			.095	14
15	1.01						.085	.15	.065		.29	.15	15
16		.55			.085		.53	.615					16
17		.32	.03				.085						17
18		.255					.85			.04			18
19		.04	.17	.06	.03		.25						19
20	.21	.02			.10		.115					.32	20
21	.08	.09					.0425					.09	21
22	.03		.075	.02			.0455		.02			.095	22
23		.01	.13	.01			.185		.02	.095		.17	23
24			.075				.0645		.64	.04		.14	24
25							~~.85~~		.165			.48	25
26	.03	.28				.06	.2146					.28	26
27		.11					.07			.45		.06	27
28		.30				1.01	~~.27~~	.36		.17		.42	28
29					.13	.12	.87				.14		29
30	.14	X		.17		.43						.25	30
31	.12	X		X		X	.04	.28	X	.15	X	.69	31
Total	5.55	4.955	1.703	1.40	2.425	1.66	3.880	3.07	1.050	1.185	2.36	5.220	34.458
Rain Days.	20	22	11	12	10	5	22	18	8	9	7	19	163

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at *Skipton U.S. Council Sewage works*
in the County of *York*
by *J. Morrison - manager*

Lat. _____ Long. _____
Time of Observation *9 am.*
Nearest Railway Station *SKipton Goods (mid Ry)*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.14	0.03	0.05			0.04	0.40				0.01		1
2	0.02	0.08	0.035						0.20	0.16	0.01		2
3	0.13	0.14		0.03		0.05			1.08	0.13	0.29		3
4		0.26		0.02	0.57	0.83	0.25		0.43	0.68	0.28		4
5	0.06	0.63			0.04	0.30				1.22	0.56		5
6	0.59	0.42	0.03	0.02	0.41		0.11			0.12	0.20	0.05	6
7	0.10	0.14	0.08			0.02	0.31			0.46	0.02	0.25	7
8	0.01	0.15	0.23		0.02	0.03				0.05	0.32	0.09	8
9	0.04		0.06		0.57	0.15	0.03		0.07		0.13	0.34	9
10	0.11	0.03		0.06	0.06	0.25	0.04			0.74	0.05	0.01	10
11	0.05	0.36		0.46	0.01	0.02	0.07		0.07	0.10	0.02	0.08	11
12	0.07	0.21	0.37	0.09	0.28		0.43			0.15	0.02		12
13		0.04	0.17	0.01				0.31		0.72		0.11	13
14	0.04	0.115	0.01	0.195	0.23			0.40	0.015	0.19			14
15	0.01	0.54	0.77	0.045			0.11	1.63					15
16	0.02	0.25	0.50	0.15			0.06	0.21		0.05			16
17	0.05	0.25		0.50			0.09		0.24	0.20			17
18	0.33	0.44		0.03				0.28	0.19	0.10	0.75		18
19	0.33	0.01	0.28	0.30				0.05			0.50	0.15	19
20	0.38		0.055	0.07	0.02		0.06	0.08			0.04	0.12	20
21	0.37												21
22		0.15				0.09				0.22	0.01	0.01	22
23	0.09	0.02	0.12	0.14						0.08	0.13	0.19	23
24		0.06	0.07			0.11		0.22		0.04	0.06	0.13	24
25	0.035	0.05			0.06	0.01		0.41		0.08	0.20	0.07	25
26	0.08	0.11					0.32			0.04	0.01		26
27		0.26	0.15					0.05		0.42			27
28		0.25								0.75	0.02	0.50	28
29		0.28				0.18				0.30	0.01	0.33	29
30		X				0.03				1.00		0.13	30
31		X		X	0.08	X		0.03	X	0.35	X	0.20	31
Total	2.725	5.275	2.980	2.120	2.350	2.080	2.310	3.670	2.295	8.350	3.640	2.760	40.555
Rain Days.	22	26	16	15	13	13	14	11	8	25	22	17	202

REGISTER OF RAINFALL IN 19()

Kept at Sewage Disposal Works
in the County of Yorkshire
by J. Morrison Manager

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station SKipton Goods
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	—	—	.39	—	.11	—	—	0.68	—	.22	.33	1
2	.50	—	—	.21	—	.04	—	.03	.04	.13	—	—	2
3	.13	.07	—	—	—	.23	—	—	—	.37	.03	—	3
4	—	—	.10	.02	—	—	—	—	—	.15	—	—	4
5	.34	—	.18	.04	—	.06	—	—	—	.04	.15	.03	5
6	.01	—	—	.04	—	.13	—	—	—	.35	.40	.06	6
7	.45	—	—	—	—	—	—	—	—	.46	.02	.06	7
8	.44	—	—	.18	—	—	—	2.23	—	.54	.17	.03	8
9	.02	—	—	.12	—	—	—	.33	—	.05	.58	.18	9
10	.22	—	.96	.20	—	—	—	.04	—	—	—	—	10
11	.03	—	—	.17	.14	—	—	—	—	.27	.01	—	11
12	—	—	.02	.06	.02	—	—	.58	.04	.77	—	—	12
13	.05	—	.01	.23	.32	.02	—	.18	.43	—	—	.17	13
14	.15	—	—	.15	.02	—	—	.42	—	—	—	.22	14
15	.17	—	—	.02	—	—	.52	.14	.07	.05	—	.13	15
16	—	—	.03	.22	.03	—	.04	.22	.05	—	—	.28	16
17	—	—	.15	.17	—	—	.09	.70	—	.15	—	.28	17
18	.03	.13	.04	—	.39	—	.49	.20	.43	—	.03	—	18
19	.06	.18	.28	—	.08	.08	—	.06	—	—	—	—	19
20	.03	.19	—	—	.26	.19	—	.02	.15	—	.04	—	20
21	.09	.03	.04	—	.23	(.08)	—	.15	—	.06	—	—	21
22	.01	—	.03	—	.09	.03	—	.10	.08	.18	.03	—	22
23	—	.04	—	—	—	.42	.04	.25	.07	.04	.12	—	23
24	—	—	—	—	.22	.05	—	.20	—	.57	.49	—	24
25	—	—	—	—	—	—	—	—	—	.34	.04	—	25
26	—	—	.02	—	—	.06	—	.50	.17	.36	.28	—	26
27	—	—	.09	—	—	.25	.49	.42	—	.15	.12	.08	27
28	—	—	.22	—	—	—	—	.23	—	—	.09	—	28
29	—	—	—	—	.24	—	.15	—	—	.24	.09	—	29
30	.03	X	.22	—	—	—	—	—	—	.09	.05	.04	30
31	—	X	—	X	.02	X	—	.34	X	—	X	—	31
Total	2.80	0.64	2.39	2.22	2.06	1.69	1.82	7.34	2.21	5.36	2.96	1.89	YEAR'S TOTAL 33.38
Rain Days.	19	6	15	15	13	14	7	21	11	21	19	13	174

REGISTER OF RAINFALL IN 1918

247
FORM A.
BRITISH RAINFALL.

Kept at Rewage Farm
M. D. C. Pepton
in the County of Yorkshire W
by The Manager for
A. E. W. Aldridge, Engineer

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Skipton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.18	.01	.03	.11				.41	.06	.36	.19	1
2		.08		.06					.20	.01		.04	2
3					.39				.03	.32	.01	.02	3
4					.20			.11	.64	.22	.28	.12	4
5	.06	.01	.05	.14	.05			.84	.06	.39	.15	.01	5
6	.08	1.08	.02	.34		.12		.04		.33		.05	6
7		.23		.14					.46	.28	.28		7
8		.26	.09				.13	.25	.26	.05	.05		8
9	.39	.46	.01	.09		.11			1.02	.20	.20	.04	9
10	.01	1.14					.02		.33	.08	.24	.06	10
11	.39	.09					.15		.22			.16	11
12		.19			.04				.12			.11	12
13		.01		.02	.10	.02			.25	.20			13
14	.42			.03		.09	.19		.29	.04		.13	14
15						.06	.61		1.09			.69	15
16						.29	.20	.11	.36	.01		.32	16
17	.31				.04	.04	.32	.03	.09	.44		.16	17
18	.93		.10			.02	.15		.34			.40	18
19	.20	.03	.10	.04			.33	.12	.46	.14		.68	19
20	.13	.60		.09			.58		.20			.62	20
21	.22	.34			.06	.11	.34		.46	.14			21
22	.08	.04			.36	.04	.06		.14			1.01	22
23	.03	.02			.38		.14		.16		.03	.05	23
24	.01	.11					.43		.08		.03	.03	24
25						.28	.22	.45	.11				25
26		.05					.14	.01	.53		.10	.12	26
27		.20	.29			.01	.01	.26	.35	.03	.08	.44	27
28		.13	.35			.02		.06	.20		.03	.64	28
29									.18		.02	.45	29
30		X	.22					.08				.10	30
31		X	.18	X		X		.04	X		X		31
Total	3.26	5.58	1.42	1.01	1.49	1.24	4.05	2.56	9.04	2.94	1.86	6.94	41.75
Rain Days.	14	20	11	10	10	13	17	13	28	17	14	25	192

Eve H

3101

REGISTER OF RAINFALL IN 1919.

Kept at Sewage Works Skipton
in the County of Yorks
by J. Morrison Manager

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Skipton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 318 ft.

8 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.30		.04		.29		.24		.24	.29	.03	.05	1
2	.27		.17		.10		.12	.02	.03		.05	.09	2
3	.15				.08	.17	.60				.14	.46	3
4	.15	.05	.20		.07	.02		.06			.03	.10	4
5	.19		.06		.01				.03	.03	.01	.24	5
6	.03		.43		.65						.02	.14	6
7	.03		.12		.02					.03	.04	.05	7
8	.18		~~.06~~	.08	.01	.08		.04					8
9	1.18		.06			.11					.04		9
10			.95	.05	.13						.03	.35	10
11			.83	.11	.06		.06			.02	.06		11
12			.21	.23		.11	.09			.07	.06		12
13	.22			.20			.09		.04	.30	.15		13
14	.24			.35				.11		.02		.01	14
15	.29	.47	.04	.13				.03				.43	15
16	.18	.29				.01					.12		16
17		.04	.14		.03	.03		.18			.54		17
18						.11		.22	.11			.25	18
19	.01	.21	.74				.26	.06			.20		19
20	.30	.13				.27	.40	.06			.14	.22	20
21	.16	.19				.02	.07		.02			.40	21
22						.05		.18	.34		.06	.38	22
23		.24		.02						.96	.10	.11	23
24				.11		.07		.01	.33		.30	.22	24
25	.12			.30	.07	.07		.63	.08	.10	.18	.09	25
26	.19	.01	.62			.04		.34	.12		.03	.48	26
27	.33			.15								.07	27
28				.06		.01		.68		.14		.44	28
29	.29							.05		.60		.24	29
30		~~X~~		.03		.13		.16		.10	.10	.22	30
31		~~X~~	.08	~~X~~		~~X~~	.22		~~X~~	.02	~~X~~	.04	31
TOTAL	5.81	1.63	4.69	1.82	1.52	1.30	2.15	2.83	1.34	2.68	2.43	5.08	YEAR'S TOTAL 33.28
Days with 0.1 in. or more	20	9	15	13	12	16	10	16	10	13	22	23	179

REGISTER OF RAINFALL IN 1920

Kept at Sewage Disposal Works Skipton
in the County of Yorkshire
by J. Morrison Manager

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Skipton - Midland
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07		.16	.38	.01	.41	.22	.06	.06	.06	.10	1
2			.07	.08	.12		.27	.03	.28	.39		.44	2
3	.05	.10			.26		.08	.18	.13	.20		.21	3
4				.05			.30	.75	.01	.74			4
5			.02		.23		.07	.07	.08	.40		.05	5
6			.05	.25	.18		.04					.12	6
7	.41		.26	.06	.05		.28	.06					7
8	.09	.09	.06	.36	.23			.17					8
9	.22	.97	.04	.73			.07	.10	.03		.03		9
10	.78	.50	.01	.30			.20	.09				.02	10
11	.48	.06	.02	.05	.17	.11	.07						11
12	.16	.21	.05	.40	.02						.10	.18	12
13	.20	.04	.45	.74	.04	.74			.14		.16	.18	13
14	.02	.02	.17	.17		.20	.05		.17	.09	.80	.01	14
15	.03	.30	.07	.74					.01	.60	.19		15
16					.11		.78		.18		.29		16
17	.12		.09		.14			.20	.15				17
18	.13		.01	.13	.68			.07					18
19	.08	.39		.09	.28			.02	.01		.08		19
20	.05			.20			.16		.03			.05	20
21							.55					.17	21
22	.12			.12			.24	.18					22
23				.04		.04	.19					.24	23
24	.03			.05			.18					.26	24
25	~~11~~	.06	.52				.74						25
26	.10		.14	.12	.04		.05						26
27	.18		.45	.07	.44	.45					.19	.10	27
28	.56	.05	.25	.07	.04	.05					.04	.20	28
29	.16		.14	.07	.81	.02	.16				.14	.68	29
30	.19	~~X~~	.02		.02	.06			.17		.21	.24	30
31	.23	~~X~~	.04	~~X~~	.04	~~X~~			~~X~~	.43	~~X~~	.20	31
TOTAL	4.40	2.86	2.93	4.05	4.28	1.18	4.89	2.14	1.45	2.91	2.29	3.45	YEAR'S TOTAL
Days with ".01 in. or more	22	13	21	23	20	9	20	13	14	8	12	18	193
Days with ".04 in. or more	19	12	16	23	18	7	20	11	9	8	11	16	170

SKIPTON
EMBAY MOOR RES.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Skipton

in the County of WYK

by Arthur E. Y.

YORKSHIRE

1911, 1913-14, 1916-1918

8 in.

Round — ft. 9 in.

Sea Level — ft.

Name Embay

Distance 1870 yds Direction S

The result entered to the

IMPORTANT

previous day. If an Observer prefers not to conform to this annual universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.00	.08	.00	.00	.02	.09	.00	1
2						.00	.04	.08	.00	.00	.13	.00	2
3						.00	.25	.00	.00	.04	.07	.14	3
4						.00	.00	.04	.00	.02	.23	.03	4
5						.00	.00	.17	.06	.07	.77		5
6						.00	.00	.49	.00	.01	.15	.04	6
7						.00	.00	.39	.00	.05	.35	.45	7
8						.00	.00	.00	.00	.00	.07	.00	8
9						.00	.00	.00	.00	.00	.03	.40	9
10						.00	.00	.00	.00	.00	.03	.25	10
11						.00	.00	.00	.00	.00	.00	.70	11
12						.00	.00	.05	.00	.00	.54	.07	12
13						.00	.00	.00	.86	.00	.27	.00	13
14						.00	.00	.00	.00	.00	.08	.53	14
15						.00	.00	.00	.00	.00	.00	.40	15
16						.00	.00	.00	.00	.04	.39	.30	16
17						.00	.06	.00	.00	.03	.26	.17	17
18						.58	.04	.00	.00	.00	.12	.08	18
19						.05	.00	.00	.00	.01	.05	.07	19
20						.04	.24	.02	.28	.08	.18	.16	20
21						.00	.13	.36	.24	.04	.00	.20	21
22						.00	.11	.87	.02	.18	.00	.05	22
23						.02	.00	.00	.00	.20	.06	.00	23
24						.71	.00	.00	.11	.23	.00	.17	24
25						.69	.00	.02	.00	.13	.00	.06	25
26						.06	.00	.00	.56	.05	.00	.12	26
27						.00	.00	.00	.02	.104	.32	.30	27
28						.00	.00	.40	.25	.00	.02	.05	28
29						.20	.00	.00	.21	.00	.02	.31	29
30						.16	.00	.12	.60	.52	.00	.14	30
31								.00		.25		.00	31
Total						251	.95	231	321	3.01	4.03	5.19	TOTAL for year
No. of Rain Days.						9	8	12	11	19	22	24	

Kept at Shepton, Embay Moor Reservoir
in the County of W York 9
by Arthur E. Y. Aldredges, Surveyor, Shepton

RAIN GAUGE { Pattern Circular
Diameter of top 8 in.
Height of top above Ground 9 in. ft.
" " " Sea Level ft.
Time of Observation _____
Nearest Railway Station { Name Embay
Distance 8 1/2 miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.00	.08	.00	.00	.02	.09	.00	1
2						.00	.04	.08	.00	.00	.13	.00	2
3						.00	.25	.00	.00	.04	.07	.14	3
4						.00	.00	.04	.00	.02	.23	.03	4
5						.00	.00	.17	.06	.07	.77		5
6						.00	.00	.49	.00	.01	.15	.04	6
7						.00	.00	.39	.00	.05	.35	.45	7
8						.00	.00	.00	.00	.00	.07	.00	8
9						.00	.00	.00	.00	.00	.03	.40	9
10						.00	.00	.00	.00	.00	.03	.25	10
11						.00	.00	.00	.00	.00	.00	.70	11
12						.00	.00	.05	.00	.00	.54	.07	12
13						.00	.00	.00	.06	.00	.27	.00	13
14						.00	.00	.00	.00	.00	.08	.53	14
15						.00	.00	.00	.00	.00	.00	.40	15
16						.00	.00	.00	.00	.04	.39	.30	16
17						.00	.06	.00	.00	.03	.26	.17	17
18						.58	.04	.00	.00	.00	.12	.08	18
19						.05	.00	.00	.00	.01	.05	.07	19
20						.04	.24	.03	.28	.08	.18	.16	20
21						.00	.13	.36	.24	.04	.00	.20	21
22						.00	.11	.87	.02	.18	.00	.05	22
23						.02	.00	.00	.00	.20	.06	.00	23
24						.71	.00	.00	.11	.23	.00	.17	24
25						.69	.00	.02	.00	.13	.00	.06	25
26						.06	.00	.00	.56	.05	.00	.12	26
27						.00	.00	.00	.02	1.04	.32	.30	27
28						.00	.00	.40	.25	.00	.02	.05	28
29						.20	.00	.00	.21	.00	.02	.31	29
30						.16	.00	.12	.60	.52	.00	.14	30
31								.00		.25		.00	31
Total						2.51	.95	2.31	3.21	3.01	4.03	5.19	TOTAL for year
No. of Rain Days.						9	8	12	11	19	22	24	

REGISTER OF RAINFALL IN 1913

Kept at Embsay Moor Reservoir
 in the County of Yorkshire
 by Arthur E. W. Aldridge

Lat. 53° 59' - 8.5" Long. 1° 59' - 57"
 Time of Observation 9 a.m.
 Nearest Railway Station Embsay
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 6 ft. 70 in.

FORM A.
 BRITISH RAINFALL
 2- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	.15	.10	.15	—	—	—	—	—	—	.04	.02	1
2	—	.06	.60	.04	—	.11	—	—	—	—	.29	.10	2
3	.04	.15	.38	.00	.46	—	—	—	—	.02	.03	.10	3
4	.29	.17	.08	.00	.05	.02	.02	—	.01	.01	.07	.14	4
5	.20	.07	.04	—	.02	.24	.09	—	—	.03	—	.27	5
6	.05	.29	.26	.02	.75	—	.45	—	—	.05	.06	.00	6
7	.60	.28	.03	—	.26	.25	.04	—	—	.38	.02	.02	7
8	—	.09	—	—	.40	.02	.00	.10	—	.00	.15	.02	8
9	.01	.23	—	—	.28	.46	.03	.40	—	—	.09	.13	9
10	—	.03	.28	.13	—	.00	.02	—	—	—	.08	.00	10
11	.43	—	.05	.40	—	.10	.00	—	—	.07	.11	.09	11
12	—	—	.00	—	—	.00	.00	.03	.12	.00	.34	.00	12
13	—	—	.23	.01	—	.00	.03	.04	.25	.03	.10	.00	13
14	.10	—	.09	.16	—	.00	.02	—	.01	.18	.01	.03	14
15	.16	—	.45	.50	.02	.00	—	—	.05	.00	.54	.08	15
16	—	—	.05	.04	.10	.06	.04	—	.08	—	.20	.00	16
17	—	.02	.03	.05	.03	.06	.10	—	.10	—	.15	.00	17
18	.10	—	.38	.16	.01	.07	.03	—	—	—	.20	—	18
19	.18	—	.06	.10	.08	.03	.00	—	.06	.06	.17	—	19
20	.16	—	.67	.22	.02	—	.00	—	—	.18	.55	—	20
21	.03	—	.02	.00	.20	—	.11	.32	.00	—	.00	—	21
22	.29	—	.57	—	—	—	.00	.37	.10	—	.00	—	22
23	.19	.06	.04	—	—	.26	—	.44	.18	—	.09	—	23
24	.30	.04	.08	.01	—	.46	—	.10	.00	—	.02	.05	24
25	—	—	.00	.02	—	.00	—	—	.58	.03	.05	.22	25
26	—	—	.10	.37	—	.00	—	—	.21	.10	.00	.56	26
27	.08	—	.00	.16	.07	.00	—	—	—	.21	.00	.22	27
28	.47	—	.26	.26	.05	.00	—	.06	—	.01	.02	.00	28
29	.03	—	.39	.30	.07	.00	—	.34	—	.02	.08	.06	29
30	.45	—	.01	—	.05	.00	—	—	—	.30	.04	.00	30
31	.14	—	.05	—	.17	—	—	—	—	—	—	.00	31
Total	4.55	1.64	5.15	3.16	3.89	2.03	.96	2.20	1.67	1.68	3.48	2.11	31.66
Rain Days.	21.	13	25	19	19	12	12	10	11	16	25	16	199

YEAR'S TOTAL

Entered on record

REGISTER OF RAINFALL IN 1914

Kept at Embrey Moor Reservoir, Embrey
in the County of York W. 9
by Arthur E. W. Aldridge, Engineer

Lat. 53° 59' 65" Long. 10° 59' 51"
Time of Observation 9 a.m.
Nearest Railway Station Embrey
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 670 ft.

FORM A.
BRITISH RAINFALL
5 - MAY 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	—	—	.81	.09	—	.01	—	.30	1
2	—	—	.04	.02	—	—	.19	.78	—	.13	.33	.10	2
3	.11	—	.11	—	.46	—	—	.06	—	.02	.03	.76	3
4	.25	—	.25	.29	.18	—	—	—	—	—	.09	.51	4
5	.09	—	.47	.10	.05	.07	—	—	—	.02	.28	.30	5
6	—	—	.08	.10	.18	.01	—	.02	—	—	.09	.07	6
7	.04	—	.28	.30	.14	—	—	.02	—	—	.02	.24	7
8	.71	—	.08	.03	.14	.33	—	.30	—	—	.02	.18	8
9	.38	.17	—	.08	.01	.95	—	.25	.01	—	.75	.02	9
10	.03	.04	—	.02	.07	—	—	—	.08	—	.38	—	10
11	—	.14	.22	—	.04	—	.02	—	.06	—	.56	.42	11
12	—	.16	.11	—	.05	—	.13	—	.45	—	.25	.46	12
13	—	.24	.20	.06	—	—	.05	—	.05	—	.30	.26	13
14	.10	.63	.09	—	—	—	.13	—	.13	.01	—	.56	14
15	—	—	.40	—	—	—	—	—	.73	—	.48	.03	15
16	.02	—	.03	—	—	—	1.12	—	.18	—	—	.02	16
17	.04	.20	.11	—	—	.04	.06	—	—	—	—	.33	17
18	—	.13	.08	—	—	—	.04	—	.06	.08	—	.12	18
19	.06	.07	.16	—	—	—	.18	—	—	—	.02	.18	19
20	—	.07	.14	—	.01	.01	—	.12	—	—	—	.03	20
21	—	.41	—	.02	—	.60	—	.08	—	.09	.02	.06	21
22	—	.10	.04	—	.10	.26	—	.04	—	.11	.01	.04	22
23	—	—	.74	.05	.75	.08	.04	—	—	—	—	.04	23
24	.04	—	.23	.03	.12	.02	.23	.38	—	—	.14	—	24
25	.05	—	.01	—	—	—	.04	.38	—	.83	.02	.57	25
26	.01	—	.13	—	—	—	.01	.02	—	.26	.45	.15	26
27	.04	—	—	—	—	—	—	—	.03	.17	.58	.58	27
28	.07	.19	.08	—	.03	.02	—	—	—	—	.35	.18	28
29	.08	—	.08	—	.08	—	—	.03	—	.34	.13	—	29
30	.14	X	.43	—	—	—	—	.08	—	.08	.21	.10	30
31	.47	X	.10	X	—	X	.46	—	X	.20	X	—	31
Total	2.70	2.55	4.09	1.10	1.81	2.39	3.51	2.59	1.75	2.32	4.95	6.59	36.35
Rain Days.	19	13	27	12	16	11	15	15	10	14	23	27	202
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

Kept at Embrey Moor
in the County of Yorkshire WR
by A. W. Aldridge, Embrey & Eggleston

Lat. 53° 59' 8.5" Long. 1° 59' 57"
Time of Observation 9 a.m.
Nearest Railway Station Embrey
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

FORM A.
BRITISH RAINFALL
15 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.02	.04			.06	.51	.02					1
2	.11	.11	.03			.03			.23	.20	.04		2
3		.11		.04		.04	.16		.84	.14	.39	.02	3
4	.09	.30		.02	.50	.66	.44		.23	.80	.24		4
5	.10	.35			.05	.25	.03			1.20	.54		5
6	.34	.43	.01	.02	.30	.01	.15			.20	.14	.02	6
7	.08	.06	.10		.13	.04	.60			.43	.01	.25	7
8		.06	.06			.06				.04	.15	.03	8
9	.05		.13		.68	.52			.02		.12	.34	9
10	.10	.03	.25	.12		.28	.10			.42	.08		10
11	.04	.40		.38	.09	.02	.10		.08	.06	.04	.10	11
12	.08	.15	.14	.04	.29		.54	.03		.10	.01		12
13		.03	.11	.02	.01		.06	.25		.80	.01	.08	13
14	.03	.18	.03	.18	.26			.38	.01	.14		.01	14
15		.46	.38	.06			.15	1.42	.03	.07			15
16	.03	.11	.52	.21			.06	.35	.02	.02			16
17	.09	.21		.50			.08		.28	.24			17
18		.45		.02			.03	.30	.18	.16	.45		18
19	.25	.02	.14	.30				.04	.01		.35		19
20	.24		.09	.04			.04	.04			.06	.33	20
21	.44			.02	.03								21
22		.06		.08		.15				.21	.04	.02	22
23	.04	.08	.13	.08						.06	.12	.16	23
24			.12	.04		.16		.21		.01	.02	.10	24
25	.04	.08	.19		.12	.01		.50		.10	.14	.08	25
26	.05	.05	.15			.01	.03	.03		.04	.03		26
27		.11	.03					.11		.41		.08	27
28	.01	.22	.03		.04	.01				.80	.04	.63	28
29	.02	.30				.20				.39		.30	29
30	.01	X					.04			.96		.10	30
31		X		X	.04	X		.02	X	.21	X	.23	31
Total	3.14	4.38	2.68	2.23	2.54	2.51	3.12	3.43	1.93	8.45	3.44	2.88	41.06
Rain Days.	22	25	20	18	13	14	14	14	11	26	21	18	222

REGISTER OF RAINFALL IN 1917

Kept at Embay Moor
in the County of Yorkshire
by A. E. W. Aldridge Engineers.

Lat. 53° 59' 8.5" N Long. 1° 59' 54" W
Time of Observation 9 a.m.
Nearest Railway Station Embay. Mid.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 670 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.23		.12			.12		.20	.34	1
2	.38	.06		.01		.04		.03		.06			2
3	.14			.10		.29				.31	.09		3
4										.20	.01		4
5	.23		.04	.20						.05	.11	.06	5
6	.08		.06	.05		.08				.50	.20	.10	6
7	.38					.11				.27	.06	.09	7
8	.40							2.65	.02	.48	.15	.10	8
9	.01			.06				.68		.11	.61	.08	9
10	.18		.40	.08	.11			.11		.02			10
11	.15			.20	.01			.01		.11			11
12			.02	.01	.19			.34	.01	.95			12
13	.05		.03	.20	.02			.27	.42	.02		.15	13
14	.07			.20				.52				.16	14
15	.05			.03			.50	.31	.04	.04		.11	15
16	.05	.01	.03	.16			.05	.15	.06	.01		.08	16
17	.06	.11	.15	.22	.25		.08	.67	.01	.08		.10	17
18	.02	.02	.02	.03	.05		.56	.16	.48		.05	.08	18
19	.02	.17	.25		.30	.08		.01			.01	.02	19
20	.04	.19	.02		.15	.25		.03	.09		.07		20
21		.04	.02		.07			.25	.01	.04			21
22			.02			.17			.10	.15	.05		22
23		.04			.34	.63	.02	.30	.05	.02	.12		23
24						.04		.17		.50	.41		24
25		.02	.03				.01	.02		.23	.02		25
26						.16	.01	.48	.11	.20	.17		26
27						.22	.45	.34		.15	.07	.13	27
28			.23				.01	.26	.05		.12		28
29			.02				.21			.35	.13	.02	29
30		X	.23							.21	.20		30
31		X		X		X		.10	X	.09	X	.03	31
Total	2.32	.66	1.87	1.78	1.49	2.19	1.90	7.86	1.57	5.15	2.85	1.65	31.29
Rain Days.	18	9	16	15	10	12	10	22	14	25	20	16	187

W 678. and for milk
REGISTER OF RAINFALL IN 1918.

Kept at Embsay Moor Reservoir
in the County of Yorkshire W
by A. E. W. Aldridge, Engineer.

Lat. 53° 59' 8.5" Long. 1° 59' 55"
Time of Observation 9 a.m.
Nearest Railway Station Embsay (Mid.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

252
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.13	.02	.08	.14				.23	.08	.35	.20	1
2	.10	.09		.02	.24				.24	.02		.24	2
3		.02								.20	.03	.04	3
4		.02			.18			.08	.40	.16	.30	.10	4
5			.06	.12	.07			.90	.06	.30	.11	.01	5
6		.96	.01	.34		.07		.08		.21		.04	6
7		.21		.15				.02	.45	.13	.20		7
8		.18	.08				.21	.09	.23	.04	.06		8
9	.35	.63	.05	.04		.09	.01		1.00	.21	.30	.10	9
10	.01	.98		.02					.45	.07	.23	.03	10
11	.18	.14			.05		.26		.25			.15	11
12		.22		.02	.11		.04		.08			.17	12
13					.12	.02			.32	.26			13
14	.46			.04		.12	.09		.28	.04		.25	14
15						.08	.60		1.15			.65	15
16					.22	.22	.14	.50				.23	16
17	.33				.13		.29	.09	.03	.26		.14	17
18	.44		.08			.06	.12		.40			.26	18
19	.32	.04	.14	.09			.39	.20	.31	.10		.50	19
20	.13	.65		.12		.04	1.35		.28			.26	20
21	.24	.36			.04	.07			.45	.16			21
22	.06	.03			.45	.11	.50	.03	.20			.73	22
23	.04	.02			.45		.18		.16		.04	.03	23
24	.01	.07					.50	.04	.02		.04		24
25					.32	.13	.40	.08					25
26	.01	.05				.02	.04	.45	.04	.08	.06		26
27		.12	.21					.60	.20	.04	.24	.45	27
28		.07	.34					.08	.25		.04	.60	28
29								.08			.05	.40	29
30		X	.23					.09		.02		.10	30
31		X	.18	X		X		.04	X		X		31
Total	3.00 ~~2.98~~	4.99	1.40	1.04	2.01	1.20	4.91	3.22	8.85	2.34 ~~2.42~~	2.07	6.04	41.07
Rain Days.	15	20	11	11	11	11	16	16	24	18	14	24	194

SKIPTON

Kept at the
in the County of
by Arthur E. R.

TOWN SURVEYORS OFFICE
YORKSHIRE

1914 - 1915

Form A.
BRITISH RAINFALL
-0'-44'-4" 6 - JAN 1915

Sea Level 1 ft. 6 in.
the result entered to the

ersal rule, he is earnestly

IMPORTANT
previous day.

I requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05				.96	.08		.01		.38	1
2			.03	.02			.20	.71		.05	.29	.10	2
3	black stopped .15		.23		.44			.07				.84	3
4	.35		.24	.23	.08						.09	.64	4
5	.11		.51	.13	.01	.06				.01	.35	.27	5
6			.23	.21	.11						.04	.06	6
7	.03	.01	.19	.18	.14			.02			.01	.28	7
8	.88		.05		.18	.24		.25			.01	.24	8
9	black stopped .42	.17		.06		.95		.20			.14		9
10	.02	.06		.01	.03				.02		.33		10
11		.14	.25		.04		.02		.06		.78	.55	11
12		.20	.07		.01		.14		.39		.24	.59	12
13		.35	.15	.02			.04		.02		.30	.57	13
14	.04	(.66) .17	.10				.80		.06			.49	14
15			.37						black stopped .15		brown .53	.03	15
16			.01				.92		.66				16
17	.106	.38	.12				.07		.28			.43	17
18		.11	.05			.07				.01		.08	18
19		.07	.15				.08		.06		.13	.15	19
20	.01	.10	.05			.03		.02				.03	20
21		.48				.46		.20		.08		.06	21
22		.23			.16	.30		.02		.11		.02	22
23			.10 .00	.06	.16	.09	.03					.01	23
24	.04		(.30)	.03	.12	.02	.14	.31			.12		24
25	.05						.02	.30		.71	.01	.42	25
26	.01		.685 .09					.01		.21	203 places .33	.29	26
27	.03									.18	.57	.58	27
28	.06	.18	.03			.02				.01	.29	.03	28
29	.04		.07		.06			.02		.32	.15		29
30	.06	X	.144					.08		.15	.26	.12	30
31	.40	X	.088	X		X	.44		X	.29	X		31
Total	2.76	(3.09) 2.66	(3.97) 3.53	.95	1.59	2.24	3.16	2.29	1.70	2.14	4.87	7.06	YEAR'S TOTAL (35.82)
Rain Days.	18.	14	25	10	13	10	13	14	9	13	20	25	184

Kept at the Town Surveyors Office, Skipton
in the County of York
by Arthur E. W. Aldridge, Engineer

Lat. 50° 57' 43" Long. 2° 0' 44" W
Time of Observation 9 a.m.
Nearest Railway Station Skipton (Westland)
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 267 ft.

FORM A.
BRITISH RAINFALL
8 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	—	—	.96	.08	—	.01	—	.38	1
2	—	—	.03	.02	—	—	.20	.71	—	.05	.29	.10	2
3	black stopped .15	—	.23	—	.44	—	—	.07	—	—	—	.84	3
4	.35	—	.24	.23	.08	—	—	—	—	—	.09	.64	4
5	.11	—	.51	.13	.01	.06	—	—	—	.01	.35	.27	5
6	—	—	.23	.21	.11	—	—	—	—	—	.04	.06	6
7	.03	.01	.19	.18	.14	—	—	.02	—	—	.01	.28	7
8	.88	—	.05	—	.18	.24	—	.25	—	—	.01	.24	8
9	black stopped .42	.17	—	.06	—	.95	—	.20	—	—	.14	—	9
10	.02	.06	—	.01	.03	—	—	—	.02	—	.33	—	10
11	—	.14	.25	—	.04	—	.02	—	.06	—	.78	.55	11
12	—	.20	.07	—	.01	—	.14	—	.39	—	.24	.59	12
13	—	.35	.15	.02	—	—	.04	—	.02	—	.30	.57	13
14	.104	(.66) .17	.10	—	—	—	.60	—	.06	—	—	.49	14
15	—	—	.37	—	—	—	—	—	black stopped .15	—	black .53	.03	15
16	—	—	.01	—	—	—	.72	—	.66	—	—	—	16
17	.06	.38	.12	—	—	—	.07	—	.28	—	—	.43	17
18	—	.11	.05	—	—	.07	—	—	—	.01	—	.08	18
19	—	.07	.15	—	—	—	.08	—	.06	—	.03	.15	19
20	.01	.10	.05	—	—	.03	—	.02	—	—	—	.03	20
21	—	.48	—	—	—	.46	—	.20	—	.06	—	.06	21
22	—	.23	—	—	.16	.30	—	.02	—	.11	—	.02	22
23	—	—	.00	.06	.16	.09	.03	—	—	—	—	.01	23
24	.04	—	(.30)	.03	.12	.02	.14	.31	—	—	.12	—	24
25	.05	—	—	—	—	—	.02	.30	—	.71	.01	.42	25
26	.01	—	.09	—	—	—	—	.01	—	.21	black .33	.29	26
27	.03	—	—	—	—	—	—	—	—	.18	.57	.58	27
28	.06	.18	.03	—	—	.02	—	—	—	.01	.29	.03	28
29	.04	—	.07	—	.06	—	—	.02	—	.32	.15	—	29
30	.06	X	.44	—	—	—	—	.08	—	.15	.26	.12	30
31	.40	X	.08	X	—	X	.44	—	X	.29	X	—	31
Total	2.76	(3.09) 2.46	(3.97) 3.53	.95	1.59	2.24	3.16	2.29	1.70	2.14	4.87	7.06	(35.82) 184
Rain Days.	18	14	25	10	13	10	13	14	9	13	20	25	

REGISTER OF RAINFALL IN 1915

Kept at Lower Surveyors Office Chipping
in the County of Yorks
by Arthur E. W. Aldridge

Lat. 53° 59' 8.5" Long. 1° 59' 54"
Time of Observation 9 am
Nearest Railway Station Embsay
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

BRITISH RAINFALL FORM A.
12 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.33	—	—	.24	—	.02	.19	.03	—	.01	.02	1
2	—	.39	.23	.13	—	.04	.27	.05	—	—	—	—	2
3	.48	.02	.05	.23	—	—	.29	.16	—	—	.01	.52	3
4	.03	.14	—	—	.06	.04	.08	—	—	—	—	.61	4
5	.23	.18	.15	.01	.02	.02	—	.01	—	—	—	.40	5
6	.31	.33	.15	.21	—	—	.57	.04	—	—	—	.30	6
7	.55	.63	.01	.26	—	.06	.60	.28	—	—	.29	.24	7
8	.25	.24	.02	.08	—	—	.08	.10	—	—	.24	.41	8
9	—	.04	—	.01	—	—	.02	.06	—	.06	—	.31	9
10	.33	—	.04	—	—	—	—	.59	—	.06	.05	.20	10
11	.11	.06	.03	—	.43	—	.10	.23	—	.01	.90	.11	11
12	.18	—	—	.22	.04	.06	.26	.05	—	.14	—	.25	12
13	.21	.45	—	.02	—	—	—	.02	.03	—	—	.08	13
14	.15	.02	—	.01	.11	—	.29	.08	.04	—	.04	.18	14
15	.45	—	—	.03	—	—	—	.09	.05	—	—	.02	15
16	—	.40	.06	.01	.09	—	.35	.26	.01	.02	—	.02	16
17	—	.25	.02	—	—	—	.02	—	—	—	.20	—	17
18	—	.18	.06	—	—	—	—	.01	—	.03	—	—	18
19	—	.08	.06	.07	.02	—	.19	—	—	.03	—	—	19
20	.23	.03	.01	—	.10	—	.12	—	—	—	—	.30	20
21	.05	.06	—	.03	—	—	.04	—	—	—	—	.09	21
22	.05	—	.08	.05	—	—	.06	—	—	—	—	.07	22
23	—	.02	.15	—	—	—	.26	—	.04	.12	—	.10	23
24	—	—	.10	.03	—	—	—	—	.39	.03	—	.37	24
25	—	—	—	—	—	—	.01	—	.05	—	—	.13	25
26	.02	.15	—	—	—	.05	.22	—	.01	—	—	.58	26
27	—	.04	—	—	.07	1.17	.10	—	—	.44	—	.36	27
28	—	.10	.02	—	.21	.34	—	.33	—	.13	—	.06	28
29	—	—	—	—	—	—	—	—	—	—	.12	—	29
30	.14	X	—	.18	—	.25	—	—	—	—	—	—	30
31	.15	X	—	X	—	X	.02	.42	X	.11	X	.17	31
Total	4.80	4.17	1.24	1.58	1.69	2.03	3.97	3.48	.65	1.18	1.86	6.20	32.85
Rain Days.	19	22	17	17	11	9	22	18	9	12	9	25	190

YEAR'S TOTAL

Kept at *Whinnygill*
in the County of
by *A. E. M. A.*

SKIPTON
WHINNYGILL RESERVOIR
YORKSHIRE
1914

5-MAY 1915
FORM A.
BRITISH RAINFALL
0'-10"
a.m.
Skipton (Midland)
8 in.
round 2 ft. in.
Sea Level 425 ft.

IMPORTANT
previous day. If a result entered to the
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.06	—	—	—	.98	.09	—	—	—	.36	1
2	—	—	.08	.06	—	—	.21	.68	—	.05	.36	.12	2
3	.14	—	.28	—	.38	—	—	.08	—	—	.04	.85	3
4	.35	—	.24	.04	.15	.05	—	—	—	—	.08	.72	4
5	.08	—	.48	.28	.02	—	—	—	—	—	.44	.28	5
6	—	—	.26	.25	.16	—	—	—	—	—	.04	.05	6
7	.02	.08	.38	.17	.18	.19	—	—	—	—	.01	.26	7
8	.85	—	.04	—	.18	.90	—	.35	—	—	.03	.25	8
9	.37	.15	—	.04	—	—	—	.08	—	—	.12	—	9
10	.03	.09	—	.02	.03	—	—	—	.06	—	.36	—	10
11	—	.14	.31	—	.04	—	.03	—	.48	—	.76	.68	11
12	—	.19	.10	—	—	—	.16	—	.04	—	.27	.82	12
13	—	.35	.15	.03	—	—	.06	—	.08	—	.20	.44	13
14	.05	.61	.10	—	—	—	.13	—	.14	—	—	.57	14
15	—	—	.34	—	—	—	—	—	.69	—	.59	.03	15
16	.02	—	.02	—	—	—	.94	—	.29	—	—	—	16
17	.06	—	.15	—	—	.18	.07	—	—	—	—	.46	17
18	—	—	.08	—	—	—	.02	—	—	—	—	.07	18
19	—	—	.28	—	—	—	.07	—	.85	—	.03	.21	19
20	—	—	.05	—	—	.01	—	.60	—	—	—	—	20
21	—	—	—	—	—	.57	—	.18	—	.11	—	.10	21
22	—	—	—	—	.04	.40	.02	.02	—	.13	—	—	22
23	—	—	.11	.07	.30	.07	.13	—	—	—	—	.04	23
24	.06	—	.30	.02	.16	—	—	.30	—	.72	.15	—	24
25	.05	—	—	—	—	—	.02	.32	—	.19	.01	.40	25
26	—	—	.09	—	—	—	.04	—	—	.18	.36	.31	26
27	.05	.132	—	—	—	—	—	—	—	.03	.61	.81	27
28	.05	.18	.02	—	—	—	—	—	—	.34	.31	.08	28
29	.06	—	.12	—	.08	—	—	—	—	.15	.15	—	29
30	.07	X	.46	—	—	—	—	.09	—	.28	.26	.16	30
31	.41	X	.09	X	—	X	.42	—	X	—	X	—	31
Total	2.72	3.06	4.46 4.47	.98	1.64	2.32	3.30	2.49	1.83	2.18	5.28	8.01	YEAR'S TOTAL 38.61 38.60 169
Rain Days.	14.	(14) 17	25	10	12	8	15	11	8	10	21	23	174

Kept at Whinnygill Reservoir, Skipton
in the County of York
by A. E. M. Aldridge, Surveyor

Time of Observation 9 a.m.
Nearest Railway Station Skipton (Midlands)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.06	—	—	—	.98	.09	—	—	—	.56	1
2	—	—	.03	.06	—	—	.21	.68	—	.05	.36	.12	2
3	.14	—	.23	—	.38	—	—	.08	—	—	.01	.85	3
4	.35	—	.24	.04	.15	.05	—	—	—	—	.08	.72	4
5	.08	—	.48	.28	.02	—	—	—	—	—	.44	.28	5
6	—	—	.26	.25	.16	—	—	—	—	—	.04	.05	6
7	.02	.03	.38	.17	.13	.19	—	—	—	—	.01	.26	7
8	.85	—	.04	—	.18	.90	—	.35	—	—	.03	.25	8
9	.37	.15	—	.04	—	—	—	.08	—	—	.12	—	9
10	.03	.09	—	.02	.03	—	—	—	.06	—	.36	—	10
11	—	.14	.31	—	.01	—	.03	—	.48	—	.76	.68	11
12	—	.19	.10	—	—	—	.16	—	.04	—	.27	.82	12
13	—	.35	.15	.03	—	—	.06	—	.08	—	.20	.44	13
14	.05	.61	.10	—	—	—	.13	—	.14	—	—	.57	14
15	—	—	.34	—	—	—	—	—	.69	—	.59	.03	15
16	.02	—	.02	—	—	—	.94	—	.29	—	—	—	16
17	.06	—	.15	—	—	.13	.07	—	—	—	—	.46	17
18	—	—	.05	—	—	—	.02	—	—	—	—	.07	18
19	—	—	.28	—	—	—	.07	—	.05	—	.03	.21	19
20	—	—	.05	—	—	.01	—	.60	—	—	—	—	20
21	—	—	—	—	—	.57	—	.18	—	.11	—	.10	21
22	—	—	—	—	.04	.40	.02	.02	—	.13	—	—	22
23	—	—	.11	.07	.30	.07	.13	—	—	—	—	.04	23
24	.06	—	.30	.02	.16	—	—	.30	—	.72	.15	—	24
25	.05	—	—	—	—	—	.02	.32	—	.19	.01	.40	25
26	—	—	.09	—	—	—	.04	—	—	.18	.36	.31	26
27	.05	1.32	—	—	—	—	—	—	—	.03	.61	.81	27
28	.05	.18	.02	—	—	—	—	—	—	.34	.31	.08	28
29	.06	—	.12	—	.08	—	—	—	—	.15	.15	—	29
30	.07	X	.46	—	—	—	—	.09	—	.28	.26	.16	30
31	.41	X	.09	X	—	X	.42	—	X	—	X	—	31
Total	2.72	3.06	4.46	.98	1.64	2.32	3.30	2.79	1.83	2.18	5.28	8.01	38.64
Rain Days.	14.	(14)	25	10	12	8	15	11	8	10	21	23	38.60

R

SLAIDBURN
WHITEHOLME
YORKSHIRE

Kept at Whiteholme
in the County of York
by W. H. H. H. H.

1911

FORM A2-
BRITISH RAINFALL
23 MAY 1912

1 ft. 3 in.
475 ft.

Chatterton
1 mile Direction SE

IMPORTANT NOTE: Rainfall should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.55		.06		.02	.07			.63	.05	1
2	.11				.16		.10	.02		.15	.14	.10	2
3			.43		.59		.03	.25			1.41		3
4	.02				.02			.45	.06		.92	.23	4
5	.88		.07					.95			.09	.16	5
6	.07			.04				.92		.03	.55		6
7	.10			.03							.29		7
8	.15		.41								.23	.92	8
9	.11										~~.11~~	.60	9
10	.55	.09	.13						.25		~~.11~~	.64	10
11	.10										.54	.21	11
12		.04	.25						1.20		.42		12
13					.40						.28	.63	13
14	.07	.63			.04						.17	.12	14
15	.03	.53	.04	.02	.35						.81	.32	15
16	.07	.71	.04	.07		.16				.04	.74	.26	16
17		.05				1.04	.05				.15	.25	17
18		.73				.02	.04			.03	.06	.20	18
19				.12		.33	.16		.40	.40	.05	.46	19
20		.10	.07	.40		~~.11~~	.22	.16	.25	.16		.35	20
21		1.41	.06	.12		.02	.09	.19		.09		.13	21
22	.20	.11		.10		.10		.04		.44			22
23	.03	.37		.02	.54	.20			.17	.29		.40	23
24	.13	.31		.26		1.02		.07	.03	.28		.11	24
25	.03	.49		.41			.09		.75			.37	25
26				.43	.02			.04		1.14		.14	26
27		.70	.08	.36	.05				.32		.13	.17	27
28		.19		.49		.44			.11			.42	28
29				.21		.32	.02	.49	.48	2.48		.22	29
30				.06		.10				.58	.01		30
31					.03					.06		.08	31

Average for last 30 years

Total	2.65	6.46	2.13	3.14	2.26	3.75	.82	3.65	4.02	6.17	7.57	7.54	TOTAL for year
No. of Rain Days.	16	15	11	16	11	11	10	12	11	14	19	25	50-16
W. 8,000	5.13	4.01	4.24	2.81	3.03	3.26	4.05	5.48	4.22	5.43	5.21	5.81	52.68

R

FORM A2
BRITISH RAINFALL
23 MAY 1912

Kept at *Whitehouse Standover*

in the County of *YORK N. 2*

by *W. J. M. M. M. M.*

RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *3* in.
Sea Level *475* ft.
Time of Observation *9.20*
Nearest Railway Station { Name *Chatterton*
Distance *7 miles* Direction *SE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.55		.06		.02	.07			.53	.05	1
2	.11				.16		.10	.02		.15	.14	.10	2
3			.43		.59		.03	.25			1.41		3
4	.02				.02			.45	.06		.92	.23	4
5	.88		.07					.95			.09	.16	5
6	.07			.04				.92		.03	.55		6
7	.10			.03							.29		7
8	.15		.41								.23	.92	8
9	.11										~~.11~~	.60	9
10	.55	.09	.13						.25		~~.11~~	.64	10
11	.10										.54	.21	11
12		.04	.25						1.20		.42		12
13					.40						.28	.63	13
14	.07	.63			.04						.17	.12	14
15	.03	.53	.04	.02	.35						.81	.32	15
16	.07	.71	.04	.07		.16				.04	.74	.26	16
17		.05				1.04	.05				.15	.25	17
18		.73				.02	.04			.03	.06	.20	18
19				.12		.33	.16		.40	.40	.05	.46	19
20		.10	.07	.40		~~.11~~	.22	.16	.25	.16		.35	20
21		1.41	.06	.12		.02	.09	.19		.09		.13	21
22	.20	.11		.10		.10		.04		.44			22
23	.03	.37		.02	.54	.20			.17	.29		.40	23
24	.13	.31		.26		1.02		.07	.03	.28		.11	24
25	.03	.49		.41			.09		.75			.37	25
26				.43	.02			.04		1.14		.14	26
27		.70	.08	.36	.05				.32		.13	.17	27
28		.19		.49		.44			.11			.42	28
29				.21		.32	.02	.49	.48	2.48		.22	29
30				.06		.10				.58	.01		30
31					.03					.06		.08	31

Average for last 30 days

Total 2.65 6.46 2.13 3.14 2.26 3.75 .82 3.65 4.02 6.17 7.57 7.54 50.16

No. of Rain Days 14 15 11 16 11 11 10 12 11 14 19 25 171

W. 8,000 5.13 4.01 4.24 2.81 3.03 3.26 4.05 5.48 4.22 5.43 5.21 5.81 52.68

REGIS

SLAITWAITE

BLACKMOORFOOT RES

YORKSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL
14 FEB 1912

Kept at Blackmoor

in the County of W.R.Y.

by Edgar Jones

8 in.

Ground 1 ft. in.

Sea Level 8.00 ft.

Name slaitwaite

Distance Direction

the result entered to the

IMPORTANT NOTE.—

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.80	—	.03	—	.04	.06	—	—	.21	.04	1
2	.05	—	.05	—	.28	—	.04	—	—	.04	.23	.10	2
3	—	—	.09	—	.55	—	—	.02	—	.02	.43	—	3
4	.04	—	.13	.16	.06	—	—	.04	.11	.23	.80	.18	4
5	.15	—	—	.07	.01	—	—	.36	—	.15	.20	.05	5
6	1.10	—	.02	.03	—	—	—	.35	—	.28	.86	.31	6
7	.03	—	—	.03	—	—	—	—	—	.03	.25	—	7
8	.21	—	.25	—	—	—	—	—	.11	.05	.06	.34	8
9	.06	—	—	—	—	—	—	—	—	—	—	.25	9
10	.31	.01	.15	.03	—	—	—	—	.02	—	—	.50	10
11	.36	—	.02	—	.03	—	—	—	.03	—	.40	.44	11
12	.03	—	.19	—	.01	—	—	—	1.24	—	.68	—	12
13	.04	—	.01	—	.18	.05	—	—	.01	—	.12	.31	13
14	.04	.51	.02	—	.14	—	—	—	—	—	.11	.22	14
15	—	.34	.16	.03	—	—	—	—	—	.12	.21	.33	15
16	—	1.05	.05	—	—	.13	.03	—	—	.10	.12	.14	16
17	.04	.04	.08	.04	—	.42	.04	—	—	—	.38	.16	17
18	—	.80	.13	.03	—	.13	—	—	—	.05	.09	.34	18
19	—	.13	.04	.15	—	.03	.04	—	.14	.20	.13	.04	19
20	—	.09	—	.21	—	.03	.05	1.10	.23	.05	—	.25	20
21	—	.43	.04	.04	—	—	—	.30	.03	.12	—	.29	21
22	.05	.14	—	.04	—	.04	.13	.04	—	.23	.06	.08	22
23	.01	.65	.03	.01	.08	.29	—	.05	.08	.23	.01	.50	23
24	.21	.13	.03	.10	.01	1.44	—	.03	—	.25	—	.40	24
25	.14	.65	.03	.16	—	.02	.30	—	.44	.02	.30	.35	25
26	.03	.04	—	.15	.06	.03	.02	.06	—	.40	.13	.28	26
27	.04	.14	.09	.45	.05	—	—	.43	.41	.01	.02	.03	27
28	—	.35	.02	.15	—	.25	—	.34	.12	—	—	.39	28
29	—	—	.04	.36	—	.38	.02	.03	.45	.55	.01	.16	29
30	—	—	.01	.01	.14	.25	—	—	.02	.40	—	—	30
31	—	—	.15	—	—	—	—	—	—	.13	—	.01	31
Total	2.99	5.86	2.63	2.33	1.66	3.85	.44	3.21	3.44	4.31	6.46	6.55	TOTAL for year
No. of Rain Days.	19	16	25	20	14	14	10	14	15	22	23	24	44.39

REGIS

FORM A2.
BRITISH RAINFALL
14 FEB 1912

Kept at Blackmoorpool
in the County of WR York
by Edgar Jones Chief Clerk.
Shuddersfield

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 8.00 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Slailhwaile
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.80	—	.03	—	.04	.06	—	—	.21	.04	1
2	.05	—	.05	—	.28	—	.04	—	—	.04	.23	.10	2
3	—	—	.09	—	.55	—	—	.02	—	.02	.48	—	3
4	.04	—	.13	.16	.06	—	—	.04	.11	.28	.80	.18	4
5	.15	—	—	.07	.01	—	—	.36	—	.15	.20	.05	5
6	1.10	—	.02	.08	—	—	—	.35	—	.28	.86	.31	6
7	.08	—	—	.03	—	—	—	—	—	.03	.25	—	7
8	.21	—	.25	—	—	—	—	—	.11	.05	.06	.34	8
9	.06	—	—	—	—	—	—	—	—	—	—	.25	9
10	.31	.01	.15	.03	—	—	—	—	.02	—	—	.50	10
11	.36	—	.02	—	.03	—	—	—	.03	—	.40	.45	11
12	.03	—	.19	—	.01	—	—	—	1.24	—	.68	—	12
13	.04	—	.01	—	.18	.05	—	—	.01	—	.12	.31	13
14	.04	.51	.02	—	.14	—	—	—	—	—	.11	.22	14
15	—	.34	.16	.03	—	—	—	—	—	.12	.21	.33	15
16	—	1.05	.05	—	—	.13	.03	—	—	.10	.12	.14	16
17	.04	.04	.08	.04	—	.42	.04	—	—	—	.38	.16	17
18	—	.80	.13	.03	—	.13	—	—	—	.05	.09	.34	18
19	—	.13	.04	.15	—	.03	.04	—	.14	.20	.13	.04	19
20	—	.09	—	.21	—	.03	.05	1.10	.23	.05	—	.25	20
21	—	.43	.04	.04	—	—	—	.30	.03	.12	—	.29	21
22	.05	.14	—	.04	—	.04	.13	.04	—	.23	.06	.08	22
23	.01	.65	.03	.01	.08	.29	—	.05	.08	.23	.01	.50	23
24	.21	.13	.03	.10	.01	1.44	—	.03	—	.25	—	.40	24
25	.14	.65	.03	.16	—	.02	.30	—	.44	.02	.30	.35	25
26	.03	.04	—	.15	.06	.03	.02	.06	—	.40	.13	.28	26
27	.04	.14	.09	.45	.05	—	—	.43	.41	.01	.02	.08	27
28	—	.35	.02	.15	—	.25	—	.34	.12	—	—	.39	28
29	—	—	.04	.36	—	.38	.02	.03	.45	.55	.01	.16	29
30	—	—	.01	.01	.14	.25	—	—	.02	.40	—	—	30
31	—	—	.15	—	—	—	—	—	—	.13	—	.01	31
Total	2.99	5.86	2.63	2.33	1.66	3.85	.44	3.21	3.44	4.31	6.46	6.55	TOTAL for year
No. of Rain Days.	19	16	25	20	14	14	10	14	15	22	23	24	44.39 219

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
15 JAN 1913

Kept at

Blackmoorfoot

in the County of

York

W 8

by J. W. Armitage, Waterworks Manager
Huddersfield

Lat.

Long.

Time of Observation 7 a.m.

Nearest Railway Station Meltham

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.52	—	—	.36	.17	.02	.19	.02	—	.61	1
2	.02	.04	.24	.04	.09	.25	.42	—	.12	—	—	.11	2
3	.33	.03	.06	—	.05	.55	.01	.65	.65	—	—	.05	3
4	.42	—	.77	.50	.11	.39	.01	.88	.10	—	.30	—	4
5	.29	.04	.13	.05	.25	.35	—	.17	.20	—	.03	.05	5
6	.90	.14	.01	—	.05	.06	—	.29	—	.01	—	—	6
7	—	.04	.08	.07	.04	.04	—	.24	.24	—	.03	.01	7
8	.78	.24	.12	.42	.03	—	.09	.07	.18	—	.20	—	8
9	.18	.04	.17	.39	.01	.06	—	.03	—	—	.08	.21	9
10	—	.04	—	.04	—	.27	.06	.03	—	—	.85	—	10
11	.33	.07	.01	.03	—	.03	—	—	—	—	.04	1.03	11
12	.12	.51	.15	—	—	.25	.23	.03	—	—	—	.19	12
13	—	.04	.03	—	—	.01	—	.24	—	.25	.06	1.08	13
14	.12	—	.70	—	—	.09	—	.18	—	—	—	.75	14
15	.09	.06	.21	—	.57	.08	—	.07	—	—	—	.44	15
16	.47	—	.18	—	.09	.36	—	.04	—	.18	.03	.26	16
17	.08	.06	.06	—	.04	.61	.07	.14	—	.01	.04	.65	17
18	.23	.03	.01	—	—	.17	—	.04	—	.35	.01	.16	18
19	.23	.07	.16	—	—	.04	.35	.52	—	.35	.12	—	19
20	.38	—	.46	—	.34	.04	.08	.41	—	.50	.02	.03	20
21	—	—	.15	—	.25	—	.21	.07	—	.10	—	.10	21
22	.07	.18	.01	—	1.50	.50	.08	.26	—	—	—	.14	22
23	.01	.01	.20	—	.04	.01	.49	.63	—	.01	.41	.05	23
24	.39	—	.04	—	.04	.06	.15	.43	—	—	.02	.24	24
25	.03	—	.04	—	—	.36	—	.04	—	—	1.14	.23	25
26	—	.27	.15	—	—	.03	.46	.72	—	1.50	.56	.24	26
27	—	.07	.42	—	—	.30	.38	—	—	.55	.01	.18	27
28	—	.09	.07	—	—	.11	.33	.40	.17	.29	.35	.05	28
29	—	.07	.07	—	—	.03	.33	.05	.65	.33	.06	.35	29
30	.09	—	.17	—	.04	.06	.09	—	.01	.09	—	—	30
31	—	—	.21	—	.63	—	1.25	.20	—	—	—	.04	31
Total	5.56	2.14	5.60	1.54	4.17	5.47	5.26	6.85	2.51	4.54	4.36	7.25	55.25
Rain Days.	21	21	30	8	18	28	20	27	10	15	20	25	243
YEAR'S TOTAL													243

REGISTER OF RAINFALL IN 1913

Kept at Blackmoorfoot
in the County of York W 8
by J. W. Armitage, Underworks Manager,
Huddersfield

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Medtham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 800 ft.

FORM A.
BRITISH RAINFALL
17 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.06	.45	.19	—	—	—	—	.03	.01	.14	.01	1
2	—	.21	.42	.03	—	.22	—	—	—	.02	.17	.14	2
3	.05	.16	.58	—	.27	—	—	—	.04	.31	.04	.55	3
4	.42	.17	.18	—	.01	.03	.15	—	.04	.03	.11	.55	4
5	.02	.17	.40	—	.05	.23	.14	—	.14	.45	—	.03	5
6	.02	.11	.25	—	.66	.15	.34	—	.01	.61	—	.03	6
7	—	.26	.15	.02	.21	.15	.03	—	—	.58	.01	.02	7
8	—	.53	.03	.02	.25	.06	—	.11	.01	.18	.09	.04	8
9	.01	.19	.37	—	.09	1.05	.03	.07	—	—	.42	.17	9
10	—	.03	.27	.05	—	.09	.10	—	.03	—	.19	—	10
11	.03	—	.05	.25	—	.13	—	—	—	—	.11	.08	11
12	.04	—	.01	.03	.03	.01	—	—	.13	—	.26	.05	12
13	.01	—	.48	.05	—	—	.05	.02	.20	—	.18	—	13
14	.13	—	.18	.26	—	—	—	.01	—	.26	.44	.03	14
15	.07	.04	.49	1.22	—	—	.01	—	.04	.04	.43	.07	15
16	.02	.02	.07	.12	—	—	.03	.04	—	—	.34	.02	16
17	.02	.04	.06	.23	.16	.26	.12	—	.93	—	.09	—	17
18	.06	—	.53	.40	.13	.07	.04	—	.01	—	.54	.04	18
19	.10	—	.12	.12	.05	.04	.02	—	.12	.03	.23	—	19
20	.28	—	.11	.08	.05	.01	—	—	.03	.05	.57	—	20
21	.07	.01	.25	.03	.44	—	.27	.12	.01	—	.15	—	21
22	.19	—	.78	—	.11	—	—	.57	.15	—	.03	—	22
23	.32	—	.04	—	.30	.34	.03	.41	.12	.03	.09	.03	23
24	.31	.02	—	.05	.03	1.22	—	.05	—	.01	.10	.08	24
25	.05	—	.01	.07	—	—	—	—	.17	.02	.09	.56	25
26	—	.02	.19	.26	—	—	—	—	.04	.11	—	1.02	26
27	—	.02	.03	.14	—	—	—	—	—	.05	.03	.24	27
28	.60	—	.17	.41	.02	—	—	.01	.03	.03	.02	.16	28
29	.03	—	.55	.48	.07	—	—	.33	.01	.09	.05	.14	29
30	.78	—	.03	—	.17	—	—	—	.01	.50	.23	.01	30
31	.07	—	.10	—	.10	—	.01	—	—	—	—	—	31
Total	4.41	1.77	6.94	4.54	3.20	3.06	1.34	1.74	2.33	3.38	4.88	4.07	41.69
Rain Days.	25	17	30	22	20	16	15	11	22	20	27	23	248

REGISTER OF RAINFALL IN 1914

Kept at Blackmoorfoot
in the County of York
by J. W. Armitage, Waterworks Manager
Huddersfield

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Mellham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 800 ft.

FORM A.
BRITISH RAINFALL
14 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.02	.06	—	.02	—	.51	.32	—	.02	.01	.61	1
2	.02	—	.04	.03	—	—	.24	.48	—	.04	.32	.23	2
3	.27	—	.35	—	.30	—	.03	.18	—	.09	.09	.65	3
4	1.28	—	.78	.32	.20	.02	—	—	—	—	.21	.64	4
5	.21	—	.59	.37	.41	.13	.05	—	—	.04	.40	.48	5
6	.08	.03	.08	.28	.12	—	.01	.01	.01	—	.03	.07	6
7	.08	.05	.16	.05	.26	.03	—	—	.03	—	.03	.36	7
8	.44	—	.05	.03	.27	.47	.05	.30	.38	.02	.06	.16	8
9	.38	.05	—	.17	.04	1.15	—	.31	.02	—	.19	—	9
10	.13	.10	.01	.12	.02	.02	.02	—	.04	.01	.15	.02	10
11	—	.30	.25	.03	.11	.11	.02	—	.27	—	1.70	.27	11
12	—	.15	.07	—	.10	.05	.10	—	.65	—	.65	.40	12
13	—	.25	.36	.05	.03	—	—	—	.08	—	.80	.28	13
14	.05	.38	.24	—	—	—	.04	—	.37	.11	.27	.37	14
15	.01	.07	.44	—	.02	—	—	—	.13	.07	.14	.03	15
16	—	.02	.10	—	.01	—	.43	—	.45	—	.01	.01	16
17	.09	.56	.10	—	—	.04	.09	—	.38	—	—	1.05	17
18	.01	.06	.18	—	—	.15	.01	—	.03	.03	—	.29	18
19	—	.06	.01	—	—	—	.18	—	.05	—	.05	.26	19
20	.01	.16	.05	—	—	.02	.01	—	—	.02	—	.03	20
21	.01	.44	.04	—	—	.28	—	.06	—	.07	.01	.08	21
22	—	.24	.07	.04	.09	.23	.01	.04	—	.11	.02	.02	22
23	—	.03	.05	.09	.31	.07	.10	.03	—	.02	—	.05	23
24	.07	.01	.37	.14	.15	.04	.27	.30	—	.01	.10	.03	24
25	.11	—	—	—	—	—	.29	.12	—	.77	.12	.52	25
26	.08	—	.15	—	—	—	.04	.05	.02	.28	.33	.16	26
27	.03	.01	.03	—	—	—	—	—	—	.17	.15	1.05	27
28	.09	.18	.08	—	—	.02	.39	—	—	.05	.59	.15	28
29	.18	~~X~~	.15	—	.03	.01	.01	.03	—	.36	.25	.04	29
30	.03	~~X~~	.17	.04	—	—	—	.07	—	.14	.50	.33	30
31	.49	~~X~~	.35	~~X~~	.01	~~X~~	.25	—	~~X~~	.26	~~X~~	—	31
Total	4.17	3.17	5.38	1.76	2.50	2.84	3.15	2.30	2.92	2.69	7.18	8.64	46.70
Rain Days.	24	21	29	14	19	17	23	14	15	21	26	29	252

YEAR'S TOTAL

J. W. Armitage Jan 13/15

only run starts 14 27.10.16
cancel below

REGISTER OF RAINFALL IN 1915

3387
FORM A.
BRITISH RAINFALL.
77 JAN 1916

Kept at Blackmoorfoot
in the County of Yorkshire
by J. W. Amstutz Waterworks Engineer
Huddersfield

Lat. _____ Long. _____
Time of Observation 7 am
Nearest Railway Station Thellham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.32	.16	—	.43	—	—	.49	.18	—	.01	.16	1
2	.03	.52	.08	.41	—	.03	.25	.25	.02	.05	—	—	2
3	.85	.01	.07	.11	—	—	.09	.22	—	—	.04	.75	3
4	.03	.04	.02	—	.15	—	.68	—	—	—	.01	1.05	4
5	.12	.12	.25	—	.02	.03	—	.02	—	.06	.03	.42	5
6	.27	.26	.10	.37	—	—	.58	.22	—	.03	.03	.91	6
7	.38	.44	.01	.16	.18	—	.28	1.10	—	—	—	.33	7
8	.38	.18	.01	.26	—	—	—	.07	—	—	.33	.02	8
9	.02	.05	—	.06	—	—	.03	.14	.02	.08	.47	.58	9
10	.68	.02	.04	.03	—	—	.04	.23	—	.02	.03	.38	10
11	.17	—	.14	—	.72	—	.08	.19	—	.02	.32	.45	11
12	.08	—	.02	.17	.23	—	.06	.02	—	.25	1.13	.05	12
13	.37	.68	.01	—	.01	—	.02	.20	.02	.01	—	.05	13
14	.30	.02	—	.02	—	—	.04	.18	.06	.01	—	.40	14
15	2.01	.02	—	.03	—	—	.09	.41	.05	—	.29	.21	15
16	—	.37	—	.06	.31	—	1.00	.27	—	.02	.04	.01	16
17	—	.69	.06	—	.02	—	.07	—	—	—	—	.02	17
18	.02	.31	.28	—	—	—	—	—	.05	.02	.03	—	18
19	.03	.10	.08	.05	.07	—	.13	—	—	—	.01	—	19
20	.28	.04	.03	.07	.01	—	.11	.03	—	—	—	.18	20
21	.11	.05	—	.03	—	—	.10	—	—	—	—	.05	21
22	.03	—	.13	.05	—	—	.11	—	—	.04	—	.13	22
23	.03	.04	.08	—	—	—	.03	—	—	.17	—	.08	23
24	—	—	.23	.07	—	—	—	—	.31	.05	—	.35	24
25	.02	—	.04	.01	—	.10	—	—	—	.02	.01	.73	25
26	.07	.77	—	—	—	.31	.28	—	.05	—	—	.46	26
27	—	.38	—	—	—	.03	.06	—	—	.32	.01	.83	27
28	.01	.61	.01	—	—	.23	.03	.58	—	.17	—	.08	28
29	.04	~~X~~	.03	—	.18	.48	—	.04	—	—	.09	.38	29
30	.33	~~X~~	—	.06	—	.11	—	—	—	.01	—	.02	30
31	.29	~~X~~	.02	~~X~~	—	~~X~~	—	.37	~~X~~	.44	~~X~~	.63	31
Total	7.27	6.04	1.90	2.02	2.33	1.32	4.16	5.03	.76	1.79	2.88	9.21	44.71
Rain Days.	27	23	23	18	12	8	22	19	9	19	17	28	225

REGISTER OF RAINFALL IN 1916

Kept at Blackmoorfoot
in the County of York. W.D.
by J. W. Armitage, Waterworks Engineer
Huddersfield.

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Meltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 800 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.95	.02	.32	—	—	.54	.75	.04	—	.01	.23	—	1
2	.31	.31	.18	—	—	.05	.03	—	.48	.13	—	.03	2
3	.04	.18	.03	.02	—	—	.28	—	.37	.12	.11	.04	3
4	.40	.47	.03	.01	.71	.62	.02	—	.03	.46	.26	—	4
5	.15	.24	—	—	.13	.20	—	—	—	.82	.44	—	5
6	.91	.72	.15	.02	.50	.11	.47	—	—	.38	.43	.03	6
7	.19	.17	.10	.01	.03	.05	.32	—	—	.41	.04	.24	7
8	.01	.15	.71	.01	.01	—	—	—	—	.17	.32	.06	8
9	.10	.04	.16	—	.32	.30	.04	—	.09	—	.35	.26	9
10	.09	.01	.05	.18	.01	.34	.09	—	.06	.24	.02	.07	10
11	.07	.54	.54	.51	.01	.17	.06	—	.21	.03	—	.19	11
12	.29	.23	.53	.22	.21	.01	.45	.05	.03	.20	.02	.03	12
13	—	.06	.25	.22	.01	—	.02	.21	.04	1.14	—	.15	13
14	.05	.40	.07	.21	.43	.01	—	.17	.03	.27	.03	.12	14
15	.08	.72	.66	.01	.01	—	.04	.44	.08	.06	—	—	15
16	—	.33	.71	.11	—	—	.18	.54	—	.03	—	—	16
17	.11	.25	.02	.66	—	—	.12	.03	.63	.15	.01	.04	17
18	—	.49	.04	.12	.01	—	.03	1.15	.37	.19	.85	.23	18
19	.45	.10	.23	.23	—	—	—	.15	.08	—	.48	.04	19
20	.36	.02	.21	.08	.02	—	.02	.07	—	—	.04	.05	20
21	.38	.02	.22	.02	.02	—	.05	—	—	—	.02	—	21
22	—	.04	.02	.03	.02	.09	—	—	—	.10	.02	.14	22
23	.09	.05	.03	.11	—	.11	—	.08	—	.01	.30	.36	23
24	—	.50	.02	.11	—	.42	—	.03	—	.01	.02	.09	24
25	.17	.31	.41	—	.15	—	—	.08	.02	.15	.38	.08	25
26	.12	.78	.24	—	.02	.02	—	.04	.02	.03	.06	—	26
27	—	.34	.05	—	.15	—	—	.37	.03	.39	.02	—	27
28	.01	.41	.08	—	.07	.13	—	.01	.02	.55	.05	.25	28
29	.02	.42	—	—	—	.19	—	—	.02	.38	—	.78	29
30	—	X	.02	—	.02	.03	—	—	—	1.33	.03	.10	30
31	—	X	—	X	.03	X	—	.03	X	.50	X	.36	31
Total	5.35	8.32	6.08	2.89	2.89	3.39	2.97	3.49	2.61	8.26	4.53	3.74	54.52
Rain Days.	23	29	28	20	22	18	17	17	18	27	24	23	266

REGISTER OF RAINFALL IN 1917

Kept at Blackmoorfoot
in the County of York
by J. W. Armitage, Waterworks Engineer
Huddersfield

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Meltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 800 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	—	—	.04	—	.08	—	.21	.50	—	.16	.37	1
2	.47	—	—	.46	—	.02	—	.04	.03	.03	.12	—	2
3	.17	.15	—	.12	—	.13	—	.02	—	.26	.18	.05	3
4	.06	.03	.10	.03	—	—	.02	.04	—	.32	—	.02	4
5	.23	—	.07	.38	—	—	—	.18	.02	.17	.34	.01	5
6	.03	—	.03	.09	—	.05	—	.02	.02	.15	.34	.16	6
7	.45	—	.02	—	—	.38	—	—	—	1.00	.03	.10	7
8	.53	—	—	.31	—	—	—	.90	.03	1.03	.33	.08	8
9	.05	—	.03	.18	—	—	—	.06	—	.18	.67	.01	9
10	.43	—	.89	.10	.19	—	—	.13	—	.05	—	—	10
11	.10	—	—	.49	.01	—	—	.12	—	.34	.02	.02	11
12	.03	—	.01	.03	.32	—	—	.28	—	.28	—	.07	12
13	.09	—	—	.48	.54	.07	—	.10	.64	.08	.02	.20	13
14	.21	.01	.01	.20	.03	—	—	.23	—	—	.02	.32	14
15	.08	—	—	.06	.04	—	.45	.01	.11	.07	.01	.23	15
16	.04	.04	.01	.18	—	.02	.10	.25	.03	.04	.02	.66	16
17	.02	.09	.13	.08	.50	.09	.12	.67	.16	.13	.03	.25	17
18	.04	—	.14	.09	.14	—	.71	.34	.21	.10	—	.09	18
19	.08	.11	.38	—	.23	.31	—	.04	—	—	.11	—	19
20	.06	.19	.04	—	.21	.17	—	.02	.06	—	.22	—	20
21	.03	.09	.19	—	.15	—	—	.29	—	.08	.02	—	21
22	.02	—	.12	—	—	—	—	.03	.27	.27	.07	—	22
23	—	.03	—	—	.09	.06	—	.36	.02	.08	.08	.02	23
24	—	.02	—	—	.02	.26	—	.66	—	1.00	.47	.03	24
25	—	.04	.13	—	—	—	—	.05	—	.36	.09	—	25
26	—	—	.02	—	—	.12	—	.28	.17	.33	.59	—	26
27	—	—	—	—	—	.37	.27	.74	—	.14	.42	.04	27
28	—	.04	.48	—	—	.04	.05	.47	—	.08	.22	.02	28
29	—	X	.21	.02	.10	—	.04	.07	—	.44	.60	.48	29
30	.04	X	.27	.01	—	—	—	.04	—	.30	.12	.03	30
31	.03	X	.38	X	.01	X	.03	.05	X	—	X	.09	31
Total	3.46	.84	3.66	3.35	2.58	2.17	1.79	6.70	2.27	7.31	5.30	3.35	YEAR'S TOTAL 42.78
Rain Days.	24	12	21	19	15	15	9	30	14	26	26	23	234

REGISTER OF RAINFALL IN 1918.

Kept at Blackmoorfoot, W. Buddersfield
 in the County of York. W
 by J. W. Armitage, Engineer, Manager
Buddersfield.

Lat. _____ Long. _____
 Time of Observation 4 a.m.
 Nearest Railway Station Heltham
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. - in.
 " " " " Sea Level 800 ft.

BRITISH RAINFALL FORM A. 11-1-18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.12	.09	.05	.13	-	-	.01	.40	.04	.22	.16	1
2	.04	.13	-	.04	.01	-	-	.04	.18	.05	.02	.50	2
3	-	.02	.05	-	.24	-	-	.19	-	.15	.04	.09	3
4	.02	.05	.06	-	.26	-	-	.08	.31	.22	.32	.38	4
5	.03	.02	.04	.16	.40	-	-	.25	.11	.44	.06	.04	5
6	.06	1.80	.04	.24	.02	.15	-	.13	.09	.22	.01	.03	6
7	.03	.21	.02	.13	.01	.02	-	.02	.24	.68	.36	-	7
8	.01	.18	.12	-	-	-	.13	.02	1.05	.19	.12	.04	8
9	.26	1.31	.02	.15	-	.29	-	.01	1.12	.23	.04	.11	9
10	.04	.54	.03	.09	-	-	.30	-	.48	.04	.30	-	10
11	.51	.19	.01	.02	.04	-	.11	-	.34	-	-	.10	11
12	.08	.19	.03	.21	.02	.03	.40	.03	.26	.02	.02	.35	12
13	.05	.02	.01	.04	.13	.06	-	-	.14	.04	-	.01	13
14	.43	-	.01	.01	.01	.10	.13	.01	1.41	.04	-	.14	14
15	.22	-	-	-	-	.04	.63	-	2.28	-	.01	.86	15
16	.14	-	.01	-	-	.10	.11	.05	.12	.04	-	.62	16
17	.32	-	-	-	1.32	.03	.21	.18	.04	.14	-	.34	17
18	.49	-	.13	.02	-	.04	.56	.10	.54	.01	-	.40	18
19	.42	.04	.08	.04	-	.03	.38	.19	.88	.14	-	.55	19
20	.21	.40	.01	.15	-	.17	.14	.02	.43	.04	-	.02	20
21	.14	1.12	-	.03	.40	.16	-	-	.40	.09	-	.02	21
22	.03	.11	-	-	.24	.19	.04	.04	.15	.01	.02	.95	22
23	.05	.05	-	.03	.69	.01	.91	-	.10	.01	.02	.04	23
24	.01	.09	-	-	-	-	.04	.05	.14	.03	.05	.13	24
25	-	-	-	-	.03	.44	.18	.25	.03	.03	.02	-	25
26	-	.16	-	-	-	-	.09	.04	.40	.02	.06	.35	26
27	-	.29	.12	-	-	.03	-	.19	.58	.02	.26	.80	27
28	-	.11	.65	-	-	.01	-	.12	.04	-	.14	.49	28
29	-	X	-	-	-	-	-	-	.11	-	.01	.40	29
30	-	X	.16	-	-	-	-	.12	.01	.04	.03	.24	30
31	-	X	.22	X	-	X	.02	.14	X	-	X	.01	31
Total	4.01	4.45	1.94	1.50	4.01	1.93	4.38	2.31	13.94	3.16	2.19	8.53	55.35.
Rain Days.	23	22	21	16	16	18	17	24	29	26	21	28	261

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Blackmoorfoot, N. Huddersfield
in the County of York
by J. W. Armitage, Waterworks Engineer
Huddersfield.

Lat. _____ Long. _____
Time of Observation 7 am.
Nearest Railway Station Moeltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.92	.02	.05	.03	.79	-	.16	.05	.19	.18	.06	.22	1
2	.28	.02	.47	-	.05	-	.15	.10	.02	.07	.06	.12	2
3	1.00	-	.02	-	.03	.13	.43	-	.03	-	.25	.23	3
4	.55	.02	.34	-	.03	.02	.14	.16	.26	-	.10	.20	4
5	.13	-	.05	.02	-	-	.01	-	-	.01	.08	.30	5
6	.05	-	.37	-	.78	-	-	-	-	.03	.02	.13	6
7	.09	-	.51	.03	.02	-	-	-	-	-	.06	-	7
8	.10	-	.02	-	.06	.09	-	-	-	-	.02	-	8
9	.93	-	.03	.02	.01	-	-	.01	-	-	.04	-	9
10	.01	-	.68	.05	.04	-	-	-	-	-	.05	.27	10
11	.01	-	1.35	.09	.18	-	.07	-	.02	-	.02	.02	11
12	-	-	.41	.16	.01	.10	.07	-	.31	.05	.03	-	12
13	.26	-	.06	.11	-	.03	.04	.05	.07	.12	-	.14	13
14	.22	.02	-	.40	-	-	.01	.03	.02	-	.03	.05	14
15	.34	.07	.03	.03	-	-	-	.01	-	.05	.11	.20	15
16	.41	.71	-	.05	-	.04	-	-	.01	-	.08	.02	16
17	.05	.25	-	.07	-	.09	-	.05	-	-	.75	.03	17
18	.01	-	.09	.01	.03	-	.02	.25	.12	-	.02	.36	18
19	.02	.23	.48	.03	-	.14	.87	.43	.08	-	.25	.03	19
20	.17	.16	.10	-	-	.14	.28	.19	.02	-	.18	.91	20
21	.14	.46	.03	-	-	.12	.16	.01	.01	-	.01	.17	21
22	-	.07	.03	-	-	.08	-	.09	.33	-	.06	.65	22
23	-	.02	.02	-	-	.13	-	.02	-	1.00	.43	.25	23
24	-	-	.01	.20	-	.08	-	-	.20	.34	.21	.35	24
25	.09	.04	-	.37	.10	.12	-	.57	-	-	.19	.08	25
26	.04	.01	.92	.06	-	.02	-	.70	.12	-	.04	.75	26
27	.21	-	.06	.20	-	.02	.03	.08	-	-	.01	.29	27
28	.02	-	-	.07	-	.01	-	.80	-	.04	-	.30	28
29	.11	X	-	.06	-	-	-	.08	-	.54	-	.18	29
30	-	X	.09	.07	-	.14	-	-	-	.12	.38	.19	30
31	.03	X	.06	X	-	X	.27	-	X	.04	X	.02	31
TOTAL	6.19	2.10	6.28	2.13	2.13	1.50	2.71	3.68	1.81	2.59	3.24	6.46	YEAR'S TOTAL
Days with .01 in. or more	26	14	25	21	13	18	15	19	16	13	27	27	234.

REGISTER OF RAINFALL IN 1920

Kept at Blackmarfoot in Buddenfield Lat. _____ Long. _____
in the County of York Time of Observation 7 am
by J. W. Armitage, Waterworks Engineer Nearest Railway Station Wellham
Buddenfield Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 8.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02	.06	.22	.43	.08	.66	.06	.21	.05	.32	.04	1
2	.03	—	.07	.34	.12	.02	.79	.09	.24	.25	—	.20	2
3	.02	—	.02	.32	.10	.12	.75	.12	.06	.08	—	.20	3
4	.04	—	—	.09	.01	—	.22	.64	.08	.37	—	.10	4
5	—	.02	.08	—	.28	—	.05	.17	.08	.19	—	.02	5
6	—	—	.58	.48	.10	—	.06	.02	—	.02	.02	.15	6
7	.17	.02	.13	.13	.11	—	.64	—	—	—	.01	.01	7
8	.15	.05	.03	.35	.13	—	.41	.15	—	.04	.01	—	8
9	.27	.78	.02	.38	—	—	.40	.06	.02	.03	.04	—	9
10	.71	1.48	.09	.29	—	—	.46	.02	—	—	.01	.01	10
11	.48	.09	.02	.24	.29	.33	.02	—	—	—	—	.13	11
12	.30	.28	.30	.27	.05	.19	.04	.14	—	—	.17	.08	12
13	.24	.10	.20	.10	.02	.80	.05	—	—	—	.11	.08	13
14	.05	.04	.25	.07	.01	.81	—	—	.42	.11	.62	.05	14
15	.01	.18	.13	.57	—	—	.07	—	.08	.09	.39	—	15
16	—	.01	.13	.14	.04	—	.55	—	.10	.02	.20	—	16
17	.13	—	.09	—	.15	—	—	.14	.18	.12	—	.02	17
18	.12	—	—	.08	.50	—	.05	.05	.19	—	—	—	18
19	.07	2.03	—	.15	.83	.07	.02	.21	.01	—	—	—	19
20	.07	.12	—	.17	—	.08	.23	—	—	—	.01	.10	20
21	.04	—	—	.02	—	—	.61	.07	—	.01	—	.19	21
22	.09	—	.01	.29	—	.08	.37	.04	—	—	.02	.15	22
23	—	—	—	.01	—	—	.54	—	—	.01	.01	.25	23
24	.07	.01	.64	.09	—	—	.04	—	—	—	—	.28	24
25	—	.03	.11	.15	.01	.03	.40	—	.02	—	—	.01	25
26	.14	.15	.42	.38	.05	—	.17	—	.01	—	—	—	26
27	.09	.04	.03	.17	.87	.38	.01	—	—	.01	.23	.13	27
28	.83	.04	.47	.13	.18	.08	.04	—	.01	—	.03	.18	28
29	.22	—	.23	.09	.95	.12	.18	—	.04	—	.12	.95	29
30	.19	~~X~~	.02	.17	.04	.04	—	—	.16	—	.12	.45	30
31	.39	~~X~~	.12	~~X~~	.09	~~X~~	.02	—	~~X~~	.55	~~X~~	.21	31
TOTAL	4.43	5.49	3.95	5.89	5.36	3.23	8.35	1.98	1.91	1.95	2.44	3.99	YEAR'S TOTAL 49.47
Days with ".01 in. or more	26	19	25	28	23	15	28	15	17	16	18	24	254
Days with ".04 in. or more	22	13	18	26	19	13	24	13	12	10	10	19	199

REGISTER

SLAITHWAITE
INGLEWOOD
YORKSHIRE
1911-20

Kept at *Inglewood*
in the County of *Yorks WR*
by *Jas. Woodhead*

FORM A2
BRITISH RAINFALL
3-JAN-1912
in. —
und 1 ft. — in.
Level 546 ft.
SLAITHWAITE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	—	.06	—	.09	.04	—	—	.35	.01	1
2	.04	—	.04	—	.32	—	.01	—	—	.03	.11	.10	2
3	—	.01	.09	—	.58	—	—	—	—	.01	.65	—	3
4	.03	—	.15	.13	.03	—	—	.02	.08	.24	.64	.24	4
5	.30	—	.01	.06	—	—	—	.34	.01	.11	.22	.02	5
6	.88	—	.01	.09	—	—	—	.39	—	.22	.94	.31	6
7	.04	—	—	.01	—	—	—	—	—	.01	.25	—	7
8	.24	.01	.31	—	—	—	—	—	.11	.01	.04	.39	8
9	.07	—	—	—	—	—	—	—	.01	—	—	.24	9
10	.27	—	.10	.01	—	—	—	—	.01	—	—	.65	10
11	.33	.01	—	—	.02	—	—	—	.03	—	.74	.41	11
12	.03	—	.21	—	.01	—	—	—	1.05	—	.63	.01	12
13	.01	—	.01	—	.09	—	—	—	—	—	.17	.31	13
14	.03	.55	.09	—	.21	.03	—	—	—	—	.02	.22	14
15	—	.32	.06	.01	—	—	—	—	—	.13	.25	.35	15
16	—	1.08	.02	—	—	.19	.01	—	—	.08	.14	.14	16
17	.03	.05	.06	—	—	.59	.01	—	—	—	.32	.12	17
18	—	.65	.15	.01	—	.07	—	—	—	.05	.11	.27	18
19	—	.22	.02	.20	—	.03	.05	—	.15	.15	.11	.10	19
20	—	.14	—	.29	—	.01	.04	.75	.32	.03	—	.25	20
21	—	.83	.02	.01	—	—	.04	.40	.01	.11	—	.31	21
22	.03	.12	—	.07	—	.01	—	.01	—	.29	.03	.06	22
23	.01	.55	.01	.01	—	.33	—	—	.08	.15	—	.33	23
24	.21	.14	.01	.15	.06	1.25	—	—	—	.24	—	.56	24
25	.07	.67	—	.25	—	.01	.22	.01	.75	.01	.01	.38	25
26	.05	.03	—	.20	—	.01	.01	.02	—	.73	.34	.28	26
27	.03	.19	.08	.57	.18	.01	—	.39	.33	—	.02	.02	27
28	—	.47	.01	.22	—	.24	—	.29	.08	—	.01	.44	28
29	—	—	.02	.50	—	.40	—	.01	.46	.54	—	.46	29
30	—	—	.01	.01	.11	.28	—	—	—	.60	.01	—	30
31	—	—	.07	—	—	—	—	—	—	.12	—	.01	31
Total	2.66	6.05	2.49	2.80	1.67	3.46	.48	2.67	3.48	3.86	6.11	6.99	TOTAL for year 42.72
No. of Rain Days	19	18	24	19	11	15	9	12	15	21	23	28	214

REGISTER OF RAINFALL IN 1912

Kept at Inglewood SLAITHWAITE.
in the County of Yorks WR 8
by Jas. Woodhead

Pattern Snowdon
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft. — in.
" " " Sea Level 546 ft.
Time of Observation 9 am
Nearest Railway Station Name SLAITHWAITE
Distance 1/2 m Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.93	—	.06	—	.09	.04	—	—	.35	.01	1
2	.04	—	.04	—	.32	—	.01	—	—	.03	.11	.10	2
3	—	.01	.09	—	.58	—	—	—	—	.01	.65	—	3
4	.03	—	.15	.13	.03	—	—	.02	.08	.24	.64	.24	4
5	.30	—	.01	.06	—	—	—	.34	.01	.11	.22	.02	5
6	.88	—	.01	.09	—	—	—	.39	—	.22	.94	.31	6
7	.04	—	—	.01	—	—	—	—	—	.01	.25	—	7
8	.24	.01	.31	—	—	—	—	—	.11	.01	.04	.39	8
9	.07	—	—	—	—	—	—	—	.01	—	—	.24	9
10	.27	—	.10	.01	—	—	—	—	.01	—	—	.65	10
11	.33	.01	—	—	.02	—	—	—	.03	—	.74	.41	11
12	.03	—	.21	—	.01	—	—	—	1.05	—	.63	.01	12
13	.01	—	.01	—	.09	—	—	—	—	—	.17	.31	13
14	.03	.53	.09	—	.21	.03	—	—	—	—	.02	.22	14
15	—	.32	.06	.01	—	—	—	—	—	.13	.25	.35	15
16	—	1.08	.02	—	—	.19	.01	—	—	.08	.14	.14	16
17	.03	.05	.06	—	—	.59	.01	—	—	—	.32	.12	17
18	—	.65	.15	.01	—	.07	—	—	—	.05	.11	.27	18
19	—	.22	.02	.20	—	.03	.05	—	.15	.15	.11	.10	19
20	—	.14	—	.29	—	.01	.04	.75	.32	.03	—	.25	20
21	—	.83	.02	.01	—	—	.04	.40	.01	.11	—	.31	21
22	.03	.12	—	.07	—	.01	—	.01	—	.29	.03	.06	22
23	.01	.56	.01	.01	—	.33	—	—	.08	.15	—	.33	23
24	.21	.14	.01	.15	.06	1.25	—	—	—	.24	—	.56	24
25	.07	.67	—	.25	—	.01	.22	.01	.75	.01	.01	.38	25
26	.01	.03	—	.20	—	.01	.01	.02	—	.73	.34	.28	26
27	.03	.19	.08	.57	.18	.01	—	.39	.33	—	.02	.02	27
28	—	.47	.01	.22	—	.24	—	.29	.08	—	.01	.44	28
29	—	—	.02	.50	—	.40	—	.01	.46	.54	—	.46	29
30	—	—	.01	.01	.11	.28	—	—	—	.60	.01	—	30
31	—	—	.07	—	—	—	—	—	—	.12	—	.01	31
Total	2.66	6.05	2.49	2.80	1.67	3.46	.48	2.67	3.48	3.86	6.11	6.99	TOTAL for Year 42.72
No. of Rain Days	19	18	24	19	11	15	9	12	15	21	23	28	214

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
13 JAN 1913

Kept at *Inglewood Slaithe*
in the County of *York*
by *James Woodhead*

RAIN GAUGE
Pattern *Snowdon*
Diameter of top *5* in.
Height of top above Ground *1* ft. *—* in.
" " " Sea Level *546* ft.
Time of Observation
Nearest Railway Station { Name *Slaithe*
Distance *2 1/2* Direction *NW*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.40	—	—	.55	.10	.01	.19	—	—	.72	1
2	.01	—	.25	.04	.09	.23	.34	—	.05	—	—	.13	2
3	.42	—	.05	.01	.02	.44	—	.68	.71	—	—	.07	3
4	.47	.02	.72	.56	.07	.62	—	1.06	.07	—	.35	—	4
5	.40	.03	.71	.02	.32	.16	—	.06	.25	—	.02	.02	5
6	1.09	.10	.01	—	.03	—	—	.31	—	—	—	—	6
7	—	.03	.10	.02	.03	.03	.01	.19	.30	—	.02	—	7
8	.36	.22	.13	.37	.03	—	.05	.07	.12	—	.21	—	8
9	.21	.05	.18	.47	—	.03	.01	.02	—	—	.07	.17	9
10	.19	.02	.01	.04	—	.22	.05	.01	—	—	1.14	—	10
11	.15	.07	—	.02	—	—	.01	—	.01	—	.02	1.19	11
12	.09	.55	.24	—	—	.21	.45	.01	—	—	—	.20	12
13	—	.03	.01	—	—	—	—	.27	—	.21	.04	.97	13
14	.14	—	.73	.01	—	.09	—	.12	—	—	—	.74	14
15	.08	.05	.11	—	.56	.08	—	.03	—	.01	—	.40	15
16	.44	—	.17	—	.06	.30	—	.05	—	.19	.01	.26	16
17	.03	.05	.03	—	.02	.80	.02	.15	—	—	.03	.60	17
18	.57	.01	—	—	—	.08	—	—	—	.40	.02	.18	18
19	.28	.05	.28	—	—	.02	.30	.56	—	.37	.07	.01	19
20	.31	—	.27	—	.30	.02	.05	.56	—	.44	.01	.01	20
21	—	—	.18	—	.37	—	.15	.01	—	.12	—	.14	21
22	.04	.19	.01	—	1.31	.40	.06	.40	—	—	—	.14	22
23	—	—	.20	—	.01	—	.51	.76	—	—	.42	.07	23
24	.28	—	.03	—	.01	.08	.21	.38	—	—	.17	.20	24
25	—	—	.03	—	—	.29	—	.02	—	—	.82	.20	25
26	.01	.25	.18	—	—	.01	.41	.60	—	1.32	.33	.30	26
27	—	.05	.53	—	—	.26	.39	—	—	.57	.01	.25	27
28	—	.07	.01	—	—	.07	.31	.43	.17	.20	.23	.01	28
29	—	.06	.04	—	—	—	.30	.01	.72	.44	.30	.43	29
30	.06	—	.21	—	.04	.05	.08	—	—	.05	—	.01	30
31	—	—	.11	—	.65	—	1.52	.23	—	—	—	.02	31
Total	5.63	1.90	5.33	1.56	3.92	4.84	5.33	7.00	2.59	4.32	4.29	7.44	TOTAL for Year 54.15
No. of Rain Days	21	19	29	10	17	23	21	26	10	12	20	26	234

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Inglewood Slithwaite
in the County of York W.R. 8
by Jas Woodhead

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.05	.43	.70	—	—	—	—	.06	.01	.09	—	1
2	.01	.27	.51	.03	—	.19	—	—	—	—	.12	.13	2
3	.01	.16	.39	—	.30	—	—	—	.05	.24	.03	.58	3
4	.52	.15	.12	—	.02	.02	.08	—	.02	.01	.11	.59	4
5	.07	.19	.43	—	.04	.16	.14	—	.17	.41	—	.02	5
6	.04	.20	.25	—	.62	.09	.26	—	.01	.53	—	.01	6
7	.01	.28	.10	—	.24	.18	.02	—	—	.52	.01	.01	7
8	—	.12	.01	.01	.21	.01	—	.10	—	.05	.11	.05	8
9	.01	.24	.58	—	.10	.93	.02	.05	—	—	.19	.19	9
10	.67	.02	.33	.05	—	—	.06	—	.01	—	.11	—	10
11	.01	—	—	.26	—	.14	—	—	—	—	.10	.11	11
12	.02	—	—	.01	—	.01	—	—	.12	—	.30	.03	12
13	—	—	.53	.03	—	—	.02	.02	.22	—	.28	—	13
14	.06	—	.19	.27	—	—	—	—	—	.27	.48	.03	14
15	.13	.01	.50	1.02	—	—	—	.01	.02	—	.50	.08	15
16	.01	—	.12	.13	—	—	.02	—	—	—	.51	—	16
17	.02	.02	.04	.34	.20	.39	.13	—	.77	—	.14	—	17
18	.05	—	.42	.52	.15	.03	.03	—	—	—	.48	.01	18
19	.08	—	.12	.17	.03	.02	—	—	.07	.03	.32	—	19
20	.24	—	.08	.02	.02	.01	—	—	.02	.05	.56	—	20
21	—	—	.44	.01	.35	—	.21	.10	—	—	.16	—	21
22	.34	—	.91	—	.11	—	—	.52	.14	—	—	—	22
23	.38	—	.02	—	.43	.41	.01	.41	.08	.01	.09	.11	23
24	.67	.03	—	.05	.01	.17	—	.04	—	—	.08	.03	24
25	.01	—	—	.08	—	—	—	—	.15	.01	.09	.73	25
26	—	.02	.15	.42	—	—	—	—	.03	.10	—	1.00	26
27	.01	.01	.01	.27	—	—	—	—	—	.03	.01	.25	27
28	.61	—	.16	.50	—	—	—	—	.01	—	—	.10	28
29	.01	—	.36	.48	.05	—	—	.37	—	.06	.02	.14	29
30	.91	—	.02	—	.21	—	—	—	.01	.43	.21	.02	30
31	.11	—	.12	—	.05	—	—	—	—	—	—	—	31
Total	5.07	1.77	7.34	4.77	3.14	2.74	1.00	1.62	1.96	2.76	5.08	4.22	41.47
Rain Days.	27	15	27	21	18	15	12	9	18	16	25	21	224

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at "Inglewood" Slacks
in the County of York W.A. 8
by Jas Woodhead

Lat. 53.38 Long. 1.53 W 20 JAN 1915
Time of Observation 9 AM
Nearest Railway Station Slacks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 546 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.04	—	—	—	.34	.20	—	—	—	.22	1
2	—	—	.02	.02	—	—	.17	.59	—	.07	.26	.16	2
3	.30	—	.41	—	.32	—	.02	.11	—	.02	.01	.68	3
4	1.13	—	.77	.31	.20	—	—	—	—	—	.22	.28	4
5	.21	—	.62	.38	.40	.09	.01	—	—	.01	.16	.28	5
6	—	.02	.06	.35	.10	.01	—	.01	—	—	.02	.03	6
7	.04	.05	.17	.02	.33	.01	—	.01	.01	—	.01	.40	7
8	.71	—	.04	.01	.24	.33	.02	.21	.21	—	.06	.03	8
9	.47	.04	—	.26	.01	.95	—	.29	.01	—	.15	—	9
10	.08	.06	—	.20	.02	—	—	—	.03	—	.22	—	10
11	—	.35	.33	.02	.08	.08	.02	—	.23	—	1.73	.31	11
12	—	.22	.06	—	.08	.03	.13	—	.55	—	.35	.13	12
13	—	.27	.44	.03	.01	—	.02	—	.09	—	.50	.32	13
14	.06	.49	.21	—	—	—	.02	—	.11	.04	.25	.27	14
15	—	.05	.50	—	.01	—	—	—	.11	.05	.10	.01	15
16	—	.02	.06	—	—	—	.48	—	.37	—	—	—	16
17	.06	.66	.17	—	—	—	.05	—	.32	—	—	.83	17
18	.02	.06	.07	—	—	.08	—	—	.11	.01	.01	.11	18
19	—	.04	.01	—	—	—	.16	—	.05	—	.02	.22	19
20	.01	.16	.07	—	—	—	—	—	.01	.01	—	.01	20
21	—	.60	.02	—	—	.20	—	.03	—	.11	.01	.06	21
22	—	.29	.07	.02	.14	.25	—	.06	—	.05	—	.01	22
23	—	.01	.04	.13	.19	.01	.06	.01	—	—	.01	.01	23
24	.05	—	.50	.09	.10	.03	.24	.32	—	—	.12	—	24
25	.07	—	.01	—	—	—	.21	.12	—	.64	.08	.24	25
26	.07	—	.09	—	—	—	.03	.01	—	.18	.30	.20	26
27	.04	.01	—	—	—	—	—	—	—	.19	.21	.76	27
28	.12	.23	.09	—	—	—	.11	—	—	.01	.14	.23	28
29	.21	X	.15	—	.02	—	—	.02	—	.40	.10	.02	29
30	.02	X	.20	.02	—	—	—	.03	—	.06	.30	.24	30
31	.68	X	.49	X	—	X	.23	—	X	.11	X	—	31
Total	4.36	3.64	5.71	1.86	2.25	2.07	2.32	2.02	2.21	1.96	5.34	6.06	39.80
Rain Days.	20	20	28	14	16	12	18	15	14	16	25	26	224

REGISTER OF RAINFALL IN 1915

Kept at *Inglewood* *Shalghwaite*
in the County of *York W. R.*
by *Jas Woodhead*

Lat. *53° 38' 45"* Long. *1° 53' W.*
Time of Observation *9 AM*
Nearest Railway Station *Shalghwaite*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *546* ft.

FORM A.
BRITISH RAINFALL
10 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

1.07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.25</i>	<i>.28</i>	<i>.03</i>	—	<i>.31</i>	—	<i>.06</i>	<i>.20</i>	<i>.14</i>	—	—	<i>.12</i>	1
2	<i>.02</i>	<i>.44</i>	<i>.13</i>	<i>.40</i>	—	<i>.01</i>	<i>.23</i>	<i>.18</i>	—	<i>.03</i>	—	—	2
3	<i>.79</i>	—	<i>.06</i>	<i>.16</i>	—	—	<i>.12</i>	<i>.37</i>	—	<i>.01</i>	<i>.02</i>	<i>.56</i>	3
4	<i>.02</i>	<i>.02</i>	<i>.01</i>	—	<i>.06</i>	—	<i>.41</i>	—	—	—	—	<i>.83</i>	4
5	<i>.17</i>	<i>.07</i>	<i>.20</i>	—	—	<i>.01</i>	—	—	—	<i>.02</i>	—	<i>.42</i>	5
6	<i>.25</i>	<i>.18</i>	<i>.01</i>	<i>.39</i>	—	—	<i>.49</i>	<i>.07</i>	—	<i>.02</i>	<i>.01</i>	<i>.78</i>	6
7	<i>.35</i>	<i>.46</i>	—	<i>.35</i>	<i>.02</i>	—	<i>.19</i>	<i>.73</i>	—	—	—	<i>.33</i>	7
8	<i>.52</i>	<i>.11</i>	—	<i>.21</i>	—	—	—	<i>.06</i>	—	—	<i>.29</i>	—	8
9	<i>.01</i>	<i>.06</i>	—	<i>.11</i>	—	—	<i>.01</i>	<i>.15</i>	—	<i>.05</i>	<i>.50</i>	<i>.21</i>	9
10	<i>.68</i>	—	<i>.03</i>	<i>.01</i>	—	—	<i>.02</i>	<i>.30</i>	—	<i>.02</i>	<i>.02</i>	<i>.93</i>	10
11	<i>.10</i>	—	<i>.06</i>	—	<i>.56</i>	—	<i>.08</i>	<i>.27</i>	—	—	<i>.34</i>	<i>.35</i>	11
12	<i>.10</i>	—	—	<i>.10</i>	<i>.17</i>	—	<i>.05</i>	<i>.07</i>	—	<i>.24</i>	<i>1.20</i>	—	12
13	<i>.12</i>	<i>.53</i>	—	—	<i>.01</i>	—	<i>.01</i>	<i>.15</i>	—	—	—	<i>.06</i>	13
14	<i>.22</i>	—	—	—	—	—	<i>.03</i>	<i>.12</i>	<i>.02</i>	—	—	<i>.22</i>	14
15	<i>1.64</i>	<i>.02</i>	—	<i>.02</i>	—	—	<i>.07</i>	<i>.27</i>	<i>.03</i>	—	<i>.16</i>	<i>.15</i>	15
16	—	<i>.47</i>	—	<i>.03</i>	<i>.28</i>	—	<i>.60</i>	<i>.18</i>	<i>.01</i>	—	—	—	16
17	—	<i>.43</i>	<i>.04</i>	—	—	—	—	—	—	—	<i>.17</i>	—	17
18	—	<i>.19</i>	<i>.28</i>	—	—	—	—	—	<i>.02</i>	<i>.01</i>	<i>.01</i>	—	18
19	<i>.01</i>	<i>.05</i>	<i>.10</i>	<i>.08</i>	<i>.03</i>	—	<i>.15</i>	—	—	—	—	—	19
20	<i>.39</i>	<i>.02</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>	—	<i>.16</i>	<i>.01</i>	—	—	—	<i>.12</i>	20
21	<i>.11</i>	<i>.04</i>	—	—	—	—	<i>.18</i>	<i>.01</i>	—	—	—	<i>.02</i>	21
22	<i>.01</i>	—	<i>.11</i>	<i>.04</i>	—	—	<i>.06</i>	—	—	<i>.01</i>	—	<i>.10</i>	22
23	—	<i>.01</i>	<i>.04</i>	<i>.01</i>	—	—	<i>.02</i>	—	—	<i>.07</i>	—	<i>.06</i>	23
24	—	—	<i>.15</i>	<i>.02</i>	—	—	—	—	<i>.24</i>	—	—	<i>.22</i>	24
25	—	—	—	—	—	<i>.09</i>	—	—	<i>.03</i>	<i>.02</i>	—	<i>.14</i>	25
26	<i>.04</i>	<i>.72</i>	—	—	—	<i>.22</i>	<i>.26</i>	—	<i>.04</i>	—	—	<i>.40</i>	26
27	—	<i>.57</i>	—	—	—	<i>.31</i>	<i>.05</i>	—	—	<i>.32</i>	—	<i>.36</i>	27
28	—	<i>.32</i>	—	—	—	<i>.29</i>	<i>.02</i>	<i>.26</i>	—	<i>.14</i>	—	<i>.02</i>	28
29	<i>.02</i>	—	—	—	<i>.09</i>	<i>.15</i>	—	—	—	—	—	<i>.15</i>	29
30	<i>.10</i>	<i>X</i>	—	<i>.05</i>	—	<i>.07</i>	—	—	—	—	<i>.07</i>	<i>.01</i>	30
31	<i>.23</i>	<i>X</i>	<i>.01</i>	<i>X</i>	—	<i>X</i>	<i>.02</i>	<i>.36</i>	<i>X</i>	<i>.35</i>	<i>X</i>	<i>.40</i>	31
Total	<i>6.15</i>	<i>4.99</i>	<i>1.27</i>	<i>2.00</i>	<i>1.54</i>	<i>1.15</i>	<i>3.29</i>	<i>3.76</i>	<i>.53</i>	<i>1.31</i>	<i>2.79</i>	<i>6.96</i>	YEAR'S TOTAL <i>35.74</i>
Rain Days.	<i>23</i>	<i>20</i>	<i>16</i>	<i>16</i>	<i>10</i>	<i>6</i>	<i>23</i>	<i>18</i>	<i>8</i>	<i>14</i>	<i>11</i>	<i>24</i>	<i>191</i>

REGISTER OF RAINFALL IN 1916

Kept at *Inglewood* *Shackworth*
in the County of *York* *59*
by *Jas Woodhead*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3312
FORM A.
BRITISH RAINFALL
16 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.07	.05	.39	—	—	.58	.81	.02	—	.01	.24	—	1
2	.31	.22	.24	—	—	.06	.01	—	.57	.19	.01	.02	2
3	.01	.28	.01	.01	—	.03	.11	—	.27	.16	.10	.02	3
4	.26	.45	—	—	.69	.70	.05	—	.05	.32	.28	—	4
5	.18	.17	.01	—	.14	.19	—	—	—	.87	.57	—	5
6	.64	.77	.18	—	.52	.17	.60	—	—	.27	.45	.03	6
7	.09	.16	.11	—	.04	.08	.10	—	—	.44	.04	.28	7
8	.01	.11	.45	.01	—	—	.01	—	—	.18	.61	.02	8
9	.11	—	.07	—	.41	.19	.02	—	.04	—	.53	.29	9
10	.07	.04	.03	.21	—	.33	.09	—	.03	.29	.01	.03	10
11	.04	.46	.34	.62	.01	.14	.12	—	.25	.01	.01	.22	11
12	.27	.26	.57	.23	.19	—	.62	.03	.01	.19	.01	.01	12
13	—	.17	.36	.30	—	—	.01	.29	.03	1.32	.01	.19	13
14	.03	.16	.05	.28	.53	—	—	.16	.03	.23	.01	.06	14
15	.04	.73	.73	.02	—	—	.05	.33	.07	.05	—	—	15
16	—	.37	.62	.22	—	—	.22	.43	.02	.04	—	—	16
17	.09	.29	—	.94	—	—	.08	—	.82	.15	.01	.01	17
18	.01	.66	.02	.14	—	—	.02	.77	.35	.21	.84	.22	18
19	.35	.03	.30	.23	—	—	—	.14	.06	—	.69	.03	19
20	.32	.01	.36	.15	.02	—	.03	.07	—	—	.03	.05	20
21	.30	.01	.04	.01	.01	—	.01	—	—	—	.01	—	21
22	—	.04	—	.01	—	.06	—	—	—	.10	.01	—	22
23	.06	.06	.02	.12	—	.10	—	.07	—	.01	.31	.46	23
24	—	.72	.01	.06	—	.61	—	.03	—	.03	—	.10	24
25	.20	.07	.44	—	.13	.01	—	.09	.01	.12	.61	.04	25
26	.08	.22	.25	—	.01	—	—	.03	—	.09	.11	—	26
27	—	.34	.02	—	.32	—	—	.31	.01	.38	—	—	27
28	.01	.11	.09	—	.03	.16	—	—	.01	.61	.04	.42	28
29	—	.61	.02	—	—	.04	—	—	.01	.39	—	.88	29
30	.02	X	—	—	.03	.13	—	—	—	1.01	.003	.15	30
31	—	X	—	X	.08	X	—	.04	X	.42	X	.43	31
Total	4.57	7.57	5.73	3.56	3.16	3.58	2.96	2.81	2.64	8.09	5.57	3.96	54.20
Rain Days.	24	28	26	17	16	17	18	15	18	27	25	22	253

REGISTER OF RAINFALL IN 1917

Kept at Englewood Slackwack
in the County of York. (W.R.)
by Farwoodhead

Lat. _____ Long. _____
Time of Observation 9 PM
Nearest Railway Station Slackwack Lane
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 3-46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	—	—	.29	—	.15	—	.20	.36	—	.18	.32	1
2	.70	—	—	.31	—	.06	—	.04	.02	.04	.08	.01	2
3	.18	.08	—	.06	—	.16	—	.02	—	.38	.17	—	3
4	.04	.03	.15	.01	—	.01	.01	—	—	.35	.01	.05	4
5	.24	—	.08	.41	—	—	—	.74	.04	.20	.29	.01	5
6	.03	—	.06	.01	—	.22	—	—	—	.34	.39	.17	6
7	.32	—	—	—	—	.15	—	—	—	.93	.03	.12	7
8	.88	—	—	.38	—	—	—	.91	.02	1.04	.42	.11	8
9	—	—	.05	.16	—	—	—	.08	—	.19	.81	.01	9
10	.15	—	.88	.21	.18	—	—	.13	—	.04	—	—	10
11	.14	—	—	.53	—	—	—	.24	—	.47	.01	—	11
12	.02	—	.01	.04	.36	—	—	.35	—	.30	—	.06	12
13	.03	—	—	.46	.43	—	—	.06	.62	.08	.02	.06	13
14	.08	—	—	.24	—	—	—	.15	—	.01	—	.47	14
15	.06	—	—	.14	—	—	.41	—	.10	.08	—	.30	15
16	.09	.07	.01	.28	—	.05	.02	.31	.02	.03	.01	.27	16
17	.04	.08	.22	.14	.50	.12	.27	1.24	.10	.18	.01	.66	17
18	.04	—	.21	.03	.13	—	.76	.35	.26	.11	—	.13	18
19	.05	.15	.50	.01	.22	.21	—	.01	—	.01	.08	—	19
20	.09	.14	.01	—	.25	.17	—	.01	.05	—	.25	—	20
21	.01	.14	.20	—	.06	—	—	.26	—	.06	—	—	21
22	.01	—	—	—	—	—	—	.02	.28	.25	.07	—	22
23	.01	.03	.11	—	.10	.20	—	.29	.01	.11	.06	.01	23
24	—	.01	.01	—	—	.12	—	.53	—	.94	.49	.01	24
25	—	.03	.13	—	—	—	—	.05	—	.32	.16	—	25
26	—	—	—	—	—	.11	—	.29	.17	.31	.87	—	26
27	—	—	.01	—	—	.35	.20	.65	—	.05	.43	.04	27
28	.01	.03	.55	—	—	.03	.02	.44	—	.07	.21	.18	28
29	.02	.20	.21	—	.14	—	.04	.04	—	.41	.51	.42	29
30	.01	X	.34	—	—	—	—	.03	—	.34	.09	.01	30
31	.03	X	.38	X	.01	X	.02	.26	X	—	X	.08	31
Total	3.50	.79	4.12	3.71	2.38	2.11	1.75	7.10	2.02	7.64	5.62	3.41	44.15
Rain Days.	26	11	20	18	11	15	9	27	13	28	24	22	224

REGISTER OF RAINFALL IN 1918

Kept at *Ingleswood Slaithwaite*
in the County of *York W.R.*
by *Jar Woodhead*

Lat. *53.38* Long. *1.53 W*
Time of Observation *9 AM*
Nearest Railway Station *Slaithwaite*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *546* in.
" " " " Sea Level *546* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

95

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.14	.05	.04	.10	—	—	—	.21	.15	.22	.20	1
2	.04	.15	.02	.05	.01	—	—	.06	.03	.04	—	.50	2
3	—	.02	.04	—	.54	—	—	.16	.26	.26	.04	.02	3
4	.01	.04	.06	—	.01	—	—	.10	.12	.27	.41	.38	4
5	.02	.01	.07	.31	.37	—	—	.29	.08	.44	.09	—	5
6	.07	.29	.04	.30	.01	.20	—	.12	.41	.36	—	.02	6
7	.03	.27	.01	.14	—	—	—	.02	1.07	.68	.34	—	7
8	.05	.29	.13	.01	—	—	.23	.01	1.27	.33	.11	—	8
9	.51	1.27	—	.16	—	.29	.01	—	.85	.31	.08	.12	9
10	.07	.75	.01	.02	—	—	.11	—	.44	.05	.33	.01	10
11	.57	.20	.02	.02	.06	—	.07	—	.33	.01	.01	.13	11
12	.06	.31	.03	.25	.03	.01	.42	—	.48	.01	—	.41	12
13	.04	.01	—	.09	.21	.05	.01	—	1.21	.07	—	—	13
14	.84	—	—	.01	.01	.10	.16	—	2.37	.06	—	.24	14
15	.27	—	—	—	.01	.03	.75	—	.13	.01	—	.75	15
16	.06	—	.01	—	—	.11	.10	.07	.19	.03	—	.64	16
17	.31	—	—	—	.82	.03	.15	.24	.47	.20	—	.45	17
18	.54	—	.15	—	—	.03	.43	.03	1.11	.01	—	.91	18
19	.35	.05	.09	.05	—	.01	.40	.23	.65	.09	—	.58	19
20	.15	.72	—	.08	—	.20	.22	.01	.46	.03	—	.01	20
21	.15	1.16	—	.01	.33	.26	—	—	.05	.05	—	.01	21
22	.05	.06	—	—	.26	.08	.07	.02	.12	.01	—	.95	22
23	.05	.04	—	.01	.55	.01	.44	—	.17	—	—	.10	23
24	.01	.14	—	—	—	—	.03	.09	.21	.01	.04	.12	24
25	—	—	—	—	.01	.35	.15	.26	.54	—	—	—	25
26	—	.21	—	—	—	.01	.12	.04	.71	.02	.06	.78	26
27	—	.43	.22	—	—	.01	—	.19	.04	.02	.30	.28	27
28	—	.21	.60	—	—	—	—	.11	.12	—	.12	.63	28
29	—	—	.01	—	—	—	—	—	.01	—	—	.50	29
30	—	X	.20	—	—	—	—	.16	—	.03	.05	.27	30
31	—	X	.24	X	—	X	.01	.19	X	.01	X	—	31
Total	4.30	8.37	2.00	1.53	3.33	1.78	3.88	2.40	14.83	3.56	2.20	9.01	57.41
Rain Days	23	22	19	16	16	17	19	20	30	27	14	25	248

REGISTER OF RAINFALL IN 1919.

Kept at Inglewood Slough
in the County of York W.R.
by Eastwoodhead

Lat. 53. 38 Long. 1. 53 W.
Time of Observation 9 am.
Nearest Railway Station Slough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 546 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
02
6th Dec 31

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.95	.01	.03	.01	.83	—	.15	.08	.14	.25	.07	.19	1
2	.27	.01	.52	—	.06	—	.15	.03	.02	—	.12	.27	2
3	.95	—	—	—	.03	.17	.33	—	.01	—	.33	.31	3
4	.37	.04	.33	—	—	.01	.12	.16	.25	.04	.02	.35	4
5	.04	—	—	.01	.02	—	—	.01	.05	—	.06	.61	5
6	.14	—	.65	—	.73	—	—	—	—	—	.01	.22	6
7	.10	—	.64	.03	.03	—	.01	—	.01	—	.07	.01	7
8	.16	—	.01	.01	.06	.05	—	.01	—	—	.02	—	8
9	.70	—	.19	.01	—	—	—	—	—	—	.04	—	9
10	.01	—	1.12	.09	.07	.01	—	—	—	—	.05	.33	10
11	.01	—	1.86	.14	.14	—	.08	—	—	.02	—	.01	11
12	—	—	.47	.19	.01	.13	.05	—	.25	.07	.06	—	12
13	.33	—	—	.27	—	.01	.04	.04	.04	.14	.01	.11	13
14	.28	—	—	.45	—	—	—	.01	—	.01	.06	.01	14
15	.51	.06	.02	.03	—	—	—	—	—	.03	.15	.23	15
16	.34	.49	—	.03	—	.02	—	—	—	.01	.09	.01	16
17	.05	.57	—	.08	—	.10	—	.28	—	—	1.17	.04	17
18	—	—	.15	—	.02	—	.01	.51	.18	—	.02	.55	18
19	.01	.23	.67	—	—	.13	.77	.06	.13	—	.28	.02	19
20	.22	.15	.15	—	—	.17	.26	.12	—	—	.19	1.04	20
21	.11	.57	.02	—	—	.07	.19	—	.03	—	.02	.25	21
22	—	.05	.02	—	—	.08	.01	.07	.42	—	.08	.73	22
23	—	—	.01	.06	—	.10	—	.01	—	1.10	.16	.40	23
24	—	—	.01	.19	.04	.07	—	.01	.45	.45	.31	.45	24
25	.15	.02	—	.43	.05	.14	—	.50	.04	—	.25	.01	25
26	.09	—	.87	.10	—	.02	.02	.78	.13	—	.03	.71	26
27	.15	—	.04	.26	—	.01	—	.01	.01	—	.01	.34	27
28	—	—	.01	.09	—	.01	—	.81	—	.02	—	.46	28
29	.13	—	.01	.08	—	—	—	.02	—	.72	—	.14	29
30	.02	~~X~~	.10	.08	—	.13	—	—	—	.16	.38	.23	30
31	.05	~~X~~	.03	~~X~~	—	~~X~~	.29	.01	~~X~~	.03	~~X~~	.02	31
TOTAL	6.14	2.20	7.93	2.64	2.11	1.43	2.48	3.55	2.16	3.05	4.06	7.99	YEAR'S TOTAL
Days with ".01 in. or more	25	11	24	21	13	19	15	20	16	14	27	28	45.74 233

REGISTER OF RAINFALL IN 1920

Kept at Inglewood Heath
in the County of W. R.
by W. Woodhead

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
- 81

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.03	.21	.62	.02	.75	.07	.18	.05	.29	.04	1
2	—	—	.04	.32	.05	—	.61	.15	.18	.20	—	.24	2
3	.01	.08	.01	.23	.08	.07	.83	.13	.09	.10	—	.32	3
4	.02	—	—	.06	—	—	.20	.71	.05	.44	—	.08	4
5	—	.07	.08	—	.43	—	.12	.20	.09	.18	—	.01	5
6	—	—	.65	.35	.15	—	.03	.01	—	.01	.02	.17	6
7	.21	.01	.04	.11	.11	—	.54	—	—	—	—	—	7
8	.16	.07	.01	.44	.21	—	.26	.12	—	.02	—	—	8
9	.32	.95	—	.54	—	—	.60	.05	.01	.03	.03	—	9
10	.84	1.29	.07	.22	—	—	.44	.02	—	—	—	—	10
11	.67	.11	.02	.23	.27	.37	.01	—	—	—	.01	.17	11
12	.30	.21	.26	.32	.03	.21	.03	.11	—	—	.18	.07	12
13	.14	.12	.25	.12	.02	.89	.03	—	—	—	.10	.07	13
14	.03	.06	.26	.12	—	.77	.02	—	.47	.07	.99	.01	14
15	.01	.20	.07	.72	—	—	.04	—	.02	.06	.35	.01	15
16	—	.01	.25	.18	.06	—	.61	—	.08	.01	.24	—	16
17	.18	—	.05	.01	.18	.01	.01	.22	.37	.13	—	.01	17
18	.14	—	—	.12	.63	—	.05	.01	.17	—	—	—	18
19	.09	1.57	—	.08	.73	.07	.01	.12	.01	—	—	—	19
20	.14	.01	—	.23	.01	.05	.20	.01	—	—	—	.08	20
21	.05	—	—	.01	—	—	.64	.05	—	—	—	.29	21
22	.13	—	—	.21	—	.10	.44	.06	—	—	—	.17	22
23	.01	—	—	.03	—	—	.47	.01	—	—	—	.35	23
24	.06	—	.62	.10	—	—	.04	—	—	—	—	.31	24
25	.01	.03	.06	.18	—	.02	.87	—	—	—	—	—	25
26	.12	.25	.40	.54	.09	—	.13	—	—	—	.01	—	26
27	.07	.02	.01	.10	.84	.51	.01	—	—	—	.17	.14	27
28	.76	.02	.14	.17	.16	.27	.04	—	—	—	.01	.27	28
29	.11	—	.24	.13	.67	.03	.29	—	.02	—	.13	.96	29
30	.33	~~—~~	.01	.19	.03	.07	.01	—	.15	—	.14	.48	30
31	.62	~~—~~	.12	~~—~~	.12	~~—~~	.01	—	~~—~~	.56	~~—~~	.20	31
TOTAL	5.55	5.03	3.69	6.27	5.49	3.46	8.34	2.05	1.89	1.86	2.67	4.45	YEAR'S TOTAL 50.75
Days with "01 in. or more	27	19	23	29	21	15	31	17	14	13	14	22	245
Days with "04 in. or more	20	11	17	26	17	11	21	12	10	9	9	18	181

FORM A. 1. METEOROLOGICAL
REGIST

Kept at The Avenue St

in the County of York

by E Sale Hubbard

SLEIGHTS

THE AVE

YORKSHIRE

1919

in.
ft. in.
00 ft.
vious day.

IMPORTANT NOTE.—Rain should be recorded if an Observer prefers not to conform

the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.03	—	—	.23	—	.44	—	.09	—	.00	.14	1
2	.05	.05	.04	—	—	—	.63	.01	—	—	.10	—	2
3	.65	—	—	—	.03	.05	.06	—	.03	—	.17	.07	3
4	.30	.15	.59	—	.06	.06	.02	.17	.08	—	.39	.02	4
5	.67	.04	—	—	—	.05	.03	—	.05	—	.05	.02	5
6	—	—	.28	—	.02	—	.01	—	.02	.02	.34	.08	6
7	.01	—	.40	—	.15	—	—	—	—	—	—	.65	7
8	.12	—	—	.02	.06	—	.01	.03	—	.05	.16	.06	8
9	.02	—	.02	—	—	—	—	—	—	.18	.23	—	9
10	—	—	—	.02	.08	—	—	—	—	.08	.14	.30	10
11	—	—	.86	—	.09	—	.17	—	—	.06	.09	—	11
12	—	—	1.01	.08	—	—	.11	—	.08	.36	.07	—	12
13	.02	—	.47	—	—	.08	.08	.05	—	.19	.03	—	13
14	.21	.01	.02	.34	—	—	.01	.02	—	.40	.05	.01	14
15	.01	.17	.11	.18	—	—	—	—	—	.26	.03	.43	15
16	—	.02	—	.02	—	—	—	—	—	.10	—	—	16
17	—	.07	—	—	.11	.02	—	.02	—	—	.13	—	17
18	—	—	—	—	—	—	.02	.27	—	—	—	.05	18
19	.01	.13	.55	.07	—	—	.65	.14	.65	—	.03	.02	19
20	.21	.14	—	—	—	—	.03	.03	.14	—	—	.16	20
21	(.07)	.12	.07	—	—	.02	.03	.02	.03	—	—	.06	21
22	—	.24	.13	—	—	—	.52	—	.02	—	.06	(.08)	22
23	—	—	.08	.05	—	.01	.07	.11	—	.70	.01	—	23
24	—	.04	.03	—	—	.05	.02	—	—	.42	.03	—	24
25	.01	.09	—	.09	—	.18	—	.30	—	.16	.16	.05	25
26	—	.15	.15	.07	—	.02	—	.16	—	.71	.18	.44	26
27	.03	—	—	.48	—	.03	.06	—	—	.50	.09	.01	27
28	.09	—	—	.10	—	—	.06	1.07	.02	.23	.10	.19	28
29	.12	X	.09	.02	—	.10	—	.01	—	.62	—	.13	29
30	.07	X	.12	.16	—	.51	—	.02	—	.13	.19	.05	30
31	.04	X	.10	X	—	X	.05	—	X	.07	X	.21	31
TOTAL	2.78	1.45	5.12	1.70	.83	1.18	3.08	2.43	1.21	5.24	2.93	3.21	YEAR'S TOTAL (31.16) (203)
Days with ".01 in. or more	20	15	19	14	9	13	21	16	11	19	24	24	

REGISTER OF RAINFALL IN 1919.

Kept at The Avenue Sleights
in the County of York
by E. S. Hubbard

Lat. 54° 30' N Long. 0° 40' W
Time of Observation 9 a.m.
Nearest Railway Station Sleights
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.03	—	—	.23	—	.44	—	.09	—	.00	.14	1
2	.05	.65	.04	—	—	—	.63	.01	—	—	.10	—	2
3	.65	—	—	—	.03	.05	.06	—	.03	—	.17	.07	3
4	.30	.15	.59	—	.06	.06	.02	.17	.08	—	.39	.02	4
5	.67	.04	—	—	—	.05	.03	—	.05	—	.65	.02	5
6	—	—	.28	—	.02	—	.01	—	.02	.02	.34	.08	6
7	.01	—	.40	—	.15	—	—	—	—	—	—	.65	7
8	.12	—	—	.02	.06	—	.01	.03	—	.05	.16	.04	8
9	.02	—	.02	—	—	—	—	—	—	.18	.23	—	9
10	—	—	—	.02	.08	—	—	—	—	.08	.14	.30	10
11	—	—	.86	—	.09	—	.17	—	—	.06	.09	—	11
12	—	—	1.01	.08	—	—	.11	—	.08	.36	.07	—	12
13	.02	—	.47	—	—	.08	.08	.05	—	.19	.03	—	13
14	.21	.01	.02	.34	—	—	.01	.02	—	.40	.05	.01	14
15	.01	.17	.11	.18	—	—	—	—	—	.26	.03	.43	15
16	—	.02	—	.02	—	—	—	—	—	.10	—	—	16
17	—	.07	—	—	.11	.02	—	.02	—	—	.13	—	17
18	—	—	—	—	—	—	.02	.27	—	—	—	.05	18
19	.01	.13	.55	.07	—	—	.65	.14	.65	—	.03	.02	19
20	.21	.14	—	—	—	—	.03	.03	.14	—	—	.16	20
21	(.07)	.12	.07	—	—	.02	.03	.02	.03	—	—	.06	21
22	—	.24	.13	—	—	—	.52	—	.02	—	.06	(.08)	22
23	—	—	.08	.05	—	.01	.07	.11	—	.70	.01	—	23
24	—	.04	.03	—	—	.05	.02	—	—	.42	.03	—	24
25	.01	.09	—	.09	—	.18	—	.30	—	.16	.16	.05	25
26	—	.15	.15	.07	—	.02	—	.16	—	.71	.18	.44	26
27	.03	—	—	.48	—	.03	.06	—	—	.50	.09	.01	27
28	.09	—	—	.10	—	—	.06	1.07	.02	.23	.10	.19	28
29	.12	X	.09	.02	—	.10	—	.01	—	.62	—	.13	29
30	.07	X	.12	.16	—	.51	—	.02	—	.13	.19	.05	30
31	.04	X	.10	X	—	X	.05	—	X	.07	X	.21	31
TOTAL	2.78	1.45	5.12	1.70	.83	1.18	3.08	2.43	1.21	5.24	2.93	3.21	YEAR'S TOTAL (31.16)
Days with ".01 in. or more	20	15	19	14	9	13	21	16	11	19	24	24	(203)

RECEIVED

SLEIGHTS

(CARR HILL)

YORKSHIRE

1917 - 1918

Kept at Carr Hill,

in the County of York

by E. J. J. Hubbs

IMPORTANT NOTE
previous day. If an Observer is requested to add the reading for it at the end of the month, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

3474
FORM A.
BRITISH RAINFALL
94. JAN 1918
5 in.
nd 1 ft. in.
Level 150 ft.
result entered to the rule, he is earnestly the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.03	—	.64	—	—	—	.67	.46	—	.06	.14	1
2	—	—	—	.30	—	—	—	.35	.04	—	—	—	2
3	—	.02	.05	.05	—	—	.02	.13	—	—	.02	—	3
4	—	.07	.06	—	—	—	—	—	—	.03	—	.01	4
5	—	—	.07	.39	—	—	—	.01	—	.02	—	—	5
6	—	—	—	—	—	—	—	—	—	—	.10	—	6
7	.18	—	—	—	—	.09	—	—	—	.35	—	.08	7
8	.75	—	.03	.08	—	—	—	1.14	—	.23	.07	—	8
9	.13	—	—	.08	—	—	—	.32	.07	.14	.07	.03	9
10	.10	—	.87	.31	.06	—	—	.47	—	.23	.30	—	10
11	.12	.02	—	.07	—	—	—	.08	—	.08	—	—	11
12	.92	—	—	.29	.10	—	—	.13	—	.21	—	—	12
13	.34	—	—	.09	.19	.17	—	.06	.06	.22	—	.02	13
14	.11	—	.05	.17	.52	—	.11	.44	—	.04	—	.08	14
15	.03	—	.01	—	.01	—	.03	.16	—	—	—	.06	15
16	.18	—	—	.29	—	—	—	.01	—	—	—	.27	16
17	.08	.03	—	.07	.30	.71	—	.13	—	—	—	.18	17
18	.03	—	—	.02	.04	—	.39	.13	.02	—	—	—	18
19	.19	.06	.32	—	.04	.36	—	—	—	—	—	—	19
20	.09	.16	.12	.03	—	.66	—	.36	.12	—	.47	—	20
21	—	.18	.10	—	.02	—	—	.03	—	—	.06	—	21
22	—	—	.03	—	—	.01	—	.03	—	.02	—	—	22
23	.03	.01	—	—	.08	—	.03	.06	—	—	—	.05	23
24	—	.03	—	.01	—	.02	.02	—	—	.17	.22	.02	24
25	—	.02	.14	—	—	.33	.24	—	—	.06	.19	.24	25
26	—	—	.10	—	—	.17	—	.73	.04	.06	.22	.08	26
27	.01	—	.05	—	—	.08	.33	.54	—	—	—	.01	27
28	—	—	.07	—	—	.02	.21	.64	—	.20	—	—	28
29	.04	X	—	.03	—	—	.16	.24	—	.17	—	.03	29
30	.05	X	.11	—	—	—	.16	—	—	—	—	.01	30
31	.04	X	.03	X	—	X	.03	.03	X	—	X	.02	31
Total	3.43	.63	2.21	2.92	1.36	2.62	1.73	6.89	.81	2.23	1.78	1.33	YEAR'S TOTAL 27.94
Rain Days.	20	11	17	17	10	11	12	24	7	16	11	17	173

REC

Kept at Care Hill, Sleightsin the County of Yorkby E. Isle HubbardTime of Observation 9 amNearest Railway Station SleightsDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.03	—	.64	—	—	—	.67	.46	—	.06	.14	1
2	—	—	—	.30	—	—	—	.35	.04	—	—	—	2
3	—	.02	.05	.05	—	—	.02	.13	—	—	.02	—	3
4	—	.07	.06	—	—	—	—	—	—	.03	—	.01	4
5	—	—	.07	.39	—	—	—	.01	—	.02	—	—	5
6	—	—	—	—	—	—	—	—	—	—	.10	—	6
7	.18	—	—	—	—	.09	—	—	—	.35	—	.08	7
8	.75	—	.03	.08	—	—	—	1.14	—	.23	.07	—	8
9	.13	—	—	.08	—	—	—	.32	.07	.14	.07	.03	9
10	.10	—	.87	.31	.06	—	—	.47	—	.23	.30	—	10
11	.12	.02	—	.07	—	—	—	.08	—	.08	—	—	11
12	.92	—	—	.29	.10	—	—	.13	—	.21	—	—	12
13	.34	—	—	.09	.19	.17	—	.06	.06	.22	—	.02	13
14	.11	—	.05	.17	.52	—	.11	.44	—	.04	—	.08	14
15	.03	—	.01	—	.01	—	.03	.16	—	—	—	.06	15
16	.18	—	—	.29	—	—	—	.01	—	—	—	.27	16
17	.08	.03	—	.07	.30	.71	—	.13	—	—	—	.18	17
18	.03	—	—	.02	.04	—	.39	.13	.02	—	—	—	18
19	.19	.06	.32	—	.04	.36	—	—	—	—	—	—	19
20	.09	.16	.12	.03	—	.66	—	.36	.12	—	.47	—	20
21	—	.18	.10	—	.02	—	—	.03	—	—	.06	—	21
22	—	—	.03	—	—	.01	—	.03	—	.02	—	—	22
23	.03	.01	—	—	.08	—	.03	.06	—	—	—	.05	23
24	—	.03	—	.01	—	.02	.02	—	—	.17	.22	.02	24
25	—	.02	.14	—	—	.33	.24	—	—	.06	.19	.24	25
26	—	—	.10	—	—	.17	—	.73	.04	.06	.22	.08	26
27	.01	—	.05	—	—	.08	.33	.54	—	—	—	.01	27
28	—	—	.07	—	—	.02	.21	.64	—	.20	—	—	28
29	.04	~~X~~	—	.03	—	—	.16	.24	—	.17	—	.03	29
30	.05	~~X~~	.11	—	—	—	.16	—	—	—	—	.01	30
31	.04	~~X~~	.03	~~X~~	—	~~X~~	.03	.03	~~X~~	—	~~X~~	.02	31
Total	3.43	.63	2.21	2.92	1.36	2.62	1.73	6.89	.81	2.23	1.78	1.33	YEAR'S TOTAL 27.94
Rain Days.	20	11	17	17	10	11	12	24	7	16	11	17	173

REGISTER OF RAINFALL IN 1918

Kept at Carr Hill
in the County of York (N.R.)
by E. Isle Hubbard

Lat. 54° 20' Long. 0° 39' N
Time of Observation 9 am
Nearest Railway Station Sleights
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 150 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.03	.01	—	—	.05	—	.27	.04	.16	.04	1
2	.09	.03	—	.22	—	—	—	—	.03	.02	—	.08	2
3	.08	—	.05	—	.02	—	—	.04	—	.01	.56	—	3
4	—	.01	—	—	.11	—	—	—	.04	.02	.10	.12	4
5	—	—	.09	—	.44	—	—	.94	—	.01	—	—	5
6	.24	.10	—	.51	—	.08	—	.65	.01	.05	—	—	6
7	.11	.08	—	—	—	.07	—	—	—	.06	.17	—	7
8	.05	—	.09	—	—	—	.25	—	.04	—	—	—	8
9	—	.14	—	.03	—	.03	.04	—	.81	.08	.01	.01	9
10	—	.02	—	.02	—	—	—	—	.03	—	—	—	10
11	.22	.02	—	.02	.30	—	.07	—	—	—	—	.09	11
12	—	.01	.08	.02	—	—	.09	.07	.09	.06	—	—	12
13	.04	.01	—	.06	.03	—	—	—	.07	.05	—	—	13
14	.03	—	—	.03	—	—	.04	—	.61	—	—	—	14
15	—	—	—	—	—	.34	.16	—	.60	—	—	1.04	15
16	—	—	.03	—	—	.04	.10	.10	.07	.06	—	.17	16
17	.03	—	—	—	.17	.05	.38	.02	—	.64	—	.23	17
18	.36	—	.05	.21	—	—	.12	—	.38	.16	—	.02	18
19	.12	—	.02	.26	—	—	.14	.15	.01	.31	—	—	19
20	.09	.41	—	.07	—	.05	.27	—	.07	.15	—	—	20
21	.02	~~.41~~	—	—	.48	—	.05	—	.02	.12	—	—	21
22	—	—	—	.05	.05	.03	.01	—	—	—	—	.24	22
23	.02	—	—	—	.47	—	.14	—	.16	—	—	—	23
24	—	.08	—	—	—	—	—	—	.12	.03	.01	.23	24
25	—	—	.04	—	—	—	.27	.02	.02	.02	.02	.03	25
26	—	—	—	—	—	—	.02	.03	.12	—	.01	—	26
27	—	—	—	—	.02	.08	—	.24	.12	—	.02	.13	27
28	—	.15	.46	—	—	—	—	.01	—	—	—	.26	28
29	—	~~X~~	.03	—	—	—	—	—	.17	—	.02	.35	29
30	—	~~X~~	.05	.2	—	—	—	.01	.04	—	.06	.45	30
31	—	~~X~~	.18	~~X~~	—	~~X~~	—	.07	~~X~~	—	~~X~~	.03	31
Total	1.52	1.06	1.20	1.53	2.09	.77	2.20	2.35	3.90	1.89	1.14	3.52	YEAR'S TOTAL 23.17
Rain Days.	15	12	13	14	10	9	17	13	23	18	11	17	172

R

SLEIGHTS

Kept at Brook Park
in the County of York
by E. Isle

BROOK PARK

1911 - 1916

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

d 1 ft. in.
level 80 ft.

Sleights

ce. 200 yds Direction N. by E.

result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	—	—	—	—	—	.10	.57	—	.14	—	—	1
2	.13	—	.07	—	.04	—	.15	—	—	.04	—	.19	2
3	.05	.01	.01	.05	.31	—	—	.02	—	.17	.01	—	3
4	.13	—	.13	.07	—	—	—	.10	—	.01	.14	.42	4
5	.17	—	—	.01	.02	—	—	.22	—	.11	—	.01	5
6	.48	—	.10	.01	—	—	—	.04	—	.05	.03	.54	6
7	.01	.02	—	—	—	—	—	—	—	—	.05	.01	7
8	—	—	.10	—	—	.11	—	—	.02	.02	.03	.19	8
9	—	—	.01	—	—	.01	—	—	—	—	—	.12	9
10	.03	.19	.02	.02	—	.04	—	—	—	—	.10	.48	10
11	.46	—	—	—	—	—	—	—	—	—	.29	.07	11
12	.14	—	.14	—	.13	.09	—	—	.65	—	.23	—	12
13	.07	—	.28	—	.12	.38	—	—	.27	—	.03	.36	13
14	—	.02	.28	—	.01	.06	.13	—	—	—	.01	.52	14
15	—	.04	.25	.03	—	—	—	—	.05	.02	.16	.24	15
16	—	—	.28	.01	—	—	.11	—	—	—	.04	.07	16
17	—	—	.10	—	—	.80	.02	—	—	—	.15	.18	17
18	—	.03	.06	.04	—	.30	—	—	—	—	.54	.17	18
19	—	.02	.02	—	.06	.07	—	.07	—	.06	.45	.14	19
20	.01	.06	—	—	—	—	.08	1.32	.01	—	.11	.44	20
21	—	.25	—	—	—	—	—	.30	—	.27	.53	.01	21
22	.09	—	—	—	—	—	—	.55	—	.01	.12	—	22
23	—	.26	.01	.01	—	1.32	—	—	.31	.01	—	.15	23
24	—	—	.03	.02	—	1.63	.01	—	—	.08	—	.08	24
25	—	.10	—	.08	—	.58	.01	—	.27	.22	.03	.05	25
26	—	—	—	.01	.01	—	.55	—	—	.40	.34	.05	26
27	—	.02	.03	.07	—	—	—	.13	.10	.02	.05	.03	27
28	—	.03	.02	.09	—	.01	—	—	.01	.03	—	.05	28
29	—	—	.01	.03	—	.02	.29	.01	.50	.18	.01	.02	29
30	—	—	.01	—	.09	—	—	—	.31	.09	—	—	30
31	—	—	—	—	.35	—	—	—	—	.01	—	.06	31
Total	2.12	1.05	1.96	.52	1.14	5.42	1.45	3.33	2.50	1.94	3.45	4.65	TOTAL for year 29.53
No. of Rain Days.	13	13	21	15	10	14	10	11	11	20	22	26	186

R

FORM A2.
BRITISH RAINFALL.
5-JAN 1912Kept at *Brook Park, Sleights.*in the County of *York (N. Riding)* 5by *E. Isle Hubbard.*

RAIN GAUGE { Pattern *Standard*
Diameter of top *5* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *80* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Sleights.*
Distance *200 yds* Direction *N. by E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.35</i>	—	—	—	—	—	<i>.10</i>	<i>.57</i>	—	<i>.14</i>	—	—	1
2	<i>.13</i>	—	<i>.07</i>	—	<i>.04</i>	—	<i>.15</i>	—	—	<i>.04</i>	—	<i>.19</i>	2
3	<i>.05</i>	<i>.01</i>	<i>.01</i>	<i>.05</i>	<i>.31</i>	—	—	<i>.02</i>	—	<i>.17</i>	<i>.01</i>	—	3
4	<i>.13</i>	—	<i>.13</i>	<i>.07</i>	—	—	—	<i>.10</i>	—	<i>.01</i>	<i>.14</i>	<i>.42</i>	4
5	<i>.17</i>	—	—	<i>.01</i>	<i>.02</i>	—	—	<i>.22</i>	—	<i>.11</i>	—	<i>.01</i>	5
6	<i>.48</i>	—	<i>.10</i>	<i>.01</i>	—	—	—	<i>.04</i>	—	<i>.05</i>	<i>.03</i>	<i>.54</i>	6
7	<i>.01</i>	<i>.02</i>	—	—	—	—	—	—	—	—	<i>.05</i>	<i>.01</i>	7
8	—	—	<i>.10</i>	—	—	<i>.11</i>	—	—	<i>.02</i>	<i>.02</i>	<i>.03</i>	<i>.19</i>	8
9	—	—	<i>.01</i>	—	—	<i>.01</i>	—	—	—	—	—	<i>.12</i>	9
10	<i>.03</i>	<i>.19</i>	<i>.02</i>	<i>.02</i>	—	<i>.04</i>	—	—	—	—	<i>.10</i>	<i>.48</i>	10
11	<i>.46</i>	—	—	—	—	—	—	—	—	—	<i>.29</i>	<i>.07</i>	11
12	<i>.14</i>	—	<i>.14</i>	—	<i>.13</i>	<i>.09</i>	—	—	<i>.65</i>	—	<i>.23</i>	—	12
13	<i>.07</i>	—	<i>.28</i>	—	<i>.12</i>	<i>.38</i>	—	—	<i>.27</i>	—	<i>.03</i>	<i>.36</i>	13
14	—	<i>.02</i>	<i>.28</i>	—	<i>.01</i>	<i>.06</i>	<i>.13</i>	—	—	—	<i>.01</i>	<i>.52</i>	14
15	—	<i>.04</i>	<i>.25</i>	<i>.03</i>	—	—	—	—	<i>.05</i>	<i>.02</i>	<i>.16</i>	<i>.24</i>	15
16	—	—	<i>.28</i>	<i>.01</i>	—	—	<i>.11</i>	—	—	—	<i>.04</i>	<i>.07</i>	16
17	—	—	<i>.10</i>	—	—	<i>.80</i>	<i>.02</i>	—	—	—	<i>.15</i>	<i>.18</i>	17
18	—	<i>.03</i>	<i>.06</i>	<i>.01</i>	—	<i>.30</i>	—	—	—	—	<i>.54</i>	<i>.17</i>	18
19	—	<i>.02</i>	<i>.02</i>	—	<i>.06</i>	<i>.07</i>	—	<i>.07</i>	—	<i>.06</i>	<i>.45</i>	<i>.14</i>	19
20	<i>.01</i>	<i>.06</i>	—	—	—	—	<i>.08</i>	<i>1.32</i>	<i>.01</i>	—	<i>.11</i>	<i>.44</i>	20
21	—	<i>.25</i>	—	—	—	—	—	<i>.30</i>	—	<i>.27</i>	<i>.53</i>	<i>.01</i>	21
22	<i>.09</i>	—	—	—	—	—	—	<i>.55</i>	—	<i>.01</i>	<i>.12</i>	—	22
23	—	<i>.26</i>	<i>.01</i>	<i>.01</i>	—	<i>1.32</i>	—	—	<i>.31</i>	<i>.01</i>	—	<i>.15</i>	23
24	—	—	<i>.03</i>	<i>.02</i>	—	<i>1.63</i>	<i>.01</i>	—	—	<i>.08</i>	—	<i>.08</i>	24
25	—	<i>.10</i>	—	<i>.08</i>	—	<i>.58</i>	<i>.01</i>	—	<i>.27</i>	<i>.22</i>	<i>.03</i>	<i>.05</i>	25
26	—	—	—	<i>.01</i>	<i>.01</i>	—	<i>.55</i>	—	—	<i>.40</i>	<i>.34</i>	<i>.05</i>	26
27	—	<i>.02</i>	<i>.03</i>	<i>.07</i>	—	—	—	<i>.13</i>	<i>.10</i>	<i>.02</i>	<i>.05</i>	<i>.03</i>	27
28	—	<i>.03</i>	<i>.02</i>	<i>.09</i>	—	<i>.01</i>	—	—	<i>.01</i>	<i>.03</i>	—	<i>.05</i>	28
29	—	—	<i>.01</i>	<i>.03</i>	—	<i>.02</i>	<i>.29</i>	<i>.01</i>	<i>.50</i>	<i>.18</i>	<i>.01</i>	<i>.02</i>	29
30	—	—	<i>.01</i>	—	<i>.09</i>	—	—	—	<i>.31</i>	<i>.09</i>	—	—	30
31	—	—	—	—	<i>.35</i>	—	—	—	—	<i>.01</i>	—	<i>.06</i>	31
Total	<i>2.12</i>	<i>1.05</i>	<i>1.96</i>	<i>.52</i>	<i>1.14</i>	<i>5.42</i>	<i>1.45</i>	<i>3.33</i>	<i>2.50</i>	<i>1.94</i>	<i>3.45</i>	<i>4.65</i>	TOTAL for year <i>29.53</i>
No. of Rain Days.	<i>13</i>	<i>13</i>	<i>21</i>	<i>15</i>	<i>10</i>	<i>14</i>	<i>10</i>	<i>11</i>	<i>11</i>	<i>20</i>	<i>22</i>	<i>26</i>	<i>186</i>

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Brook Park, Sleights S.C.

in the County of York (N. Riding)

by E. Isle Hubbard

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 80 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Sleights
Distance 200 Direction N. by E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	10	06	02	—	24	45	55	02	05	—	14	1
2	—	25	05	01	02	13	55	21	—	06	16	02	2
3	05	05	—	—	—	42	02	17	13	07	—	12	3
4	15	—	45	—	—	68	—	21	—	—	21	—	4
5	02	03	02	—	05	10	—	—	—	—	02	—	5
6	67	06	03	—	—	02	01	05	01	—	—	—	6
7	02	04	—	—	09	—	—	—	38	—	02	—	7
8	32	18	24	01	—	—	—	—	31	—	13	—	8
9	02	03	19	06	—	—	—	—	22	—	04	—	9
10	—	—	—	09	—	—	—	—	10	—	04	—	10
11	17	12	—	—	—	—	01	—	03	—	27	09	11
12	05	15	02	—	—	08	69	03	—	—	1.08	—	12
13	02	01	—	—	—	60	—	16	—	02	21	—	13
14	09	—	25	—	—	05	—	06	03	—	10	07	14
15	01	—	35	—	58	05	—	—	—	—	01	08	15
16	15	—	02	—	18	—	—	—	—	01	—	—	16
17	—	03	18	—	—	40	05	06	01	—	—	—	17
18	09	02	—	—	—	01	44	—	—	01	01	—	18
19	11	15	01	—	—	—	22	23	—	02	—	—	19
20	—	15	01	—	28	—	39	01	—	08	—	—	20
21	05	—	29	—	21	—	05	—	—	05	—	—	21
22	06	06	07	—	1.32	99	—	05	—	02	—	—	22
23	—	—	01	—	14	23	04	51	—	74	11	—	23
24	45	—	—	—	—	30	10	04	—	07	—	14	24
25	34	—	—	—	—	37	04	32	—	—	14	01	25
26	06	07	02	—	—	05	—	09	—	57	09	30	26
27	—	—	07	02	—	24	41	—	—	31	06	06	27
28	—	01	—	04	01	05	08	26	05	08	23	—	28
29	—	03	15	04	—	—	22	—	88	04	—	03	29
30	16	—	—	—	—	22	19	02	28	26	10	—	30
31	06	—	18	—	03	—	1.29	31	—	43	—	—	31
Total	3.12	1.54	2.67	29	2.91	5.23	5.25	3.34	2.45	2.89	3.03	1.06	TOTAL for year 33.78
No. of Rain Days.	22	19	21	8	11	20	19	19	13	18	19	11	200

REGISTER OF RAINFALL IN 1913

Kept at Brook Park (Sleights)
in the County of York. (N. Riding) 5
by E. Isle Hubbard

Lat. 54° 27' 45" Long. 0° 39' 36" W
Time of Observation 9 a.m.
Nearest Railway Station Sleights N.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

FORM A.
BRITISH RAINFALL
16 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.16	.90	—	—	—	—	.52	—	.04	—	1
2	—	.02	.02	—	.01	—	.02	—	—	.02	.05	—	2
3	.01	—	.04	—	.03	—	.07	—	.03	.02	—	.01	3
4	.15	—	.03	—	.03	.07	.06	—	.07	1.58	.08	.09	4
5	.32	.04	.02	—	—	.18	.37	.07	—	.22	—	—	5
6	—	.14	.17	—	.50	.04	.05	.03	—	—	.05	—	6
7	—	.31	—	.02	.05	.08	.12	—	—	1.20	.01	—	7
8	—	—	—	.02	.75	.07	.08	—	.12	.19	.04	—	8
9	—	.03	—	.17	.17	—	—	.03	—	—	.04	—	9
10	—	.06	.03	.03	—	—	—	.01	.01	.20	.31	—	10
11	.94	—	—	.32	.12	.11	—	—	—	—	.10	—	11
12	.88	—	—	—	—	—	—	—	.06	—	.09	—	12
13	.08	—	—	—	—	—	—	.10	.01	—	.07	—	13
14	.09	.04	.07	—	—	—	—	—	—	.03	—	—	14
15	.27	—	.39	.42	—	—	—	—	—	—	.01	—	15
16	—	—	.03	—	—	—	—	—	—	—	.06	—	16
17	.01	.01	.05	.04	—	—	—	—	.07	—	.02	.02	17
18	.02	—	.66	.13	.31	.37	—	—	—	—	.13	.01	18
19	.16	—	—	.02	.04	—	—	—	.18	—	—	—	19
20	.52	—	.08	—	—	—	—	—	.02	.02	.16	—	20
21	.03	—	.04	—	.12	—	.03	.05	.03	—	—	—	21
22	.02	—	.33	—	.05	.02	—	.29	.13	.10	—	—	22
23	.06	—	.06	—	—	.05	.22	—	.02	.04	—	—	23
24	.22	—	—	.01	—	.44	—	.25	—	—	—	.08	24
25	—	—	—	.04	—	—	—	—	.08	.01	—	.03	25
26	—	.01	—	.25	—	.01	—	—	.02	.32	.08	.34	26
27	—	.09	.01	.21	.08	.12	—	—	—	.01	—	—	27
28	.21	.01	.23	.32	.02	—	—	—	—	.04	—	.30	28
29	—	—	.32	.20	.07	—	—	.02	—	.03	.03	.28	29
30	.40	—	.03	—	.01	—	—	—	—	.42	—	.37	30
31	.02	—	—	—	.20	—	—	.20	—	—	—	—	31
Total	4.43	.76	2.77	3.10	2.56	1.56	1.02	1.05	1.37	4.45	1.37	1.53	YEAR'S TOTAL 25.97
Rain Days.	20	11	20	16	17	12	9	10	15	17	18	10	175

REGISTER OF RAINFALL IN 1914

Kept at Brook Park, Sleights S.O.
 in the County of York (N.R.) 5
 by E. Dale Hubbard

Lat. 54° 27' 45" N Long. 0° 39' 36" W.
 Time of Observation 9 am
 Nearest Railway Station Sleights
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 80 ft.

FORM A.
 BRITISH RAINFALL
 12 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	·58	·12	—	·04	·04	·16	1
2	—	—	—	—	—	—	·60	·13	—	—	·50	·11	2
3	—	—	·08	—	·11	—	·14	—	—	—	·03	·33	3
4	·02	—	—	·04	·13	·01	—	—	—	—	·18	·66	4
5	—	—	·08	·07	·03	·03	—	—	—	·03	·31	—	5
6	·01	·04	—	·06	·04	—	·10	—	—	—	·05	·13	6
7	—	·06	·05	·01	·02	·18	—	—	—	—	—	·05	7
8	·40	—	·11	—	·14	·33	—	·02	—	·10	—	·01	8
9	·40	·03	·12	·19	·03	·67	—	—	·19	—	·05	·06	9
10	·26	·28	—	·03	—	—	—	—	·02	—	—	·01	10
11	—	·31	·14	—	·11	·09	—	—	·02	—	·24	·29	11
12	·05	·01	—	—	—	·01	—	—	·08	—	·04	·66	12
13	·01	·05	·14	—	—	—	—	—	·02	—	·13	·48	13
14	·03	·22	·01	·01	—	—	·12	—	·01	—	·06	·23	14
15	·04	—	·18	—	—	·01	·35	—	—	·04	·67	·16	15
16	·03	—	·10	—	—	—	3·00	—	·22	—	·09	—	16
17	·10	·22	—	—	—	—	—	—	·48	—	·01	·07	17
18	·08	·09	·15	—	—	·20	—	—	·09	—	·01	·33	18
19	·01	—	·05	—	—	—	—	—	·18	—	·08	·02	19
20	·03	·18	·41	—	—	·31	—	—	—	—	—	·03	20
21	·04	·60	·25	—	—	—	·03	—	—	·07	·09	·03	21
22	·03	·02	·12	·04	·03	·17	—	·05	—	·02	·02	·08	22
23	—	—	·01	·02	·40	·05	—	—	—	—	—	·23	23
24	—	—	—	·15	·04	—	—	·15	—	—	·12	—	24
25	—	·14	—	—	—	—	—	—	—	·41	—	·42	25
26	—	—	·06	—	—	—	·15	·15	—	·40	·05	·45	26
27	—	—	—	—	—	—	—	—	—	—	·10	·46	27
28	·01	·01	—	—	—	—	·05	—	—	·04	·03	·23	28
29	—	~~X~~	·08	—	—	—	—	·09	—	·42	·05	—	29
30	—	~~X~~	·07	·02	—	—	—	·04	—	·08	·09	·45	30
31	·07	~~X~~	—	~~X~~	—	~~X~~	·15	—	~~X~~	·34	~~X~~	—	31
Total	1·62	2·26	2·21	·64	1·08	2·06	5·27	·75	1·31	1·99	3·04	6·14	YEAR'S TOTAL 28·37
Rain Days.	18	15	19	11	11	12	11	8	10	12	24	26	177

REGISTER OF RAINFALL IN 1915

Kept at *Brook Park, Sleights*
in the County of *York*
by *E. Isle Hubbard*

Lat. *54° 27' 45"* Long. *0° 39' 36" W*
Time of Observation *9 am*
Nearest Railway Station *Sleights*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *80* ft.
Sea Level

FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.40</i>	<i>.13</i>	<i>.05</i>	—	<i>.13</i>	—	—	<i>.50</i>	<i>.15</i>	—	<i>.09</i>	<i>.32</i>	1
2	—	<i>.19</i>	<i>.22</i>	<i>.07</i>	—	<i>.01</i>	<i>.01</i>	—	<i>.22</i>	—	<i>.10</i>	<i>.03</i>	2
3	<i>.60</i>	—	<i>.03</i>	<i>.06</i>	—	—	<i>.30</i>	<i>.28</i>	—	—	<i>.04</i>	<i>.67</i>	3
4	<i>.10</i>	—	<i>.02</i>	—	—	—	<i>.59</i>	<i>.01</i>	—	—	<i>.35</i>	<i>.94</i>	4
5	<i>.12</i>	<i>.03</i>	<i>.02</i>	—	<i>.09</i>	—	—	<i>.02</i>	—	<i>.10</i>	<i>.02</i>	<i>.55</i>	5
6	—	<i>.44</i>	<i>.03</i>	<i>.11</i>	<i>.01</i>	—	<i>1.13</i>	<i>.10</i>	—	<i>.02</i>	—	<i>.12</i>	6
7	<i>.30</i>	<i>.60</i>	<i>.05</i>	—	—	—	<i>.38</i>	<i>.08</i>	—	—	—	<i>.01</i>	7
8	<i>.03</i>	<i>.07</i>	<i>.04</i>	—	—	—	<i>.08</i>	<i>.02</i>	—	—	<i>.04</i>	—	8
9	<i>.26</i>	<i>.10</i>	—	—	—	—	<i>.07</i>	<i>.02</i>	—	<i>.03</i>	<i>.05</i>	<i>.39</i>	9
10	<i>.14</i>	<i>.09</i>	—	—	—	—	—	<i>.05</i>	—	—	—	<i>.12</i>	10
11	<i>.02</i>	<i>.30</i>	—	<i>.01</i>	<i>.62</i>	—	<i>.05</i>	—	—	—	<i>.04</i>	<i>.56</i>	11
12	<i>.20</i>	<i>.02</i>	—	<i>.30</i>	<i>.15</i>	—	<i>.05</i>	<i>.01</i>	—	<i>.05</i>	<i>.70</i>	<i>.18</i>	12
13	—	<i>.13</i>	—	—	—	—	<i>.01</i>	<i>.03</i>	—	—	—	<i>.02</i>	13
14	<i>.02</i>	<i>.22</i>	—	<i>.02</i>	<i>.14</i>	—	—	<i>.17</i>	—	—	—	<i>.05</i>	14
15	<i>.11</i>	<i>.02</i>	—	—	—	—	<i>.03</i>	<i>.18</i>	—	<i>.14</i>	<i>.08</i>	<i>.06</i>	15
16	<i>.19</i>	<i>.71</i>	—	—	—	—	<i>1.16</i>	<i>.02</i>	—	<i>.26</i>	<i>.10</i>	—	16
17	<i>.57</i>	<i>.17</i>	<i>.07</i>	—	—	—	<i>.38</i>	—	<i>.07</i>	—	<i>.15</i>	<i>.06</i>	17
18	—	<i>.06</i>	<i>.29</i>	—	—	—	—	—	<i>.06</i>	<i>.02</i>	<i>.03</i>	<i>.05</i>	18
19	—	—	<i>.04</i>	—	—	—	<i>.07</i>	<i>.02</i>	—	<i>.05</i>	—	—	19
20	—	—	—	<i>.03</i>	—	—	—	<i>.01</i>	—	<i>.15</i>	—	<i>.50</i>	20
21	<i>.24</i>	<i>.02</i>	—	<i>.20</i>	<i>.03</i>	—	—	—	—	—	—	<i>.13</i>	21
22	<i>.23</i>	—	<i>.02</i>	—	—	—	—	—	—	—	<i>.01</i>	<i>.09</i>	22
23	<i>.15</i>	<i>.17</i>	<i>.02</i>	<i>.01</i>	—	—	<i>.32</i>	—	<i>.01</i>	—	<i>.07</i>	<i>.04</i>	23
24	—	—	<i>.24</i>	<i>.13</i>	—	<i>.02</i>	—	—	<i>.33</i>	<i>.07</i>	<i>.05</i>	<i>.05</i>	24
25	—	—	—	—	—	<i>.20</i>	<i>.14</i>	—	<i>.03</i>	<i>.04</i>	<i>.24</i>	—	25
26	<i>.01</i>	<i>.62</i>	<i>.10</i>	<i>.05</i>	—	<i>.03</i>	<i>.60</i>	—	<i>.10</i>	<i>.21</i>	<i>.08</i>	<i>.24</i>	26
27	—	<i>.10</i>	<i>.03</i>	—	—	—	<i>.32</i>	—	<i>.03</i>	<i>.20</i>	—	<i>.19</i>	27
28	<i>.05</i>	<i>.03</i>	<i>.10</i>	—	<i>.21</i>	—	<i>.10</i>	<i>.69</i>	<i>.14</i>	<i>.28</i>	—	—	28
29	—	~~X~~	<i>.03</i>	—	<i>.35</i>	—	<i>.10</i>	<i>.03</i>	<i>.57</i>	—	<i>.16</i>	<i>.22</i>	29
30	<i>.02</i>	~~X~~	—	<i>.13</i>	<i>.04</i>	—	—	<i>.06</i>	<i>.30</i>	—	—	<i>.03</i>	30
31	<i>.03</i>	~~X~~	—	~~X~~	—	~~X~~	—	<i>.26</i>	~~X~~	—	~~X~~	<i>.13</i>	31
Total	<i>3.79</i>	<i>4.22</i>	<i>1.40</i>	<i>1.12</i>	<i>1.77</i>	<i>.26</i>	<i>5.89</i>	<i>2.56</i>	<i>2.01</i>	<i>1.62</i>	<i>2.40</i>	<i>5.75</i>	YEAR'S TOTAL <i>32.79</i>
Rain Days.	<i>21</i>	<i>21</i>	<i>18</i>	<i>12</i>	<i>10</i>	<i>4</i>	<i>20</i>	<i>20</i>	<i>12</i>	<i>14</i>	<i>19</i>	<i>26</i>	<i>197</i>

REGISTER OF RAINFALL IN 1916

Kept at Brook Park, Sleights
in the County of York
by E. Isle Hubbard

Lat. 54° 27' 45" Long. 0° 39' 36" W.
Time of Observation 9 am
Nearest Railway Station Sleights
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 80 ft.

FORM A.
BRITISH RAINFALL.
12 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.37		.15			.02	.23				.01		1
2	.03	.01	.14						.06			.02	2
3		.13	.04	.05				.06	.38	.13		.01	3
4		.18	.20	.04	.82	.30			.10	.46	.17	.40	4
5	.12	.03	.24	.01	.14	.10				.29	.28	.10	5
6		.25	.06	.07	.26	.01	.03			.01	.18	.02	6
7			.05	.03	.12	.09	.01			.08	.33	.13	7
8			.20		.13	.05				.01		.03	8
9			.03		.47	.06	.03		.05		.01	.67	9
10	.14	.01				.02	.03					.20	10
11	.03	.52	.46	.12	.02	.39	.14		.04	.04		.29	11
12	.04		.39		.31	.24	.45	.02				.18	12
13	.01		.20	.01	.24		.06	.41	.09	.37	.04	.27	13
14		.15	.03	.01	.03	.14		.31				.22	14
15	.04	.12	.28				.01	.10		.08		.02	15
16			.03	.11			.08	.37		.05		.31	16
17	.01			.09			.02	.21	.12	.07	.15		17
18		.26		.50		.02	.01	.13	.13	.13	1.20		18
19	.07		.01	.14	.05				.10	.07	.83	.06	19
20	.03		.26	.19			.07	.08			.12	.12	20
21		.19	.05	.08	.02		.04	.02				.13	21
22		.02		.04		.01				.05		.09	22
23	.01		.03	.02		.01					.08	.52	23
24		.01	.04			.22		.08		.15			24
25		.05	.16		.01			.19		.15	.23	.03	25
26	.05	.06	.07							.02	.20		26
27	.01	.45				.02		.95		.21			27
28		.25	.01			.04		.09		.01		.07	28
29		.11				.04				.25			29
30		X			.02	.10			.07	.33		.01	30
31		X		X	.01	X	.04		X	.18	X	.01	31
Total	.96	2.80	3.13	1.57	2.65	1.88	1.25	3.02	1.14	3.14	3.83	3.91	YEARS TOTAL 29.22
Rain Days.	14	18	23	16	15	19	15	14	10	22	14	24	204

No 4 Gauge
Kept at The Haugh & York
in the County of York
by J. Selwyn Paus

REGIS

SOWERBY
THE HAUGH END
YORKSHIRE

NOTE.—Rain should be measured as to the British
to Dr. H. R. MILL, 62, Camden Square,

FORM A.
BRITISH RAINFALL.
21 MAR 1912
in.
ound — ft. 8 in.
Level 450 ft.
Instructions for the measurement
sent post-free on application

Date	Jan.	Feb.	March.									Nov.	Dec.	Date.
	in.	in.	in.									in.	in.	
1	-	-	0.56	1911-1915,								0.20	-	1
2	0.18	-	0.02	1917-1920								0.09	0.15	2
3	-	-	0.05	0.67	-	-	0.04	0.03	0.02	0.55	0.03			3
4	0.04	-	0.12	0.07	0.04	-	-	0.04	0.09	0.14	0.65	0.16		4
5	0.29	-	0.01	0.06	0.04	-	-	0.41	-	0.08	0.29	0.03		5
6	0.48	-	0.01	0.08	-	-	-	0.35	-	0.09	0.53	0.24		6
7	0.03	-	0.01	0.02	-	-	-	-	-	0.04	0.22	-		7
8	0.12	-	0.17	-	-	-	-	-	0.11	0.03	0.02	0.80		8
9	0.03	-	0.01	-	-	-	-	-	-	-	-	0.23		9
10	0.22	0.03	0.10	0.01	-	-	-	-	-	-	-	0.61		10
11	0.33	-	0.01	-	0.05	-	-	0.03	0.05	-	0.52	0.26		11
12	0.04	-	0.10	-	0.03	-	-	-	1.05	-	0.64	0.02		12
13	0.01	-	0.01	-	0.19	0.02	-	-	-	-	0.10	0.34		13
14	0.02	0.35	0.07	-	0.15	-	-	-	-	-	0.02	0.22		14
15	-	0.26	0.06	0.08	-	-	-	-	-	0.09	0.19	0.40		15
16	-	0.64	0.05	0.01	-	0.18	0.03	-	-	0.05	0.18	0.14		16
17	0.01	0.03	0.04	-	-	0.15	0.01	-	-	-	0.13	0.11		17
18	-	0.66	0.08	-	-	0.20	-	-	-	0.06	0.13	0.24		18
19	-	0.09	0.02	0.07	-	0.03	0.08	-	0.12	0.28	0.18	0.08		19
20	-	0.17	-	0.20	-	-	0.04	0.55	0.03	0.06	-	0.23		20
21	-	0.74	0.03	-	-	-	0.01	0.14	0.01	0.11	-	0.18		21
22	0.18	0.09	-	0.02	-	0.03	-	0.04	-	0.16	0.08	0.02		22
23	0.02	0.61	0.01	-	0.07	0.35	-	-	0.05	0.04	-	0.25		23
24	0.19	0.25	0.01	0.10	-	1.28	-	0.02	-	0.21	-	0.29		24
25	0.02	0.56	-	0.16	-	0.03	0.05	-	0.80	0.02	0.01	0.35		25
26	-	-	-	0.19	0.05	0.02	-	0.05	-	0.71	0.23	0.30		26
27	0.02	0.20	0.06	0.38	0.03	-	-	0.40	0.45	-	0.03	0.04		27
28	-	0.42	0.02	0.23	-	0.11	-	0.02	0.04	-	0.02	0.19		28
29	-	/	0.02	0.33	-	0.22	0.01	-	0.24	0.55	0.01	0.12		29
30	-	/	0.01	0.11	0.06	0.29	-	-	0.02	0.36	0.01	0.01		30
31	-	/	0.05	/	0.04	/	-	/	/	0.19	/	0.01		31
Total	2.23	5.10	1.71	2.12	1.75	2.91	0.33	2.15	3.09	3.33	5.03	6.05	35.80	TOTAL for year
No. of Rain Days	18	15	27	17	14	13	9	14	14	21	24	29	215	

REGIS

FORM A.
BRITISH RAINFALL.

Kept at *The Haugh End, near By Bridge*

Date. Long.

Nearest Railway Station *South Bridge*

in the County of *York (W. R.)*

Time of Observation *9 a.m.*

Diameter of Rain Gauge *5* in.

by *J. Selwyn Pearson*

Height of top of Gauge above Ground *8* ft.

Sea Level *450* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.56	-	0.03	-	0.05	0.05	-	-	0.20	-	1
2	0.18	-	0.02	-	0.30	-	0.05	0.01	-	0.04	0.09	0.15	2
3	-	-	0.05	-	0.67	-	-	0.04	0.03	0.02	0.55	0.03	3
4	0.04	-	0.12	0.07	0.04	-	-	0.04	0.09	0.14	0.65	0.16	4
5	0.29	-	0.01	0.06	0.04	-	-	0.41	-	0.08	0.29	0.03	5
6	0.48	-	0.01	0.08	-	-	-	0.35	-	0.09	0.53	0.24	6
7	0.03	-	0.01	0.02	-	-	-	-	-	0.04	0.22	-	7
8	0.12	-	0.17	-	-	-	-	-	0.11	0.03	0.02	0.80	8
9	0.03	-	0.01	-	-	-	-	-	-	-	-	0.23	9
10	0.22	0.03	0.10	0.01	-	-	-	-	-	-	-	0.61	10
11	0.33	-	0.01	-	0.05	-	-	0.03	0.05	-	0.52	0.26	11
12	0.04	-	0.10	-	0.03	-	-	-	1.05	-	0.64	0.02	12
13	0.01	-	0.01	-	0.19	0.02	-	-	-	-	0.10	0.34	13
14	0.02	0.35	0.07	-	0.15	-	-	-	-	-	0.02	0.22	14
15	-	0.26	0.06	0.08	-	-	-	-	-	0.09	0.19	0.40	15
16	-	0.64	0.05	0.01	-	0.18	0.03	-	-	0.05	0.18	0.14	16
17	0.01	0.03	0.04	-	-	0.15	0.01	-	-	-	0.13	0.11	17
18	-	0.66	0.08	-	-	0.20	-	-	-	0.06	0.13	0.24	18
19	-	0.09	0.02	0.07	-	0.03	0.08	-	0.12	0.28	0.18	0.08	19
20	-	0.17	-	0.20	-	-	0.04	0.55	0.03	0.06	-	0.23	20
21	-	0.74	0.03	-	-	-	0.01	0.14	0.01	0.11	-	0.18	21
22	0.18	0.09	-	0.02	-	0.03	-	0.04	-	0.16	0.08	0.02	22
23	0.02	0.61	0.01	-	0.07	0.35	-	-	0.05	0.04	-	0.25	23
24	0.19	0.25	0.01	0.10	-	1.28	-	0.02	-	0.21	-	0.29	24
25	0.02	0.56	-	0.16	-	0.03	0.05	-	0.80	0.02	0.01	0.35	25
26	-	-	-	0.19	0.05	0.02	-	0.05	-	0.71	0.23	0.30	26
27	0.02	0.20	0.06	0.38	0.03	-	-	0.40	0.45	-	0.03	0.04	27
28	-	0.42	0.02	0.23	-	0.11	-	0.02	0.04	-	0.02	0.19	28
29	-	/	0.02	0.33	-	0.22	0.01	-	0.24	0.55	0.01	0.12	29
30	-	/	0.01	0.11	0.06	0.29	-	-	0.02	0.36	0.01	0.01	30
31	-	/	0.05	/	0.04	/	-	/	/	0.19	/	0.01	31
Total	2.23	5.10	1.71	2.12	1.75	2.91	0.33	2.15	3.09	3.33	5.03	6.05	TOTAL for year 35.80
No. of Rain Days	18	15	27	17	14	13	9	14	14	21	24	29	215

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

6,000, XI, '08.

Price 2d.

No. 4.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
30 JAN 1913

Kept at The Haugh End. Lower by Bridge
in the County of York (W. Riding)

by J. Selwyn Pearson

Pattern _____
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 8 ft. 8 in.
" " " Sea Level 450 ft.
Time of Observation 9.2 m
Nearest Railway Station { Name Souby Bridge
Distance 1 m Direction E.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.24	-	-	0.32	0.24	0.04	0.25	.	.	0.69	1
2	-	0.10	0.21	0.02	0.06	0.15	0.32	.	0.09	.	.	0.13	2
3	0.21	0.01	0.14	-	0.05	0.57	.	0.60	0.70	.	.	0.04	3
4	0.37	-	0.46	0.45	0.11	0.55	.	1.17	0.03	.	0.25	.	4
5	0.38	0.01	0.07	-	0.40	0.16	.	0.05	0.18	.	0.02	0.02	5
6	0.61	0.22	0.03	-	0.05	0.01	.	0.52	.	.	.	.	6
7	-	0.10	0.03	-	0.05	0.04	0.01	0.19	0.15	.	0.04	.	7
8	0.41	0.24	0.16	0.24	.	0.03	0.05	0.05	0.11	.	0.02	0.02	8
9	0.23	0.10	0.07	0.39	.	0.90	.	.	.	.	0.07	0.16	9
10	0.11	0.02	-	0.06	.	0.26	0.02	.	.	.	0.98	0.01	10
11	0.09	0.07	-	-	.	.	.	0.03	.	.	0.04	0.75	11
12	0.07	0.35	0.14	-	.	0.40	0.67	.	.	.	.	0.27	12
13	-	0.02	0.01	-	.	0.01	.	0.20	.	0.16	0.08	1.03	13
14	0.14	-	0.66	-	0.02	0.15	.	0.05	.	0.02	.	0.48	14
15	0.15	0.04	0.32	-	0.43	0.12	.	0.03	.	0.01	.	0.34	15
16	1.74	0.02	0.07	-	0.19	0.36	.	0.05	.	0.11	.	0.16	16
17	0.10	0.07	0.04	-	0.05	0.55	0.02	0.16	.	.	0.05	0.60	17
18	0.28	0.03	0.01	-	.	0.03	0.01	0.01	.	0.22	0.03	0.13	18
19	0.30	0.13	0.31	-	.	0.03	0.20	0.37	.	0.61	0.11	0.01	19
20	0.29	-	0.21	-	0.29	0.11	0.18	0.30	.	0.49	.	0.02	20
21	0.01	-	0.22	-	0.25	.	0.03	0.02	.	0.06	.	0.13	21
22	0.03	0.16	0.01	-	0.89	0.37	0.13	0.59	.	.	.	0.07	22
23	-	0.02	0.20	-	.	.	0.44	0.62	.	.	0.20	0.04	23
24	0.17	0.01	0.04	-	.	0.13	0.16	0.25	.	0.06	0.22	0.18	24
25	-	-	0.04	-	.	0.41	0.05	0.03	.	0.01	0.99	0.18	25
26	-	0.19	0.14	-	.	0.03	0.43	0.47	.	1.88	0.52	0.27	26
27	-	0.12	0.31	-	.	0.24	0.50	.	.	0.64	0.02	0.36	27
28	-	0.05	0.02	-	.	0.41	0.42	0.57	0.06	0.44	0.37	0.03	28
29	-	0.08	0.07	-	.	.	0.20	0.04	0.35	0.12	.	0.27	29
30	0.06	.	0.27	-	0.05	0.09	0.02	.	.	0.12	.	.	30
31	-	.	0.12	-	0.49	.	1.96	0.27	.	0.02	.	0.03	31
Total	5.75	2.16	4.62	1.16	3.38	6.43	6.06	6.68	1.92	4.87	4.01	6.42	TOTAL for year
No. of Rain Days.	20	23	29	5	15	26	21	25	9	16	17	27	53.46

No 41

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

Kept at *The Haugh End. County Bridge*

RAIN GAUGE { Pattern
Diameter of top *5* in.
Height of top above Ground *-* ft. *8* in.
" " " Sea Level *450* ft.

in the County of *York. (W. Riding)*

Time of Observation *9 a.m.*
Nearest Railway Station { Name *County Bridge*
Distance *1/2 mile* Direction *E*

by *J. Selwyn Pearson*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	0.06	0.22	0.10					0.01		0.06		1
2	0.01	0.21	0.61	0.09		0.14				0.01	0.28	0.14	2
3	0.05	0.24	0.19		0.26		0.01			0.08	0.07	0.96	3
4	0.46	0.12	0.04		0.02	0.01	0.03		0.03	0.03	0.11	0.57	4
5	0.14	0.08	0.28		0.03	0.19	0.21		0.09	0.16		0.02	5
6	0.04	0.27	0.28		0.84	0.10	0.22			0.25		0.03	6
7		0.44	0.04		0.31	0.15	0.06			0.37	0.04	0.03	7
8	0.02	0.22	0.04		0.17	0.02		0.10		0.02	0.13	0.02	8
9		0.21	0.44		0.14	0.72	0.01	0.09			0.23	0.13	9
10	0.05	0.02	0.26	0.04			0.10				0.08		10
11	0.59	0.01		0.46		0.06				0.01	0.14	0.07	11
12	0.02	0.01			0.01	0.01			0.11		0.23	0.03	12
13	0.04	0.01	0.42	0.03			0.01		0.21	0.03	0.25		13
14	0.09	0.01	0.26	0.25						0.17	0.28	0.02	14
15	0.08	0.02	0.60	1.08				0.03	0.04		0.71	0.08	15
16	0.02	0.01	0.07	0.01			0.02				0.29	0.02	16
17	0.02	0.03	0.01	0.12	0.14	0.06	0.08		0.48		0.19		17
18	0.15		0.40	0.38	0.03	0.05	0.06				0.49	0.02	18
19	0.10		0.07	0.22	0.03	0.02			0.05	0.08	0.32		19
20	0.28		0.17	0.11		0.07			0.09	0.04	0.82		20
21		0.02	0.14	0.02	0.20		0.21	0.18			0.08		21
22	0.30		0.66		0.04			0.40	0.14		0.02		22
23	0.17		0.04		0.18	0.28		0.31	0.11	0.02	0.09	0.10	23
24	0.47	0.05		0.05	0.01	0.18		0.24		0.01	0.03	0.04	24
25	0.01			0.05					0.24	0.04	0.05	0.29	25
26			0.13	0.39					0.05	0.09		1.24	26
27		0.02	0.02	0.36						0.05		0.23	27
28	0.39		0.23	0.39					0.01	0.01		0.11	28
29	0.02		0.32	0.51	0.02			0.30		0.03	0.05	0.09	29
30	0.66		0.02		0.06					0.30	0.10	0.02	30
31	0.09		0.12										31
Total	4.34	2.06	6.08	4.66	2.49	2.06	1.02	1.65	1.66	1.80	5.14	4.26	TOTAL for year
No. of Rain Days.	26	20	27	19	17	15	12	8	14	20	25	22	37.22

N^o 14 Gauge

REGISTER OF RAINFALL IN 1914

Kept at The Haugh End. SOWERBY
in the County of YORK. (N.R.) W. 8
by J. Schwarz & Pearson.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Sowerby Bridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
Sea Level 450 ft.

FORM A.
BRITISH RAINFALL
6 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	.	0.09	.	.	.	1.38	0.12	.	0.03	0.03	0.41	1
2	0.02	.	0.05	.	.	.	0.11	0.83	.	0.04	0.35	0.28	2
3	0.10	.	0.17	.	0.33	.	0.03	0.03	.	.	0.04	0.84	3
4	0.92	.	0.33	0.17	0.20	.	.	0.01	.	.	0.21	0.94	4
5	0.18	.	0.55	0.40	0.14	0.07	.	.	.	0.02	0.28	1.00	5
6	.	0.03	0.12	0.48	0.18	0.01	.	0.05	.	.	0.09	0.05	6
7	0.07	0.05	0.22	0.04	0.32	0.03	.	.	.	.	0.02	0.30	7
8	0.65	0.02	0.03	0.02	0.29	0.33	.	0.22	0.29	0.01	0.02	0.09	8
9	0.40	0.09	0.01	0.19	0.01	1.04	.	0.16	0.04	.	0.15	0.01	9
10	0.08	0.11	0.02	0.10	0.02	.	.	.	0.02	.	0.29	0.02	10
11	.	0.25	0.32	0.02	0.11	0.02	0.04	.	0.23	.	1.30	0.30	11
12	.	0.12	0.08	.	0.03	0.03	0.20	.	0.62	.	0.50	0.38	12
13	.	0.31	0.16	0.05	.	.	0.06	.	0.10	.	0.55	0.31	13
14	0.05	0.49	0.22	0.02	.	.	0.68	.	0.27	0.01	0.35	0.41	14
15	.	0.07	0.48	.	.	.	.	.	0.13	.	0.22	0.03	15
16	0.04	0.03	0.11	.	.	.	0.16	.	0.45	.	.	0.01	16
17	0.07	0.54	0.11	.	.	0.09	.	.	0.80	.	.	0.93	17
18	0.01	0.12	0.04	.	.	0.11	0.03	.	0.08	0.03	.	0.08	18
19	.	0.03	0.02	.	.	.	.	.	0.02	.	0.04	0.19	19
20	0.02	0.15	0.06	.	.	.	0.03	.	.	0.02	.	0.01	20
21	.	0.61	.	.	.	0.17	0.55	0.12	.	0.09	0.02	0.07	21
22	.	0.25	0.04	0.02	0.12	0.18	0.24	0.02	.	0.06	.	0.02	22
23	.	0.01	0.04	0.08	0.21	0.02	0.02	.	.	.	0.02	0.03	23
24	0.07	0.01	0.98	0.04	0.13	0.02	.	0.32	.	0.01	0.11	.	24
25	0.09	.	.	.	.	.	0.02	0.07	.	0.73	0.04	0.50	25
26	0.07	.	0.06	.	.	.	.	0.02	.	0.28	0.26	0.25	26
27	0.04	0.07	.	.	.	.	.	.	.	0.34	0.41	1.19	27
28	0.07	0.12	0.09	.	.	.	0.61	.	0.02	0.03	0.39	0.06	28
29	0.16	~~X~~	0.12	.	0.04	.	0.08	0.03	.	0.57	0.27	0.02	29
30	0.05	~~X~~	0.39	0.01	.	.	.	0.03	~~X~~	0.05	0.45	0.21	30
31	0.66	~~X~~	0.32	~~X~~	.	~~X~~	0.27	.	~~X~~	0.18	~~X~~	.	31
Total	3.83	3.48	5.23	1.64	2.14	2.12	3.91	2.03	3.07	2.50	6.41	8.94	YEAR'S TOTAL 45.30
Rain Days.	22	21	28	14	14	13	17	14	13	17	25	29	237

REGISTER OF RAINFALL IN 1915

Kept at Haugh End. Sowerby
in the County of YORK. W.P.
by J. Schurz Rawson

Lat. 53°42'15" Long. 1°55'15"
Time of Observation 9 a.m.
Nearest Railway Station SOWERBY BRIDGE
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 8 in.
" " " " Sea Level 450 ft.

3410
BRITISH RAINFALL FORM A.
25 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.36	0.40	0.02	.	0.25	.	0.10	0.35	0.13	.	.	0.05	1
2	0.03	0.35	0.19	0.34	.	0.01	0.21	0.84	.	0.03	.	.	2
3	0.92	0.01	0.06	0.13	.	.	0.22	0.04	.	.	.	0.79	3
4	0.02	0.04	0.01	.	0.07	.	0.54	.	.	.	.	0.91	4
5	0.13	0.11	0.20	.	0.03	0.01	.	.	.	.	0.03	0.81	5
6	0.26	0.15	0.06	0.60	.	.	0.75	0.01	.	0.01	0.01	0.64	6
7	0.60	0.67	0.01	0.16	0.14	.	0.26	1.06	.	.	.	0.33	7
8	0.58	0.07	.	0.27	.	.	0.02	0.14	.	.	0.38	.	8
9	0.17	0.04	.	.	.	.	.	0.11	.	0.05	0.32	0.46	9
10	0.10	.	0.02	0.01	.	.	0.01	0.83	.	0.02	.	0.31	10
11	0.18	.	0.03	.	0.88	.	0.16	0.35	.	.	0.37	0.52	11
12	0.29	.	.	0.07	0.11	.	0.10	0.08	.	0.26	1.15	.	12
13	0.01	0.84	.	.	.	.	0.04	0.02	0.02	.	.	0.05	13
14	0.58	0.02	.	0.02	0.03	.	0.20	0.21	0.05	.	.	0.35	14
15	1.68	.	.	.	.	.	0.04	0.80	0.02	.	0.37	0.22	15
16	.	0.32	.	.	0.29	.	0.90	0.52	.	.	.	0.03	16
17	.	0.64	0.05	.	.	.	.	.	.	.	.	0.01	17
18	.	0.14	0.12	.	.	.	.	.	0.02	0.02	0.01	0.01	18
19	0.02	0.17	0.11	0.11	0.08	.	0.18	.	.	.	.	0.02	19
20	0.33	0.03	0.02	.	0.03	.	0.11	.	.	.	.	0.22	20
21	0.19	0.08	.	0.02	.	.	0.06	.	.	0.02	.	0.05	21
22	0.03	.	0.09	0.02	.	.	0.19	.	.	.	.	0.15	22
23	0.02	0.02	0.04	.	.	.	0.27	.	.	0.27	.	0.13	23
24	.	.	0.12	0.03	.	.	.	.	0.15	0.07	.	0.43	24
25	0.01	.	.	.	.	0.16	.	.	0.02	0.04	.	0.15	25
26	0.04	0.66	.	.	.	0.18	0.47	.	.	.	.	0.61	26
27	.	0.42	.	.	.	.	0.04	.	.	0.62	.	0.48	27
28	.	0.43	0.02	.	.	0.08	0.03	0.35	.	0.17	.	0.09	28
29	0.02	.	.	.	0.10	0.30	.	.	.	.	0.09	0.52	29
30	0.16	X	.	0.03	.	0.60	.	.	.	.	0.01	.	30
31	0.25	X	.	X	.	X	0.01	0.21	X	0.21	X	0.37	31
Total	6.98	5.51	1.20	1.71	2.06	1.34	4.91	5.92	0.41	1.79	2.74	8.71	YEAR'S TOTAL 43.23
Rain Days.	25	21	19	13	11	7	23	16	7	13	10	27	190

REGISTER OF RAINFALL IN 1917

Kept at **The Haugh End, Sewerby Bridge**

in the County of **York. West Riding.**

by **J. Selwyn Rawson**

Lat. **53/42/15** Long. **1/55/15**

Time of Observation **9 a.m.**

Nearest Railway Station **Sewerby Bridge**

Diameter of Funnel of Rain Gauge **5"** in.

Height of top of Gauge above Ground **8"** ft. in.

" " " " Sea Level **450 feet** ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08	-	-	0.22	-	0.67	-	0.17	0.16	-	0.24	0.29	1
2	0.60	-	-	0.16	-	0.09	-	0.02	-	0.01	0.02	-	2
3	0.14	0.06	-	0.01	-	0.16	-	0.04	-	0.51	0.22	-	3
4	0.07	0.03	0.08	-	-	-	-	-	-	0.21	-	-	4
5	0.29	-	0.13	0.31	-	-	-	0.19	0.03	0.20	0.17	-	5
6	0.01	-	-	0.01	-	0.27	-	-	-	0.22	0.47	0.09	6
7	0.44	-	-	-	-	0.09	-	-	-	0.74	0.06	0.05	7
8	0.79	-	-	0.28	-	-	-	0.86	-	0.88	0.19	0.10	8
9	-	-	0.03	0.17	0.01	-	-	0.09	-	0.21	0.77	-	9
10	0.08	-	1.06	0.12	0.06	-	-	0.13	-	0.05	-	-	10
11	0.11	-	-	0.10	-	-	-	0.10	-	0.21	0.01	-	11
12	0.03	-	-	0.05	0.33	-	-	0.64	-	0.37	-	0.01	12
13	0.06	-	-	0.30	0.12	-	-	0.19	0.48	0.04	0.02	0.29	13
14	0.13	0.01	-	0.28	-	-	-	0.94	-	-	-	0.45	14
15	0.04	-	-	0.05	-	-	0.37	0.05	0.09	0.66	-	0.23	15
16	0.01	0.06	-	0.24	-	-	0.11	0.25	0.01	0.01	0.01	0.73	16
17	-	0.06	0.12	0.13	0.45	-	0.24	1.26	0.01	0.10	-	0.04	17
18	0.06	0.01	0.12	0.02	0.10	-	0.63	0.20	0.18	0.05	-	-	18
19	0.04	0.19	0.51	-	0.18	0.08	-	0.02	0.32	-	0.03	-	19
20	0.07	0.21	0.01	-	0.23	0.20	-	0.15	-	-	0.14	-	20
21	0.01	0.04	0.18	-	0.04	-	-	0.11	0.17	0.06	-	-	21
22	0.01	-	0.07	-	-	-	-	0.20	-	0.21	0.06	-	22
23	-	0.03	-	-	0.13	0.13	0.01	0.43	-	0.14	0.08	-	23
24	-	-	-	-	-	0.04	-	0.03	-	1.22	0.47	0.01	24
25	-	0.05	0.08	-	-	-	-	0.02	-	0.40	-	-	25
26	-	-	-	-	-	0.17	-	0.40	0.19	0.36	0.33	-	26
27	-	-	-	-	-	0.23	0.18	0.73	-	0.13	0.17	0.05	27
28	-	-	0.65	-	-	-	0.01	0.10	-	0.05	0.10	0.09	28
29	-	~~X~~	0.16	-	0.10	-	0.02	0.08	-	0.54	0.15	0.19	29
30	0.01	~~X~~	0.17	~~X~~	-	-	-	0.01	~~X~~	0.25	0.44	0.02	30
31	0.01	~~X~~	0.32	~~X~~	0.03	~~X~~	-	0.26	~~X~~	0.01	~~X~~	0.05	31
Total	3.09	0.75	3.69	2.45	1.88	2.13	1.57	7.67	1.64	7.84	3.85	2.69	39.25
Rain Days.	22	11	15	16	12	11	8	28	10	27	21	16	197

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

FORM A2.
BRITISH RAINFALL.

Kept at The Haugh End & SOWERBY BRIDGE

in the County of York, (West Riding)

by J. Selwyn Rawson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3.5 ft. 8 in.
" " " Sea Level 450 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Sowerby Bridge
Distance 1/2 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.12	0.03	0.01	0.09	-	-	-	0.60	0.08	0.05	0.10	1
2	0.03	0.10	-	0.03	0.01	-	-	-	0.19	0.05	0.10	0.32	2
3	-	0.04	0.01	-	0.65	-	-	0.15	0.02	0.47	0.04	0.03	3
4	-	0.01	0.03	-	0.01	-	-	0.06	0.22	0.30	0.48	0.27	4
5	-	0.01	0.08	0.11	0.28	-	-	0.41	0.11	0.36	0.04	0.02	5
6	0.06	1.59	0.03	0.25	-	0.10	-	0.24	0.01	0.22	0.01	0.01	6
7	0.06	0.31	-	0.16	-	-	-	-	0.18	0.40	0.35	-	7
8	0.02	0.22	0.13	-	-	-	0.25	0.06	0.70	0.15	0.11	0.03	8
9	0.44	1.21	-	0.08	-	0.14	-	-	1.05	0.19	0.09	0.06	9
10	0.06	0.75	0.01	0.01	0.01	-	0.15	-	0.62	0.07	0.38	0.01	10
11	0.38	0.12	-	0.09	0.04	-	0.03	0.01	0.22	-	-	0.10	11
12	0.08	0.17	0.01	0.04	0.02	0.01	0.32	-	0.20	0.02	-	0.23	12
13	0.03	0.03	-	0.08	0.16	0.02	-	-	0.35	0.04	-	0.01	13
14	0.66	-	-	-	-	0.22	0.15	-	0.60	0.04	-	0.20	14
15	0.18	-	-	-	-	0.03	0.50	-	1.91	-	0.01	0.63	15
16	0.05	-	-	-	-	0.09	0.09	0.06	0.10	0.05	-	0.53	16
17	0.29	-	-	-	0.45	0.02	0.13	0.07	0.22	0.14	-	0.30	17
18	0.63	-	0.13	-	-	0.05	0.40	0.01	0.48	0.01	-	0.73	18
19	0.29	0.02	0.15	0.06	-	0.10	0.39	0.11	0.69	0.11	-	0.71	19
20	0.16	0.56	-	0.08	-	-	0.44	-	0.28	0.02	-	-	20
21	0.19	0.79	-	-	0.08	0.22	-	-	0.47	0.08	-	0.04	21
22	0.08	0.04	-	-	0.28	0.02	0.02	0.01	0.05	0.01	0.03	0.87	22
23	0.04	-	-	0.01	0.48	-	0.12	-	0.03	-	-	0.12	23
24	-	0.08	-	-	-	-	0.16	0.05	0.12	-	0.05	0.05	24
25	-	-	-	-	-	0.42	0.17	0.20	0.22	-	0.02	-	25
26	-	0.18	-	-	-	-	0.09	0.04	0.50	-	0.12	0.18	26
27	-	0.16	0.24	-	-	0.01	-	0.16	0.80	-	0.19	0.49	27
28	-	0.14	0.53	-	-	-	-	0.21	0.06	0.01	0.12	0.51	28
29	-	-	-	-	-	-	-	-	0.12	-	-	0.33	29
30	-	-	0.25	-	-	-	-	0.09	-	0.04	0.02	0.45	30
31	-	-	0.14	-	-	-	-	0.20	-	0.01	-	-	31
Total	3.76	6.65	1.77	1.11	2.54	1.45	3.41	2.14	11.12	2.87	2.21	7.33	TOTAL for year 46.26
No. of Rain Days.	20	21	14	13	11	14	16	18	29	23	18	27	224

REGISTER OF RAINFALL IN 1919.

Kept at The Haugh End, Sowerby Bridgein the County of York - W.R.by J. Selwyn RawsonLat. 53° 42' 15" Long. 1° 55' 15"Time of Observation 9 amNearest Railway Station Sowerby B'geDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 8 ft." " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.02	-	0.02	-	0.62	-	0.26	0.04	0.17	0.28	0.06	0.15	1
2	0.27	-	0.33	-	0.10	-	0.18	0.02	0.05	0.05	0.05	0.12	2
3	1.27	-	-	-	0.07	0.14	0.43	-	0.03	-	0.25	0.31	3
4	0.28	0.08	0.35	-	-	-	0.48	0.12	0.17	-	0.02	0.36	4
5	0.02	-	-	-	0.11	-	-	-	0.01	-	0.05	0.39	5
6	0.03	-	0.45	-	0.70	-	0.02	-	-	-	-	0.12	6
7	0.06	-	0.36	0.01	0.08	-	0.02	-	-	-	0.12	-	7
8	0.11	-	0.02	0.01	0.02	0.08	-	-	-	-	0.02	-	8
9	0.70	-	0.10	-	-	-	-	-	-	-	0.05	-	9
10	0.01	-	0.84	0.04	0.09	-	-	-	-	-	0.02	0.17	10
11	0.01	-	1.04	0.10	0.05	-	0.07	-	-	-	0.02	0.01	11
12	-	-	0.49	0.16	-	0.16	0.10	-	0.10	0.04	0.35	0.01	12
13	0.29	-	0.02	0.20	-	-	0.03	0.04	0.01	0.22	-	0.05	13
14	0.26	-	-	0.42	-	-	-	0.03	-	0.01	0.05	0.02	14
15	0.29	0.12	0.01	0.06	-	-	-	-	-	0.04	0.01	0.32	15
16	0.20	0.65	-	0.02	-	0.01	-	-	-	-	0.07	0.01	16
17	0.01	0.14	-	0.01	-	0.22	-	0.28	-	-	0.75	0.02	17
18	-	-	0.30	-	-	-	0.02	0.33	0.07	-	0.02	0.56	18
19	0.03	0.27	1.02	-	-	0.08	0.61	0.10	0.02	-	0.36	0.02	19
20	0.37	0.11	0.08	-	-	0.15	0.22	0.13	0.02	-	0.17	0.55	20
21	0.10	0.41	0.01	-	-	0.05	0.21	-	0.03	-	0.01	0.31	21
22	-	0.18	0.02	-	-	0.07	-	0.07	0.19	-	0.05	0.57	22
23	-	-	-	0.11	-	0.09	-	-	-	0.77	0.17	0.36	23
24	0.02	-	-	0.05	0.04	0.05	-	0.04	0.40	0.30	0.27	0.82	24
25	0.12	0.03	-	0.16	0.01	0.15	-	0.65	0.10	-	0.26	-	25
26	0.14	0.02	0.84	0.08	-	0.02	0.01	0.50	0.07	-	0.07	0.59	26
27	0.17	-	0.03	0.20	-	-	-	0.05	-	-	0.02	0.22	27
28	-	-	-	0.07	-	-	-	0.80	-	0.07	-	0.55	28
29	0.12	-	-	0.01	-	-	-	0.04	-	0.92	-	0.15	29
30	0.01	~~X~~	0.08	0.05	-	0.09	-	-	-	0.08	0.43	0.24	30
31	0.03	~~X~~	0.05	~~X~~	-	~~X~~	0.20	0.02	~~X~~	0.03	~~X~~	0.02	31
TOTAL	5.94	2.01	6.46	1.76	1.89	1.36	2.86	3.26	1.44	2.81	3.72	7.04	YEAR'S TOTAL
Days with "01 in. or more	26	10	21	18	11	14	15	17	15	12	26	27	212

REGISTER OF RAINFALL IN 1920...

Kept at The Haugh End, SOWERBY BRIDGE

in the County of York (W.Riding)

by J. Selwyn Rawson.

Lat. 53.42.15 Long. 1.55.15

Time of Observation 9 a.m.

Nearest Railway Station Sowerby Bridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 450 ft. 8 in.

Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	-	0.05	0.19	0.80	-	0.52	0.06	0.12	0.06	0.35	0.08	1
2	-	-	0.01	0.20	0.06	-	0.40	0.04	0.26	0.17	-	0.27	2
3	0.01	0.04	-	0.05	0.17	0.06	1.15	0.04	0.07	0.08	-	0.40	3
4	0.03	-	-	0.03	0.01	-	0.27	0.55	0.03	0.57	-	0.08	4
5	-	-	0.09	-	0.22	-	0.14	0.20	0.11	0.30	-	0.04	5
6	-	-	0.66	0.29	0.22	-	0.03	-	-	0.01	0.02	0.19	6
7	0.28	0.03	0.11	0.08	0.08	-	0.47	-	0.01	-	-	-	7
8	0.21	0.06	-	0.44	0.12	-	0.06	0.05	-	0.02	-	-	8
9	0.33	0.93	-	0.47	-	-	0.07	0.04	0.01	0.02	0.03	-	9
10	0.87	1.18	0.04	0.22	-	-	0.30	0.02	-	-	-	-	10
11	0.60	0.14	0.02	0.25	0.27	0.33	-	0.02	-	-	-	0.10	11
12	0.34	0.23	0.47	0.28	0.05	0.24	0.04	0.02	-	-	0.18	0.05	12
13	0.30	0.13	0.16	0.15	0.05	0.71	0.03	-	-	-	0.28	0.12	13
14	0.03	0.07	0.26	0.29	-	0.78	0.02	-	0.23	0.11	0.77	0.01	14
15	0.01	0.19	0.05	0.49	-	-	0.05	-	0.01	0.37	0.10	-	15
16	-	-	0.12	0.08	0.05	-	0.67	-	0.11	-	0.26	-	16
17	0.12	-	0.01	-	0.17	-	-	0.02	0.15	0.07	-	0.01	17
18	0.16	-	-	0.04	0.69	-	0.12	0.20	0.41	-	-	-	18
19	0.26	1.15	-	0.13	0.38	0.09	-	0.07	0.08	-	-	-	19
20	0.10	0.01	-	0.32	-	0.03	0.13	-	-	-	-	0.08	20
21	0.02	-	-	0.01	-	-	0.55	0.03	0.01	0.01	-	0.28	21
22	0.14	-	-	0.26	-	0.05	0.70	0.06	-	-	-	0.14	22
23	-	-	-	0.03	-	-	0.45	-	-	0.01	0.01	0.38	23
24	0.08	-	0.55	0.07	-	-	0.15	-	-	-	-	0.23	24
25	-	0.03	0.06	0.16	-	-	1.01	-	-	-	0.01	-	25
26	0.12	0.10	0.45	0.42	0.04	-	0.12	-	-	-	0.03	0.01	26
27	0.010	0.03	0.01	0.05	0.75	0.50	-	-	-	-	0.21	0.09	27
28	1.11	0.02	0.28	0.09	0.15	0.10	0.02	-	0.02	-	0.02	0.33	28
29	0.10	-	0.35	0.16	0.98	0.08	0.12	-	0.02	-	0.14	1.11	29
30	0.29	~~X~~	0.01	0.08	0.01	0.11	-	-	0.16	-	0.14	0.46	30
31	0.47	~~X~~	0.10	~~X~~	0.07	~~X~~	-	-	~~X~~	0.73	~~X~~	0.13	31
TOTAL	6.10	4.34	3.86	5.33	5.34	3.08	7.59	1.42	1.81	2.53	2.55	4.59	YEAR'S TOTAL
Days with 0.1 in. or more	25	16	21	28	21	12	25	15	17	14	15	22	231

REC
Kept at *Grill house*
in the County of *York*
by *Ind. B. Pearson*

SOWERBY BRIDGE
MILLHOUSE
YORKSHIRE

1914 - 1920

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Cambridge

in.
e Ground ft. in.
Sea Level ft.
the result entered to the
ersal rule, he is earnestly
in the space provided
ent of rain,
ish Rainfall
pplication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.27	0.15	.	.	0.33	0.45	1
2							.	0.86	.	.	0.90	0.38	2
3							0.14	0.03	.	.	.	0.52	3
4							.	.	.	.	0.10	1.00	4
5							0.50	.	.	.	0.40	0.84	5
6							0.90	.	.	.	0.11	0.15	6
7							.	.	.	.	.	0.21	7
8							0.16	0.03	0.31	.	0.09	0.07	8
9							.	0.15	.	.	.	0.02	9
10							.	.	0.03	.	0.15	0.02	10
11							.	.	0.24	.	1.45	0.18	11
12							.	.	0.65	.	0.29	0.30	12
13							.	.	0.03	.	0.90	0.50	13
14							.	.	0.31	.	0.16	0.51	14
15							.	.	0.11	0.06	0.43	0.03	15
16							.	.	0.98	.	.	0.01	16
17							0.11	.	0.07	.	.	0.99	17
18							.	.	.	0.02	.	0.09	18
19							.	.	.	.	.	0.22	19
20							0.10	.	.	.	.	0.01	20
21							.	0.15	.	.	.	0.07	21
22							.	0.02	.	.	.	0.02	22
23							0.50	.	.	.	0.07	0.03	23
24							.	0.30	.	0.16	0.12	.	24
25							0.80	.	.	0.75	0.05	0.50	25
26							.	0.10	.	.	0.25	0.30	26
27							.	.	.	0.26	.	0.80	27
28							.	.	0.04	0.34	0.70	0.36	28
29							.	.	.	0.36	0.09	0.02	29
30		X					.	0.05	.	0.15	0.79	0.25	30
31		X		X		X	0.25	.	X	0.17	X	.	31
Total							3.73	1.84	2.77	2.27	7.37	8.84	YEAR'S TOTAL
Rain Days.							9/10	10	10	9	19	29	

REGISTER OF RAINFALL

Kept at

Grill house, 2nd Halifax
York. (W. R.)

in the County of

by Fred B. Pearson (Agent for the Halifax & Leeds Railway Co.)

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
13 MAY 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Only started working the gauge in June, but read 6 months in case of any interest by you

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.27	0.15	.	.	0.33	0.45	1
2							.	0.86	.	.	0.90	0.38	2
3							0.14	0.03	.	.	.	0.52	3
4							.	.	.	.	0.10	1.00	4
5							0.50	.	.	.	0.40	0.84	5
6							0.90	.	.	.	0.11	0.15	6
7							.	.	.	.	.	0.21	7
8							0.16	0.03	0.31	.	0.09	0.07	8
9							.	0.15	.	.	.	0.02	9
10							.	.	0.03	.	0.15	0.02	10
11							.	.	0.24	.	1.45	0.18	11
12							.	.	0.65	.	0.29	0.30	12
13							.	.	0.03	.	0.90	0.50	13
14							.	.	0.31	.	0.16	0.51	14
15							.	.	0.11	0.06	0.43	0.03	15
16							.	.	0.98	.	.	0.01	16
17							0.11	.	0.07	.	.	0.99	17
18							.	.	.	0.02	.	0.09	18
19							.	.	.	.	.	0.22	19
20							0.10	.	.	.	.	0.01	20
21							.	0.15	.	.	.	0.07	21
22							.	0.02	.	.	.	0.02	22
23							0.50	.	.	.	0.07	0.03	23
24							.	0.30	.	0.16	0.12	.	24
25							0.80	.	.	0.75	0.05	0.50	25
26							.	0.10	.	.	0.25	0.30	26
27							.	.	.	0.26	.	0.80	27
28							.	.	0.04	0.34	0.70	0.36	28
29							.	.	.	0.36	0.09	0.02	29
30		X					.	0.05	.	0.15	0.79	0.25	30
31		X		X		X	0.25	.	X	0.17	X	.	31
Total							3.73	1.84	2.77	2.27	7.37	8.84	YEAR'S TOTAL
Rain Days.							10	10	10	9	19	29	

5mace
corrected for ant. 1. v. 16. 74. J. W.
REGISTER OF RAINFALL IN 1915

Kept at Millhouse, 2^d Halifax
in the County of York. (W. R.)
by Geo. E. S. Rawson.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
29 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.30	0.45	0.05	.	0.26	.	0.13	0.37	0.13	.	.	0.10	1
2	0.07	0.38	0.20	0.35	.	.	0.10	0.73	.	0.03	.	0.25	2
3	0.80	0.01	0.07	0.16	.	.	0.10	0.03	.	.	.	0.31	3
4	0.04	0.05	0.03	.	0.06	.	0.65	.	.	.	.	0.26	4
5	0.11	0.12	0.18	.	0.04	0.02	.	.	.	.	0.01	0.16	5
6	0.30	0.20	0.08	0.55	.	.	0.10	0.02	.	0.01	0.02	0.11	6
7	0.64	0.71	.	0.17	0.22	.	0.90	1.14	.	.	.	1.03	7
8	0.60	0.09	.	0.26	.	.	0.01	0.15	.	.	0.41	0.23	8
9	0.02	0.03	.	.	.	.	.	0.10	.	0.08	0.29	0.53	9
10	0.65	.	0.03	0.01	0.95	.	.	0.84	.	0.03	.	0.65	10
11	0.18	.	0.02	.	0.07	.	0.28	0.32	.	.	0.44	0.46	11
12	0.09	.	.	0.08	.	.	0.09	0.10	.	0.25	1.10	0.34	12
13	0.08	0.95	.	.	.	.	0.03	0.02	0.01	.	.	.	13
14	0.28	.	.	0.02	0.03	.	0.20	0.22	0.04	.	.	0.28	14
15	1.80	.	.	.	.	.	0.04	0.50	0.03	.	.	0.30	15
16	.	0.40	.	.	0.30	.	0.82	0.53	.	.	0.35	0.02	16
17	.	0.60	0.05	.	.	.	.	0.02	.	0.02	0.02	.	17
18	.	0.16	0.10	.	.	.	.	.	0.03	.	.	.	18
19	0.02	0.17	0.08	0.10	0.10	.	0.10	.	.	.	.	.	19
20	0.35	0.03	0.04	.	0.03	.	0.19	.	.	.	.	0.23	20
21	0.20	0.08	.	0.00	.	.	0.06	.	.	.	.	0.04	21
22	0.02	.	0.10	.	.	.	0.21	.	.	0.01	.	0.16	22
23	0.02	0.02	0.03	0.00	.	.	0.32	.	.	0.29	.	0.15	23
24	.	.	0.11	0.02	.	.	.	.	0.25	0.04	.	0.47	24
25	.	.	.	.	.	0.20	.	.	0.02	0.03	.	0.18	25
26	0.03	0.75	.	.	.	0.16	0.77	.	.	.	.	0.64	26
27	.	0.45	.	.	.	0.01	0.05	0.36	.	0.64	.	0.51	27
28	.	0.48	.	.	0.08	0.05	0.04	.	.	0.18	.	0.09	28
29	.	.	.	.	.	0.31	.	.	.	.	0.09	0.50	29
30	0.20	X	.	0.04	.	0.60	.	.	.	0.01	.	.	30
31	0.25	X	.	X	.	X	0.02	0.22	X	0.20	X	0.41	31
Total	7.05	6.13	1.17	1.79	2.14	1.35	4.91	5.67	0.51	1.82	2.73	8.41	43.67
Rain Days.	25	20	15	13	11	7	22	17	7	14	9	26	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Hill house, Gr Halifax
in the County of York W. R.
by Geo R S Pawan

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Thryke
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 8 ft. 8 in.
Sea Level 400 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.62	0.05	0.22			0.54	0.36		0.02				1
2	0.23	0.20	0.15			0.06			0.36	0.12			2
3	0.01	0.28	0.02			0.01	0.60		0.63	0.24	0.13	0.01	3
4	0.26	0.29		0.02	0.55	0.76	0.13			0.63	0.22		4
5	0.12	0.38			0.90	0.13				1.01	0.44		5
6	0.84	0.92	0.05	0.70	0.33	0.06	0.24			0.17	0.37	0.04	6
7	0.16	0.23	0.06		0.10	0.02	0.35			0.24	0.03	0.24	7
8		0.13	0.16				0.02			0.70	0.33	0.10	8
9	0.07		0.07		0.21	0.21	0.04				0.21	0.24	9
10	0.03	0.20	0.01	0.02		0.29	0.05		0.01	0.56		0.01	10
11	0.03	0.51	0.23	0.61	0.01	0.12	0.01		0.08		0.01	0.15	11
12	0.16	0.31	0.49	0.20	0.26		0.58	0.02		0.17	0.01		12
13		0.15	0.21	0.24				0.44		1.10		0.08	13
14	0.02	0.23	0.02	0.42	0.39			0.22	0.06	0.30			14
15		0.82	0.87	0.01			0.02	0.17	0.02	0.10			15
16		0.53	0.56	0.17			0.20	1.00		0.03			16
17	0.08	0.41		0.55			0.09		0.50	0.21			17
18	0.01	0.18		0.06			0.04	0.12	0.30	0.27	0.78	0.05	18
19	0.42	0.01	0.31	0.34				0.09	0.03		0.33	0.24	19
20	0.37		0.25	0.13				0.02			0.08	0.06	20
21	0.55		0.01	0.10	0.08								21
22	0.04	0.02				0.07	0.01			0.10			22
23		0.03	0.03	0.20		0.10		0.07			0.43	0.41	23
24		0.20		0.04		0.08		0.15		0.03		0.10	24
25	0.18	0.12			0.15	0.02		0.64	0.01	0.10	0.40	0.04	25
26	0.08	0.06	0.42					0.03		0.10	0.03		26
27		0.30	0.15		0.40			0.10	0.02	0.47	0.06	0.04	27
28	0.01	0.30	0.05		0.05	0.04				0.90		0.51	28
29		0.29				0.12				0.47	0.01	0.56	29
30		X			0.01	0.02				1.06		0.10	30
31		X		X	0.06	X			X		X	0.35	31
Total	4.29	7.13	4.34	3.12	2.67	2.66	2.17	2.53	2.04	8.45	3.87	3.33	46.96
Rain Days.	21	26	21	16	14	17	15	13	12	23	18	19	21

REGISTER OF RAINFALL IN 1917.

3184

FORM A.
BRITISH RAINFALL

Kept at Mill House, L^r Halifax
in the County of York. (W. P.)
by Edw. P. Hawson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Downby, York
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05	.	.	0.42	.	0.75	.	0.15	0.40	.	0.25	0.31	1
2	0.47	.	.	.	.	0.05	.	0.02	.	0.01	0.01	.	2
3	0.12	0.04	.	.	.	0.18	.	0.02	.	0.56	0.23	.	3
4	0.06	0.03	.	.	.	.	.	.	.	0.24	.	.	4
5	0.30	0.01	0.14	0.35	.	.	.	0.19	0.02	0.23	0.18	.	5
6	0.01	.	0.01	.	.	0.10	.	.	.	0.04	0.52	0.10	6
7	0.44	.	.	.	.	0.27	.	.	.	1.07	0.08	0.05	7
8	0.63	.	.	0.29	.	.	.	1.00	.	0.90	0.22	0.10	8
9	0.01	.	.	0.15	.	.	.	0.10	.	0.20	0.75	.	9
10	0.11	.	1.10	0.08	0.14	.	.	0.13	.	0.04	.	.	10
11	0.13	.	.	0.15	.	.	.	0.11	.	0.24	.	.	11
12	0.03	.	.	0.34	0.35	.	.	0.73	.	0.40	.	0.03	12
13	0.03	.	.	0.31	0.15	.	.	0.15	0.51	0.04	0.01	0.29	13
14	0.03	.	.	0.26	0.01	.	.	0.97	.	.	.	0.50	14
15	0.09	0.01	.	0.11	.	.	0.41	0.05	0.07	0.06	.	0.30	15
16	0.03	0.04	0.01	0.28	.	.	0.14	0.24	0.02	0.01	.	0.38	16
17	.	0.06	0.12	0.12	0.45	.	0.25	1.21	0.01	0.10	.	0.14	17
18	0.04	.	0.10	0.02	0.10	.	0.70	0.23	0.19	0.03	.	.	18
19	0.04	0.17	0.50	.	0.14	0.09	.	0.03	.	.	0.03	.	19
20	0.02	0.20	0.61	.	0.25	0.20	.	0.02	0.30	.	0.08	.	20
21	0.02	0.04	0.15	.	.	.	.	0.14	.	0.07	.	.	21
22	0.01	.	0.05	.	0.02	.	.	0.66	0.19	0.20	0.07	.	22
23	.	0.02	.	.	0.12	0.08	.	0.28	.	0.14	0.05	0.24	23
24	.	.	.	.	.	0.11	.	0.47	.	1.07	0.55	.	24
25	.	0.05	0.07	.	.	.	.	0.03	.	0.56	0.06	.	25
26	.	0.01	.	.	.	0.21	.	0.40	0.25	0.41	0.24	.	26
27	.	.	.	.	.	0.24	0.20	0.81	.	0.08	0.12	0.04	27
28	.	.	0.60	.	.	.	.	0.26	.	0.07	0.09	0.09	28
29	.	.	0.15	.	0.07	.	0.03	0.07	.	0.55	0.33	0.14	29
30	0.01	~~X~~	0.16	~~X~~	.	.	.	0.01	.	0.26	.	0.01	30
31	0.01	~~X~~	0.15	~~X~~	0.02	~~X~~	.	0.09	~~X~~	.	~~X~~	0.03	31
Total	2.69	0.68	3.35	2.88	1.88	2.28	1.73	7.97	1.96	7.58	3.87	2.84	39.71
Rain Days.	23	12	15	13	12	11	6	28	10	26	19	16	191
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Millhouse, Halifax
in the County of York - W. R.
by Geo. P. Dawson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Threlk. 10
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 9 in.
Sea Level 340 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.16	0.01	0.01	0.08	.	.	.	0.59	0.09	0.15	0.12	1
2	0.02	0.08	.	0.03	.	.	.	.	0.17	0.06	.	0.36	2
3	.	0.03	.	.	0.60	.	.	0.14	.	0.49	.	0.01	3
4	.	0.02	0.03	.	.	.	.	0.07	0.21	0.31	0.58	0.27	4
5	.	.	0.05	0.11	0.29	.	.	0.38	0.06	0.39	0.04	0.01	5
6	0.07	1.75	0.01	0.21	.	0.10	.	0.23	0.06	0.23	.	0.01	6
7	.	0.33	.	0.15	.	.	.	0.02	0.19	0.45	0.41	0.03	7
8	.	0.22	0.10	.	.	.	0.25	0.04	0.75	0.12	0.10	0.06	8
9	0.05	1.35	.	0.15	.	0.15	0.01	.	0.97	0.22	0.08	0.02	9
10	0.06	0.97	0.03	.	.	.	0.10	.	0.65	0.08	0.40	0.11	10
11	0.38	0.08	0.01	0.12	0.03	.	0.03	0.02	0.23	.	.	0.23	11
12	0.02	0.19	0.01	0.03	.	0.01	0.31	.	0.24	0.02	.	0.01	12
13	0.20	0.06	.	0.05	0.17	0.03	.	.	0.21	0.04	.	0.23	13
14	0.62	.	.	.	0.01	0.20	0.15	.	0.71	0.05	.	0.62	14
15	0.08	.	.	.	.	0.04	0.91	.	1.92	.	.	.	15
16	0.05	.	.	.	.	0.10	0.07	0.05	0.10	0.05	.	0.54	16
17	0.33	.	.	.	0.47	0.02	0.11	0.02	0.25	0.13	.	0.32	17
18	0.63	.	0.13	.	.	0.04	0.39	0.08	0.48	0.10	.	0.81	18
19	0.33	0.03	0.12	0.05	.	0.04	0.44	0.10	0.74	0.01	.	0.65	19
20	0.13	0.66	.	0.07	.	0.10	0.47	.	0.28	0.01	.	.	20
21	0.21	0.90	.	.	0.10	0.19	.	.	0.50	0.08	.	0.03	21
22	0.08	0.03	.	.	0.28	0.03	0.02	0.03	0.05	0.01	.	0.88	22
23	0.94	0.01	.	0.01	0.43	.	0.26	.	0.04	0.01	.	0.17	23
24	.	0.06	.	.	.	.	0.16	0.06	0.15	.	0.08	0.06	24
25	.	.	.	.	.	0.40	0.15	0.22	0.13	.	.	.	25
26	.	0.15	.	.	.	.	.	0.03	0.67	.	0.20	0.21	26
27	.	0.14	0.27	.	.	0.01	0.04	0.17	0.85	0.01	0.16	0.50	27
28	.	0.10	0.52	.	.	.	.	0.26	0.13	.	0.10	0.50	28
29	.	X	.	.	.	.	.	.	0.11	.	0.01	0.32	29
30	.	X	0.23	.	.	.	.	0.09	.	0.04	.	0.46	30
31	.	X	0.15	X	.	X	.	0.19	X	0.01	X	.	31
Total	3.33	5.26	1.67	1.01	2.46	1.43	3.87	2.14	11.44	3.01	2.31	7.54	YEAR'S TOTAL 45.98
Rain Days.	18	20	14	12	10	15	15	19	28	24	12	27	216

REGISTER OF RAINFALL IN 1919.

Kept at Millhouse. TRIANGLE
in the County of YORK. (W.R.)
by Mrs. P. S. Rawson

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Triangle
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 9 ft.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.6	.	0.04	.	0.73	.	0.25	0.03	0.19	0.30	0.04	0.17	1
2	0.23	.	0.35	.	0.07	.	0.16	0.06	0.05	0.06	0.03	0.12	2
3	0.28	.	.	.	0.08	0.14	0.39	.	0.03	.	0.24	0.44	3
4	0.41	0.07	0.30	.	0.01	0.01	(0.36)	0.13	0.18	.	0.03	0.35	4
5	0.20	.	.	0.01	0.01	.	.	.	0.01	.	0.04	0.46	5
6	0.32	.	0.53	.	0.80	.	.	.	.	.	.	0.15	6
7	0.13	.	0.37	0.02	0.09	.	0.02	.	.	.	0.12	.	7
8	0.12	.	0.02	0.01	0.02	0.08	.	.	.	.	.	.	8
9	0.75	.	0.08	.	.	.	.	.	.	.	0.06	.	9
10	.	.	0.90	0.04	(0.08)	.	0.07	.	.	.	0.01	0.22	10
11	0.02	.	(0.07)	0.10	0.04	.	0.11	.	.	.	.	0.02	11
12	0.01	.	0.48	0.16	.	0.16	0.03	.	0.09	0.04	0.25	.	12
13	0.30	.	.	0.17	.	.	.	0.03	.	0.24	.	0.05	13
14	0.27	0.01	.	0.43	.	.	.	0.05	.	.	0.04	0.03	14
15	0.33	0.10	0.02	0.06	.	.	.	.	.	0.03	.	0.33	15
16	0.20	0.72	.	0.02	.	0.01	.	.	.	.	0.08	0.01	16
17	0.01	0.11	.	0.01	.	0.21	0.01	0.14	.	.	0.79	0.02	17
18	.	.	0.24	.	.	.	0.02	0.30	0.10	.	0.03	0.62	18
19	0.02	0.36	1.12	.	.	0.09	0.54	0.30	0.02	.	0.37	0.01	19
20	0.35	0.10	0.04	.	.	0.18	0.25	0.17	0.02	.	0.19	0.54	20
21	.	0.41	0.01	.	.	0.09	0.20	0.03	.	.	.	0.35	21
22	.	0.18	0.02	.	.	0.09	.	0.10	0.23	.	0.04	0.56	22
23	.	.	.	0.03	.	0.08	.	0.01	.	0.66	0.19	0.43	23
24	0.02	.	.	0.02	.	0.06	.	.	0.48	0.35	0.30	0.71	24
25	0.10	0.05	.	0.16	0.05	0.13	.	0.70	.	.	0.31	0.08	25
26	0.12	0.01	0.91	0.12	.	0.02	.	0.54	0.18	.	0.07	0.75	26
27	0.21	.	0.03	0.17	.	.	0.02	0.04	.	.	0.04	0.20	27
28	.	.	.	0.05	.	.	.	0.86	.	0.03	.	0.52	28
29	0.08	~~X~~	.	0.02	.	.	.	0.10	.	0.86	.	0.19	29
30	0.02	~~X~~	0.08	0.04	.	0.09	.	.	.	0.12	0.47	0.27	30
31	0.01	~~X~~	0.04	~~X~~	.	~~X~~	0.25	.	~~X~~	(0.26)	~~X~~	0.02	31
TOTAL	5.57	2.12	6.65	1.74	1.98	1.40	2.68	3.59	1.58	2.90	3.71	7.62	YEAR'S TOTAL.
Days with .01 in. or more	25	11	20	19	11	15	15	17	12	11	22	27	41.54
													205

REGISTER OF RAINFALL IN 1920.

Kept at Hillhouse L. Halifax
in the County of York. W.-R.
by Ed. P. Dawson

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Tharston
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.3		0.04	0.15	0.84		0.61	0.06	0.13	0.05	0.62	0.04	1
2		0.01	0.02	0.26	0.08		0.38	0.03	0.27	0.18		0.30	2
3		0.04		0.05	0.12	0.06	1.00	0.05	0.07	0.04		0.59	3
4	0.02			0.02	0.02		0.28	0.60	0.04	0.64		0.06	4
5			0.09		0.23		0.08	0.18	0.12	0.30		0.02	5
6			0.59	0.20	0.15		0.09		0.01	0.01	0.02	0.16	6
7	0.34	0.02	0.09	0.22	0.10		0.63					0.01	7
8	0.13	0.07		0.46	0.17		0.05	0.05	0.01	0.01			8
9	0.37	0.86		0.48			0.08	0.04	0.01	0.02	0.01		9
10	0.91	1.13	0.05	0.24			0.32	0.01					10
11	0.63	0.12		0.24	0.27	0.33						0.07	11
12	0.35	0.25	0.50	0.27	0.06	0.23	0.04	0.03			0.15	0.08	12
13	0.31	0.10	0.23	0.15	0.05	0.56	0.03				0.31	0.07	13
14	0.03	0.06	0.26	0.23		0.95	0.02		0.19	0.06	0.48	0.02	14
15	0.01	0.23	0.05	0.46			0.05		0.04	0.35	0.17		15
16		0.01	0.11	0.15	0.03		0.68		0.10		0.28		16
17	0.14		0.03		0.20		0.03	0.18	0.08	0.07	0.01	0.01	17
18	0.13			0.02	0.57		0.17	0.02	0.57				18
19	0.26	0.20		0.15	0.58	0.05		0.05	0.08				19
20	0.12	0.03		0.31		0.05	0.12					0.07	20
21	0.01			0.02			0.58	0.01				0.27	21
22	0.18	0.03		0.25		0.04	0.67	0.07				0.24	22
23							0.57					0.36	23
24	0.07		0.56	0.09			0.15					0.29	24
25		0.04	0.06	0.20	0.03		0.98						25
26	0.14	0.10	0.47	0.28	0.71		0.13				0.03		26
27	0.10	0.03	0.10	0.16	0.05	0.50					0.23		27
28	1.40		0.26	0.12	1.00	0.01	0.02	0.03			0.02	0.37	28
29	0.10	0.10	0.36	0.04		0.18	0.15		0.01		0.13	1.11	29
30	0.28		0.01	0.14		0.02			0.07		0.11	0.38	30
31	0.50		0.05		0.05					0.37		0.27	31
TOTAL	6.20	4.34	3.83	5.36	5.31	2.98	7.91	1.41	1.80	2.10	2.87	4.55	YEAR'S TOTAL 48.66
Days with 0.1 in. or more	24	19	20	27	20	12	26	15	16	12	14	21	226
Days with 0.4 in. or more	19	13	17	24	17	10	22	9	12	9	9	17	178

No 2 Gauge RE

SOWERBY BRIDGE
(THORPE)

FORM A.
BRITISH RAINFALL.
21 MAR 1912

Kept at Thorpe,
in the County of York
by J. Selwyn

1911 - 15

in.
d ft. 8 in.
level 345 ft.
tions for the measurement
nt post-free on application

NOTE.—Rain should be measured
of rain and particulars as to the Bar
to Dr. H. R. MILL, 62, Camden Square

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.	0.77	.	0.05	.	0.08	0.06	.	.	0.23	-	1
2	0.18	-	0.02	.	0.32	.	0.06	.	.	0.06	0.04	0.16	2
3	-	.	0.09	.	0.70	0.01	.	.	0.08	0.02	0.60	0.03	3
4	0.04	-	0.14	0.11	0.05	.	.	0.08	0.04	0.10	0.66	0.16	4
5	0.93	-	0.01	.	0.04	.	.	0.45	.	0.10	0.40	0.05	5
6	0.15	-	-	0.15	.	.	.	0.33	.	0.13	0.54	0.28	6
7	0.04	-	-	.	.	.	.	.	.	0.02	0.25	0.01	7
8	0.15	-	0.09	.	.	.	.	.	0.06	.	0.02	0.80	8
9	0.05	-	-	.	.	.	.	.	.	.	.	0.34	9
10	0.25	-	0.15	.	.	.	.	.	.	.	.	0.60	10
11	0.88	-	0.02	.	.	.	.	0.03	0.04	.	0.54	0.42	11
12	0.05	0.06	0.14	.	0.03	.	.	.	1.00	.	0.70	-	12
13	-	.	0.02	.	0.19	.	.	.	.	0.02	0.15	0.36	13
14	0.04	0.45	0.07	.	0.20	.	.	.	.	.	.	0.25	14
15	-	0.32	0.05	0.05	.	.	.	.	.	0.12	0.26	0.44	15
16	-	0.85	0.05	-	.	0.18	0.03	.	.	0.08	0.21	0.16	16
17	-	0.02	0.04	.	.	0.15	0.01	.	.	.	0.15	0.12	17
18	-	0.68	0.12	.	.	0.21	.	.	.	0.07	0.09	0.28	18
19	-	0.11	0.02	0.10	.	0.04	0.20	.	0.14	0.22	0.24	0.08	19
20	-	0.19	-	0.26	.	.	0.06	0.50	0.04	0.04	.	0.28	20
21	0.02	0.97	0.02	.	.	.	.	0.25	.	0.11	0.01	0.26	21
22	0.16	0.13	-	0.02	.	0.03	0.01	0.02	.	0.17	0.07	0.03	22
23	0.01	0.71	-	.	0.12	0.13	.	.	0.06	0.05	.	0.38	23
24	0.28	0.29	-	0.11	.	1.40	.	.	.	0.27	.	0.26	24
25	0.02	0.65	0.02	0.17	.	0.04	0.03	.	0.80	.	.	0.38	25
26	-	0.02	-	0.32	0.05	0.03	.	0.05	.	0.78	0.21	0.30	26
27	0.02	0.23	0.06	0.35	0.02	.	.	0.41	0.39	.	.	0.03	27
28	-	0.45	0.02	0.44	.	0.17	.	.	0.10	.	.	0.28	28
29	-	-	0.02	0.25	.	0.31	0.01	.	0.29	0.61	0.03	0.13	29
30	-	-	-	0.08	0.08	0.24	.	.	0.02	0.63	.	-	30
31	-	-	0.06	-	0.04	-	.	.	-	0.03	-	0.02	31
Total	2.77	6.13	2.00	2.41	1.89	2.94	0.49	2.18	3.06	3.63	5.40	6.89	TOTAL for year 39.79
No. of Rain Days	17	16	22	13	13	13	9	10	13	20	20	28	194

No 2 Gauge

RE

FORM A.
BRITISH RAINFALL.

21 MAR 1912

Kept at Thorpe, nr Halifax
in the County of York (W.R.)
by J. Selwyn Pearson

Lat. _____ Long. _____
Nearest Railway Station Triangle
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " Sea Level 345 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.	0.77	.	0.05	.	0.08	0.06	.	.	0.23	-	1
2	0.18	-	0.02	.	0.32	.	0.06	.	.	0.06	0.04	0.16	2
3	-	.	0.09	.	0.70	0.01	.	.	0.08	0.02	0.60	0.03	3
4	0.04	-	0.14	0.11	0.05	.	.	0.08	0.04	0.10	0.66	0.16	4
5	0.93	.	0.01	.	0.04	.	.	0.45	.	0.10	0.40	0.05	5
6	0.15	.	-	0.15	.	.	.	0.33	.	0.13	0.54	0.28	6
7	0.04	.	-	.	.	.	.	.	.	0.02	0.25	0.01	7
8	0.15	.	0.09	.	.	.	.	.	0.06	.	0.02	0.80	8
9	0.05	.	-	.	.	.	.	.	.	.	.	0.34	9
10	0.25	.	0.15	.	.	.	.	.	.	.	.	0.60	10
11	0.38	.	0.02	.	.	.	.	0.03	0.04	.	0.54	0.42	11
12	0.05	0.06	0.14	.	0.03	.	.	.	1.00	.	0.70	-	12
13	-	.	0.02	.	0.19	.	.	.	.	0.02	0.15	0.36	13
14	0.04	0.45	0.07	.	0.20	.	.	.	.	.	.	0.25	14
15	-	0.32	0.05	0.05	.	.	.	.	.	0.12	0.26	0.44	15
16	-	0.85	0.05	-	.	0.18	0.03	.	.	0.08	0.21	0.16	16
17	-	0.02	0.04	.	.	0.15	0.01	.	.	.	0.15	0.12	17
18	-	0.68	0.12	.	.	0.21	.	.	.	0.07	0.09	0.28	18
19	-	0.11	0.02	0.10	.	0.04	0.20	.	0.14	0.22	0.24	0.08	19
20	-	0.19	-	0.26	.	.	0.06	0.50	0.04	0.04	.	0.28	20
21	0.02	0.97	0.02	.	.	.	.	0.25	.	0.11	0.01	0.26	21
22	0.16	0.13	-	0.02	.	0.03	0.01	0.02	.	0.17	0.07	0.03	22
23	0.01	0.71	-	-	0.12	0.13	.	.	0.06	0.05	.	0.38	23
24	0.28	0.29	-	0.11	.	1.40	.	.	.	0.27	.	0.26	24
25	0.02	0.65	0.02	0.17	.	0.04	0.03	.	0.80	.	.	0.38	25
26	-	0.02	-	0.32	0.05	0.03	.	0.05	.	0.78	0.21	0.30	26
27	0.02	0.23	0.06	0.35	0.02	.	.	0.41	0.39	.	.	0.03	27
28	-	0.45	0.02	0.44	.	0.17	.	.	0.10	.	.	0.28	28
29	-	-	0.02	0.25	.	0.31	0.01	.	0.29	0.61	0.03	0.13	29
30	-	-	-	0.08	0.08	0.24	.	.	0.02	0.63	.	-	30
31	-	-	0.06	-	0.04	-	.	.	-	0.03	-	0.02	31
Total	2.77	6.13	2.00	2.41	1.89	2.94	0.49	2.18	3.06	3.63	5.40	6.89	TOTAL for year
No. of Rain Days	17	16	22	13	13	13	9	10	13	20	20	28	194

REGISTER OF RAINFALL IN 1912

FORM A.2.
BRITISH RAINFALL
30 JAN 1913

No. 2
Kept at Thorpe N. Halifax
in the County of York
by J. Selwyn Dawson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground - ft. 8 in.
" " " Sea Level 345 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Triangle N.Y.R.
Distance 2 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following:

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.11	-	-	0.30	0.23	0.05	0.28	-	-	0.75	1
2	0.01	0.23	0.29	-	0.05	0.14	0.30	-	0.16	-	-	0.11	2
3	0.24	-	0.28	-	-	0.51	-	0.75	0.77	-	-	0.06	3
4	0.45	-	0.10	0.46	0.16	0.55	-	1.30	0.02	-	0.30	-	4
5	0.39	0.02	0.60	-	0.40	0.17	-	0.01	0.21	-	0.02	0.02	5
6	0.85	0.20	0.06	-	0.05	0.01	-	0.38	-	-	-	-	6
7	0.20	0.11	0.12	-	0.03	0.03	-	0.30	0.19	-	0.05	-	7
8	0.52	0.28	0.12	0.31	-	0.03	0.09	0.03	0.12	-	0.01	0.02	8
9	0.27	0.08	0.05	0.42	-	0.58	-	-	-	-	0.07	0.19	9
10	0.25	0.02	-	0.12	-	0.18	0.03	-	-	-	1.15	-	10
11	0.03	0.08	-	-	-	-	-	0.02	-	-	0.04	0.84	11
12	0.08	0.40	0.19	-	-	0.35	0.78	-	-	-	-	0.26	12
13	-	0.02	-	-	-	0.01	-	0.25	-	0.18	0.06	1.26	13
14	0.16	-	0.72	-	-	0.14	-	0.04	-	-	-	0.60	14
15	0.14	0.04	0.33	-	0.46	0.00	-	0.06	-	-	-	0.35	15
16	1.85	-	0.11	-	0.13	0.59	-	-	-	0.15	0.01	0.18	16
17	0.13	0.09	0.03	-	0.05	0.50	-	0.15	-	-	0.03	0.59	17
18	0.17	0.02	-	-	-	0.03	-	-	-	0.25	0.03	0.18	18
19	0.40	0.12	0.59	-	-	0.02	0.20	0.51	-	0.66	0.10	-	19
20	-	-	0.13	-	0.29	0.11	0.13	0.40	-	0.48	-	0.02	20
21	-	-	0.18	-	0.31	-	0.05	0.02	-	0.08	-	0.18	21
22	0.03	0.18	-	-	0.90	0.37	0.15	0.64	-	-	-	0.06	22
23	-	-	0.20	-	-	-	0.43	0.60	-	-	0.23	0.05	23
24	0.21	0.02	0.04	-	0.02	0.13	0.09	0.30	-	0.04	0.28	0.18	24
25	-	-	0.06	-	-	0.40	0.06	0.03	-	-	0.85	0.18	25
26	-	0.23	0.18	-	-	0.03	0.31	0.48	-	1.95	0.50	0.29	26
27	-	0.14	0.36	-	-	0.24	0.44	0.03	-	0.57	-	0.32	27
28	-	0.06	-	-	-	0.44	0.44	0.56	0.06	0.40	0.35	-	28
29	-	0.08	0.09	-	-	-	0.22	0.05	0.55	0.11	-	0.31	29
30	-	-	0.33	-	0.06	0.09	0.02	-	-	0.13	-	-	30
31	-	-	0.17	-	0.66	-	1.73	0.31	-	-	-	0.03	31
Total	6.38	2.42	5.43	1.31	3.57	6.02	5.70	7.27	2.36	5.00	4.08	7.03	50.57
No. of Rain Days	19	20	25	4	14	26	18	24	9	12	17	24	212

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
- 3 MAR 1914

Kept at *Thorpe. N^r HALIFAX.*

in the County of *Yorks (W. Riding)*

by *J. Selwyn Dawson.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Thraugh*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *8* in.
" " " " Sea Level *345* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	0.15	0.34	0.06	-						0.07		1
2		0.16	0.70	0.07		0.15					0.28	0.16	2
3		0.33	0.18		0.24				0.02	0.10	0.06	0.91	3
4	0.65	0.11	0.05		0.02	0.02	0.04		0.04	0.05	0.11	0.59	4
5	0.07	0.10	0.17		0.04	0.20	0.20		0.09	0.16		0.01	5
6	0.05	0.28	0.31		0.89	0.11	0.50			0.36		0.02	6
7		0.47	0.05		0.33	0.12	0.06			0.29	0.02	0.02	7
8		0.23	0.05		0.16	0.07		0.13		0.02	0.15	0.03	8
9		0.23	0.58		0.14	0.81	0.01	0.20			0.22	0.15	9
10			0.35	0.08			0.07		0.01		0.10		10
11	0.74			0.40		0.07				0.01	0.15	0.11	11
12									0.11		0.28	0.01	12
13	0.07	0.02	0.51	0.04			0.02	0.01	0.17		0.29		13
14	0.04		0.31	0.26					0.01	0.24	0.33	0.02	14
15	0.07	0.02	0.69	1.20				0.04	0.09		0.65	0.09	15
16			0.07	0.02			0.01				0.37	0.01	16
17	0.03	0.02		0.10	0.16	0.24	0.10		0.54		0.20		17
18	0.14		0.49	0.01	0.08	0.05	0.06				0.61	0.01	18
19	0.09		0.05	0.20	0.07	0.01			0.05	0.08	0.33		19
20	0.31	0.02	0.16	0.44		0.06			0.07	0.04	0.83		20
21			0.15	0.11	0.23		0.21	0.24			0.20		21
22			0.78		0.05		0.01	0.42	0.15		0.01		22
23	0.50	0.05	0.05		0.23	0.30		0.29	0.11	0.03	0.09	0.12	23
24	0.58			0.05	0.03	0.16		0.05			0.02	0.04	24
25				0.07					0.24	0.05	0.09	0.35	25
26			0.15	0.47					0.04	0.10		1.25	26
27		0.05	0.02	0.47						0.04		0.25	27
28	0.42		0.26	0.48	0.03				0.01	0.01		0.10	28
29			0.35	0.51				0.29		0.02	0.07	0.09	29
30	0.75		0.02							0.29	0.09		30
31	0.11		0.24		0.03								31
Total	4.69	2.24	7.08	5.04	2.74 ³	2.37	1.29	1.67	1.75	1.83	5.62	4.34	40.65
Rain Days.	17	15	26	19	16	14	12	9	16	17	25	21	207

✓ No. 1 REGISTER OF RAINFALL IN 1914

Kept at Thorpe. & Halifax
in the County of YORK. (W.R.) W. 8
by J. Selwyn Dawson.

Lat. _____ Long. _____
Time of Observation 9 am.
Nearest Railway Station Triangle
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 345 ft.

FORM A.
BRITISH RAINFALL
6 - APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	0.08	.	.	.	1.48	0.13	.	.	.	0.39	1
2	0.01	.	0.03	.	.	.	0.13	0.94	.	0.02	0.36	0.38	2
3	0.20	.	0.15	.	0.39	.	0.02	0.05	.	0.03	.	0.86	3
4	1.04	.	0.33	0.25	0.22	.	.	.	.	.	0.15	0.98	4
5	0.16	.	0.53	0.31	0.19	0.06	0.01	.	.	0.02	0.33	0.67	5
6	.	0.03	0.09	0.27	0.17	.	.	.	.	.	0.12	0.40	6
7	0.09	0.05	0.19	0.14	0.17	0.02	.	.	.	.	0.02	(0.22)	7
8	0.69	0.09	0.05	0.04	0.40	0.29	.	0.22	0.24	.	0.04	.	8
9	0.39	0.15	.	0.18	0.02	1.05	.	0.24	0.02	.	0.20	0.01	9
10	0.09	.	.	0.14	0.01	.	.	.	0.02	.	1.60	.	10
11	.	0.29	0.31	0.01	0.07	0.02	0.04	.	0.29	.	1.08	0.31	11
12	.	0.13	0.07	.	0.04	0.01	0.18	.	0.64	.	0.18	0.40	12
13	.	0.38	0.22	0.04	.	.	0.04	.	0.06	.	0.58	0.29	13
14	0.04	0.50	0.20	0.01	.	.	0.10	.	0.36	0.01	0.06	0.41	14
15	.	0.06	0.56	.	.	.	.	.	0.13	.	.	0.05	15
16	.	0.04	0.11	.	.	.	0.58	.	0.38	.	0.01	.	16
17	.	0.60	0.09	.	.	0.12	0.10	.	0.85	.	.	1.04	17
18	0.12	0.15	0.08	.	.	0.02	.	.	0.04	0.03	.	0.14	18
19	0.01	0.03	.	.	.	.	0.16	.	0.02	.	0.03	0.26	19
20	0.01	0.18	0.02	.	.	.	0.01	.	.	0.01	.	.	20
21	.	0.63	0.08	.	.	0.18	.	0.22	.	0.05	0.02	0.09	21
22	.	0.29	0.04	0.01	0.08	0.18	0.01	0.02	.	0.14	.	0.01	22
23	.	.	0.04	0.05	0.29	0.01	.	.	.	.	0.01	0.02	23
24	0.05	.	0.87	0.07	0.11	0.02	0.01	0.32	.	0.02	0.07	.	24
25	0.09	.	0.01	.	.	.	0.03	0.07	.	0.75	0.07	0.58	25
26	0.04	.	0.09	.	.	.	0.65	0.03	.	0.23	0.25	0.25	26
27	0.05	.	.	.	.	.	0.45	.	.	0.36	0.42	1.21	27
28	.	0.22	0.09	.	.	.	0.01	.	.	0.01	0.46	0.06	28
29	0.27	X	0.15	.	0.03	.	.	0.03	.	0.42	0.28	0.02	29
30	0.04	X	0.35	.	.	.	.	0.03	.	0.21	0.41	0.27	30
31	0.57	X	0.45	X	.	X	0.25	.	X	0.22	X	.	31
Total	3.96	3.82	5.28	1.52	2.19	1.98	4.26	2.30	3.05	2.53	6.85	9.32	YEAR'S TOTAL 47.06
Rain Days.	19	17	27	13	14	12	19	12	12	16	13	25	200

No 2

REGISTER OF RAINFALL IN 1915

3418

Kept at THORPE. N^r Halifax
in the County of York. W. R. 8
by J. Selwyn & Rawson.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station TRIANGLE. L.Y.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 345 ft.

BRITISH RAINFALL
FORM A.
25 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.32	0.45	0.03	-	0.26	-	-	0.35	0.19	-	-	0.60	1
2	-	0.41	0.19	0.35	-	-	0.33	0.55	-	0.03	-	-	2
3	0.68	0.01	0.08	0.16	-	-	0.17	0.03	-	-	-	0.68	3
4	0.10	0.05	0.01	-	0.06	-	0.57	-	-	-	-	1.08	4
5	0.05	0.10	0.19	-	0.05	0.03	-	-	-	-	-	0.82	5
6	0.29	0.18	0.09	0.54	-	-	0.65	0.05	-	0.03	0.02	0.70	6
7	0.58	0.69	-	0.15	0.36	-	0.34	1.11	-	-	-	0.40	7
8	0.60	0.10	-	0.30	-	-	0.01	0.10	-	-	0.32	-	8
9	0.01	0.04	-	0.01	-	-	-	0.13	-	0.06	0.43	0.68	9
10	0.71	-	0.03	0.01	-	-	0.02	0.79	-	0.02	-	0.55	10
11	0.17	-	0.02	-	0.83	-	0.15	0.29	-	-	0.32	0.47	11
12	0.08	-	-	0.10	0.20	-	0.11	0.07	-	0.28	1.23	-	12
13	0.25	1.12	-	-	-	-	0.03	0.03	0.01	-	-	0.05	13
14	0.27	-	-	0.02	0.02	-	0.01	0.27	0.04	-	-	0.42	14
15	1.73	-	-	-	-	-	0.07	0.47	0.03	-	0.41	0.25	15
16	-	0.43	-	0.02	0.31	-	0.86	0.48	-	-	-	0.03	16
17	-	0.63	-	-	-	-	0.02	-	-	-	-	-	17
18	-	0.20	0.33	-	-	-	-	-	0.04	-	-	-	18
19	0.03	0.21	0.12	0.05	0.05	-	0.18	-	-	-	-	-	19
20	0.39	-	0.02	0.04	0.07	-	0.13	0.02	-	-	-	0.23	20
21	0.19	0.10	-	0.09	-	-	0.07	-	-	-	-	0.05	21
22	0.02	-	0.09	0.03	-	-	0.23	-	-	0.04	-	0.16	22
23	0.01	0.02	0.04	-	-	-	0.75	-	-	0.27	-	0.15	23
24	-	-	0.15	0.03	-	0.09	-	-	0.23	0.04	-	0.43	24
25	-	-	0.01	-	-	0.28	-	-	0.02	0.03	-	0.19	25
26	-	0.74	-	-	-	0.02	0.41	-	0.01	-	-	0.57	26
27	0.04	0.37	-	-	-	-	0.06	-	-	0.57	-	0.68	27
28	-	0.42	0.03	-	-	0.34	0.03	0.38	-	0.25	0.11	0.69	28
29	0.01	~~X~~	-	-	0.04	-	-	0.01	-	-	-	0.49	29
30	0.19	~~X~~	-	0.04	-	0.70	-	-	-	-	-	-	30
31	0.18	~~X~~	-	~~X~~	-	~~X~~	0.02	0.23	~~X~~	0.26	~~X~~	0.44	31
Total	6.90	6.27	1.43	1.94	2.25	1.46	5.32	5.36	0.57	1.88	2.82	9.71	YEAR'S TOTAL 45.91
Rain Days.	23	19	16	16	11	6	23	18	8	12	7	24	183

REGISTER

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Summit
in the County of WR York
by Wakefield borpo

SOYLAND MOOR
SUMMIT N^o1

1 ft. 0 in.
1290 T. ft.

Direction

It entered to the
e, he is earnestly
e space provided
rain,
infall
on to

Jan. 1, following.

IMPORTANT NOTE.—Rain
previous day. If an Observer pr
requested to add the reading at 9
for it at the end of this paragra
the selection and placing of ra
Organization are given in "Rules for Rainfall Observers," sent post-free on app
Dr. H. R. MILL, 62, Camden Square, London, N.W.

~~1921-30~~
1911 - 1920

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								06					1
2					40								2
3	02									18			3
4				01			18						4
5									11			37	5
6						0X							6
7		01	1.25								2.20		7
8								1.44					8
9					20								9
10	1.45									30			10
11				07									11
12									1.44			1.75	12
13						01							13
14		51	58								1.48		14
15													15
16					69								16
17	24									34			17
18				02			05						18
19									39			1.69	19
20						74							20
21		2.92	24								80		21
22								83					22
23					27								23
24	35									1.36			24
25				97			18						25
26									1.00			1.54	26
27						1.77							27
28		1.87	08								29		28
29								67					29
30				1.27	09	1.13			1.26		02		30
31	10		13							1.62		82	31
Total	2.16	5.31	2.28	2.34	1.65	3.65	.41	3.00	4.20	3.80	4.79	6.17	TOTAL for year 39.76
No. of Rain Days.													

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Summit
in the County of WR York 8
by Wakefield Corporation

Pattern Standard
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1290 T ft.
Time of Observation 9am weekly
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								06					1
2					40								2
3	02									18			3
4				01			18						4
5									11			37	5
6						8X							6
7		01	1.25								2.20		7
8								1.44					8
9					20								9
10	1.45									30			10
11				07									11
12									1.44			1.75	12
13						01							13
14		51	58								1.48		14
15													15
16					69								16
17	24									34			17
18				02			05						18
19									39			1.69	19
20						74							20
21		2.92	24								80		21
22								83					22
23					27								23
24	35									1.36			24
25				97			18						25
26									1.00			1.54	26
27						1.77							27
28		1.87	08								29		28
29								67					29
30				1.27	09	1.13			1.26		02		30
31	10		13							1.62		82	31
Total	2.16	5.31	2.28	2.34	1.65	3.65	41	3.00	4.20	3.80	4.79	6.17	TOTAL for year 39.76
No. of Rain Days.													

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
29 JAN 1913

Kept at Summit
in the County of York W. 8
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m. weekly
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1290 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										---			1
2	---			.08			.29						2
3									1.36			.94	3
4						1.26							4
5			1.38								.50		5
6		.69						2.31					6
7					.90								7
8										---			8
9	1.45			1.44			.13						9
10									.70			.19	10
11						.87							11
12			.76								1.00		12
13		.77						.63					13
14					.45								14
15										.32			15
16	1.99			.08			.20						16
17									.03			3.08	17
18						2.12							18
19			2.20								.30		19
20		.59						1.54					20
21					1.05								21
22										2.01			22
23	.77			---			.87						23
24									---			1.09	24
25						.99							25
26			.64								1.59		26
27		.64						2.37					27
28					.80								28
29		.12								3.15			29
30	.06			---		.86	2.05		.88		.32		30
31	---		.59		1.02		1.46	1.00		.08		.87	31
Total	4.27	2.81	5.57	1.60	4.22	6.10	5.00	7.85	2.97	5.56	3.71	6.17	55.83
Rain Days.													

YEAR'S TOTAL

Wah. indig Aug 14. 1914. 11.11.14
REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
26 JAN 1914

Witten 14.4.14
Kept at Summit
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m. weekly
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 1290 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				---									1
2									---			21	2
3						20							3
4		.39	1.30								.64		4
5								---					5
6					1.45								6
7	.96									1.19			7
8				.02			.65						8
9									11			1.41	9
10						1.74							10
11		1.76	1.66								.78		11
12								.38					12
13					.59								13
14	.15									.32			14
15				1.65			.16						15
16									.73			.38	16
17						1.10							17
18		.02	1.37					en (.20) (X)			2.74		18
19													19
20					.42								20
21	.44									.32			21
22				.84			.53 .22						22
23									.52			.41	23
24						.70							24
25		.10	.85								1.87		25
26								1.20					26
27					1.20								27
28	1.90	---								.40			28
29				2.61			---						29
30				---		.03			.44		.40	1.57	30
31	.60		.96		.18		.01	.18		.27		---	31
Total	4.05	2.27	6.14	5.12	3.84	3.77	1.35	1.96	1.80	2.50	6.43	3.98	43.01
Rain Days.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	(43-21)

W.7,000, XI. 13 * Gauge interfered with between Aug. 12th & 19th - funnel was removed and water thrown away.

REGISTER OF RAINFALL IN 1914.

Kept at Summit
in the County of York WR 8/4 R
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m. weekly
Nearest Railway Station Rushworth L&Y R. 15
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1290 T ft.

FORM A.
BRITISH RAINFALL
27 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									---			15	1
2						01							2
3		03	44								30		3
4								89					4
5					57								5
6	1.57									32			6
7				74			1.07						7
8									10			1.56	8
9						1.55							9
10		34	1.56								1.18		10
11								70					11
12					59								12
13	1.78									01			13
14				31			79						14
15									2.29			1.21	15
16						02							16
17		1.78	1.10								2.39		17
18								---					18
19					---								19
20	11									10			20
21				---			1.25						21
22									1.20			1.34	22
23						60							23
24		92	1.13								34		24
25								93					25
26					51								26
27	23									1.57			27
28		24		27			1.94						28
29									05			1.70	29
30		X		02		23			---		1.57		30
31	1.08	X	1.12	X	03	X	04	08	X	45	X	28	31
Total	4.77	3.31	5.35	1.34	1.70	2.41	5.09	2.60	3.64	2.45	5.78	6.24	44.68
Rain Days.													
YEAR'S TOTAL													

A

FORM B.
BRITISH RAINFALL

To be filled and returned

to DR. H. R. MILL, Director,

BRITISH RAINFALL ORGANIZATION,

62 CAMDEN SQUARE, LONDON, N.W.

Copies of this form will be supplied with pleasure.

RAINFALL IN 1914

At SummitIn the County of W.R. YorksRain Gauge { Diameter of Funnel 5 in.{ Height of Top { Above Ground 1 ft. - in.{ Above Sea Level 1290 T ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with '01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	4.77			
FEB.	3.31			
MAR.	5.35			
APR.	1.34			
MAY	1.70			
JUNE	2.41			
JULY	5.09			
AUG.	2.60			
SEPT.	3.64			
OCT.	2.45			
Nov.	5.78			
DEC.	6.24			
Total	44.68	1135		...

Signed Wakefield Corporation

[Please fill in the other side also.]

If Gauge has been moved during year state—

Date.

Distance.

Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.

Height.

Distance.

Direction.

*In order that the position may be accurately entered
on a map please mention*

Latitude _____ N.

Longitude _____

Nearest Railway Station and Parish Church.

Name.

Distance.

Direction.

Station

Ripponden L & M R

Church

**If you know of any record of rainfall not
quoted in *British Rainfall*, please give the
Observer's name and address below.**

29777

REGISTER OF RAINFALL IN 1915.

3396
FORM A.
BRITISH RAINFALL
29 JAN 1916

Kept at Summit (Weekly)
in the County of York W 8
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						—							1
2		.80	.41								.02		2
3								.51					3
4					.50								4
5	1.08									.15			5
6				1.35			2.33						6
7									.39			3.10	7
8						.04							8
9		.88	.38								.89		9
10								2.07					10
11					1.72								11
12	3.34									.65			12
13				.63			.60						13
14									.06			1.48	14
15						—							15
16		.72	.13								.66		16
17								1.86					17
18					.46								18
19	2.31									.11			19
20				.23			1.56						20
21									.09			.76	21
22						—							22
23		1.29	.34								.05		23
24								.09					24
25					.19								25
26	.62									.34			26
27				.04			.62					1.97	27
28		.97							.48				28
29		~~X~~				.54							29
30		~~X~~	.40	.03		—					.13		30
31	.46	~~X~~		~~X~~	.11	~~X~~	.44	.84	~~X~~	1.06	~~X~~	.67	31
Total	7.81	4.66	1.66	2.28	2.98	.58	5.55	5.37	1.02	2.31	1.75	7.98	43.95
Rain Days.													

3 made
REGISTER OF RAINFALL IN 19 16

Kept at Summit (weekly)
in the County of York WR
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1290 ft.

3320
FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.10						.06					1
2					---								2
3										.67			3
4	.34			---			.64						4
5									1.25			.10	5
6						1.77							6
7			.58								1.16		7
8		1.43						---					8
9					1.42								9
10										2.38			10
11	1.54			.89			.91						11
12									27			.81	12
13						.64							13
14			.64								2.55		14
15		1.57						1.58					15
16					.84								16
17										2.24			17
18	.30			2.25			1.29						18
19									1.36			.16	19
20						---							20
21			1.37								.46		21
22		.88						.41					22
23					.38								23
24										.46			24
25	1.25			.66			.03						25
26									.01			.25	26
27						.19							27
28			.80								.85		28
29		.52						.81					29
30		X		---	.32	.30			.02		---		30
31	.31	X	---	X	---	X	---	.10	X	2.27	X	1.85	31
Total	3.79	4.50	3.39	3.80	2.96	2.90	2.87	2.96	2.91	8.02	5.02	3.17	46.29
Rain Days.													

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Summit (weekly)
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1290 ft.

3172
FORM A.
BRITISH RAINFALL
5 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					---								1
2	.64									.03			2
3				.02			---						3
4									.27			.19	4
5						1.00							5
6		.23	.04								.81		6
7								.31					7
8					---								8
9	.73									3.26			9
10				.36			---						10
11									.04			.36	11
12						.22							12
13		---	.44								1.05		13
14								2.63					14
15					.92								15
16	.30									1.06			16
17				.99			1.05						17
18									1.04			.69	18
19						.08							19
20		.63	.72								.32		20
21								2.36					21
22					.80								22
23	.17									1.08			23
24				---			.88						24
25									.68			.10	25
26						1.00							26
27		.28	.27								1.33		27
28		---						2.35					28
29					.34								29
30	.04	X		.02		.25			.22	.35	.89		30
31	X	X	.88	X	.02	X	.37	.50	X	---	X	.36	31
Total	1.88	1.14	2.35	1.39	2.08	2.55	2.30	8.15	2.25	7.78	4.40	1.70	37.97
Rain Days.													

REGISTER OF RAINFALL IN 1918

Kept at Summit (weekly)
in the County of York W
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1290 ft.

FORM A.
BRITISH RAINFALL
5.2.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03									.19			1
2				.08			---						2
3									1.15			1.04	3
4						---							4
5		.26	.11								.75		5
6								1.40					6
7					.72								7
8	.14									2.14			8
9				.71			.21						9
10									3.77			.71	10
11						.40							11
12		2.98	.25								.84		12
13								.04					13
14					.42								14
15	.76									.69			15
16				.14			1.76						16
17									3.84			2.83	17
18						.32							18
19	---	.22	.21								---		19
20								.61					20
21					.57								21
22	1.43									.47			22
23				.17			2.80						23
24									2.38			2.17	24
25						.69							25
26		1.58	---								.22		26
27								1.03					27
28		.34			1.16								28
29	.07	X								.07			29
30		X		---		.03	.29		1.83		.36		30
31	---	X	1.57	X	---	X		.23	X	.02	X	2.72	31
Total	2.43	5.38	2.14	1.10	2.87	1.44	5.06	3.31	12.97	3.58	2.17	9.47	51.92
Rain Days.													

YEAR'S TOTAL

13 made

3020

Exe 8L

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at
in the County of
by

Summit
York
Wakefield Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge
Height of top of Gauge above Ground
Sea Level

9 a.m.
5 in.
1 ft.
1290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—			.22						1
2									.14			.47	2
3						.16							3
4		.01	.70								.30		4
5								.22					5
6					1.99								6
7	1.44									.52			7
8				.03			.57						8
9									.36			1.69	9
10						.11							10
11		—	2.51								.39		11
12								—					12
13					.33								13
14	1.42									.39			14
15				1.07			.28						15
16									.25			.88	16
17						.40							17
18		.31	.44								1.52		18
19								1.10					19
20					—								20
21	.88									.02			21
22				.11			.64						22
23									.71			2.19	23
24						.98							24
25		.96	.24								2.58		25
26								1.64					26
27					.06								27
28	.39	.02								1.18			28
29				.54			.07						29
30		~~X~~		.06		.142			.26		.63	2.36	30
31	.06	~~X~~	.64	~~X~~	—	~~X~~	.13	.86	~~X~~	.45	~~X~~	.04	31
TOTAL	4.16	1.30	4.56	1.84	2.38	2.37	1.91	3.82	1.72	2.86	5.42	7.63	39.97
Days with 0.1 in. or more													YEARS TOTAL

Kept at Summit
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 am weekly
Nearest Railway Station Richmond L.Y.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01				.01						.10	1
2			.09								.18		2
3		.08						.30					3
4					.92								4
5										.80			5
6	.01			.77			2.83						6
7									1.00			.88	7
8						.08							8
9			1.20								.26		9
10		2.47						1.34					10
11					1.16								11
12										.39			12
13	2.84			2.10			1.91						13
14									.40			.09	14
15						1.95							15
16			1.47								1.49		16
17		.68						.20					17
18					1.12								18
19										.27			19
20	.39			1.35			1.18						20
21									1.13			.50	21
22						.38							22
23			.12								.01		23
24		.49						.28					24
25					.27								25
26										.03			26
27	.52			1.72			3.17						27
28									.05			1.20	28
29		.31				1.19							29
30		~~X~~	2.08	.45		.21			.19		.67		30
31	.94	~~X~~	.06	~~X~~	2.54	~~X~~	.51	—	~~X~~	.58	~~X~~	1.46	31
TOTAL	4.73	4.04	5.02	6.39	6.01	3.82	9.60	2.12	2.77	2.07	2.61	4.23	YEAR'S TOTAL 53.41
Days with ≥1 in. or more													
Days with ≥4 in. or more													

S-made

REGI

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Baitings
in the County of WR York
by Wakefield

SOYLAND
BAITINGS GATE

den
in.
und 1 ft. 0 in.
Level 935 T ft.
me
tance Direction
e result entered to the
al rule, he is earnestly
in the space provided
t of rain,
h Rainfall
Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observ
requested to add the reading
for it at the end of this p
the selection and placing o
Organization are given in "Rules for Rainfall Observers," sent post free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			88				19	03			30	01	1
2	16		10		39		09	02		10	17	19	2
3	01		29		59	01		01		01	63	06	3
4	04		10	02	03		01	01	09	10	66	15	4
5	70		05	10	05			66		09	46	03	5
6	17		01	05				47		16	47	33	6
7	08			01						05	22	42	7
8	28		36						12	03	01	48	8
9	09		01									60	9
10	42	05	18						07			50	10
11	33		03						06		58	03	11
12	06	01	15		01				1.16		96	20	12
13		01	07		29	02			13		19	04	13
14	08	63	06		28				01		03	10	14
15	01	23	08							29	49	11	15
16	01	1.05	05	01		19	04			06	07	72	16
17	06	06	03			03	03		01		40	23	17
18		65	05	04		27		01		01	11	16	18
19		19	03	09		05	01		10	24	08	19	19
20		28		36		03	02	83	02	09		41	20
21	02	90	02	01			05	05		10	02	39	21
22	09	19		03		07	04	01		28	06	03	22
23	01	56		01	25			04	12	14	01	45	23
24	34	29		15		1.15		01		38		01	24
25	06	82	01	35	01	03	07	06	93	20	02	55	25
26	01	04	01	36	03	02	02			47	17	36	26
27	05	31	03	43	01	02		55	54		03	10	27
28	01	37	01	37		32		05	18	01	01	57	28
29			02	54		56		01	57	74	02	17	29
30			01		11	36			04	37			30
31			07		01					19		05	31
Total	3.09	6.64	2.71	2.93	2.06	3.13	57	2.82	4.15	4.11	6.17	7.64	TOTAL for year 46.02
No. of Rain Days.	23	18	26	17	13	15	11	16	16	22	25	30	232

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Baitings Gate
in the County of W York
by Wakefield Corporation

Pattern Snowden
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 935 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			88				19	03			30	01	1
2	16		10		39		09	02		10	17	19	2
3	01		29		59	01		01		01	63	06	3
4	04		10	02	03		01	01	09	10	66	15	4
5	70		05	10	05			66		09	46	03	5
6	17		01	05				47		16	47	33	6
7	08			01						05	22	42	7
8	28		36						12	03	01	48	8
9	09		01									60	9
10	42	05	18						07			50	10
11	33		03						06		58	03	11
12	06	01	15		01				1.16		96	20	12
13		01	07		29	02			13		19	04	13
14	08	63	06		28				01		03	10	14
15	01	23	08							29	49	11	15
16	01	1.05	05	01		19	04			06	07	72	16
17	06	06	03			03	03		01		40	23	17
18		65	05	04		27		01		01	11	16	18
19		19	03	09		05	01		10	24	08	19	19
20		28		36		03	02	83	02	09		41	20
21	02	90	02	01			05	05		10	02	39	21
22	09	19		03		07	04	01		28	06	03	22
23	01	56		01	25			04	12	14	01	45	23
24	34	29		15		1.15		01		38		01	24
25	06	82	01	35	01	03	07	06	93	20	02	55	25
26	01	04	01	36	03	02	02			47	17	36	26
27	05	31	03	43	01	02		55	54		03	10	27
28	01	37	01	37		32		05	18	01	01	57	28
29			02	54		56		01	57	74	02	17	29
30			01		11	36			04	37			30
31			07		01					19		05	31
Total	3.09	6.64	2.71	2.93	2.06	3.13	5.7	2.82	4.15	4.11	6.17	7.64	TOTAL for Year 46.02
No. of Rain Days.	23	18	26	17	13	15	11	16	16	22	25	30	232

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL
FORM A.
25 JAN 1913

Kept at *Baitings Gate*
in the County of *York*
by *Wakefield Corporation*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *935 T* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01				07	12	05	35			86	1
2	04	09	39	08	13	80	30		12		01	14	2
3	57		12	68	02	29	01	76	95		08	11	3
4	55		79	02	09	21		120	08		03		4
5	46	13	08		45	03		05	28		42	03	5
6	33	11	02	02	10	15		25	39		01	01	6
7		26	08	40	14	09	13	35			17		7
8	32	14	28	01	04	05		10	13		10	02	8
9	20	01	07	42		54	02	14			08	16	9
10	02		02	01		05	08	20	03		105	02	10
11	27		03	16		01	65	06			03	82	11
12	40	06	36			62		01				26	12
13		65	01			02	03			27	06	135	13
14	11	02	102			20		17				67	14
15	22	07	30		03	34		08				29	15
16	107	05	27		47	87	04	11		02	04	25	16
17	09	10	11		20	40	01	27		22	09	56	17
18	01	04	02			03		03		48	08	32	18
19	39	08	40			12	10	52		100	13	02	19
20	20	01	11		38	04	15	51		50	01	01	20
21		34	10		20	01	01	03		10		34	21
22		01	01		90	37	12	57		01		10	22
23	02	24	22		01	01	50	102			30	06	23
24	22	01	05			17	04	37		10	29	14	24
25		03	04			33	03	41			61	20	25
26		02	16			02	34	29		188	27	20	26
27		20	07			46	60			65		30	27
28		22	01			38	36	63	44	53	30	02	28
29		10	06			01	46	01	26	10	04	27	29
30			44		03	13	03	05	02	17		03	30
31			15		102		171	37		11		04	31
Total	549	300	579	180	421	682	584	861	305	614	420	760	6255
Rain Days.	19	25	30	9	16	30	23	28	11	15	22	29	257

REGISTER OF RAINFALL IN 1913

Kept at Baitings Gate
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 935 T ft.

FORM A.
BRITISH RAINFALL.
26 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.04	.40	.12					.01	.01			1
2	.02	.07	.68	.02	.01	.19				.02	.18	.26	2
3	.07	.27	.16		.49	.01	.01		.03	.01	.20	.45	3
4	.75	.16	.04		.19	.01	.18		.02	.01	.07	.79	4
5	.14	.11	.30		.03	.25	.04		.11	.21	.05	.02	5
6	.09	.63		.01	.67	.18	.21			.39	.10	.04	6
7	.01	.59	.01		.31	.18	.02			.52	.05	.07	7
8			.07		.09	.03		.26		.03	.11	.17	8
9		.28	.10	.01	.11	.99	.06	.05	.01		.04	.13	9
10	.02		.69		.01		.02		.04		.27		10
11	.14	.01	.02	.39							.18	.15	11
12	.05		.46	.01	.01	.15			.27		.29		12
13	.01		.02				.06	.10	.19	.04	.39	.04	13
14	.06		.55	.45					.03	.22	.16	.10	14
15	.13	.01	.24	.97					.01	.05	.38	.12	15
16	.01	.02	.42	.01			.10	.22	.01	.11	.57		16
17	.02	.02	.14	.20	.21	.89	.21	.01	.54		.26		17
18	.11		.28	.32	.24	.06	.06		.01		.80		18
19	.04		.36	.48	.05	.06					.60		19
20	.50		.08	.03					.08	.07	.52		20
21	.37		.14		.03		.22	.34	.11		.39		21
22	.43		.19		.48	.03		.39	.05		.08		22
23	.06		.70		.54	.51		.68	.10	.03	.20	.10	23
24	.04	.08	.03	.22	.02	.31				.01	.03	.35	24
25	.01	.01		.10					.19	.02	.17	.31	25
26		.02	.13	.17				.01	.06	.28	.05	.90	26
27	.02			.03		.03				.01	.09	.04	27
28	.50		.20	.65	.01	.02			.02	.05	.14	.03	28
29	.17		.35	.55	.10			.31		.27	.01	.16	29
30	.10		.04							.04	.03	.06	30
31	.02		.17		.03		.01			.01			31
Total	4.04	2.32	6.97	4.74	3.63	3.90	1.20	2.37	1.89	2.41	6.41	4.29	44.17
Rain Days.	28	15	28	19	20	17	13	10	20	22	20	20	24.1

REGISTER OF RAINFALL IN 1914.

Kept at Bailings Gate.
 in the County of York. W.R. 8
 by Wakefield Corporation.

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Ripponden, L.Y.R.
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 935 T ft.

FORM A.
 BRITISH RAINFALL.
 27 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	11				92	38			02	42	1
2			04		03	02	22	51		18	29	68	2
3	34		31		50		06	11		09	13	76	3
4	1.15		48	37	23		08			05	22	36	4
5	12	05	19	29	11	13		04		02	14	04	5
6	03	04	71	32	06	03		06			19	38	6
7	17	02	24	06	48	01		12	01		05	10	7
8	1.16	03	03	01	02	33		38	06		07	41	8
9	51	13	04	28	29	1.14		29	01	01	31	09	9
10	05	14		01	05	04			14		48		10
11		33	46	07	04	01	51		28		1.58	18	11
12		22	15		14		13		93		1.21	54	12
13		31	22	05	01		05		38		27	31	13
14	01	54	36				07		48		31	12	14
15		06	54						20	01	08	04	15
16	03	05	07				76		86		01	01	16
17	05	75	13			06	09		26			1.12	17
18	01	13	09			12	03		05	02		17	18
19	05		18				15		03			31	19
20	02	27	14					36	02	03	02	01	20
21		42	07			20	01	26		06		13	21
22		47	09		25	42	01	14		09	01	01	22
23			13		09		13	10		06	03	02	23
24	09		55	02	11	18	68	08		02	25		24
25	07			30			50	02		68	08	58	25
26	06		15				02			37	27	18	26
27	12					02	12		02	56	40	1.27	27
28	08	28	02		02		24		01	02	49		28
29	26		20		01		19		05	58	29	05	29
30	02	X	55	02	02	01	02	13		04	38	29	30
31	83	X	40	X		X			X	19	X	01	31
Total	5.23	4.25	6.65	1.80	2.46	2.72	4.99	2.98	3.79	3.08	7.58	8.59	54.92
Rain Days.	22	19	28	12	18	15	22	15	17	19	26	28	243

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at

Baitings Gate es

in the County of

York W8

by

Wakefield Corporation

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

"

"

"

"

Sea Level

935

ft.

3397
FORM A.
BRITISH RAINFALL
29 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.50	.05		.52		.11	.25	.25		.01	.11	1
2	.03	.47	.34	.07		.04	.50	.14	.09			.02	2
3	.81	.01	.10	.58		.02	.38	.23		.07	.02	1.54	3
4	.03			.10	.14		.44	.02		.01		1.08	4
5	.19	.19	.32	.66	.11	.04		.04		.08	.01	.92	5
6	.42	.26	.05				.66	.15				.63	6
7	.90	.44		.17	.53		.37	.92			.02	.42	7
8	.69	.10		.32	.02		.01	.17			.53		8
9	.04	.03		.05			.03	.12		.07	.40	.50	9
10	.93		.11	.09			.02	.74				.41	10
11	.18			.02	1.06		.15	.47			.16	.42	11
12	.30		.04	.10	.10		.09	.04		.40	.80		12
13	.29	.21		.02	.02		.06	.09		.02		.20	13
14	.35	.04		.08			.11	.30	.08	.03		.33	14
15	1.76			.01			.20	.12	.02		.38	.26	15
16		.52		.04	.40		.87	.45				.05	16
17		.49	.02				.02	.17				.02	17
18		.43	.23	.01			.26		.04				18
19	.14	.27	.10	.11	.17		.18	.03	.01				19
20	.60	.02			.05			.01				.42	20
21	.18	.11					.15	.04				.16	21
22	.12						.30			.04	.01	.26	22
23		.26	.05	.03			.05			.24		.34	23
24		.02	.04	.04					.32	.03		.48	24
25	.03	.15				.25			.11	.04		.30	25
26	.01	.37	.09			.16	.34					.50	26
27		.51				.09	.08			.48		.63	27
28		.44	.22		.03	.05	.01	.39		.36		.05	28
29		X	.05		.09	.08					.16	.42	29
30	.27	X	.01	.01		.15	.02	.03				.01	30
31	.17	X		X		X	.01	.40	X	.31	X	.41	31
Total	8.66	5.84	1.82	2.51	3.24	.88	5.42	5.32	.92	2.18	2.50	10.89	50.18
Rain Days.	23	22	16	19	13	9	26	23	8	14	11	27	211

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Baitings Gate
 in the County of York
 by Wakefield Corporation

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft.
 " " " " Sea Level 935 ft.

3321
 FORM A.
 BRITISH RAINFALL
 30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.12	.60			.55	.38	.06			.33		1
2	.30	.30	.02			.08	.01		.37	.04	.06		2
3	.03	.31				.04	.02		.68	.58	.15	.03	3
4	.20	.27	.01			1.20	.40		.03	1.10	.32		4
5	.25	.48				.16	.25			1.34	.40		5
6	1.17	.60			.59	.09	.03			.16	.52	.06	6
7	.18	.26	.09		.55	.05	.09			.31	.05	.30	7
8	.02	.11	.18	.03	.12	.23	.02		.10	.18	.54	.11	8
9	.13				.23	.04	.12			.01	.37	.07	9
10	.12	.18	.07	.20		.31	.16		.08	.43	.02	.08	10
11	.04	.42	.22	.69	.01	.07	.07		.05	.01	.01	.03	11
12	.30	.31	.03	.34		.02	.65	.04	.02	.27		.01	12
13		.07	.12	.31	.24		.02	.50	.04	1.77	.01	.14	13
14	.06	.42	.06	.35	.67			.33	.06	.29	.02	.03	14
15	.03	.91	.79	.06	.01		.12	.45	.01	.13			15
16	.01	.50	.41	.65			.30	.23	.02	.06			16
17	.12	.44	.02	.43			.09	.01	1.10	.16			17
18	.01	.62	.01	.20			.02	.19	.29	.23	.27	.36	18
19	.41		.35	.48	.03			.26	.01		.02		19
20	.50		.02	.17	.11		.02	.02			.21	.05	20
21	.43		.15	.05	.13			.03			.11		21
22	.01	.01	.26			.06		.01		.16		.14	22
23		.02	.14	.18		.05		.05		.02	.46	.18	23
24		.11	.18			.08		.14		.03	.01	.12	24
25	.35	.01	.24		.15	.04		.09		.07	.69	.08	25
26	.20	.03	.12		.01	.01			.02	.08	.08		26
27	.01	.25	.05		.08			.42	.01	.47	.01		27
28		.10	.01		.06	.01				.88	.11	.84	28
29	.03	.01				.15			.01	.47	.01	.67	29
30		X			.02	.13				1.01	.04	.17	30
31	.01	X		X	.08	X		.08	X	.25	X	.54	31
Total	5.46	6.86	4.15	4.14	3.09	3.37	2.77	2.91	2.90	10.60	4.82	4.01	55.08
Rain Days.	26	25	24	14	17	20	18	17	17	27	25	20	250

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Baitings Gate

in the County of York

by Wakefield Corporation

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 935 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20			10		71		06	25		02	28	1
2	79					18		08	16	02	17		2
3	29	19	03	02		26		02		72	32	02	3
4	05	01	05							70	01	04	4
5	32		01	30				23		23	33	03	5
6	04		02	01		25			02	53	55	01	6
7	51					11				74	13	24	7
8	43		01	24				33	03	12	45	29	8
9	01		80	27				72		20	66		9
10	23			11	40			10		55	02		10
11	17		01	06	48			02		02	03	02	11
12				02	09	05		48		36	05	10	12
13	04			36	01			06	85	12	01	60	13
14	09			15	02			72	01	02	01	30	14
15	01			17			80	04	09	13		07	15
16		01		28	10		03	31	04	04	03	48	16
17	02	11		25	32		30	79	03	31	02	18	17
18	04	01	29	01	14		91	35	26	02	01		18
19	05	14	37		07	11		01	04	03	09	01	19
20		27	31		23	49		08	26		33	01	20
21		02	01		05			36	01	09	06		21
22			03					15	44	44	04		22
23		10	02			23		20	01	14	05	06	23
24		01			16	05		34		133	07	01	24
25		10	02					26		60	50	04	25
26		01	13			42		42	32	19	90	06	26
27			01			26	25	70		14	52	01	27
28		05	49			03		57		05	39	07	28
29		~~X~~	27		34			20		48	36	24	29
30	03	~~X~~	23				05	06		27	10		30
31		~~X~~	26	~~X~~	03	~~X~~	02	36	~~X~~	01	~~X~~	04	31
Total	3.32	1.03	3.37	2.35	2.44	3.15	2.36	9.02	2.42	9.60	6.23	3.21	48.90
Rain Days.	18	13	20	15	14	13	7	28	16	29	29	24	226

REGISTER OF RAINFALL IN 1918.

Kept at Baitings Gate.
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9.1 M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 935 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.22	.05	.05	.09				.86	.20	.29	.36	1
2		.21	.01	.07					.21	.10	.01	.70	2
3		.07	.03		.48			.15		.60	.12	.10	3
4		.03	.05		.01			.08	.20	.42	.50	.38	4
5	.05	.01	.01	.23	.22			.54	.16	.36	.09	.02	5
6	.11	<u>2.57</u>	.08	.54		.20		.26	.01	.18	.03	.05	6
7	.01	.40	.10	.02				.04	.32	.46		.01	7
8	.25	.18		.01			.28	.02	1.52	.25	.54	.04	8
9	.29	1.09	.06	.10		.21	.02	.07	1.00	.41	.01	.10	9
10	.08	.95	.05	.03			.01		1.23	.14	.67	.05	10
11	.40	.18		.09	.07		.03		.36			.21	11
12	.06	.44		.02	.01		.34		.36	.04		.52	12
13	.10	.01		.05	.27	.07	.01		.31	.15		.01	13
14	.65					.04	.15		.85	.06		.47	14
15	.16					.18	.98		<u>2.06</u>	.02		.80	15
16	.02					.10	.18		.16	.07		.44	16
17	.29			.01	.72		.04	.39	.40	.06		.60	17
18	.57		.21	.05		.01	.51	.16	.53	.01		.87	18
19	.30	.10	.09	.10		.07	.35	.10	1.09	.13		.59	19
20	.19	.63		.08		.05	1.16		.61	.02			20
21	.24	1.26			.33	.30	.01		.57	.01		.08	21
22	.12	.04			.50	.11	.16	.02	.09	.08		.81	22
23	.08	.05		.23	.38	.75	.10	.01	.10			.09	23
24	.02	.09				.01	.18	.11	.29		.02	.18	24
25						.40	.15	.23	.30	.03	.10		25
26		.28					.10	.13	.65		.23	.46	26
27		.32	.45			.05		.32	.70	.02	.20	.95	27
28	.01	.08	.75					.67	.11		.04	.85	28
29	.	~~X~~	.01					.01	.13		.06	.29	29
30		~~X~~	.28					.19		.01	.10	.43	30
31		~~X~~	.40	~~X~~		~~X~~		.05	~~X~~	.03	~~X~~		31
Total	4.03	9.21	2.63	1.68	3.08	1.95	1.76	3.55	15.18	3.86	3.01	10.46	63.40
Rain Days.	22	22	16	16	11	15	19	20	28	25	16	28	238

REGISTER OF RAINFALL IN 1919.

Kept at Baitings Gate
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.12		.03		.96		.18	.21	.28	.54	.05	.22	1
2	.25	.01	.49		.14		.19	.06	.04	.06	.01	.44	2
3	1.00				.10	.19	.25	.09	.06		.20	.54	3
4	.30		.31		.05		.01	.12	.30		.11	.36	4
5	.02				.09		.04		.01		.05	.72	5
6	.05		.90		.55				.01		.14	.20	6
7	.04		.51	.01	.10		.02		.03		.01		7
8	.12		.05	.04	.04	.13	.03				.03		8
9	.80		.13										9
10			1.35	.25	.12	.01						.42	10
11	.02		.65	.01			.14			.10	.04	.02	11
12			.34	.18		.31	.08		.20		.19	.01	12
13	.50			.38			.06	.08		.31	.06	.04	13
14	.48			.40							.10	.01	14
15	.45	.06		.04						.04	.04	.40	15
16	.48	.19				.05	.01				.04	.05	16
17	.03			.11		.41	.01	.48			1.01	.10	17
18		.12	.25				.04	.44	.23		.08	.64	18
19	.02	.29	.46			.06	.48	.10	.08		.44	.08	19
20	.35	.18				.29	.16	.08	.12		.23	1.25	20
21	.03	.44				.43	.22	.01	.09		.10	.24	21
22		.12				.22		.18	.01		.26	.90	22
23						.20		.01	.32	.90	.14	.46	23
24					.04	.01		.01		.29	.49	.75	24
25	.25	.04			.06	.15		.85	.04		.51	.02	25
26	.14	.03	1.04	.42		.03	.02	.49	.24		.10	.40	26
27	.01		.03	.25		.03	.03	.08			.01	.09	27
28				.13		.01		.46				.53	28
29	.04			.04		.04		.10		.66		.12	29
30	.01	~~XX~~	.11	.10		.13		.04		.04	.49	.38	30
31	.03	~~XX~~	.02	~~XX~~		~~XX~~	.44	.02	~~XX~~	.03	~~XX~~	.06	31
TOTAL	6.54	1.54	6.64	2.39	2.25	2.40	2.44	4.54	2.06	3.00	5.02	9.84	YEAR'S TOTAL. 49.02
Days with 0.1 in. or more	24	10	16	14	11	18	19	20	16	10	26	28	212

REGISTER OF RAINFALL IN 1920.

FEB 1921

Kept at Baitings Gate
in the County of York
by Wakefield Corporation

Lat. _____ Long _____
Time of Observation 9 am daily
Nearest Railway Station Rishworth L.Y.R.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.08	.28	.77	.01	.56	.07	.30	.04	.17	.16	1
2				.13	.06	.04	.36	.07	.22	.10		.33	2
3		.11	.10	.09	.13	.02	1.04	.20	.25	.07		.38	3
4		.01		.06	.01		.25	1.05	.14	.61		.08	4
5			.15	.02	.50		.24	.29	.20	.13		.05	5
6			.84	.20	.13		.04	.01	.12	.35		.21	6
7	.63	.14	.21		.02		.50			.01			7
8	.10	.02		.51	.20		.21	.29					8
9	.55	1.70	.01	.57			.30	.04			.09		9
10	1.03	1.18	.12	.41			.51				.11		10
11	.49	.06	.29	.22	.34	.34					.02	.07	11
12	.41	.39	.11	.40	.06	.23	.05	.03			.18	.04	12
13	.20	.01	.35	.15	.05	.92	.10		.08		.03		13
14	.07	.15	.14	.26		.71	.09		.44	.13	1.17		14
15	.02	.20	.10	.66			.08			.11	.08	.01	15
16	.01		.34	.18	.04		.66		.11	.05	.34		16
17	.20			.01	.06		.07	.29	.30	.06			17
18	.23			.07	1.01	.08	.01	.28	.62				18
19	.12	.72		.12	.51	.07	.04		.01				19
20	.24			.26		.14	.31					.21	20
21	.11			.02		.01	.58	.01		.02		.40	21
22	.04			.29		.03	1.00	.04					22
23	.01		.01	.09			.70					.48	23
24	.05		.74	.15			.03	.01				.33	24
25		.10	.06	.51			1.06					.01	25
26	.14	.15	.59	.28	.75		.06				.05	.07	26
27	.13	.07	.04	.13	.94	.97	.02				.24	.05	27
28	.98	.06	.32	.27	.14	.17	.10		.01		.06	.47	28
29	.10		.43	.19	.82	.06	.40				.18	1.03	29
30	.53	~~X~~		.03	.06	.29			.17		.10	.54	30
31	.29	~~X~~	.08	~~X~~	.19	~~X~~	.04		~~X~~	.69	~~X~~	.12	31
TOTAL	6.70	5.08	5.11	6.56	6.79	4.09	9.41	2.68	2.97	2.37	2.82	5.04	YEAR'S TOTAL
Days with ".01 in. or more	25	17	21	29	21	16	29	14	14	13	14	20	233
Days with ".04 in. or more	21	13	19	26	19	12	26	10	12	11	12	18	198

REGISTE

Kept at Manshead

in the County of WR York

by Wakefield Corpora

SOYLAND MOOR
MANSHEAD

1911 - 1920

FORM A2.
BRITISH RAINFALL.

26 JAN 1912
1 ft. 0 in.
1240 ft.

kly

Direction

It entered to the
e, he is earnestly
e space provided
rain,
infall

Jan. 1, following.

IMPORTANT NOTE.—Rain
previous day. If an Observer pr
requested to add the reading at 9
for it at the end of this paragra
the selection and placing of rain
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								03					1
2					36								2
3	04									11			3
4				02			26						4
5									09			47	5
6						01							6
7		01	1.49								2.00		7
8								1.06					8
9					14								9
10	1.85									33			10
11				12									11
12									1.42			1.88	12
13						01							13
14		81	84								1.65		14
15													15
16					1.05								16
17	25									36			17
18				04			10						18
19									40			1.82	19
20						62							20
21		3.86	18								92		21
22								88					22
23					32								23
24	54									1.38			24
25				1.00			27						25
26									1.02			1.89	26
27						2.00							27
28		2.55	04								28		28
29								74					29
30				1.30	11	1.30			1.30		03		30
31	09		08							1.62		94	31
Total	2.77	7.23	2.63	2.48	1.98	3.94	.63	2.71	4.23	3.80	4.88	7.00	TOTAL for year. 28
No. of Rain Days.													

REGISTE

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Manshead

in the County of W York 8

by Wakefield Corporation

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
Sea Level 1240 ft.
Time of Observation 9 a.m. weekly
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								03					1
2					36								2
3	04									11			3
4				02			26						4
5									09			47	5
6						01							6
7		01	1.49								2.00		7
8								1.06					8
9					14								9
10	1.85									33			10
11				12									11
12									1.42			1.88	12
13						01							13
14		81	84								1.65		14
15													15
16					1.05								16
17	25									36			17
18				04			10						18
19									40			1.82	19
20						62							20
21		3.86	18								92		21
22								88					22
23					32								23
24	54									1.38			24
25				1.00			27						25
26									1.02			1.89	26
27						2.00							27
28		2.55	04								28		28
29								74					29
30				1.30	11	1.30			1.30		03		30
31	09		08							1.62		94	31
Total	2.77	7.23	2.63	2.48	1.98	3.94	.63	2.71	4.23	3.80	4.88	7.00	TOTAL for year 1911-12 28
No. of Rain Days.													

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
29 JAN 1913

Kept at Manshead
in the County of York W.8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m. weekly
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										---			1
2	---			06			33						2
3									1.46			1.05	3
4						1.16							4
5			1.41								.45		5
6		.62						2.16					6
7					84								7
8										---			8
9	1.95			1.51			.09						9
10									.96			.25	10
11						.98							11
12			.82								1.34		12
13		.73						.49					13
14					.46								14
15										.34			15
16	1.66			.12			.51						16
17									.02			4.44	17
18						2.21							18
19			2.25								.34		19
20		.62						1.59					20
21					.99								21
22										2.25			22
23	.66			---			.95						23
24									---			1.02	24
25						1.00							25
26			.60								1.25		26
27		.54						1.96					27
28					.56								28
29		.14								3.19			29
30	.04			---		.92	2.03		.60		.29		30
31	---		.68		1.06		1.65	.95		.13		1.12	31
Total	4.31	2.65	5.76	1.69	3.91	6.27	5.56	7.15	3.04	5.91	3.67	7.88	57.80
Rain Days.													

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
26 JAN 1914

Kept at Manshead
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m. weekly
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				—			—						1
2									02			28	2
3						21							3
4		43	1.26								53		4
5								—					5
6					1.22								6
7	1.00									1.16			7
8				02			49						8
9									18			1.27	9
10						1.62							10
11		1.72	1.74								94		11
12								44					12
13					46								13
14	16									33			14
15				1.70			11						15
16									51			47	16
17						89							17
18		03	1.83								2.78		18
19								27					19
20					54								20
21	46									27			21
22				82			62						22
23									76			49	23
24						81							24
25		08	71								1.90		25
26								1.59					26
27					1.10								27
28	1.96	—								49			28
29				2.62			—						29
30				—		03			54		37	1.60	30
31	64		85		14		—	32		30		—	31
Total	4.22	2.26	6.39	5.16	3.46	3.56	1.22	2.62	2.01	2.55	6.52	4.11	44.08
Rain Days.													

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
27 JAN 1915

Kept at Marshead (weekly)
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m. weekly
Nearest Railway Station Richmond L.Y.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												.29	1
2						.02							2
3		.01	.64								.45		3
4								.97					4
5					.68								5
6	1.61									.26			6
7				.98			1.00						7
8									.07			2.54	8
9						1.52							9
10		.31	1.84								1.49		10
11								.85					11
12					.76								12
13	1.70									.02			13
14				.39			.80						14
15									2.48			1.25	15
16						.01							16
17		2.17	1.31								3.26		17
18													18
19													19
20	.09									.09			20
21							1.16						21
22									1.25			1.43	22
23						.85							23
24		.99	1.23								.29		24
25								1.02					25
26					.39								26
27	.38									1.61			27
28		.31		.33			1.72						28
29									.12			1.52	29
30		~~X~~		.01		.17			~~X~~		1.48		30
31	1.15	~~X~~	1.20	~~X~~	.01	~~X~~	.04	.11	~~X~~	.77	~~X~~	.26	31
Total	4.93	3.79	6.22	1.71	1.84	2.57	4.72	2.95	3.92	2.75	6.97	7.29	49.66
Rain Days.													

REGISTER OF RAINFALL IN 1915

Kept at Manshead (Wegbury)
in the County of York WS
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1240 ft.

3398
FORM A.
BRITISH RAINFALL
29 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						—							1
2		.89	.35								.03		2
3								.58					3
4					.47								4
5	1.11									.13			5
6				1.44			2.03						6
7									.32			3.14	7
8						.09							8
9		.90	.46								.93		9
10								1.94					10
11					1.88								11
12	3.23									.55			12
13				.60			.74						13
14									.11			1.70	14
15													15
16		.64	.19								.56		16
17								1.75					17
18					.62								18
19	2.47									.07			19
20				.19			1.43						20
21									.07			.98	21
22						—							22
23		1.04	.37								.04		23
24								.04					24
25					.16								25
26	.72									.30			26
27				.09			.78						27
28		.85							.40			2.49	28
29		~~X~~				.67							29
30		~~X~~	.48								.18		30
31	.40	~~X~~		~~X~~	.10	~~X~~	.09	.76	~~X~~	1.02	~~X~~	.73	31
Total	7.93	4.32	1.85	2.32	3.23	.76	5.07	5.07	.90	2.07	1.74	9.04	44.30
Rain Days.													

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
30 JAN 1917

Kept at Manshead (weekly)
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 1240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		32						05					1
2					---								2
3										69			3
4	54			---			72						4
5								124				13	5
6						189							6
7			66								147		7
8		162						---					8
9					145								9
10										240			10
11	201			96			85						11
12									29			55	12
13						70							13
14			70								267		14
15		163						141					15
16					79								16
17										295			17
18	57			231			123						18
19									160			22	19
20						---							20
21			162								38		21
22		101						90					22
23					31								23
24										50			24
25	150			70			03						25
26									03			48	26
27						21							27
28			94								119		28
29		46						63					29
30		X		---	35	34			01		---		30
31	34	X	---	X	---	X	---	06	X	328	X	228	31
Total	496	504	392	397	290	314	283	305	317	982	571	366	5217
Rain Days.													

REGISTER OF RAINFALL IN 1917

Kept at Manshead (weekly)
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1240 ft.

3174
FORM A.
BRITISH RAINFALL
5 FEB 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					---								1
2	.82									.05			2
3				.01			---						3
4									.31			.30	4
5			.07			1.07							5
6		.15									1.14		6
7								.35					7
8					---								8
9	.90									3.84			9
10				.51			---						10
11									.06			.48	11
12						.40							12
13		---	.61								1.25		13
14								2.43					14
15					.88								15
16	.22									1.12			16
17				1.00			1.03						17
18									1.33			1.51	18
19						.10							19
20		.54	.82								.43		20
21								2.71					21
22					.98								22
23	.14									1.17			23
24				---			.82						24
25									.90			.20	25
26						1.18							26
27		.34	.18								1.89		27
28		---						2.47					28
29					.41								29
30	.03	~~X~~		.02		.23			.27	.295	.96		30
31		~~X~~	.86	~~X~~	.04	~~X~~	.40	.66	~~X~~	---	~~X~~	.32	31
Total	2.11	1.03	2.54	1.54	2.31	2.09	2.25	8.62	2.87	9.13	5.67	2.81	43.86
Rain Days.													

REGISTER OF RAINFALL IN 1918

Kept at Manshead. (weekly)
in the County of York W
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Sea Level 1240 ft.

FORM A.
BRITISH RAINFALL.

5.2.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01									25			1
2				27									2
3									1.78			91	3
4													4
5		35	13								96		5
6								1.28					6
7					80								7
8	23									2.21			8
9				80			25						9
10									4.21			52	10
11						38							11
12		3.90	21								1.34		12
13								10					13
14					30								14
15	1.12									84			15
16				03			1.58						16
17									4.33			2.45	17
18						35							18
19		11	30										19
20								39					20
21					1.04								21
22	1.68									53			22
23				20			2.57						23
24									3.01			2.00	24
25						1.04							25
26		2.04									31		26
27								98					27
28		42			90								28
29	08	X								06			29
30		X				04	35		1.79		29		30
31		X	1.49	X		X		30	X	04	X	2.82	31
Total	3.12	6.82	2.13	1.30	3.04	1.81	4.75	3.05	15.12	3.93	2.90	8.70	56.67
Rain Days.													

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Manshead
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—			.17						1
2									.20			.61	2
3						.17							3
4		.02	.92								.36		4
5								.30					5
6					1.90								6
7	1.86									.49			7
8				.06			.49						8
9									.45			1.77	9
10						.16							10
11		—	2.88								.35		11
12								—					12
13					.28								13
14	1.50									.43			14
15				1.04			.38						15
16									.19			.70	16
17						.64							17
18		.29	.55								1.42		18
19								1.02					19
20					—								20
21	.93									.04			21
22				.08			.15						22
23									.74			2.27	23
24						1.12							24
25		.99	.37								2.38		25
26								1.86					26
27					.08								27
28		.04								1.24			28
29	.42			.60			.03						29
30		<del> </del>		.10		.37			.23		.74	2.38	30
31	.05	<del> </del>	.98	<del> </del>	—	<del> </del>	.17	.98	<del> </del>	.73	<del> </del>	.02	31
TOTAL	4.76	1.34	5.70	1.88	2.26	2.46	1.39	4.16	1.81	2.93	5.25	7.75	41.69
Days with 0.1 in. or more													

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1920.

Kept at Manshead
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 am weekly
Nearest Railway Station Rishworth L. Yk.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.02							1
2			.06								.28		2
3		.12						.33					3
4					1.00								4
5										.86			5
6	.02			.78			2.70						6
7									1.17			1.13	7
8						.04							8
9			1.27								.22		9
10		2.94						1.43					10
11					1.10								11
12										.25			12
13	4.00			2.18			1.58						13
14									.48			.16	14
15						2.05							15
16			1.41								1.64		16
17		.85						.27					17
18					1.14								18
19										.31			19
20	.98			1.49			1.14						20
21									.95			.64	21
22						.27							22
23			.09								.03		23
24		.59						.30					24
25					.40								25
26										.05			26
27	.54			1.60			3.39						27
28									.04			1.14	28
29		.33				1.30							29
30		<del> </del>	2.23	.41		.18			.26		.64		30
31	.43	<del> </del>	.11	<del> </del>	2.45	<del> </del>	.38	—	<del> </del>	.62	<del> </del>	1.60	31
TOTAL	6.30	4.86	5.14	6.46	6.12	3.86	9.22	2.33	2.90	2.11	2.81	4.43	YEAR'S TOTAL 56.84
Days with ".01 in. or more													
Days with ".04 in. or more													

STAINBOROUGH
WENTWORTH CASTLE
YORKSHIRE
1911 - 13.

Kept at *Wentworth*
in the County of *C*
by *Wm. F.*

FORM A2.
BRITISH RAINFALL.
10 MAY 1912
in. *2* ft. *6* in.
level *520* ft.
M. *Barnsley*
Place *W. F.* Direction *N.E.*
result entered to the
rule, he is earnestly

IMPORTANT NOTICE.
previous day. If an
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. —	in. .05	in. —	in. —	in. —	in. .03	in. —	in. —	in. —	in. .03	in. —	1
2	.22 ^R	—	—	—	.11	—	.01	.05	—	—	—	.09	2
3	—	—	—	.03 ^S	.31	—	—	—	—	.03	.22	—	3
4	.03	—	.07	.09 ^S	—	—	—	.02	.17	.15	.46	.15	4
5	.04	—	.02	.01 ^S	—	—	—	—	—	.22	.04	—	5
6	.25	—	—	—	—	—	—	.03	—	.12	.38	.58	6
7	—	—	—	—	—	—	—	.08	—	—	.09	—	7
8	.10	—	.04	—	—	—	—	—	.02	.02	.03	.35 ^R	8
9	—	—	—	—	—	.03	—	—	—	—	—	.04	9
10	.03	—	.02	—	—	—	—	—	—	—	—	.62	10
11	.31 ^R	—	—	—	.02	—	—	—	—	—	.69	.06	11
12	.08 ^S	—	.06 ^R	—	—	—	—	—	.68	—	.21	—	12
13	—	—	.05	—	—	—	—	—	.01	—	.04	.44	13
14	—	—	.03 ^S	—	.43	—	.02	—	—	—	—	.74	14
15	—	.08	.16 ^R	.02	—	—	—	—	—	.09	—	.05	15
16	—	.12	.06	—	—	.08	—	—	—	.08	.16	.10	16
17	—	.02	.02	—	—	.16	—	—	—	—	.11	.12	17
18	—	.26	.05	.02	—	.15	—	—	—	.01	.20	.09	18
19	—	.15	.01	.01	—	.05	—	—	.03	.16	.49	.05	19
20	—	.06	—	.17	—	—	.01	.39	.08	—	—	.16	20
21	—	.24	—	—	—	—	—	.16	—	.26	.01 ^S	.03	21
22	.03	.12	—	—	—	—	.03	.12	—	.06	.01	.14	22
23	—	.34	.01	—	—	.57	—	.02	.11	—	—	.25	23
24	—	.10	.03	—	—	1.46	—	.01	—	.07	—	.26	24
25	.01	.23	—	—	—	—	—	—	.30	—	.04	.15	25
26	—	.03	—	.05	.08	—	—	—	—	.40	.38	.30	26
27	—	.10	.07 ^S	.29	—	—	—	.43	.23	—	—	.02	27
28	—	.09	.02	.13	—	—	—	.02	.02	—	.04	.05	28
29	—	+	.02	.12	—	.03	—	.01	.16	.28	—	.03	29
30	—	+	—	.01	.24	.14	—	—	—	.29	.01	—	30
31	—	+	.17	+	.01	+	—	—	+	.25	+	—	31
Total	1.10	1.94	0.96	0.95	1.20	2.67	0.10	1.34	1.79	2.49	3.64	4.87	TOTAL for year 23.05
No. of Rain Days	10	14	19	12	7	9	5	12	11	16	20	24	159

R

FORM A2.
BRITISH RAINFALL.
10 MAY 1912

Kept at Kentworth Castle
in the County of York W.7
by Wm Fisher

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 2 ft.
" " " Sea Level 520 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Barnsley
Distance 1 1/2 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.05	—	—	—	.03	—	—	—	.03	—	1
2	.22 ¹ / ₂	—	—	—	.11	—	.01	.05	—	—	—	.09	2
3	—	—	—	.03 ⁵ / ₈	.31	—	—	—	—	.03	.22	—	3
4	.03	—	.07	.09 ⁵ / ₈	—	—	—	.02	.17	.15	.46	.15	4
5	.04	—	.02	.01 ⁵ / ₈	—	—	—	—	—	.22	.04	—	5
6	.25	—	—	—	—	—	—	.03	—	.12	.38	.58	6
7	—	—	—	—	—	—	—	.08	—	—	.09	—	7
8	.10	—	.04	—	—	—	—	—	.02	.02	.03	.35 ¹ / ₂	8
9	—	—	—	—	—	.03	—	—	—	—	—	.04	9
10	.03	—	.02	—	—	—	—	—	—	—	—	.62	10
11	.37 ¹ / ₂	—	—	—	.02	—	—	—	—	—	.69	.06	11
12	.08 ⁵ / ₈	—	.06 ¹ / ₂	—	—	—	—	—	.68	—	.21	—	12
13	—	—	.05	—	—	—	—	—	.01	—	.04	.44	13
14	—	—	.03 ⁵ / ₈	—	.43	—	.02	—	—	—	—	.74	14
15	—	.08	.16 ¹ / ₂	.02	—	—	—	—	—	.09	—	.05	15
16	—	.12	.06	—	—	.08	—	—	—	.08	.16	.10	16
17	—	.02	.02	—	—	.16	—	—	—	—	.11	.12	17
18	—	.26	.05	.02	—	.15	—	—	—	.01	.20	.09	18
19	—	.15	.01	.01	—	.05	—	—	.03	.16	.49	.05	19
20	—	.06	—	.17	—	—	.01	.39	.08	—	—	.16	20
21	—	.24	—	—	—	—	—	.16	—	.26	.01 ⁵ / ₈	.03	21
22	.03	.12	—	—	—	—	.03	.12	—	.06	.01	.14	22
23	—	.34	.01	—	—	.57	—	.02	.11	—	—	.25	23
24	—	.10	.03	—	—	1.46	—	.01	—	.07	—	.26	24
25	.01	.23	—	—	—	—	—	—	.30	—	.04	.15	25
26	—	.03	—	.05	.08	—	—	—	—	.40	.38	.30	26
27	—	.10	.07 ⁵ / ₈	.29	—	—	—	.43	.23	—	—	.02	27
28	—	.09	.02	.13	—	—	—	.02	.02	—	.04	.05	28
29	—	+	.02	.12	—	.03	—	.01	.16	.28	—	.03	29
30	—	+	—	.01	.24	.14	—	—	—	.29	.01	—	30
31	—	+	.17	+	.01	+	—	—	+	.25	+	—	31
Total	1.10	1.94	0.96	0.95	1.20	2.67	0.10	1.34	1.79	2.49	3.64	4.87	TOTAL for year 23.05
No. of Rain Days	10	14	19	12	7	9	5	12	11	16	20	24	159

REGISTER OF RAINFALL IN 1912

Kept at

Heutworth Castle

Ex. 1886

Lat. 53° 31' 30" Long. 1° 31' 5"

Time of Observation

9 A.M.

Nearest Railway Station

Barmsley

Diameter of Rain Gauge

8 in.

Height of top of Gauge above Ground

2 ft. 6 in.

Sea Level 520 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.175	.15	.07	—	.65	.06	—	.08	—	—	.32	1
2	—	—	—	—	—	.28	.71	—	.10	—	—	.11	2
3	.04	—	—	—	—	.44	—	1.01	.27	—	—	—	3
4	.13	—	—	—	.06	.71	—	.31	.03	—	—	.02	4
5	.21	—	.05	—	.12	.18	—	.06	—	—	.08	—	5
6	1.308	—	—	—	.05	—	—	.58	—	—	—	—	6
7	—	.12	—	—	—	.08	—	.13	—	—	—	.02	7
8	.678	.02	—	—	—	—	.01	.02	.21	—	—	—	8
9	.08	.35	.14	—	—	.03	—	.14	.01	—	.10	.05	9
10	.14	.14	.15	.21	—	.19	—	.17	—	—	.50	—	10
11	—	.10	—	—	—	—	—	—	—	—	.15	.41	11
12	.13	.40	—	—	—	.23	.60	—	—	—	.02	—	12
13	—	—	—	—	—	—	—	.05	—	.05	.12	—	13
14	.08	.10	—	—	—	—	—	.05	—	—	—	.12	14
15	—	—	.21	—	.60	—	—	—	—	—	—	.21	15
16	1.203	.03	.11	—	.09	.24	—	.03	—	.02	—	.23	16
17	.135	—	.08	—	—	.26	.07	.25	—	—	—	.30	17
18	.145	—	.10	—	—	—	—	—	—	.01	—	.05	18
19	.33	—	.21	—	—	.01	.81	.49	—	.08	.04	—	19
20	.25	.16	.06	—	.26	—	.20	.11	—	.19	—	—	20
21	—	—	—	—	.35	—	.67	—	—	.01	—	—	21
22	.04	—	.62	—	1.65	.05	.08	.57	—	—	—	.08	22
23	—	.10	—	—	.06	—	.62	.35	—	—	.08	—	23
24	.40	—	.28	—	.06	.83	.31	.31	—	—	—	.22	24
25	—	—	—	—	—	.15	—	.02	—	—	.41	.14	25
26	.025	—	.01	—	—	—	.38	1.06	—	—	.32	.43	26
27	—	.21	.02	—	—	.22	.28	.01	—	1.09	—	.12	27
28	—	—	.03	—	—	.01	.21	.31	.05	.61	.83	—	28
29	—	—	—	—	—	.03	.07	.03	.44	.39	—	.16	29
30	.125	+	.13	.03	.55	—	.01	—	.05	.05	—	—	30
31	—	+	.04	+	.25	+	.23	.20	+	.06	+	—	31
Total	5.41	1.90	2.39	0.31	4.10	3.77	5.32	6.23	1.24	2.56	2.65	2.99	38.87
Rain Days.	18	12	17	3	12	18	17	23	9	11	11	17	168 days
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Report

Wentworth castle

in the County of

Yorkshire W. 7

by

W. J. Fisher

Lat. 53° 31' 30" Long. 1° 31' 5"

Time of Observation 9 a.m.

Nearest Railway Station

Barnsley

Diameter of Rain Gauge

8 in.

Height of top of Gauge above Ground

2 ft. 6 in.

Sea Level 520 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.05	.18	.06	-	-	-	-	.10	.02	.03	-	1
2	-	.02	.12	.05	-	-	-	-	-	.02	.06	.02	2
3	.02	-	.20	-	.37	-	-	-	-	.51	-	.28	3
4	.55	.01	.01	-	.06	.06	.13	-	.04	.02	.04	.27	4
5	.04	-	.11	-	-	.14	.28	-	.02	.55	-	-	5
6	.02	.10	.16	-	.54	.02	.72	-	-	.70	-	-	6
7	-	.31	-	-	.24	.15	-	-	-	.71	-	.01	7
8	-	.04	-	-	.55	.01	-	.07	-	.16	.17	-	8
9	-	.12	-	-	.26	.11	.04	-	-	-	-	-	9
10	.09	.01	-	.16	.02	-	.01	-	-	.06	.27	-	10
11	1.485	-	-	.43	-	.01	-	-	-	.02	.16	-	11
12	-	-	-	-	.04	-	-	.03	-	-	.13	-	12
13	.06	-	.08	-	-	-	-	.02	.22	-	.05	-	13
14	.14	-	.20	.03	-	-	-	-	-	.07	.23	-	14
15	-	.06	.37	.61	-	-	-	-	.10	-	.22	-	15
16	.07	.01	.19	.03	-	-	-	.58	-	-	.04	-	16
17	.05	-	.05	.06	.01	-	-	-	1.76	-	.06	-	17
18	-	-	.35	.21	-	-	.04	-	-	-	.09	-	18
19	.20	-	.06	.03	.01	-	-	-	.10	-	-	-	19
20	.25	-	.13	.14	-	-	-	-	-	.17	.20	-	20
21	.18	.06	.03	-	.13	-	.23	-	-	-	-	-	21
22	.14	-	.75	-	-	-	-	.48	.20	-	-	-	22
23	.22	-	-	-	-	.03	.01	.23	.08	-	.04	-	23
24	-	-	-	.01	-	-	-	-	-	-	-	-	24
25	-	-	-	.02	-	-	-	-	.09	-	-	.06	25
26	-	-	.15	.22	-	-	-	-	-	.12	-	.46	26
27	.34	-	.06	.25	-	-	-	-	-	-	-	.33	27
28	-	-	.25	.27	-	-	-	-	-	.03	.02	-	28
29	-	+	.60	-	-	-	-	.37	-	-	.02	.22	29
30	.55	+	-	-	.02	-	-	-	-	.53	-	-	30
31	.015	+	.07	+	.09	+	-	-	+	.01	+	-	31
Total	4.41	0.79	4.12	2.68	2.34	0.53	1.46	1.78	2.71	3.70	1.83	1.65	27.90
Rain Days.	18	11	21	16	13	8	8	7	10	16	17	8	153

YEAR'S TOTAL

REGISTE

STANDEDGE

CAS SHAW

BROADHEAD

Kept at *Castleshaw*

in the County of *WR Yorks*

by *Oldham Corpor*

1911 - 1920

FORM A2.
BRITISH RAINFALL.

in. *4* ft. *6* in.
Level *875* ft.

Direction *SSW*

result entered to the
rule, he is earnestly
in the space provided

Jan. 1, following.

IMPORTANT NOTE.—Rain
previous day. If an Observer pre
requested to add the reading at 9
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.66		.02		.20	.05			.41		1
2	.04		.06		.23		.04			.02	.16	.10	2
3			.10		.45			.01			.51		3
4	.03		.19	.12	.05			.04	.11	.28	.64	.10	4
5	.07		.01	.04	.01			.83		.06	.04	.04	5
6	.43		.03	.11				.59		.33	.60	.18	6
7	.04		.01	.02						.06	.22	.01	7
8	.23		.29						.08	.01	.03	.38	8
9	.06		.01									.21	9
10	.18	.05	.08									.49	10
11	.20				.03				.02		.63	.21	11
12	.02	.01	.30						1.05		.64		12
13			.02		.24						.17	.30	13
14	.04	.55	.04		.11						.12	.14	14
15		.28	.07	.02						.08	.16	.41	15
16	.01	.98	.05			.12	.03			.02	.14	.17	16
17	.02	.02	.03		.02	.30	.02				.26	.05	17
18		.31	.02	.02		.18		.04		.04	.10	.22	18
19		.21	.01	.11		.16	.08		.25	.14	.16	.05	19
20		.11		.28		.03	.04	.49	.09	.11		.35	20
21		.71	.01	.02			.06	.18	.02	.07		.34	21
22	.03	.07		.09		.02	.02	.01		.22	.05	.11	22
23		.30			.07	.31			.23	.09	.01	.25	23
24	.08	.11		.19		1.26		.01		.31		.31	24
25	.02	.43		.30		.02	.17		.80	.03		.27	25
26		.02		.24	.03	.09		.03		.47	.41	.40	26
27	.03	.24	.01	.54				.56	.42		.03	.07	27
28		.31		.26		.26		.09	.05		.01	.56	28
29			.01	.53		.45		.03	.75	.61	.01	.16	29
30			.01	.01	.10	.33				.39			30
31			.09		.02					.08		.03	31
Total	1.53	4.71	2.11	2.90	1.38	3.53	.66	2.96	3.87	3.42	5.51	5.91	TOTAL for year 36.49
No. of Rain Days.	17	17	23	17	13	13	9	14	12	20	23	27	205

REGISTE

FORM A2.
BRITISH RAINFALL.

Kept at Castleshaw (Broadhead)
in the County of WR Yorkshire
by Oldham Corporation

RAIN GAUGE { Pattern Suodew
Diameter of top 8 in.
Height of top above Ground 4 ft. 6 in.
" " " Sea Level 845 ft.
Time of Observation _____
Nearest Railway Station { Name Delph
Distance 1 1/2 m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	66	"	02	"	20	05	"	"	41	"	1
2	04	"	06	"	23	"	04	"	"	02	16	10	2
3	"	"	10	"	45	"	"	01	"	"	51	"	3
4	03	"	19	12	05	"	"	04	11	28	64	10	4
5	07	"	01	04	01	"	"	53	"	06	04	04	5
6	43	"	03	11	"	"	"	59	"	33	60	18	6
7	04	"	01	02	"	"	"	"	"	06	22	01	7
8	23	"	29	"	"	"	"	"	08	01	03	38	8
9	06	"	01	"	"	"	"	"	"	"	"	21	9
10	18	05	08	"	"	"	"	"	"	"	"	49	10
11	20	"	"	"	03	"	"	"	02	"	63	21	11
12	02	01	30	"	"	"	"	"	1.05	"	64	"	12
13	"	"	02	"	24	"	"	"	"	"	17	30	13
14	04	55	04	"	11	"	"	"	"	"	12	14	14
15	"	28	07	02	"	"	"	"	"	08	16	41	15
16	01	98	05	"	"	12	03	"	"	02	14	17	16
17	02	02	03	"	02	30	02	"	"	"	26	05	17
18	"	31	02	02	"	18	"	04	"	04	10	22	18
19	"	21	01	11	"	16	08	"	25	14	16	05	19
20	"	11	"	28	"	03	04	49	09	11	"	35	20
21	"	71	01	02	"	"	06	28	02	07	"	34	21
22	03	07	"	09	"	02	02	01	"	22	05	11	22
23	"	30	"	"	07	31	"	"	23	09	01	25	23
24	08	11	"	19	"	1.26	"	01	"	31	"	31	24
25	02	43	"	30	"	02	17	"	80	03	"	27	25
26	"	02	"	24	03	09	"	03	"	47	41	40	26
27	03	24	01	54	"	"	"	56	42	"	03	07	27
28	"	31	"	26	"	26	"	09	05	"	01	56	28
29	"	"	01	53	"	45	"	03	75	61	01	16	29
30	"	"	01	01	10	33	"	"	"	39	"	"	30
31	"	"	09	"	02	"	"	"	"	08	"	03	31
Total	1.53	4.71	2.11	2.90	1.38	3.53	.66	2.96	3.87	3.42	5.51	5.91	TOTAL for year 38.49
No. of Rain Days.	17	17	23	17	13	13	9	14	12	20	23	27	205

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
4 JAN 1913

Kept at *Broadhead Castlethorpe*
in the County of *Yorkshire* *W.4*
by *Oldham Corporation*

Lat. _____ Long. _____
Time of Observation *8 am*
Nearest Railway Station *Leigh*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *4* ft. *6* in.
" " " " Sea Level *875* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	.24	"	"	.12	.13	.02	.26	"	"	.75	1
2	"	.08	.15	.05	.11	.03	.33	"	.05	"	.02	.19	2
3	.39	.02	.04	"	.04	.43	"	.60	.61	"	.01	.09	3
4	.39	"	.47	.54	.04	.42	"	.69	.08	"	.47	"	4
5	.28	.02	.01	"	.48	.15	"	.07	.15	.05	.05	.03	5
6	.36	.18	"	"	.09	.03	"	.23	"	.03	"	"	6
7	"	.03	.06	.04	.07	.01	"	.14	.32	"	.02	.01	7
8	.15	.19	.09	.27	.02	"	.11	.16	.19	"	.18	"	8
9	.23	.05	.10	.31	"	.05	"	.01	"	"	.10	.14	9
10	.10	.02	"	.04	"	.16	.09	.17	.01	"	.80	"	10
11	.30	.06	"	.02	"	"	.01	.11	"	"	.02	1.02	11
12	.10	.44	.28	"	"	.08	.30	"	"	"	"	.11	12
13	"	.01	.03	"	"	"	"	.29	"	.24	.05	.65	13
14	.29	"	1.02	"	.02	.10	"	.26	"	"	"	.70	14
15	.03	.13	.44	"	.50	.13	"	.09	"	"	"	.21	15
16	.58	"	.36	"	.11	.07	"	.08	"	.27	.01	.24	16
17	.06	.10	.12	"	.02	.91	"	.37	"	"	.07	.49	17
18	.08	.01	.01	"	"	.16	"	.03	"	.53	.02	.14	18
19	.12	.06	.40	"	"	"	.27	.27	"	.25	.06	"	19
20	.19	"	.03	"	.26	.02	.02	.43	"	.53	"	.04	20
21	"	"	.02	"	.26	"	.06	.05	"	.18	"	.16	21
22	.01	.30	.10	"	.71	.34	.07	.37	"	"	"	.17	22
23	"	"	.19	"	"	.02	.29	1.04	"	"	.41	.07	23
24	.06	"	.04	"	"	.09	"	.11	"	"	.01	.13	24
25	"	.03	.06	"	"	.51	.09	.01	"	"	.68	.18	25
26	"	.17	.17	"	"	.01	.31	.68	"	1.30	.36	.28	26
27	"	.02	.42	"	"	.42	.45	"	"	.71	.02	.19	27
28	"	.04	.03	"	"	.24	.40	.53	.10	.38	.33	"	28
29	"	.04	.02	"	"	"	.50	"	.22	.39	.01	.23	29
30	.05	"	.15	"	.02	.09	.09	.01	"	.07	"	"	30
31	"	"	.18	"	1.16	"	1.86	.45	"	"	"	.03	31
Total	3.77	2.00	5.23	1.27	3.92	4.59	5.38	7.27	1.99	4.93	3.70	6.25	50.30
Rain Days.	19	21	28	7	16	24	18	27	10	13	21	24	228

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Castleswain (Broadhead)
in the County of Yorks WU
by Oldham Corporation

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Beepth
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 875 ft.

FORM A.
BRITISH RAINFALL
1 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

fil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.02	.26	.21	"	"	"	"	.02	"	.08	.01	1
2	"	.13	.44	.04	"	.17	"	"	"	.01	.05	.11	2
3	"	.11	.21	"	.43	"	.01	"	.01	.12	.01	.37	3
4	.64	.15	.06	"	.04	.02	.11	"	.02	.01	.18	.43	4
5	.13	.13	.28	"	.06	.32	.21	"	.14	.23	.01	.01	5
6	.07	.11	.13	"	.58	.13	.33	"	"	.58	.01	"	6
7	"	.09	.09	"	.20	.19	.01	"	"	.65	.01	.03	7
8	"	.09	.01	"	.06	.06	"	.37	.02	.07	.17	.03	8
9	"	.27	.38	.05	.09	.73	"	.18	"	"	.09	.19	9
10	.01	.04	.23	.05	.03	.01	.12	"	.04	"	.12	"	10
11	.20	"	.01	.15	"	.18	"	"	"	.03	.09	.07	11
12	.05	"	"	"	"	"	"	"	.11	"	.44	.05	12
13	"	"	.54	.04	"	"	.07	.05	.21	"	.26	"	13
14	.01	"	.17	.21	"	"	.02	.01	"	.43	.34	.04	14
15	.09	.01	.18	.67	"	"	.02	.13	.01	.01	.29	.09	15
16	.01	"	.05	.08	"	"	.04	.03	"	"	.35	"	16
17	.02	.01	"	.27	.07	.08	.18	"	.57	"	.17	"	17
18	.04	"	.21	.43	.14	.07	.09	"	"	"	.39	.01	18
19	.03	"	.02	.05	.04	.08	.02	"	.10	.06	.23	"	19
20	.23	"	.04	.03	.03	"	.01	"	.04	.04	.54	"	20
21	.02	"	.23	"	.24	"	.12	.09	"	"	.23	"	21
22	.28	"	.57	"	.10	"	"	.80	.14	"	"	"	22
23	.34	"	.05	"	.53	.77	"	.58	.11	"	.18	.05	23
24	.57	.06	"	.16	.05	.47	"	.19	"	"	.08	.04	24
25	.01	"	"	.07	"	"	"	"	.24	.04	.06	.50	25
26	"	.07	.18	.37	"	"	"	"	.02	.10	"	.67	26
27	"	.01	.01	.36	"	"	"	"	"	.04	.02	.20	27
28	.23	"	.15	.58	.02	"	"	"	"	.01	.02	.06	28
29	.01	"	.27	.54	.07	"	"	.17	"	.01	.02	.08	29
30	.54	"	.05	"	.02	"	"	"	.01	.40	.22	"	30
31	.04	"	.09	"	.04	"	"	"	"	"	"	"	31
Total	3.64	1.30	4.91	4.36	2.84	3.30	1.36	2.60	1.81	2.84	4.66	3.07	YEAR'S TOTAL 36.69
Rain Days.	23	15	27	19	20	14	15	11	17	18	28	20	227

REGISTER OF RAINFALL IN 19 14

Kept at Broadhead Castlethorpe
in the County of Yorks WR 4
by Oldham Corporation

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Delph
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 875 ft.

FORM A.
BRITISH RAINFALL.
6 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	.	04	.	.	02	1.07	28	.	02	"	34	1
2	.	.	05	03	.	.	26	68	.	04	21	27	2
3	11	.	27	.	44	.	07	16	.	07	03	54	3
4	81	.	51	29	19	.	.	.	.	.	21	40	4
5	08	.	55	23	20	22	07	.	.	01	16	17	5
6	.	02	05	21	17	01	01	03	.	.	06	01	6
7	03	03	14	02	37	17	.	02	.	.	02	26	7
8	73	.	04	05	26	54	.	47	04	02	08	06	8
9	46	09	.	51	07	98	.	44	01	.	13	"	9
10	07	03	.	22	04	.	.	.	10	.	11	02	10
11	.	34	21	03	04	08	08	.	31	.	1.21	19	11
12	.	16	06	.	07	.	42	.	71	.	58	36	12
13	.	17	22	05	01	.	06	.	13	.	74	12	13
14	06	46	27	.	.	.	09	.	17	04	18	29	14
15	.	03	53	.	.	.	.	.	15	04	08	.	15
16	01	01	07	.	.	.	80	.	64	.	.	01	16
17	09	52	13	.	.	33	11	.	40	.	.	87	17
18	.	.	07	.	.	34	.	.	04	.	.	28	18
19	.	02	01	.	.	.	11	.	08	.	02	30	19
20	01	14	11	.	.	.	.	.	.	03	.	"	20
21	.	21	02	.	.	03	.	.	.	11	.	08	21
22	.	27	02	03	07	41	01	10	.	06	.	.	22
23	.	01	10	15	23	19	23	02	.	.	01	08	23
24	05	.	55	07	18	03	43	52	.	.	19	.	24
25	08	.	.	.	.	.	24	29	.	84	13	44	25
26	13	.	07	.	.	.	06	03	.	33	47	19	26
27	09	.	"	.	.	.	.	.	.	37	14	1.27	27
28	07	25	04	.	.	01	18	.	01	.	40	04	28
29	25		14	.	04	.	.	06	.	48	11	05	29
30	02	X	13	02	.	.	.	05	.	04	19	21	30
31	60	X	60	X	01	X	49	.	X	14	X	"	31
Total	3.45	2.76	5.00	1.91	2.39	3.36	4.79	3.15	2.79	2.64	5.46	6.85	YEAR'S TOTAL 44.85
Rain Days.	19	17	27	14	16	14	19	14	13	14 16	23	25	218 217

To be filled and returned

to DR. H. R. MILL, Director,

BRITISH RAINFALL ORGANIZATION,

62 CAMDEN SQUARE, LONDON, N.W.

Copies of this form will be supplied with pleasure.

BRITISH RAINFALL
FORM B.
6 - JAN 1915

RAINFALL IN 19 14

At Castleshaw Broadhead

In the County of Yorks WL

Rain Gauge { Diameter of Funnel 8 in.
Height { Above Ground 4 ft. 6 in.
of Top { Above Sea Level 875 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with .01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	<u>3.75</u>	<u>.81</u>	<u>4</u> th	<u>19</u>
FEB.	<u>2.46</u>	<u>.52</u>	<u>17</u> th	<u>17</u>
MAR.	<u>5.00</u>	<u>.60</u>	<u>31</u> st	<u>27</u>
APR.	<u>1.91</u>	<u>.51</u>	<u>9</u> th	<u>14</u>
MAY	<u>2.39</u>	<u>.44</u>	<u>3</u> rd	<u>16</u>
JUNE	<u>3.36</u>	<u>.98</u>	<u>9</u> th	<u>14</u>
JULY	<u>4.79</u>	<u>1.07</u>	<u>1</u> st	<u>19</u>
AUG.	<u>3.15</u>	<u>.68</u>	<u>2</u> nd	<u>14</u>
SEPT.	<u>2.79</u>	<u>.71</u>	<u>12</u> th	<u>13</u>
OCT.	<u>2.64</u>	<u>.84</u>	<u>25</u> th	<u>16</u>
Nov.	<u>5.46</u>	<u>1.21</u>	<u>11</u> th	<u>23</u>
DEC.	<u>6.85</u>	<u>1.27</u>	<u>27</u> th	<u>25</u>
Total	<u>44.85</u>	<u>11.39</u>		<u>218</u>

Signed

Thos. Watley

(Please fill in the other side also.)

If Gauge has been moved during year state—

Date.

Distance.

Direction.

How was height above sea level ascertained?

By level from O.D.

State pattern and maker of Gauge, if known.

Snowden

Basanelli

What are the objects nearest to the Gauge?

Objects.

Height.

Distance.

Direction.

<i>House</i>	<i>25 ft</i>	<i>250 yds</i>	<i>S</i>
--------------	--------------	----------------	----------

In order that the position may be accurately entered on a map please mention

Latitude _____ N.

Longitude _____

Nearest Railway Station and Parish Church.

Name.

Distance.

Direction.

Station	<i>Delph</i>	<i>1 3/4 mls</i>	<i>SS E</i>
---------	--------------	------------------	-------------

Church	<i>Delph</i>	<i>1 1/2</i>	<i>S</i>
--------	--------------	--------------	----------

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

8 12

58.44

REGISTER OF RAINFALL IN 1915

Kept at Broadhead Castleshaw
in the County of Yorkshire
by Oldham Corporation

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Delph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 875 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.48	.01	"	.39	"	.04	.40	.23	"	"	.10	1
2	"	.40	.25	.30	"	.03	.52	.26	.01	.03	"	.01	2
3	.48	"	.12	.25	"	"	.20	.28	"	.01	.02	.59	3
4	.02	.04	.01	"	.12	"	.46	"	"	"	"	1.32	4
5	.18	.04	.21	"	.01	.04	"	.01	"	"	"	.52	5
6	.49	.07	.02	.35	"	"	.58	.39	"	.01	.01	.48	6
7	.68	.50	"	.12	.05	"	.30	.34	"	"	"	.23	7
8	.24	.07	"	.08	"	"	"	.09	"	"	.24	"	8
9	.03	.02	"	.10	"	"	.01	.13	"	.02	.34	.21	9
10	.85	"	.05	.02	"	"	.05	1.05	"	.04	.03	.36	10
11	.34	"	.09	"	.63	"	.12	.34	"	"	.16	.40	11
12	.14	"	"	.24	.05	"	.15	.21	"	.33	.59	"	12
13	.21	.45	"	"	"	"	.02	.69	"	.02	"	.05	13
14	.19	"	"	.01	"	"	.05	.04	.05	.04	"	.26	14
15	1.25	.02	"	.03	"	"	.08	.04	.04	"	.33	.19	15
16	"	.31	"	.02	.25	"	1.20	.83	"	.02	"	.02	16
17	"	.32	.05	"	"	"	.05	"	"	"	"	"	17
18	.01	.31	.48	"	"	"	"	"	"	"	.02	"	18
19	.02	.21	.10	.05	.08	"	.43	"	"	.02	"	"	19
20	.40	.01	.01	.06	.05	"	.18	.03	"	"	"	.26	20
21	.30	.04	"	.02	"	"	.29	"	"	"	"	.11	21
22	.03	"	.06	.02	"	"	.21	"	"	"	"	.23	22
23	.02	.02	.09	"	"	.01	.09	"	"	.11	"	.10	23
24	"	"	.09	.02	"	.03	"	"	.29	.01	"	.40	24
25	"	"	"	"	"	.09	"	"	.12	.02	"	.25	25
26	.02	.41	"	"	"	.21	.61	"	.04	"	"	.34	26
27	"	.14	"	"	"	.08	.06	"	"	.46	"	.40	27
28	"	.18	.02	"	.01	.04	.12	.35	"	.36	"	.04	28
29	.03	"	"	"	.10	.28	"	"	"	"	.09	.32	29
30	.21	X	"	.06	"	.14	"	.03	"	"	"	"	30
31	.21	X	"	X	"	X	.01	.81	X	.41	X	.24	31
Total	6.88	4.04	1.66	1.45	1.44	98	5.83	6.38	78	1.91	1.86	4.49	41.63
Rain Days.	24	20	16	14	11	10	24	19	4	16	10	25	199
													YEAR'S TOTAL

3200
FORM A.
BRITISH RAINFALL.
10 JAN 1917
Eve 82
REGISTER OF RAINFALL IN 1916

Kept at Broadhead Castleshaw
in the County of Yorkshire W.R.
by Oldham Corporation Waterworks
Observer - Miss Wathey.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Delph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 845 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.06	.24	"	"	.64	.70	.08	"	"	.34	"	1
2	.26	.28	.08	"	"	.09	.03	"	.21	.13	.01	.01	2
3	"	.13	"	.01	"	"	.03	"	.66	.18	.12	.03	3
4	.17	.40	"	"	.43	.79	"	"	.05	.36	.14	"	4
5	.17	.10	"	"	.08	.37	"	"	"	.97	.34	"	5
6	.83	.82	.06	"	.36	.08	.15	"	"	.29	.29	.03	6
7	.11	.07	.10	"	.18	.09	.14	"	"	.50	.10	.46	7
8	.03	.10	.32	"	.03	.02	"	"	"	.12	.53	.04	8
9	.15	"	.06	"	.33	.23	.02	"	.01	"	.46	.16	9
10	.01	.08	.02	.20	"	.22	.13	"	.08	.19	.03	.04	10
11	.07	.40	.11	.53	.02	.14	.07	"	.27	"	"	.15	11
12	.17	.16	.16	.23	.37	.01	.73	.05	.04	.16	.02	.02	12
13	"	.11	.11	.26	"	"	"	.35	"	16.3	"	.14	13
14	.01	.19	.02	.11	.60	"	"	.18	.06	.27	"	.03	14
15	.01	.49	.25	.03	"	"	.05	.41	.17	.07	"	"	15
16	"	.17	.27	.33	.01	"	.35	.64	.02	.07	"	"	16
17	.20	.13	"	.70	"	"	.17	.03	.82	.15	"	"	17
18	"	.44	.01	.16	"	"	.02	.44	.43	.20	.29	.24	18
19	.31	.06	.14	.18	"	"	"	.17	.07	"	.18	.12	19
20	.27	"	.12	.34	.06	"	.01	"	"	"	.02	.02	20
21	.20	"	.02	"	.01	"	.02	"	"	"	"	"	21
22	"	.01	"	.02	.04	.09	"	"	"	.13	"	.04	22
23	.03	"	.12	.08	"	.02	"	.14	"	"	.24	.19	23
24	"	.28	"	.05	"	1.04	"	.08	"	"	"	.06	24
25	.13	.10	.19	"	.09	.03	"	.22	"	.08	.49	.09	25
26	.06	.25	.16	"	"	.02	"	.08	"	.06	.03	"	26
27	"	.16	.10	"	"	"	"	.28	.03	.31	"	"	27
28	.01	.10	.01	"	.22	.04	"	.05	"	.42	.04	.30	28
29	"	.25	"	"	"	.16	"	"	"	.41	"	.87	29
30	.01	~~X~~	"	~~X~~	"	.06	.02	"	~~X~~	.58	.07	.09	30
31	"	~~X~~	"	~~X~~	.03	~~X~~	.01	.09	~~X~~	.33	~~X~~	.03	31
Total	3.63	5.34	2.97	3.23	2.86	4.14	2.65	3.29	2.92	7.61	3.74	3.16	45.56
Rain Days.	22	25	22	15	16	19	17	16	14	23	19	22	231
													330

REGISTER OF RAINFALL IN 1917

Kept at Broad Head
 in the County of Yorkshire
 by Oldham Corporation

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Delph
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 4 ft. 6 in.
 " " " " Sea Level 845 ft.

3082
 FORM A.
 BRITISH RAINFALL
 5 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	"	"	.16	"	.14	"	.25	.56	"	.19	.22	1
2	.58	"	"	.08	"	.19	"	.04	.02	.04	.03	"	2
3	.10	.24	"	.02	"	.21	"	"	"	.40	.08	.04	3
4	.09	.04	.04	"	"	"	"	"	"	.88	.01	"	4
5	.32	"	.02	.24	"	"	"	.26	.01	.19	.23	.03	5
6	.04	"	"	"	"	.05	"	"	"	.14	.31	.21	6
7	.42	"	.01	"	"	.24	"	"	"	1.22	.09	.11	7
8	.53	"	"	.25	"	"	"	.56	.03	1.31	.35	.14	8
9	"	"	.04	.08	"	"	"	.23	"	.24	.68	"	9
10	.22	"	.45	.12	.31	"	"	.05	"	.04	"	"	10
11	.14	"	"	.16	"	"	"	.34	"	.53	.01	"	11
12	.03	"	.01	"	.64	.02	"	.54	"	.42	"	.06	12
13	.04	"	"	.33	.13	"	"	.15	.64	.11	.03	.48	13
14	.08	"	"	.14	.02	"	"	.10	"	.05	"	.32	14
15	.08	"	"	.06	.02	"	.38	.04	.16	.10	"	.35	15
16	.01	.04	"	.25	"	"	.03	.30	.03	.05	.03	.33	16
17	"	.06	.39	.26	.33	.04	.28	2.02	.10	.21	.02	.04	17
18	.02	"	.11	.09	.08	"	.91	.41	.29	.21	"	"	18
19	.04	.12	.28	"	.23	.12	"	.02	"	"	.05	"	19
20	.03	.22	.02	"	.10	.45	"	.02	.06	"	.38	"	20
21	"	.03	.14	"	.05	.02	"	.24	"	.09	.02	"	21
22	"	"	.02	"	"	"	"	.02	.30	.29	.11	"	22
23	"	.08	"	"	.13	.09	.01	.34	.05	.13	.03	.05	23
24	"	"	"	"	"	.24	"	.51	"	.66	.34	.06	24
25	"	.04	.10	"	"	"	"	.16	.01	.22	.06	"	25
26	"	"	"	"	"	.02	"	.58	.33	.23	.90	"	26
27	"	"	.02	"	.02	.14	.35	.53	"	.11	.23	.06	27
28	"	.08	.42	"	"	.02	"	.42	.01	.08	.09	.04	28
29	.01	"	.09	"	.08	"	.04	.14	"	.35	.16	.24	29
30	.04	X	.24	"	"	"	"	.05	"	.21	.04	.01	30
31	"	X	.32	X	.01	X	.02	.10	X	"	X	.14	31
Total	3.27	1.01	3.02	2.24	2.15	2.05	2.05	8.54	2.60	8.51	4.50	2.93	42.90
Rain Days.	20	10	18	14	14	15	8	24	15	24	25	19	212

REGISTER OF RAINFALL IN 1918

Kept at Broadhead
in the County of York
by

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station Delft
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
Sea Level 845 ft.

34
FORM A.
BRITISH RAINFALL
101.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.14	"	.11	.09	"	"	"	.65	.15	.08	.05	1
2	.02	.34	"	.12	"	"	"	.03	.20	.04	"	.43	2
3	"	.02	.01	"	.24	"	"	.13	"	.25	.03	.01	3
4	.04	.04	.04	"	.18	"	"	.20	.18	.23	.32	.45	4
5	.02	.01	.06	.25	.14	"	"	.42	.08	.44	.12	.02	5
6	.05	2.04	.01	.40	"	.44	"	.25	.19	.24	"	.03	6
7	.03	.22	"	.40	"	.02	"	.04	.26	.46	.19	"	7
8	.06	.14	.12	"	"	"	.91	.10	1.11	.15	.13	.11	8
9	.24	.88	"	.04	"	.35	"	"	.96	.66	.13	.14	9
10	.04	.55	.03	.02	"	"	.16	"	.43	.10	.20	.01	10
11	.30	.22	.10	.02	.12	"	.13	"	.59	"	"	.14	11
12	.04	.41	.01	.19	.02	.02	.49	"	.34	.05	"	.42	12
13	.02	"	"	.04	.23	.02	"	"	.36	.14	"	"	13
14	.44	"	.01	"	.02	.12	.21	.01	.82	.20	"	.25	14
15	.16	"	"	"	.03	.14	.40	"	2.10	"	"	.86	15
16	.04	"	"	"	"	.04	.14	.05	.25	"	"	.48	16
17	.14	"	"	"	.16	.05	.22	.20	.24	.15	"	.34	17
18	.36	"	.13	"	"	.03	.16	.05	.61	"	"	.51	18
19	.24	.09	.10	.12	"	"	.34	.26	.55	.09	"	.59	19
20	.12	.60	"	.05	"	.24	.44	.02	.45	.02	"	"	20
21	.12	.66	"	.04	.36	.32	.02	"	.54	.03	"	"	21
22	.06	.04	"	"	.63	.08	.42	.03	.03	"	"	.40	22
23	.08	.02	"	"	.55	.01	.16	"	.18	"	.06	.05	23
24	"	.09	"	"	"	"	.05	.09	.20	.02	.05	.11	24
25	"	"	"	"	"	.08	.16	.52	.12	"	.04	"	25
26	"	.21	"	"	"	"	.16	.13	.68	.05	.13	.20	26
27	"	.20	.09	"	"	.04	"	.51	.56	.04	.34	.60	27
28	"	.11	.85	"	"	"	"	.11	.14	"	.20	.53	28
29	"	"	"	"	"	"	"	"	.14	"	"	.39	29
30	"	X	.26	"	"	"	"	.18	"	.02	.12	.38	30
31	"	X	.24	X	"	X	"	.15	X	.01	X	"	31
Total	2.42	4.03	2.09	1.80	2.83	2.03	4.93	3.98	13.59	3.63	2.14	8.13	54.70
Rain Days	22	21	15	13	13	16	14	21	28	22	15	25	228

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Broadhead Castlethorpe
in the County of Yorkshire
by Oldham Corporation Water Works

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Delph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 875 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	47	.	04	02	71	.	28	06	30	45	12	20	1
2	24	.	61	.	04	.	20	10	05	05	10	23	2
3	92	.	.	.	04	16	31	02	02	.	32	19	3
4	24	03	28	.	05	03	26	28	29	.	03	16	4
5	04	.	01	02	.	.	.	.	03	.	08	42	5
6	03	.	55	.	80	.	.	.	.	01	.	19	6
7	05	.	64	02	.	.	.	.	02	.	18	.	7
8	12	.	04	01	.	08	.	.	.	.	02	.	8
9	39	.	08	01	.	.	.	.	.	.	02	.	9
10	.	.	1 28	15	02	.	.	.	.	.	.	36	10
11	02	.	50	16	13	.	12	.	01	04	.	01	11
12	01	.	10	16	03	23	12	.	02	06	05	.	12
13	45	.	.	11	.	03	04	05	03	31	.	13	13
14	44	.	.	42	.	.	.	02	01	.	04	02	14
15	36	07	03	05	.	.	.	.	.	.	08	37	15
16	27	22	.	02	.	04	.	.	.	.	20	04	16
17	14	04	.	09	.	21	.	29	.	.	1 16	04	17
18	.	.	12	.	.	.	05	44	15	.	03	59	18
19	01	11	20	.	.	19	56	29	02	.	19	05	19
20	26	10	08	.	.	28	29	19	03	.	11	88	20
21	10	45	02	.	.	17	28	.	05	.	03	25	21
22	.	23	01	.	.	09	.	12	55	.	11	90	22
23	.	.	.	.	.	20	.	02	.	1 05	11	45	23
24	.	.	.	20	.	08	.	01	37	68	34	15	24
25	23	02	.	34	20	11	.	62	.	.	32	01	25
26	06	01	65	09	.	05	07	66	19	.	08	55	26
27	24	.	03	25	.	02	.	04	.	.	08	22	27
28	.	.	.	12	.	01	.	59	.	05	.	38	28
29	05	~~X~~	.	02	.	01	.	06	.	94	.	10	29
30	04	~~X~~	05	16	.	15	.	.	.	19	19	26	30
31	02	~~X~~	04	~~X~~	.	~~X~~	43	"	~~X~~	04	~~X~~	05	31
TOTAL	5.20	1.28	5.36	2.42	2.02	2.14	3.01	3.86	2.14	3.87	3.99	7.20	YEAR'S TOTAL 42.49
Days with 01 in. or more	25	10	21	20	9	19	13	18	17	12	24	27	215

REGISTER OF RAINFALL IN 1920.

Kept at Broadhead Capheshaw
 in the County of Yorkshire
 by Oldham Corporation

Lat. _____ Long. _____
 Time of Observation 8 am
 Nearest Railway Station Belph
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 4 ft. 6 in.
 " " " " Sea Level 875 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	07	20	46	.	1.11	19	11	04	22	07	1
2	.	.	03	28	02	.	72	03	30	12	.	24	2
3	.	10	02	23	12	.	1.03	20	15	01	.	23	3
4	02	.	"	27	02	.	17	1.26	09	43	.	17	4
5	.	.	11	"	63	.	20	30	21	40	.	06	5
6	"	.	76	27	22	.	18	02	02	.	04	23	6
7	15	02	08	14	05	.	37	"	"	.	01	01	7
8	29	10	"	79	20	.	14	17	.	01	"	.	8
9	33	94	01	36	.	"	50	03	03	01	03	.	9
10	76	1.10	11	06	.	"	79	"	"	.	01	.	10
11	52	06	"	08	26	14	02	.	.	.	"	08	11
12	20	28	15	18	06	08	09	08	01	.	19	04	12
13	17	12	21	15	03	73	04	.	.	.	10	02	13
14	03	10	06	15	.	59	02	.	70	08	80	01	14
15	01	19	04	68	.	"	08	.	06	24	27	.	15
16	.	.	17	27	04	"	82	.	13	05	16	.	16
17	11	.	06	02	23	"	01	26	28	07	.	01	17
18	23	.	"	06	48	.	26	04	47	.	.	.	18
19	10	1.02	"	11	72	11	02	33	01	.	.	.	19
20	16	02	"	30	"	20	33	.	.	.	.	08	20
21	05	"	"	02	.	.	75	05	.	.	.	25	21
22	10	.	"	42	.	08	31	03	.	.	.	13	22
23	.	.	01	03	.	"	69	02	.	.	.	27	23
24	07	"	58	16	.	.	04	"	.	.	.	34	24
25	"	06	03	10	.	05	90	.	.	.	.	.	25
26	18	17	41	40	09	"	15	.	.	.	01	.	26
27	07	04	"	23	1.77	70	04	.	.	.	22	12	27
28	48	03	19	37	26	17	05	.	.	.	04	26	28
29	04	"	20	10	92	15	48	.	.	.	24	66	29
30	33	~~X~~	02	27	22	15	.	.	24	.	08	41	30
31	48	~~X~~	10	~~X~~	25	~~X~~	04	.	~~X~~	31	~~X~~	30	31
TOTAL	4.88	4.35	3.42	6.70	7.05	3.15	10.30	3.01	2.81	1.77	2.42	3.99	53.85
Days with "01 in. or more	23	16	22	29	21	12	30	15	15	12	15	22	232
Days with "04 in. or more	20	13	16	26	18	12	26	10	11	9	11	18	190
YEAR'S TOTAL													53.85

Kept at Spurn

in the County of York

by W. H. Trahan, +

3390
YORKS, SPURN HEAD

1885-1930
1919 - 1920

Gauge in.
Ground ft. in.
Sea Level 3 ft.
red to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.4	2.8	1.2	-	5.8	-	6.9	-	3.3	2.7	2.5	2.0	1
2	3.3	1.4	-	-	0.2	-	4.1	-	4.6	-	4.7	5.0	2
3	9.3	0.2	0.8	-	-	-	12.7	-	3.3	-	7.9	0.4	3
4	2.4	-	9.6	-	0.1	0.8	0.9	3.4	-	-	3.1	0.2	4
5	9.4	-	-	-	-	1.6	0.2	0.2	31.8	0.8	0.1	-	5
6	0.7	-	0.7	-	-	-	-	-	1.8	1.6	3.0	1.5	6
7	0.2	-	1.7	-	2.7	-	0.1	-	0.1	-	-	4.0	7
8	1.7	-	-	1.7	0.2	-	-	0.8	-	-	3.4	1.5	8
9	-	-	-	-	-	-	-	-	0.1	3.7	2.5	-	9
10	-	-	4.2	0.2	0.1	-	-	-	0.2	4.9	4.0	1.0	10
11	-	-	8.2	1.6	2.7	-	5.8	-	-	0.7	0.4	2.4	11
12	0.3	-	7.1	1.5	0.1	2.7	1.7	-	1.7	2.7	0.4	0.3	12
13	1.7	-	-	-	-	1.2	4.0	-	4.5	2.6	4.6	-	13
14	14.0	-	-	4.9	-	-	1.3	1.9	3.4	1.3	1.0	-	14
15	10.6	1.2	0.4	7.6	-	-	0.2	-	-	2.4	3.0	4.0	15
16	0.1	16.2	0.3	0.1	-	-	-	-	-	2.8	0.2	0.3	16
17	-	13.7	-	-	0.4	1.2	-	1.2	-	-	4.0	0.4	17
18	-	-	-	-	-	-	1.1	2.5	-	-	-	1.0	18
19	-	3.4	6.7	-	-	0.3	4.7	19.3	2.7	-	-	0.4	19
20	7.8	4.3	-	-	-	1.9	3.8	5.8	3.4	-	-	1.5	20
21	4.6	8.5	3.9	-	-	1.6	2.5	-	0.7	-	0.4	5.2	21
22	-	0.3	1.4	-	-	0.8	4.8	-	4.9	-	0.4	4.5	22
23	-	0.1	-	-	-	2.6	4.3	0.2	1.7	2.6	0.3	1.4	23
24	-	-	-	-	-	1.4	1.2	0.1	-	1.4	0.3	1.6	24
25	0.3	2.4	-	4.1	-	2.7	-	14.7	-	-	0.3	1.2	25
26	8.4	1.8	3.3	2.4	-	1.3	-	4.5	1.6	6.7	1.0	9.3	26
27	1.1	7.3	0.1	10.7	-	-	1.5	-	-	9.9	-	-	27
28	2.4	-	-	-	-	-	1.4	15.6	-	18.8	0.1	7.0	28
29	1.4	-	0.1	1.8	-	4.4	0.8	6.8	-	9.3	6.0	2.0	29
30	0.9	~~X~~	1.0	5.8	0.1	3.7	-	-	-	1.9	1.5	5.4	30
31	1.8	~~X~~	1.7	~~X~~	-	~~X~~	2.4	-	~~X~~	3.7	~~X~~	-	31
TOTAL	81.8	63.6	52.4	42.4	12.4	28.2	66.4	77.0	69.8	80.5	55.1	63.5	YEAR'S TOTAL 693.1
Days with 0.2 mm. or more	21	13	16	11	6	15	21	13	15	19	23	25	198

REGISTER OF RAINFALL IN 1919.

Kept at Spurn Head
in the County of Yorkshire
by W. H. Trahair, + R. J. Hall

Lat. _____ Long. _____
Time of Observation 7h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.4	2.8	1.2	-	5.8	-	6.9	-	3.3	2.7	2.5	2.0	1
2	3.3	1.4	-	-	0.2	-	4.1	-	4.6	-	4.7	5.0	2
3	9.3	0.2	0.8	-	-	-	12.7	-	3.3	-	7.9	0.4	3
4	2.4	-	9.6	-	0.1	0.8	0.9	3.4	-	-	3.1	0.2	4
5	9.4	-	-	-	-	1.6	0.2	0.2	31.8	0.8	0.1	-	5
6	0.7	-	0.7	-	-	-	-	-	1.8	1.6	3.0	1.5	6
7	0.2	-	1.7	-	2.7	-	0.1	-	0.1	-	-	4.0	7
8	1.7	-	-	1.7	0.2	-	-	0.8	-	-	3.4	1.5	8
9	-	-	-	-	-	-	-	-	0.1	3.7	2.5	-	9
10	-	-	4.2	0.2	0.1	-	-	-	0.2	4.9	4.0	1.0	10
11	-	-	8.2	1.6	2.7	-	5.8	-	-	0.7	0.4	2.4	11
12	0.3	-	7.1	1.5	0.1	2.7	1.7	-	1.7	2.7	0.4	0.3	12
13	1.7	-	-	-	-	1.2	4.0	-	4.5	2.6	4.6	-	13
14	14.0	-	-	4.9	-	-	1.3	1.9	3.4	1.3	1.0	-	14
15	10.6	1.2	0.4	7.6	-	-	0.2	-	-	2.4	3.0	4.0	15
16	0.1	16.2	0.3	0.1	-	-	-	-	-	2.8	0.2	0.3	16
17	-	13.7	-	-	0.4	1.2	-	1.2	-	-	4.0	0.4	17
18	-	-	-	-	-	-	1.1	2.5	-	-	-	1.0	18
19	-	3.4	6.7	-	-	0.3	4.7	19.3	2.7	-	-	0.4	19
20	7.8	4.3	-	-	-	1.9	3.8	5.8	3.4	-	-	1.5	20
21	4.6	8.5	3.9	-	-	1.6	2.5	-	0.7	-	0.4	5.2	21
22	-	0.3	1.4	-	-	0.8	4.8	-	4.9	-	0.4	4.5	22
23	-	0.1	-	-	-	2.6	4.3	0.2	1.7	2.6	0.3	1.4	23
24	-	-	-	-	-	1.4	1.2	0.1	-	1.4	0.3	1.6	24
25	0.3	2.4	-	4.1	-	2.7	-	14.7	-	-	0.3	1.2	25
26	8.4	1.8	3.3	2.4	-	1.3	-	4.5	1.6	6.7	1.0	9.3	26
27	1.1	7.3	0.1	10.7	-	-	1.5	-	-	9.9	-	-	27
28	2.4	-	-	-	-	-	1.4	15.6	-	18.8	0.1	7.0	28
29	1.4	-	0.1	1.8	-	4.4	0.8	6.8	-	9.3	6.0	2.0	29
30	0.9	~~X~~	1.0	5.8	0.1	3.7	-	-	-	1.9	1.5	5.4	30
31	1.8	~~X~~	1.7	~~X~~	-	~~X~~	2.4	-	~~X~~	3.7	~~X~~	-	31
TOTAL	81.8	63.6	52.4	42.4	12.4	28.2	66.4	77.0	69.8	80.5	55.1	63.5	YEAR'S TOTAL 693.1
Days with 0.2 mm. or more	21	13	16	11	6	15	21	13	15	19	23	25	198

REGISTER OF RAINFALL IN 1920.

Kept at Spurn Head
in the County of Yorks, E. Riding
by Principal Lightkeeper for M.O.

Lat. 53° 34' Long. 0° 7' E
Time of Observation 7.2 AM
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.0	-	-	0.7	5.2	-	3.3	0.2	-	4.3	-	-	1
2	-	-	0.2	1.9	-	-	5.5	-	1.1	6.0	-	3.8	2
3	-	-	-	3.0	-	1.0	4.7	0.3	1.2	0.7	-	0.3	3
4	-	-	-	4.6	1.1	-	3.4	5.3	-	2.1	-	0.1	4
5	-	-	-	-	4.2	-	3.0	1.7	0.1	-	-	1.3	5
6	-	-	0.2	-	0.4	-	1.7	-	-	0.1	-	2.1	6
7	-	-	0.4	1.9	-	-	3.6	-	-	0.1	-	2.6	7
8	-	1.0	-	8.9	1.2	-	-	-	-	0.2	0.1	0.1	8
9	1.0	1.0	-	12.0	-	-	-	9.0	-	0.2	-	-	9
10	5.5	2.9	1.3	2.9	-	-	0.3	-	-	-	-	1.0	10
11	4.5	-	-	4.6	0.3	-	0.1	-	-	-	-	2.8	11
12	1.9	-	1.3	3.2	-	-	0.4	-	-	-	0.4	3.9	12
13	-	-	1.6	1.2	-	1.0	-	-	0.6	-	0.1	0.4	13
14	0.4	-	9.3	3.4	-	-	0.1	-	5.3	3.4	-	0.2	14
15	-	1.0	16.6	3.1	-	-	0.3	-	3.6	3.8	1.7	0.3	15
16	-	-	-	-	0.4	-	-	-	1.4	-	-	9.0	16
17	-	-	-	-	2.8	-	0.4	-	4.8	0.4	-	1.4	17
18	1.5	-	-	-	1.2	-	2.3	0.1	3.1	-	-	0.4	18
19	1.1	23.9	-	1.3	0.4	-	-	19.3	-	-	-	0.2	19
20	2.9	8.7	-	5.6	-	14.0	-	-	5.3	-	-	0.4	20
21	-	-	-	0.2	-	-	5.2	1.1	0.1	0.1	0.1	0.1	21
22	1.0	-	-	-	-	-	0.1	0.3	0.2	0.1	-	-	22
23	-	-	-	-	-	-	4.4	-	-	0.2	0.1	2.7	23
24	-	0.1	5.0	0.6	-	-	0.2	-	0.1	0.2	-	2.1	24
25	-	0.4	1.4	0.3	-	9.0	16.3	-	-	-	-	-	25
26	1.4	0.3	0.2	3.2	-	0.2	1.4	-	-	-	-	0.2	26
27	2.6	-	-	3.0	-	5.8	-	-	0.1	0.1	3.1	2.2	27
28	8.9	-	0.9	0.4	0.3	0.2	0.2	-	-	-	1.3	4.6	28
29	1.2	-	8.9	-	34.9	-	1.0	-	-	-	0.4	9.1	29
30	-	~~X~~	0.1	2.1	0.4	0.1	0.2	-	5.9	-	1.1	1.0	30
31	4.0	~~X~~	-	~~X~~	-	~~X~~	3.3	-	~~X~~	-	~~X~~	7.3	31
TOTAL	38.9	39.3	47.4	68.1	52.8	31.3	61.4	37.3	32.9	22.0	8.4	56.6	YEAR'S TOTAL
Days with 0.2 mm. or more	15	8	13	22	13	7	21	8	11	11	6	24	159
Days with 1.0 mm. or more	14	6	8	17	7	5	14	5	9	5	4	16	110

REGIS

102BK

FORM A2.
BRITISH RAINFALL.
1 MAY 1912

Kept at The Retreat,
in the County of Yorkshire
by H. J. Mackenzie

THE RETREAT

1911 - 1920

ft. — in.
1/2 ft.

Direction W.N.W.
entered to the

IMPORTANT NOTE.—Rainfall should be recorded on the previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	-	-	-	-	-	.08	-	-	-	-	1
2	.34	-	-	-	.11	-	.33	-	-	-	-	.11	2
3	.03	-	-	.01	.18	-	-	.02	-	.03	.02	.01	3
4	.01	-	.12	.20	-	-	-	.03	.18	.10	.30	.10	4
5	.09	-	.02	.04	-	-	-	.21	-	.18	.03	-	5
6	.32	-	-	.02	-	-	-	.19	-	.02	.05	.24	6
7	.01	-	.02	.01	-	-	-	-	-	-	.04	-	7
8	.04	-	.12	-	-	.06	-	-	.11	.01	-	.34	8
9	-	-	-	.01	-	-	-	-	-	-	.30	.04	9
10	-	.02	-	-	-	-	-	-	-	-	.02	.33	10
11	.12	-	-	-	.20	.01	-	.01	.02	-	.36	.01	11
12	.20	-	.06	-	.14	.19	-	-	.49	.01	.20	.01	12
13	-	.01	.34	-	.33	.12	-	-	-	-	.03	.60	13
14	-	.20	.12	-	.04	-	-	-	-	-	.01	.44	14
15	-	.05	.10	-	-	-	-	-	-	-	.06	.09	15
16	-	-	.02	-	-	.01	-	-	-	.01	.16	.11	16
17	.01	-	.01	-	-	.04	.10	-	-	-	.18	.09	17
18	-	.02	.05	-	-	.04	.03	-	-	-	.22	.04	18
19	-	-	-	-	-	.09	-	-	.06	.16	.51	.06	19
20	.01	.09	-	.16	-	-	.04	.36	.09	.02	.03	.24	20
21	-	.28	-	-	-	-	.14	.11	.03	.26	.32	.02	21
22	.10	.02	-	-	-	-	-	.10	-	.44	.02	-	22
23	.01	.13	-	.02	-	.46	-	-	.36	-	-	.20	23
24	.06	.01	.06	.02	-	.51	.02	-	-	.11	-	.15	24
25	-	.02	-	.09	-	.24	.16	-	.39	.03	.01	.11	25
26	-	-	-	.06	.14	-	.48	.01	-	.58	.23	.14	26
27	-	.04	.02	.06	-	-	-	.39	.19	.02	-	.02	27
28	-	.01	.02	.21	-	-	-	.02	-	-	.05	.12	28
29	-	-	-	.13	-	.01	.06	.03	.52	.25	.01	.03	29
30	-	-	.01	-	.09	.04	-	-	.08	.14	.01	-	30
31	-	-	.01	-	-	-	-	-	-	.04	-	.03	31
Total	1.34	.93	1.10	1.04	1.29	3.21	1.36	1.56	2.52	2.44	3.17	3.83	TOTAL for year
No. of Rain Days.	15	13	16	14	8	13	9	13	12	18	24	26	23.82

REGISTER

FORM A2.
BRITISH RAINFALL
1 MAY 1912

Kept at The Retreat, York
in the County of Yorkshire W.10
by H. J. Mackenzie

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 73 1/2 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name York
Distance 1 1/2 mls Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	—	—	—	—	.08	—	—	—	—	1
2	.34	—	—	—	.11	—	.33	—	—	—	—	.11	2
3	.03	—	—	.01	.18	—	—	.02	—	.03	.02	.01	3
4	.01	—	.12	.20	—	—	—	.03	.18	.10	.30	.10	4
5	.09	—	.02	.04	—	—	—	.21	—	.18	.03	—	5
6	.32	—	—	.02	—	—	—	.19	—	.02	.05	.24	6
7	.01	—	.02	.01	—	—	—	—	—	—	.04	—	7
8	.04	—	.12	—	—	.06	—	—	.11	.01	—	.34	8
9	—	—	—	.01	—	—	—	—	—	—	.30	.04	9
10	—	.02	—	—	—	—	—	—	—	—	.02	.33	10
11	.12	—	—	—	.20	.01	—	.01	.02	—	.36	.01	11
12	.20	—	.06	—	.14	.19	—	—	.49	.01	.20	.01	12
13	—	.01	.34	—	.33	.12	—	—	—	—	.03	.60	13
14	—	.20	.12	—	.04	—	—	—	—	—	.01	.44	14
15	—	.05	.10	—	—	—	—	—	—	—	.06	.09	15
16	—	—	.02	—	—	.01	—	—	—	.01	.16	.11	16
17	.01	—	.01	—	—	.04	.10	—	—	—	.18	.09	17
18	—	.02	.05	—	—	.04	.03	—	—	—	.22	.04	18
19	—	—	—	—	—	.09	—	—	.06	.16	.51	.06	19
20	.01	.09	—	.16	—	—	.04	.36	.09	.02	.03	.24	20
21	—	.28	—	—	—	—	.14	.11	.03	.26	.32	.02	21
22	.10	.02	—	—	—	—	—	.10	—	.44	.02	—	22
23	.01	.13	—	.02	—	.46	—	—	.36	—	—	.20	23
24	.06	.01	.06	.02	—	<u>1.51</u>	.02	—	—	.11	—	.15	24
25	—	.02	—	.09	—	.24	.16	—	.39	.03	.01	.11	25
26	—	—	—	.06	.14	—	.48	.01	—	.58	.23	.14	26
27	—	.04	.02	.06	—	—	—	.39	.19	.02	—	.02	27
28	—	.01	.02	.21	—	—	—	.02	—	—	.05	.12	28
29	—	—	—	.13	—	.01	.06	.03	.52	.25	.01	.03	29
30	—	—	.01	—	.09	.04	—	—	.08	.14	.01	—	30
31	—	—	.01	—	—	—	—	—	—	.04	—	.03	31
Total	1.34	.93	1.10	1.04	1.29	3.21	1.36	1.56	2.52	2.44	3.14	3.83	TOTAL for year
No. of Rain Days.	15	13	16	14	8	13	9	13	12	18	24	26	23.82

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

1 FEB 1913

Kept at The Retreat, York
in the County of Yorkshire **W.10**
by Henry J. Mackenzie

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 43 1/2 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name York (N.E.R.)
Distance 1 1/2 m. Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.095	-	.01	.30	.51	.15	.285	.03	-	.26	1
2	-	-	.08	-	-	.43	.40	-	.055	.02	-	-	2
3	.12	.18	-	-	-	.60	-	.34	.155	.025	-	.21	3
4	.24	-	.35	-	.11	.48	-	.65	-	-	.46	.005	4
5	.02	-	-	-	.19	.40	-	-	-	-	.10	-	5
6	.55	.09	-	-	.015	.01	-	.39	-	.01	-	.01	6
7	-	.02	.04	-	.03	.005	-	.04	.15	-	-	.01	7
8	.29	.19	.09	-	-	.03	-	-	.20	-	.08	.015	8
9	.03	.09	.135	.05	-	.125	-	-	-	-	.01	.005	9
10	.02	.01	-	-	-	.44	-	.035	-	-	.12	.005	10
11	.22	.11	.01	-	-	-	-	.14	-	.005	.14	.40	11
12	.06	.04	.05	-	-	.10	.95	-	-	.005	.44	.005	12
13	-	.025	-	-	-	.02	-	.04	-	.41	.18	-	13
14	.24	-	.62	-	-	.20	-	.02	-	.01	-	.01	14
15	.02	.03	.35	-	.58	.25	-	-	-	-	-	.01	15
16	.46	-	.18	-	.05	.02	-	.005	-	.06	-	.03	16
17	.05	.015	.24	-	.02	.22	.03	.18	-	-	.05	.24	17
18	.14	-	.005	-	-	.005	-	.025	-	.055	-	-	18
19	.24	.18	-	-	-	-	.35	.315	-	.08	.01	-	19
20	.39	.02	-	-	.25	.10	.22	-	-	.18	-	-	20
21	-	-	.26	-	.23	-	.03	-	-	-	-	.005	21
22	.01	.12	-	-	1.20	1.25	-	.28	-	.01	-	.01	22
23	.01	.005	.155	-	.03	-	.12	.33	.005	.03	.05	.005	23
24	.26	-	-	-	-	.05	.16	.04	-	.005	-	.16	24
25	.01	-	-	-	-	.80	-	.29	-	.01	.11	.06	25
26	.01	.06	.03	-	-	-	.31	.40	-	.84	.06	.22	26
27	-	-	.04	-	.02	.15	.26	-	-	.46	-	.14	27
28	-	-	-	.015	.125	-	.08	.49	-	.14	.41	-	28
29	-	.01	.04	-	-	-	.01	-	.41	.06	-	.10	29
30	.04	-	.015	-	.025	-	.005	-	.11	.035	-	-	30
31	-	-	.085	-	.08	-	.46	.34	-	.005	-	-	31
Total	3.46	1.225	2.84	.065	2.965	5.985	4.195	4.83	1.63	2.815	2.25	1.945	TOTAL for year 34.235
No. of Rain Days.	22	14	20	2	16	24	15	20	8	20	14	22	200
			19					19				19	192

REGISTER OF RAINFALL IN 1913

Kept at *The Retreat, York*
in the County of *the City of York*
by *H. J. Mackenzie*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *York, N.E.R.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. - in.
" " " " Sea Level *73 1/2* ft.

FORM A.
BRITISH RAINFALL
1-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.005	.12	.26	—	—	—	—	—	—	.02	—	1
2	.01	.03	.09	—	—	.05	—	—	—	—	.05	.02	2
3	.05	.01	.01	—	.24	—	.04	—	—	.55	—	.02	3
4	.54	.02	.02	—	—	.035	.03	—	.03	.16	.22	.28	4
5	.035	.04	.09	—	—	.28	.055	.008	.025	.18	.005	—	5
6	.015	.04	.09	—	.52	.015	.26	.006	—	.02	.02	—	6
7	—	.25	—	—	.03	.13	.01	—	—	.505	.01	.01	7
8	—	—	.015	—	.54	.02	—	.005	.04	.20	.06	—	8
9	—	.095	.01	.015	.025	—	—	.100	—	—	.16	—	9
10	—	.015	—	.09	—	—	—	—	—	—	.24	—	10
11	<u>1.10</u>	—	—	.49	.06	—	—	—	—	—	.13	—	11
12	.02	.015	—	—	—	.03	—	—	—	—	.12	—	12
13	—	.005	.15	.04	—	—	.01	.10	.125	.015	.095	—	13
14	.09	.055	.14	.02	—	—	.015	—	—	.10	.005	.015	14
15	.13	—	.28	.43	—	—	—	—	—	—	.24	.03	15
16	.02	.005	.05	—	—	—	—	—	—	—	.025	—	16
17	.02	.01	.14	.065	—	.565	—	—	.43	—	.05	—	17
18	.01	—	.21	.04	.01	—	—	—	—	—	.09	.005	18
19	.125	—	.06	.035	.055	—	—	—	.055	—	—	—	19
20	.04	—	.02	.05	—	—	—	—	—	.065	.09	—	20
21	—	—	.04	.01	.15	—	.09	.14	—	—	.21	—	21
22	.10	—	.19	—	—	—	—	.28	.08	—	—	—	22
23	.065	.005	.03	—	.015	.03	—	.09	.05	.015	.015	—	23
24	.13	—	—	.08	—	.34	—	.03	—	—	.01	—	24
25	—	—	—	.05	—	—	—	—	.14	.01	.045	.03	25
26	.01	.005	.05	.015	—	—	—	—	.02	.23	.09	.19	26
27	—	.03	.005	.39	—	.05	—	—	—	—	.035	.08	27
28	.26	—	.15	.33	—	—	—	—	—	.015	—	.18	28
29	.01	—	.28	.34	.06	—	—	.015	—	.06	.005	.24	29
30	.33	—	.005	—	.06	—	—	—	—	.30	—	.04	30
31	.035	—	—	—	.14	—	—	—	—	—	—	—	31
Total	3.145	.635	2.225	2.73	1.935	1.545	.510	.744	1.295	2.425	2.08	1.14	YEARS TOTAL 20.469
Rain Days.	22	15	23	18	13	11	8	9	10	15	25	13	186
		14	24								24	12	180

only rain state 12.11.05 **REGISTER OF RAINFALL IN 1914.**

Kept at Le Peshad, York
 in the County of York
 by Henry J. Mackenzie

Lat. 53° 54' N Long. 1° 41' W
 Time of Observation 9 a.m.
 Nearest Railway Station York N.E.R.
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 43 1/2 ft.

FORM A.
 BRITISH RAINFALL
 5-JAN-15

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	<u>1.15</u>	<u>.21</u>	—	<u>.02</u>	<u>.005</u>	<u>.14</u>	1
2	—	—	—	—	—	—	<u>.59</u>	<u>.20</u>	—	<u>.015</u>	<u>.44</u>	<u>.025</u>	2
3	<u>.02</u>	—	<u>.09</u>	—	<u>.18</u>	—	<u>.03</u>	—	—	—	<u>.105</u>	<u>.35</u>	3
4	<u>.04</u>	—	<u>.03</u>	<u>.16</u>	<u>.015</u>	—	—	—	—	—	<u>.22</u>	<u>.435</u>	4
5	<u>.03</u>	<u>.01</u>	<u>.08</u>	<u>.15</u>	—	—	<u>.02</u>	<u>.02</u>	—	—	<u>.21</u>	<u>.06</u>	5
6	—	<u>.04</u>	—	<u>.015</u>	<u>.11</u>	—	<u>.02</u>	<u>.06</u>	—	—	<u>.06</u>	<u>.04</u>	6
7	—	—	<u>.945</u>	<u>.01</u>	<u>.055</u>	<u>.32</u>	—	<u>.01</u>	—	—	<u>.06</u>	<u>.09</u>	7
8	<u>.53</u>	—	<u>.04</u>	—	<u>.10</u>	<u>.24</u>	<u>.11</u>	<u>.10</u>	—	—	—	—	8
9	<u>.44</u>	<u>.035</u>	—	<u>.15</u>	—	<u>.60</u>	—	<u>.02</u>	—	—	<u>.01</u>	<u>.02</u>	9
10	<u>.24</u>	<u>.01</u>	—	<u>.02</u>	—	—	—	—	<u>.04</u>	—	<u>.06</u>	<u>.005</u>	10
11	—	<u>.14</u>	<u>.20</u>	<u>.005</u>	<u>.06</u>	—	—	—	—	—	<u>.23</u>	<u>.23</u>	11
12	<u>.005</u>	—	<u>.03</u>	—	—	—	—	—	<u>.24</u>	—	<u>.005</u>	<u>.25</u>	12
13	<u>.02</u>	<u>.11</u>	<u>.28</u>	—	—	—	—	—	—	—	<u>.13</u>	<u>.19</u>	13
14	<u>.02</u>	<u>.08</u>	<u>.14</u>	—	—	—	<u>.11</u>	—	—	<u>.03</u>	<u>.24</u>	<u>.29</u>	14
15	<u>.04</u>	—	<u>.165</u>	—	—	—	<u>.44</u>	—	—	<u>.01</u>	<u>.14</u>	<u>.05</u>	15
16	<u>.02</u>	—	<u>.01</u>	—	—	—	<u>.96</u>	—	<u>.40</u>	—	<u>.01</u>	—	16
17	<u>.025</u>	<u>.12</u>	<u>.02</u>	—	—	—	<u>.01</u>	—	<u>.34</u>	—	—	<u>.18</u>	17
18	—	—	<u>.04</u>	—	—	<u>.13</u>	—	—	<u>.005</u>	—	<u>.01</u>	<u>.22</u>	18
19	<u>.005</u>	—	<u>.01</u>	—	—	—	<u>.09</u>	—	—	—	<u>.03</u>	<u>.09</u>	19
20	—	<u>.08</u>	<u>.04</u>	—	—	—	—	—	<u>.02</u>	<u>.03</u>	—	<u>.015</u>	20
21	—	<u>.33</u>	<u>.03</u>	—	—	<u>.21</u>	—	<u>.05</u>	—	<u>.05</u>	<u>.04</u>	<u>.08</u>	21
22	—	—	—	<u>.01</u>	<u>.24</u>	<u>.29</u>	<u>.04</u>	<u>.04</u>	—	<u>.025</u>	<u>.02</u>	<u>.08</u>	22
23	—	—	<u>.02</u>	—	<u>.39</u>	<u>.26</u>	—	—	—	—	<u>.01</u>	<u>.04</u>	23
24	<u>.005</u>	—	<u>.11</u>	<u>.02</u>	<u>.095</u>	—	—	<u>.15</u>	—	—	<u>.20</u>	—	24
25	—	<u>.01</u>	<u>.02</u>	—	<u>.10</u>	—	<u>.05</u>	<u>.15</u>	—	<u>.66</u>	<u>.02</u>	<u>.44</u>	25
26	—	—	<u>.13</u>	—	—	—	<u>.18</u>	<u>.08</u>	—	<u>.36</u>	<u>.13</u>	<u>.18</u>	26
27	<u>.01</u>	—	—	—	—	—	—	—	—	<u>.02</u>	<u>.15</u>	<u>.68</u>	27
28	<u>.01</u>	<u>.05</u>	—	—	<u>.05</u>	—	—	—	—	<u>.01</u>	<u>.09</u>	<u>.13</u>	28
29	—	~~X~~	<u>.14</u>	—	<u>.015</u>	—	—	<u>.14</u>	—	<u>.355</u>	<u>.03</u>	—	29
30	—	~~X~~	<u>.02</u>	—	—	—	—	<u>.02</u>	—	<u>.09</u>	<u>.03</u>	<u>.12</u>	30
31	<u>.05</u>	~~X~~	—	~~X~~	—	~~X~~	<u>.48</u>	<u>.01</u>	~~X~~	<u>.20</u>	~~X~~	<u>.01</u>	31
Total	<u>1.54</u>	<u>1.045</u>	<u>1.95</u>	<u>.54</u>	<u>1.35</u>	<u>2.05</u>	<u>4.28</u>	<u>1.29</u>	<u>1.045</u>	<u>1.845</u>	<u>2.445</u>	<u>4.44</u>	YEAR'S TOTAL <u>24.21</u>
Rain Days.	<u>14</u>	<u>12</u>	<u>22</u>	<u>8</u>	<u>12</u>	<u>4</u>	<u>15</u>	<u>15</u>	<u>6</u>	<u>14</u>	<u>24</u>	<u>24</u>	<u>183</u> <u>179</u>

REGISTER OF RAINFALL IN 1915.

Kept at The Peheat,
in the County of The City of York W10
by H. J. Mackenzie

Lat. 53° 54' N Long. 10° 4' W
Time of Observation 9 a.m.
Nearest Railway Station York, N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 43½ ft.

FORM A.
BRITISH RAINFALL
8-FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.35	—	—	.20	—	.01	.33	1.34	—	.04	.075	1
2	.015	.10	.15	.13	—	.03	.065	.035	.01	—	.005	.01	2
3	.61	—	.04	.12	—	—	.145	.15	.01	—	.03	.45	3
4	.18	—	.01	—	.01	—	.54	.61	—	—	—	.46	4
5	.14	.10	—	—	.30	.005	—	—	—	—	.02	.73	5
6	.03	.16	.035	.14	—	—	.66	.015	.025	—	—	.05	6
7	.38	.39	.04	.12	—	—	.15	.25	—	—	.01	.01	7
8	.05	.02	.01	.02	—	—	.11	.02	—	—	.02	—	8
9	.01	.005	—	—	—	—	—	.06	—	.09	—	.55	9
10	.23	.005	.015	—	—	—	—	.01	—	.005	—	.035	10
11	—	.25	.05	.015	.62	—	—	—	—	—	.12	.06	11
12	.06	.035	—	.28	.03	—	.015	.10	—	.08	.49	—	12
13	.005	.21	—	—	—	—	—	—	—	—	—	.005	13
14	—	.06	—	—	.01	—	.05	.04	—	.005	—	.04	14
15	.23	.015	—	—	—	—	.10	—	—	.01	.25	.12	15
16	.01	.265	—	—	.015	—	.94	—	—	.01	—	.01	16
17	.10	.13	—	—	—	—	.06	.005	—	.005	.01	.04	17
18	.01	.12	.42	—	—	—	—	.005	—	.01	.03	—	18
19	—	—	.045	—	—	—	.01	—	—	—	.01	—	19
20	.03	—	.01	—	—	—	—	—	—	.005	—	.44	20
21	.12	.025	—	.035	—	—	.06	.01	—	—	—	.045	21
22	.01	—	.095	—	—	—	.08	—	—	.005	—	.12	22
23	.08	.06	.04	—	—	—	.13	—	.025	.01	—	.035	23
24	—	—	.08	.015	—	—	—	—	.55	.035	—	.14	24
25	—	—	—	—	—	.04	—	—	.005	.015	—	.06	25
26	.01	.13	—	—	—	.15	.31	—	.055	—	—	.53	26
27	.015	.06	—	—	—	.14	.06	—	—	.41	—	.03	27
28	—	.03	.02	—	.06	.15	—	.31	—	.08	—	.005	28
29	—	X	—	—	.23	.01	.015	—	.02	.015	.14	.33	29
30	.11	X	—	.14	.01	.55	.005	.04	—	—	.01	—	30
31	.19	X	—	X	—	X	—	.34	X	.05	X	.20	31
Total	2.715	2.52	1.12	1.015	1.485	1.045	3.545	2.36	2.04	0.84	1.515	5.00	YEAR'S TOTAL 25.26
Rain Days.	24	21	15	10	10	8	20	14	9	14	14	26	191

REGISTER OF RAINFALL IN 1916

Kept at The Retreat
in the County of The City of York WR
by Henry J. Mackenzie

Lat. 53° 57' N Long. 10° 41' W
Time of Observation 9 a.m.
Nearest Railway Station York N.E.R. 1½ ml.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 43½ ft.

FORM A.
BRITISH RAINFALL.
18. JAN. 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.005	.16	—	—	.185	.14	—	—	.05	.14	—	1
2	.03	.05	.14	—	—	.01	—	—	.10	.09	.015	—	2
3	—	.11	.035	.04	—	.005	—	.01	.31	.14	.04	—	3
4	.02	.20	.01	.01	.69	.315	—	—	.01	.32	.33	—	4
5	.025	.03	.11	—	.16	.345	—	—	—	.24	.12	—	5
6	.01	.24	.16	.06	.29	—	.14	—	—	.02	.32	—	6
7	—	.08	.06	.01	.10	.025	.10	—	—	.11	.02	.26	7
8	—	.04	.18	—	.005	.02	—	—	—	—	.005	.06	8
9	—	.005	.005	—	.50	.10	—	—	.09	—	.015	.22	9
10	—	.02	.015	.01	—	.23	.03	—	.01	.035	.01	.04	10
11	.13	.46	.205	.03	—	.10	.12	—	.05	.03	—	.08	11
12	.10	.01	.31	.02	.19	.02	.50	.115	—	.05	—	.09	12
13	—	.06	.165	—	.10	—	.14	.65	.01	.535	—	.08	13
14	—	.03	.02	—	.04	—	—	.21	—	.035	—	.08	14
15	—	.20	.525	—	—	—	.06	.34	—	.02	.005	—	15
16	—	.14	.11	.09	—	—	.15	.33	—	.04	—	.005	16
17	.02	—	.01	.20	—	—	.03	.61	.14	.11	.005	—	17
18	.005	.195	—	.13	—	.005	—	.03	.15	.08	.56	.05	18
19	.10	—	.23	.09	—	—	—	.03	.05	.005	.19	.19	19
20	.06	.01	.24	.04	—	—	—	.35	—	—	.03	.03	20
21	.04	.01	.025	.04	.015	—	.56	.025	—	—	—	.10	21
22	—	.08	.01	—	—	.06	—	—	—	.11	.01	.04	22
23	—	.02	.02	.03	—	.015	—	.02	—	.01	.06	.28	23
24	—	.09	—	.08	—	—	—	.18	—	.01	—	.10	24
25	—	.085	.04	—	—	—	—	.165	—	.08	.04	.03	25
26	—	.04	.04	—	—	.10	—	.02	—	.01	—	—	26
27	—	.25	.02	—	—	—	—	.015	—	.15	—	—	27
28	—	.23	.005	—	.06	—	—	.04	—	.12	—	.11	28
29	.005	.08	—	—	—	.04	—	—	—	.14	—	.15	29
30	—	X	—	—	.015	.015	—	—	—	.10	—	.005	30
31	—	X	—	X	.02	X	—	—	X	—	X	—	31
Total	.425	2.83	2.88	.91	2.215	1.59	2.00	3.14	.95	2.64	1.945	2.00	YEAR'S TOTAL 23.915
Rain Days.	18 ²	24 ⁶	26 ⁵	15	13	14 ⁶	11	14	10	26 ⁵	18	20 ¹⁹	21 ³

REGISTER OF RAINFALL IN 1914.

Kept at The Retreat, York
in the County of Yorks
by Henry J Mackenzie

Lat. 53° 54' N. Long. 10° 4' W.
Time of Observation 9 a.m.
Nearest Railway Station York N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 43 1/2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.10	—	—	—	.22	.215	—	.20	.13	1
2	.01	—	—	.29	—	.06	—	.14	—	—	.005	—	2
3	—	.08	—	.01	—	.04	—	.19	—	.05	.005	—	3
4	—	—	.04	.01	—	—	—	.02	—	.145	.005	—	4
5	.14	—	.09	.26	—	—	—	—	—	.025	.11	—	5
6	.005	—	—	—	—	.20	—	—	—	.22	.095	—	6
7	.48	—	—	—	—	.03	—	.05	—	.355	—	.02	7
8	.59	—	—	.12	—	—	—	<u>1.18</u>	—	.245	.03	—	8
9	.28	—	.035	.19	—	—	—	.09	—	.03	.28	—	9
10	.22	—	.55	.14	.035	—	—	.015	—	.04	.145	—	10
11	.035	—	—	.09	—	—	—	.14	—	.34	—	—	11
12	.35	.015	—	.02	.28	—	—	.08	—	.30	.01	.01	12
13	.34	—	—	.04	.25	—	—	.465	.14	.08	—	.02	13
14	.25	.01	—	.09	—	—	.20	.09	—	—	—	.06	14
15	.11	—	—	.02	—	—	—	.08	.015	—	.005	.165	15
16	—	.035	—	.14	—	—	.05	.09	—	—	—	.30	16
17	.02	.08	.005	.16	.24	.53	.38	.31	.005	.015	—	.11	17
18	.055	.005	—	.02	.045	—	—	.05	.10	.005	—	.01	18
19	.04	.11	.09	—	.15	.24	.09	—	.005	—	—	.01	19
20	.06	.34	.02	.005	—	.33	—	.01	.02	—	.41	—	20
21	.02	.04	.085	—	—	—	—	.09	.035	.03	—	—	21
22	—	—	.08	—	—	.12	—	.06	.015	.02	—	—	22
23	—	—	—	—	.16	.06	.005	.08	.01	.01	.005	.005	23
24	—	—	—	—	—	.03	—	.02	—	.25	.21	—	24
25	—	.03	.03	—	—	—	.14	.055	—	.15	—	.02	25
26	—	—	.18	—	—	.53	—	.83	.02	.24	.185	.025	26
27	—	—	.02	—	—	.10	.10	.48	—	.01	.005	.03	27
28	—	—	.16	—	—	<u>.025</u>	.11	.105	—	.02	—	.005	28
29	.01	~~X~~	.02	—	—	—	.03	.06	—	.35	.01	.02	29
30	.005	~~X~~	.13	.09	—	—	—	.02	—	.01	—	.01	30
31	—	~~X~~	.25	~~X~~	.005	~~X~~	—	.025	~~X~~	—	~~X~~	.05	31
Total	3.050	.445	1.485	1.855	1.195	2.305	1.105	5.105	.580	3.060	1.445	1.000	YEAR'S TOTAL 23.56
Rain Days.	19 ¹⁸	10	16 ¹⁵	18	8 ⁷	13	9	28	11 ¹⁰	23 ²²	14 ¹⁴	18 ¹⁷	190 ¹⁸¹

278

20X. 2806

REGISTER OF RAINFALL IN 1918.

Kept at The Retreat
in the County of The City of York W
by Henry J Mackenzie

Lat. 53° 54' N. Long. 10° 4' W
Time of Observation 9 a.m.
Nearest Railway Station York N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 73½ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.09	.02	.05	—	—	—	—	.18	.045	.265	.10	1
2	.01	.29	.01	.04	—	—	—	.005	.09	.03	—	.24	2
3	—	.05	.03	.005	.49	—	—	.21	—	—	.30	.03	3
4	.005	.01	.01	—	.06	—	.04	.19	.66	.015	.24	.40	4
5	—	.01	.025	.04	.33	—	—	.925	—	.04	.005	.01	5
6	.005	.29	—	.38	—	.24	—	.04	.005	.09	—	.025	6
7	.15	.05	—	.085	—	—	—	—	.04	.045	.20	.01	7
8	—	.02	.03	.02	—	—	.21	.15	.05	.05	.015	—	8
9	.005	.32	—	.025	—	.05	.04	—	1.12	.19	.03	.04	9
10	—	.04	—	.0025	—	—	.06	—	.19	—	.02	.02	10
11	.13	.03	.005	.02	.31	—	—	.01	.06	—	—	.10	11
12	—	.14	.03	.03	.09	—	.23	.005	.09	.02	—	.015	12
13	—	.005	—	.03	.18	—	—	—	.32	.10	—	—	13
14	.12	—	—	.03	—	—	.12	—	.295	.02	.005	.135	14
15	.04	—	—	—	—	—	.25	—	.89	—	—	.61	15
16	~~.085~~	—	—	—	—	.25	.05	.035	.19	—	.01	.23	16
17	.285	—	—	—	.21	.16	.60	.04	.01	.145	—	.28	17
18	.24	—	.02	—	—	.005	.46	—	.53	.01	—	.04	18
19	.24	—	.02	.06	—	—	.20	.11	.03	.12	—	.24	19
20	.09	.43	—	.125	—	.025	.12	—	.12	.025	—	.01	20
21	.135	.01	—	—	.33	.015	—	—	.20	.16	—	—	21
22	.015	—	—	.01	—	.03	—	—	.12	.005	.01	.30	22
23	.10	—	—	—	.485	—	.10	—	.03	—	.03	.005	23
24	.005	.045	—	—	—	—	.05	—	.22	.025	.06	—	24
25	—	—	—	—	—	.08	.08	.22	.14	—	.005	—	25
26	—	—	—	—	—	—	.15	.15	.24	.025	.145	.05	26
27	—	.115	.03	—	—	.03	—	.43	.46	—	.13	.10	27
28	.005	.20	.38	—	—	—	—	—	.025	—	.04	.29	28
29	—	~~X~~	.005	—	—	—	—	—	.15	—	.015	.24	29
30	—	~~X~~	.32	—	—	—	—	—	.13	—	.025	.24	30
31	.015	~~X~~	.12	~~X~~	—	~~X~~	—	.15	~~X~~	—	~~X~~	.03	31
Total	1.645	2.145	1.055	0.955	2.485	0.885	2.490	2.640	6.615	1.220	1.580	3.880	24.985
Rain Days.	19	17	14	15	9	10	16	14	28	19	17	26	210

REGISTER OF RAINFALL IN 1919.

Kept at H. Pease, York
 in the County of Yorks.
 by Henry Mackenzie

Lat. 53° 57' N. Long. 1° 4' W.
 Time of Observation 9 a.m.
 Nearest Railway Station York N.E.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " " Sea Level 43 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.295	—	.01	—	.31	—	.40	—	.23	.08	.13	.04	1
2	.15	—	.09	—	.015	—	.60	—	.01	—	.05	—	2
3	.54	—	—	—	.035	.25	.42	—	.065	—	.265	.19	3
4	.055	.02	.42	—	—	.20	—	.22	.04	—	.04	.01	4
5	.035	.01	.01	—	—	—	—	—	.115	.005	.04	.08	5
6	.015	—	.015	—	.035	—	—	—	—	.01	.05	.065	6
7	.02	—	.22	—	.20	—	—	—	—	—	—	.005	7
8	.06	—	.005	—	.01	—	—	.02	—	—	.04	.03	8
9	.005	—	.095	—	—	—	—	—	—	—	.08	.005	9
10	.005	—	.13	.05	.02	—	~~.15~~	—	—	—	.08	.18	10
11	.005	—	.98	.01	.11	—	.45	—	—	.05	.02	.005	11
12	.005	—	.46	.10	—	.21	.05	—	—	.26	.02	.015	12
13	.16	—	.02	.05	—	—	~~.30~~	.09	.005	.25	—	.03	13
14	.18	—	—	.14	—	—	.02	.03	—	—	.09	—	14
15	.06	.09	.02	.04	—	—	—	.01	—	—	—	.05	15
16	.01	.29	—	.005	.04	—	—	—	—	—	.11	.005	16
17	—	.04	—	—	.01	.08	~~.03~~	.05	—	—	.16	—	17
18	—	—	.04	—	.02	—	.03	.30	—	—	.005	.015	18
19	.04	.25	.63	—	—	—	1.35	.11	.09	—	.045	.035	19
20	.64	.13	.005	—	—	—	.26	.06	.04	—	—	.28	20
21	.18	.20	.01	—	—	—	.08	—	.045	—	.06	.115	21
22	—	.125	.01	—	—	—	.105	—	.25	—	.02	.25	22
23	.005	.005	—	.005	—	.21	.005	.05	—	.60	.115	.01	23
24	.005	—	—	.02	.01	.11	—	—	—	.24	.015	.10	24
25	.02	.045	—	.18	—	—	—	.425	—	.02	.03	—	25
26	—	—	.18	.055	—	—	—	.28	—	.12	.09	.50	26
27	.01	—	—	.31	—	—	—	—	—	.85	.025	—	27
28	.01	.005	—	.09	—	—	—	.80	—	.14	.01	.29	28
29	.04	~~X~~	—	—	—	.05	—	.005	—	1.00	—	.115	29
30	—	~~X~~	.015	.21	—	.06	—	.005	—	.09	.14	.18	30
31	.04	~~X~~	.02	~~X~~	—	~~X~~	.015	—	~~X~~	.06	~~X~~	.04	31
TOTAL	2.68	1.21	3.365	1.325	.815	1.14	3.485	2.455	.920	3.805	1.85	3.64	YEAR'S TOTAL 27.04
Days with 0.1 in. or more	26	12	21	14	12	8	14	15	10	15	25	26	198

REGISTER OF RAINFALL IN 1920.

Kept at The Retreat, York
in the County of The City of York
by Henry J. Mackenzie

Lat. 53° 54' N Long. 1° 4' W
Time of Observation 4 a.m.
Nearest Railway Station York N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 73½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.14	.24	.34	—	.31	—	—	.24	—	.015	1
2	—	—	.02	.21	—	—	.50	—	.105	.265	—	.29	2
3	—	.015	—	.025	—	—	.345	.17	.16	.27	—	.13	3
4	.015	—	—	.01	.06	—	.49	.68	.085	1.08	—	.03	4
5	—	.01	.03	—	.12	—	.20	.02	.005	.01	—	.015	5
6	—	—	.09	.13	.08	—	.05	—	—	—	—	.04	6
7	.005	.02	.03	.005	—	—	.45	—	—	—	—	.005	7
8	.015	.005	—	.32	.01	—	.13	.16	—	.015	.02	—	8
9	.22	.10	—	.41	.01	—	—	.05	.01	.005	—	.005	9
10	.405	.06	.035	.15	—	—	.32	.005	—	—	—	.015	10
11	.22	.03	.02	.17	.07	—	—	—	—	—	—	.09	11
12	.07	.005	—	.175	.005	—	.02	—	—	.005	.06	.19	12
13	.04	.035	.045	.12	—	.23	—	—	.05	—	.02	.185	13
14	—	.065	.44	.155	—	—	—	—	.27	.02	.185	.035	14
15	—	.13	.30	.23	—	—	—	—	—	.005	.10	.005	15
16	—	—	.005	—	—	—	1.18	—	.16	—	.025	—	16
17	—	—	—	—	.145	—	—	.04	.215	.04	—	.005	17
18	.01	—	—	.10	.07	1.28	—	.005	.01	—	—	—	18
19	—	.50	—	.28	—	.08	—	.09	—	—	.005	—	19
20	.12	—	—	.19	—	.11	.11	—	—	—	.005	.005	20
21	—	—	—	.10	—	—	.46	.22	.01	—	.005	.015	21
22	.035	.01	—	.21	—	—	.06	—	—	.005	.005	—	22
23	.005	.005	—	.065	—	—	.29	—	.005	.01	.015	.24	23
24	.02	—	.36	.035	—	—	.02	—	—	—	—	.06	24
25	—	.04	.035	—	—	—	.81	—	.005	—	—	.005	25
26	.045	.045	.13	.025	—	—	.01	—	—	—	—	.02	26
27	.13	—	—	.05	.30	.615	.005	—	—	.005	.32	.10	27
28	.85	—	.08	.20	.17	.01	.04	—	—	—	.06	.055	28
29	.10	—	.17	.015	.84	.225	.07	—	.015	—	.07	.44	29
30	.18	~~X~~	.01	—	—	.03	—	—	.10	—	.14	.25	30
31	.095	~~X~~	.04	~~X~~	.075	~~X~~	.03	—	~~X~~	.04	~~X~~	.05	31
TOTAL	2.58	1.075	1.98	3.64	2.295	2.58	5.93	1.44	1.205	2.015	1.035	2.295	28.07
Days with ".01 in. or more	18	17	18	25	17	8	22	9	17	17	7	26	203
Days with ".04 in. or more	12	7	10	19	11	6	17	7	8	6	7	13	122

REC

STAPLETON PK.

GARDENS

1915 - 1918.

Kept at Stapleton

in the County of:

by William Henry

IMPORTANT NOTE

previous day. If an

requested to add the re

for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A
BRITISH RAINFALL

by 2 miles

in.

and 6 ft. 6 in.

Level about 30 ft.

result entered to the rule, he is earnestly the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.11	0.15			0.24		0.05	0.23			0.07	0.02	1
2		0.07	0.09			0.06	0.08	0.57			0.07		2
3	0.67		0.07	0.26			0.23	0.08			0.02	0.55	3
4	0.18			0.07	0.02		0.60					1.03	4
5	0.11	0.02	0.07	0.08	0.09			0.07				0.49	5
6	0.02	0.32	0.09		0.02		0.46	0.09				0.06	6
7	0.36	0.21	0.02	0.06			0.04	0.45			0.03	0.07	7
8		0.10		0.04			0.17	0.08	0.03	0.03	0.04		8
9	0.07							0.15			0.03	0.55	9
10	0.21		0.03					0.08					10
11				0.07	0.49			0.07			0.25	0.33	11
12	0.03			0.25	0.16		0.06	0.05	0.07	0.07	0.95		12
13		0.57											13
14	0.07	0.07			0.02		0.07	0.03				0.11	14
15	0.25							0.05			0.27		15
16		0.16			0.04		1.18		0.03			0.10	16
17		0.06					0.15	0.04				0.07	17
18		0.06	0.19								0.03		18
19							0.03	0.02					19
20	0.07			0.04								0.43	20
21	0.04						0.07	0.02				0.16	21
22			0.08				0.08					0.06	22
23	0.07	0.05	0.06				0.29		0.02	0.10			23
24			0.11	0.02		0.07			0.62			0.18	24
25						0.02	0.04			0.02		0.12	25
26	0.07	0.11				0.07						0.42	26
27		0.15					0.02			0.46		0.08	27
28		0.10	0.05		0.07	0.07		0.31				0.07	28
29	0.12				0.16	0.07					0.10	0.61	29
30				0.04									30
31	0.03							0.25		0.12		0.23	31
Total	2.18	2.08	0.74	0.81	1.25	0.24	3.58	2.58	0.64	0.77	1.74	5.62	YEAR'S TOTAL 22.23 22.23 145
Rain Days.	17	15	11	10	10	6	17	18	2	7	11	21	

REGISTER OF RAINFALL IN 1913

Kept at Stapleton Park Gardens
in the County of York
by William Henry Dobson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Womersley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 6 in.
Sea Level about 30 ft.

FORM A.
BRITISH RAINFALL
JAN 1913
E.S.E.
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.11	0.15			0.24		0.05	0.23			0.07	0.02	1
2		0.07	0.09			0.06	0.08	0.57			0.07		2
3	0.67		0.07	0.26			0.23	0.08			0.02	0.55	3
4	0.18			0.07	0.02		0.60					1.03	4
5	0.11	0.02	0.07	0.08	0.09			0.07				0.49	5
6	0.02	0.32	0.09		0.02		0.46	0.09				0.06	6
7	0.36	0.21	0.02	0.06			0.04	0.45			0.03	0.07	7
8		0.10		0.04			0.17	0.08	0.03	0.03	0.04		8
9	0.07							0.15			0.03	0.55	9
10	0.21		0.03					0.08					10
11				0.07	0.49			0.07			0.25	0.33	11
12	0.03			0.25	0.16		0.06	0.05	0.07	0.07	0.95		12
13		0.57											13
14	0.07	0.07			0.02		0.07	0.03				0.11	14
15	0.25							0.05			0.27		15
16		0.16			0.04		1.18		0.03	0.03		0.10	16
17		0.06					0.15	0.04				0.07	17
18		0.06	0.19								0.03		18
19							0.03	0.02					19
20	0.07			0.04								0.43	20
21	0.04						0.09	0.02				0.16	21
22			0.08				0.08					0.06	22
23	0.07	0.05	0.06				0.29		0.02	0.10			23
24			0.11	0.02		0.07			0.62			0.18	24
25						0.02	0.04			0.02		0.12	25
26	0.07	0.11				0.07						0.42	26
27		0.15					0.02			0.46		0.08	27
28		0.10	0.05		0.07	0.07		0.31				0.07	28
29	0.12				0.16	0.07					0.10	0.61	29
30				0.04									30
31	0.03							0.25		0.12		0.23	31
Total	2.18	2.08	0.74	0.81	1.25	0.24	3.58	2.58	0.64	0.77	1.74	5.62	22.23
Rain Days.	17	15	11	10	10	6	17	18	2	7	11	21	74.5

REGISTER OF RAINFALL IN 1916

Kept at Stapleton Park, Pontefract
in the County of York W.R.
by W. A. Hobson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Womersley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 50 ft.

BRITISH RAINFALL
FORM A.
5 JAN 16

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08		0.13						0.18		0.10		1
2	0.04	0.04	0.23				0.17			0.07			2
3		0.17		0.11					0.21	0.31	0.02		3
4	0.01	0.11	0.01	0.01	0.74				0.33	0.17	0.07		4
5	0.01	0.03			0.03	0.18				0.25	0.50		5
6	0.02	0.28	0.22	0.03	0.26	0.17	0.09			0.02	0.27	0.03	6
7		0.02	0.06		0.07		0.22			0.03	0.01	0.28	7
8		0.01	0.47							0.03	0.02	0.06	8
9			0.02		0.41	0.11			0.17		0.05	0.19	9
10		0.01	0.01	0.03		0.06			0.04			0.13	10
11	0.07	0.44	0.39	0.14		0.06			0.01			0.04	11
12	0.01		0.45		0.37	0.01	0.42						12
13			0.22		0.03		0.01	0.48				0.05	13
14		0.18	0.03		0.06			0.33		0.57	0.01	0.02	14
15		0.08	0.70				0.13	0.68		0.03			15
16		0.07	0.16	0.07			0.02	0.10					16
17	0.02	0.08		0.14			0.03	0.04	0.13	0.13			17
18		0.29	0.02	0.10		0.03		0.11	0.23	0.03	0.33	0.04	18
19	0.04		0.15	0.18							0.94	0.18	19
20	0.01		0.29	0.13								0.03	20
21	0.06	0.07	0.03				0.22					0.09	21
22		0.02	0.01			0.02				0.07		0.17	22
23		0.39	0.02	0.09		0.01		0.01			0.07	0.26	23
24		0.06		0.03				0.13				0.16	24
25		0.06	0.14		0.02			0.12		0.07	0.05		25
26		0.46	0.02							0.05	0.02		26
27		0.20								0.13			27
28		0.18			0.08	0.05				0.01		0.04	28
29						0.14				0.27		0.28	29
30		X								0.08		0.04	30
31		X		X		X			X	0.24	X	0.10	31
Total	0.37	3.25	3.78	1.06	2.07	0.84	1.31	2.00	1.30	2.50	2.46	2.19	YEAR'S TOTAL 23.13
Rain Days.	11	22	22	12	10	11	9	9	8	19	14	19	166

REGISTER OF RAINFALL IN 1917

Kept at Sapleton Park Gardens
in the County of York
by W. A. Dobson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Womersley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level about 50 ft.

3139
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02			0.26					0.27		0.01		1
2	0.04			0.09		0.05		0.36			0.10		2
3		0.03				0.04		0.23			0.01		3
4			0.08				0.01	0.03		0.37	0.01		4
5	0.30		0.07	0.22				0.02		0.09	0.03		5
6						0.10				0.54			6
7	0.34					0.08				0.17	0.09		7
8	0.44			0.11			0.18	0.99	0.01	0.56	0.01		8
9	0.22		0.01	0.03				0.02		0.06	0.30		9
10	0.20		0.64	0.10	0.12			0.05		0.01	0.01		10
11	0.01			0.51				0.04		0.03			11
12	0.06			0.04	0.26			0.19	0.01	0.23		0.05	12
13	0.20			0.02	0.05			0.18	0.11	0.03		0.05	13
14	0.25			0.11				0.83					14
15	0.03			0.05					0.02				15
16	0.02			0.06		0.06		0.10				0.49	16
17		0.07	0.03	0.16	0.65	0.18		0.17	0.10	0.01		0.18	17
18	0.05	0.14		0.05	0.04		0.27	0.14	0.28				18
19	0.06	0.01	0.14		0.56	0.28		0.05					19
20	0.05	0.12	0.01		0.10	0.91		0.09	0.01		0.11		20
21	0.02	0.15	0.08										21
22		0.04				0.03		0.04					22
23	0.01		0.06		0.14			0.09	0.02	0.03		0.01	23
24		0.01	0.02			0.08		0.02		0.35	0.03		24
25			0.03				0.12	0.06		0.20	0.03		25
26		0.01	0.13			0.08		0.48	0.07	0.10	0.03		26
27			0.08				0.08	0.52					27
28			0.06			0.29		0.05		0.17			28
29			0.03		0.06	0.10	0.02			0.03		0.10	29
30		X					0.06	0.03					30
31		X		X		X		0.08	X	0.01	X	0.03	31
Total	2.32	0.58	1.47	1.81	1.98	2.28	0.74	4.86	0.90	2.99	0.77	0.91	YEAR'S TOTAL 21.61
Rain Days	18	9	15	14	9	13	7	25	10	18	13	7	158

REGISTER OF RAINFALL IN 1918

Kept at Stapleton Park Gardens

in the County of York

by W. H. Hobson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wombesley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		0.07		0.03					0.08	0.06	0.19	0.07	
1		0.23		0.11					0.06			0.22	1
2		0.02							0.26			0.07	2
3			0.06		0.56			0.30	0.07		0.21	0.36	3
4			0.02		0.18			0.06	0.07	0.13	0.21	0.07	4
5					0.31			0.52	0.10				5
6		0.49		0.30		0.18				0.07			6
7	0.03 Sun									0.09	0.12		7
8		0.01	0.06				0.35			0.08			8
9	0.02	0.30		0.35			0.06		0.48	0.21		0.06	9
10	0.04	0.05		0.07			0.05		0.32			0.05	10
11	0.12	0.07	0.07	0.07	0.16		0.02		0.10			0.03	11
12	0.02	0.08	~~0.07~~	0.01			0.21	0.07	0.01	0.19		0.07	12
13			~~0.07~~	0.14	0.07								13
14	0.07		~~0.07~~	0.08			0.10		0.55	0.07		0.21	14
15	0.10						0.26		0.95	0.01		0.20	15
16			0.02			0.09	0.05		0.22	0.02		0.10	16
17	0.28 Sun		0.01			0.09	0.28		0.04	0.18		0.15	17
18							0.05		0.50			0.13	18
19	0.15	0.35	0.03				0.11	0.07	0.02	0.11		0.89	19
20		0.01	0.07			0.12	0.09		0.04	0.13			20
21	0.11				0.71	0.06			0.09	0.32			21
22	0.15				0.01	0.06	0.15		0.07			0.34	22
23	0.04			0.05	0.48		0.28				0.05	0.07	23
24					0.01		0.07		0.13	0.02	0.04		24
25						0.46	0.05	0.27	0.03				25
26							0.70	0.41	0.12	0.05	0.10		26
27						0.03	0.30		0.30		0.16	0.05	27
28		0.20	0.35						0.02		0.07	0.49	28
29							0.52		0.11			0.15	29
30		~~X~~	0.34					0.04	0.02		0.08	0.07	30
31		~~X~~	0.03	~~X~~		~~X~~		0.06	~~X~~		~~X~~		31
Total	1.13	1.88	1.06	1.15	2.49	1.09	4.64	1.74	4.64	1.74	1.23	3.67	YEAR'S TOTAL 26.46
Rain Days	12	12	11	10	9	8	19	9	26	16	10	21	163

S. made
Copied from MSS.
R
Kept at Stocks

STOCK IN BOWLAND
YORKSHIRE
1911 - 1912

FORM A2.
BRITISH RAINFALL
21 MAR 1912

in the County of
by Fylde Wa

n.
d 1 ft. - in.
level 58.658 ft.
Long Preston (Mid. Rl.)
nce Direction

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.69	.09	1
2										.05	.19	.12	2
3									.04		1.50	.10	3
4								.74			.92	.33	4
5								.77	.06		.16	.15	5
6								.83			.60	.32	6
7											.31	.03	7
8											.34	.96	8
9												.60	9
10									.17			.81	10
11											.49	.22	11
12									1.22		.57		12
13											.31	.64	13
14											.21	.27	14
15										.04	1.22	.37	15
16											.72	.30	16
17											.13	.23	17
18										.06	.06	.15	18
19									.44	.39	.13	.60	19
20								.14	.43	.08		.54	20
21								.04		.12		.12	21
22								.04		.46			22
23									.39	.42		.29	23
24								.08		.25		.25	24
25									.63	.07		.31	25
26								.30		1.02	.17	.27	26
27								.44	.33			.21	27
28								.03	.28			.47	28
29								.02	.51	2.15		.25	29
30										1.01			30
31										.22		.04	31
Total								3.43	4.50	6.34	8.72	9.04	TOTAL for year
No. of Rain Days.								11	11	14	18	28	

S. made

Copied from MSS.

REGISTER

FORM A2.
BRITISH RAINFALL.
21 MAR 1912

Kept at Stocks in Bowland
in the County of Yorkshire
by Fylde Water Board.

PATTERN
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 586.58 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Long Preston (Mid. Rl)
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.69	.09	1
2										.05	.19	.12	2
3									.04		1.50	.10	3
4								.74			.92	.33	4
5								.77	.06		.16	.15	5
6								.83			.60	.32	6
7											.31	.03	7
8											.34	.96	8
9												.60	9
10									.17			.81	10
11											.49	.22	11
12									1.22		.57		12
13											.31	.64	13
14											.21	.27	14
15										.04	1.22	.37	15
16											.72	.30	16
17											.13	.23	17
18										.06	.06	.15	18
19									.44	.39	.13	.60	19
20								.14	.43	.08		.54	20
21								.04		.12		.12	21
22								.04		.46			22
23									.39	.42		.29	23
24								.08		.25		.25	24
25									.63	.07		.31	25
26								.30		1.02	.17	.27	26
27								.44	.33			.21	27
28								.03	.28			.47	28
29								.02	.51	2.15		.25	29
30										1.01			30
31										.22		.04	31
Total								3.43	4.50	6.34	8.72	9.04	TOTAL for year
No. of Rain Days.								11	11	14	18	28	

REGISTER OF RAINFALL IN 1912

Report *from Mr. Stocks* in the County of *Yorkshire* by *Fylde Water Board*

Lat. *54° 10'* Long. *2° 24' 75"*
Time of Observation *9 am*
Nearest Railway Station *Long Preston*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Sea Level *586.58* ft.

25 MAR 1913
BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.43										1
2	.10		.90										2
3	.33	.02	.04										3
4	.62		1.27										4
5	.34		.13										5
6	.40	.31	.01										6
7	.58	.28	.04										7
8		.38	.15										8
9	.37	.05	.45										9
10	.23	.03	.02										10
11	.05												11
12	.20	.03	.50										12
13	.13												13
14	.35		.49										14
15	.18	.17											15
16	1.94		.25										16
17	.18	.26	.20										17
18	.09	.02											18
19	.07	.05											19
20	.16												20
21													21
22	.04	.44											22
23		.03											23
24	.04	.04											24
25													25
26		.33											26
27		.16											27
28		.08											28
29		.05											29
30													30
31													31
Total	6.42	2.73	<i>unp</i>										YEAR'S TOTAL
Rain Days.	21	18											

Sutton
Kept at
in the County of
by

SUTTON HALL
YORKSHIRE
1911, 1913 - 1920

in.
and 1 ft.
Level 140 ft. about
Tollerton
nce 4 1/2 Direction

FORM A2
BRITISH RAINFALL
19 JAN 1912

IMPORTANT NOTE: The result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					13		27	13			15	11	2
3					19								3
4				5				2		16	38		4
5			10	15				42		14	24		5
6	26				1.67			12				26	6
7				4								33	7
8			18								6	36	8
9						8						6	9
10												36	10
11											33		11
12	29		11						76		20	2	12
13			30									58	13
14		17	5								18	46	14
15			10								2	10	15
16			5								16	9	16
17					3		13				8	5	17
18						1.40				8	18	8	18
19						15				22	40	6	19
20						13	26	70	8		3	24	20
21		34		9				13		26	45	5	21
22	30							9		40	6		22
23		14				75			46			13	23
24	5			6		91				15		8	24
25			9			30			41			14	25
26					25		65			56	30	12	26
27			10	20				30	25			3	27
28				17						2	3	13	28
29				5	14	11	7		49	20		3	29
30			5			4			5	6			30
31										9		6	31
Total	-90.	-65	1.13	-81	2.41	3.87	1.38	1.91	2.60	2.34	3.25	3.93	TOTAL for year 25.18
No. of Rain Days	4	3	10	8	1	9	5	8	8	12	17	24	144

3 made ✓

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Kept at Sutton Hall
in the County of Yorks
by Katharine H. J. Grey

RAIN GAUGE
Pattern
Diameter of top 5 1/2 in.
Height of top above Ground 1 ft.
" " " Sea Level 140 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Tollerton
Distance 4 1/2 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2					13		27	13			15	11	2
3					19								3
4				5				2		16	38		4
5			10	15				42		14	24		5
6	26				1.67			12				26	6
7				4								33	7
8			18								6	36	8
9						8						6	9
10												36	10
11											33		11
12	29		11						76		20	2	12
13			30									58	13
14		17	5								18	46	14
15			10								2	10	15
16			5								16	9	16
17					3		13				8	5	17
18						1.40				8	18	8	18
19						15							19
20						13	26	70	8	22	40	6	20
21		34		9				13			3	24	21
22	30							9		26	45	5	22
23		14								40	6		23
24	5			6		75				46		13	24
25			9			91				15		8	25
26						30			41			14	26
27			10	20	25		65			56	30	12	27
28				17				30	25			3	28
29				5	14	11	7			2	3	13	29
30			5			4			49	20		3	30
31									5	6			31
										9		6	
Total	-90.	-65	1.13	-81	2.41	3.87	1.38	1.91	2.60	2.34	3.25	3.93	TOTAL for year 2518
No. of Rain Days	4	3	10	8	6	9	5	8	8	12	17	24	114

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

21 FEB 1914

Kept at *Sutton Hall, Eastwood*
in the County of *Yorkshire*
by *Katherine H. D. Grey*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Kerby*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *150* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			- 10	- 24								- 4	1
2		- 7	- 7			- 10							2
3	- 6				- 22								3
4	- 50					- 26	- 10		- 2	- 44	- 2	- 63	4
5	- 10		- 7			- 17		- 5		- 20			5
6		- 17			- 49						- 6		6
7		- 29	- 9							- 50			7
8		- 4			- 69	- 29			- 2	- 17	- 6		8
9		- 7											9
10				- 12	- 4								10
11	- 10			- 55		- 5					- 47		11
12	- 11										- 9		12
13								- 6		- 17			13
14		- 15							- 21		- 10		14
15		- 2	- 36	- 35								- 5	15
16											- 39		16
17			- 13	- 5		- 12			- 26		- 4		17
18			- 18										18
19	- 22				- 12				- 35		- 12		19
20										- 6	- 16		20
21	- 20		- 10	- 4	- 20			- 15					21
22			- 28				- 4	- 29					22
23	- 26		- 2		- 5	- 10		- 3	- 16				23
24								4					24
25				- 5					- 14	- 2	- 5		25
26		- 6							3	- 22			26
27													27
28	- 14		- 18	- 48		- 8				- 3	- 16		28
29			35	- 32	- 8							- 44	29
30	- 50		3		3					- 45		- 45	30
31					29								31
Total	3.49	- 87	1.96	2.64	2.21	1.27	- 14	- 62	1.19	2.26	1.72	1.61	19.58
Rain Days.	10	8	13	10	8	2	6	8	10	12	5		102

REGISTER OF RAINFALL IN 1914

Kept at *The Garden, Sutton Hall*
in the County of *Yorkshire*
by *W. Arthur J. Reg*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station *Sollerton*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. *14* in.
" " " " Sea Level *150* ft.

Form A.
BRITISH RAINFALL
20 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0 96 0 15					0 14	1
2							0 72 0 20				0 30 0 14		2
3			0 10				0 06 0 07				0 14 0 34		3
4			0 03 0 26 0 18									0 90	4
5			0 04 0 11								0 37 0 06		5
6		0 6 0 06									0 05		6
7			0 28		0 14 0 10						0 05 0 07		7
8	0 50					0 32 0 03					0 4 0 03		8
9	0 50 0 4			0 18 0 09 0 52									9
10	0 20												10
11		0 37 0 19									0 17 0 15		11
12		0 04							0 32			0 25	12
13		0 05 0 28									0 17 0 19		13
14			0 06				0 05			- 03		0 21	14
15		0 06										0 05	15
16			0 08				1 05				0 50		16
17	0 20 0 18								1 11			0 09	17
18												0 16	18
19							0 46		0 05			0 11	19
20		0 12											20
21		0 33 0 16				0 04		0 86					21
22						0 10 0 05 0 06						0 11	22
23			0 03		0 44 0 40							0 06	23
24					0 04			0 18			0 38		24
25			0 03 0 04 0 04				0 07			0 53 0 04 0 30			25
26							0 08 0 19			0 40 0 16 0 06			26
27											0 29 0 75		27
28		0 7								0 73 0 08			28
29			0 18					0 17		0 40 0 07			29
30		X			1 04 1 48					0 35 0 07 10			30
31	0 11	X		X		X	0 40 0 05		X		X		31
Total	1 51	1 32	1 48	0 52	1 04 1 48	3 93	1 93	1 48	2 44	2 88	4 27	26 80	
Rain Days.	5	10	12	4	8	7	11	9	3	6	16	21	

REGISTER OF RAINFALL IN 1915

Kept at Sutton Hall, Thirsk
in the County of Yorkshire N. Riding
by John H. Clements, H. Gardiner To J. H. Edwards Esq.

Lat. 54° 14' 1/2 Long. 1° 15' 1/2 W
Time of Observation 9 A.M.
Nearest Railway Station Thirsk Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 245 ft.

FORM A.
BRITISH RAINFALL
18 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.22	.01 ^{SN}	—	.06	—	.72	.22	.27	—	.21	.08	1
2	—	.14	.26	.08	—	—	.09	.65	—	—	.10	—	2
3	.62	.01	.10	.14	—	—	.32	.66	—	—	.08	.40	3
4	.16	—	.01	—	.01	.01	.42	.13	—	—	.65	.81	4
5	.15	.18	.01	—	—	.03	—	—	—	—	.01	.85	5
6	.09	.52	.03	.18	—	—	.53	.01	.04	.01	—	.08	6
7	.40	.53	.08 ^{SN}	—	—	—	.41	.20	—	—	—	.03	7
8	.15	.85	—	.02	—	.02	.10	.02	—	—	.06	—	8
9	.04	.63	—	—	—	—	.20	.15	—	.02	—	.42	9
10	.18	—	.06	—	—	—	—	.77	—	.01	—	.08	10
11	.01	.16	.02	.04	.69	—	.01	—	—	—	.07	.07	11
12	.14	.07	—	.31	.05	—	.05	.01	—	.12	1.19	.01	12
13	—	.54 ^{SN}	—	—	—	—	.03	—	—	—	.01	.04	13
14	.01	.16 ^{SN}	—	—	.04	—	.02	.08	—	.03	—	.04	14
15	.23	.07 ^{SN}	—	.01	—	—	.25	.08	—	.11	.26	.24	15
16	.05	.33	—	—	.05	—	.73	.01	—	.02	.01	.01	16
17	.08	.13	.02 ^{SN}	—	—	—	.07	—	—	—	—	.09	17
18	.07	.14	.17 ^{SN}	—	—	—	—	—	.02	.05	—	.04	18
19	—	.02	.22	—	—	—	.06	—	—	—	—	—	19
20	.07	—	—	—	.01	—	—	—	—	.01	—	.62	20
21	.29	.06	—	.11	—	—	.01	.01	—	—	—	.10	21
22	.03	—	.05	—	—	—	.12	.01	—	.01	—	.19	22
23	.35	.10 ^{SN}	.02	—	—	—	.14	—	.01	—	.01	.03	23
24	—	—	.06	.02	—	—	—	—	.19	.05	—	.10	24
25	—	—	.01	—	—	—	.04	—	.02	.02	.10 ^{SN}	.05	25
26	.01	.14	.08 ^{SN}	—	—	.20	.13	—	.01	.01	.03 ^{SN}	.41	26
27	.03	.18 ^{SN}	.02 ^{SN}	—	—	.06	.14	—	—	.37	.02 ^{SN}	.13	27
28	—	.07 ^{SN}	.05 ^{SN}	—	.12	—	.02	.23	—	.15	—	.01	28
29	.02	—	—	—	.23	—	—	.02	.16	.01	.20	.40	29
30	.10	X	—	.20	—	.01	.17	.12	.04	—	.01	—	30
31	.21	X	—	X	—	X	.02	.39	X	.03	X	.15	31
Total	3.82	3.85	1.28	1.11	1.26	.33	4.80	3.17	.76	1.03	2.42	5.38	YEAR'S TOTAL 29.21
Rain Days.	25	22	19	10	9	6	25	19	9	17	17	27	205

REGISTER OF RAINFALL IN 1916

Kept at Sutton Hall, Thirsk
in the County of Yorkshire Nth Riding
by John H. Clements Head Gardener
To J. H. Edwards Esq.

Lat. 54° 14' 1/2 Long. 1° 15' 1/2 W
Time of Observation 9 A.M.
Nearest Railway Station Thirsk 5 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 245 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.03	.04	—	—	.02	.17	—	—	—	.06	—	1
2	.03	.03	.14 S.N.	—	—	.06	—	—	.09	.08	.01	—	2
3	—	.07	.09 S.N.	.07	—	.01	.11	—	1.62	.06	.15	—	3
4	—	.22	.04 S.N.	.02	.45	.45	.02	—	.06	.29	.29	—	4
5	.01	.10	.10 S.N.	—	.20	.42	—	—	—	.51	.19	—	5
6	—	.24 S.N.	.29 S.N.	.09	.35	—	.15	—	—	.06	.29	—	6
7	—	.06 S.N.	.15 S.N.	.01	.14	.10	.09	—	—	.08	—	.15	7
8	—	.02 S.N.	.30 S.N.	—	.15	.03	.01	—	—	.09	.02	.05	8
9	.02	—	.03 S.N.	—	.09	.25	—	—	.02	—	—	.50	9
10	.04	.02	.02 S.N.	—	.01	.05	.15	—	—	.12	.03	.03	10
11	.03	.35 S.N.	.29 S.N.	.15	—	.16	.16	—	.11	.04	.01	.05	11
12	.01	.03	.23	.06	.39	.22	.68	.04	—	—	—	—	12
13	—	.03 S.N.	.15	—	.08	.01	.61	—	.05	.57	—	.06	13
14	—	.15 S.N.	.15	—	.12	.02	—	.07	—	.04	—	.36	14
15	—	.13	.48	—	.02	—	.05	.33	—	—	—	.01	15
16	.03	.07 S.N.	.13	.10	—	—	.04	.11	—	.01	—	.02	16
17	—	.04 S.N.	—	.25	—	—	.02	.05	.23	.15	.01	—	17
18	—	.27	—	.19	—	—	—	.04	.18	.07	1.42	.02 S.N.	18
19	.05	.01	.08	.11	—	—	—	.02	.08	—	.75	.16 S.N.	19
20	.05	—	.27	.08	—	.05	.07	.02	—	—	.11	.05 S.N.	20
21	.03	.03	.08	.13	.06	—	.01	—	—	—	—	—	21
22	—	.24 S.N.	.04 S.N.	—	—	.11	—	—	—	.17	—	.03	22
23	—	.03 S.N.	.05 S.N.	.02	—	.03	—	—	—	—	.15	.29 S.N.	23
24	—	.02 S.N.	.01 S.N.	.03	—	.61	—	.17	—	—	—	.03	24
25	—	.06 S.N.	.19 S.N.	—	—	—	—	.22	—	.17	.08	.08	25
26	.04	.20 S.N.	.03	—	—	.03	—	—	—	—	.02	—	26
27	—	.43	.07 S.N.	—	—	—	—	.56	.01	.32	—	—	27
28	—	.21	.01 S.N.	—	.04	.01	—	—	—	.04	—	.21	28
29	.01	.28	—	—	—	.09	—	—	—	.17	—	.09	29
30	—	X	—	—	.53	.02	—	—	—	.24	—	.01	30
31	—	X	—	X	—	X	—	—	X	.07	X	—	31
Total	.51	3.37	3.46	1.31	2.63	2.75	2.34	1.63	2.45	3.37	3.59	2.20	YEAR'S TOTAL 29.61
Rain Days.	13	27	26	14	14	21	15	11	10	21	16	19	days 207

REGISTER OF RAINFALL IN 1917

Kept at Sutton Hall Thirsk

in the County of Yorkshire (West Riding)

by John H. Clements Head Gardener.
10 A.H. Edwards Esq.

Lat. 54° 14' N Long. 1° 15' W
Time of Observation 9 A.M.
Nearest Railway Station Thirsk 5 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 245 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	S.N. .02	—	S.N. .15	—	.16	—	.49	.31	—	.12	.07	1
2	.07	—	—	S.N. .26	—	.02	—	.17	.05	—	—	—	2
3	—	S.N. .02	—	S.N. .02	—	.03	—	.08	—	—	—	—	3
4	—	—	S.N. .05	S.N. .01	—	—	—	—	—	.12	.02	—	4
5	.18	—	S.N. .19	S.N. .20	—	—	—	—	—	—	.03	—	5
6	—	—	—	S.N. .02	—	—	—	—	—	.13	.15	—	6
7	S.N. .78	—	S.N. .02	—	—	.05	—	Thunder -15	—	.37	.15	.03	7
8	S.N. .87	—	S.N. .05	Rain .05	—	—	—	Thunder 1.49	—	.29	.04	—	8
9	S.N. .25	—	S.N. .03	S.N. .10	—	—	—	.71	—	.05	.73	S.N. .16	9
10	S.N. .29	—	Rain .86	S.N. .27	.05	—	—	Thunder -14	—	.13	.27	—	10
11	.08	—	—	S.N. .03	.02	—	—	Thunder .39	—	.22	.02	—	11
12	S.N. .75	—	S.N. .01	Steele .10	.09	—	—	Thunder -12	—	.76	—	.03	12
13	.25	—	—	Steele .06	Thunder .33	—	—	Thunder -35	.10	.02	—	.10	13
14	S.N. .15	—	.03	Rain .08	.13	—	.02	Thunder .20	—	.01	—	.02	14
15	S.N. .21	.45	—	Rain .17	—	—	.14	.06	—	.01	—	S.N. .21	15
16	S.N. .06	.01	—	S.N. .26	—	—	—	.06	—	—	—	S.N. .64	16
17	S.N. .08	.03	.03	S.N. .20	.32	—	.02	.36	—	.05	—	S.N. .48	17
18	Rain .12	—	—	Rain .04	.07	—	Thunder .57	.10	.12	—	—	—	18
19	S.N. .11	.15	Steele .09	—	.10	.14	—	—	—	—	—	—	19
20	S.N. .09	.45	Steele .11	—	—	Thunder .71	.14	.04	.01	—	.38	.01	20
21	S.N. .15	.13	S.N. .39	—	—	—	—	.05	—	.02	—	—	21
22	—	—	S.N. .20	—	—	.17	—	.04	—	—	—	—	22
23	S.N. .14	.02	—	—	.06	.04	.02	.06	.07	.02	.02	.01	23
24	—	—	—	—	—	—	—	.05	—	.32	.16	—	24
25	S.N. .02	.06	S.N. .05	—	—	—	—	.05	—	.19	—	.15	25
26	—	—	S.N. .22	—	—	Thunder .11	—	.70	.07	.15	.20	.10	26
27	S.N. .01	—	S.N. .08	—	—	Thunder -13	.25	.47	—	.03	—	.03	27
28	S.N. .01	—	Rain .06	—	—	—	.24	.38	—	.10	—	—	28
29	—	—	S.N. .02	—	—	—	.12	.01	—	.40	.03	—	29
30	S.N. .01	X	S.N. .08	.05	—	—	.03	—	—	.02	.03	—	30
31	S.N. .05	X	S.N. .02	X	.02	X	.05	.02	X	—	X	.05	31
Total	4.73	1.34	2.59	2.07	1.19	1.56	1.54	6.74	.67	3.41	2.37	2.09	30.30
Rain Days.	23	10	20	18	10	10	11	26	7	21	15	15	186

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Sutton Hall, Garsdale
in the County of Yorkshire N.R. 3
by Katherine H. V. Grey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Tollerston
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 150(?) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.9			. 30						. 10		- 25	1
2		- 13		- 10									2
3	0.8	- 24		. 10						. 10		- 25	3
4		- 04		. 25				. 05	- 13		- 50		4
5			. 10	. 25		- 10		. 30					5
6								. 90	- 29	. 05	. 06	. 42	6
7		- 41				. 10		. 11					7
8	0.8							. 05			- 50		8
9		. 15						. 50					9
10		. 38	. 20								- 15		10
11													11
12	0.13	0.2							- 15				12
13									- 50	- 50			13
14						. 50	. 02		- 50	. 20			14
15			. 10				. 60		- 50				15
16	0.40						. 40	0.3	- 32			- 46	16
17							. 40		- 20				17
18	. 45					. 05	. 40			- 16		- 25	18
19	- 40								- 22				19
20	- 15											- 25	20
21		. 54	- 10			. 20	. 50	- 21					21
22					. 30								22
23					. 40				. 50	. 27		- 50	23
24					. 50		. 40		- 30				24
25		. 09			. 10								25
26					. 30		. 06			. 05			26
27					. 40		- 50		. 30	. 05	. 25	- 25	27
28									. 06				28
29												- 25	29
30		X							. 15		- 25	. 10	30
31		X		X		X			X	. 05	X	. 33	31
Total	1.78	2.06	- 50	1.00	2.00	- 65	3.28	2.15	4.12	1.53	1.71	3.31	24.03
Rain Days.	8	9	4	5	6	5	9	8	14	10	6	11	95

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at *Sutton Hall garden*

in the County of *Yorks N.R.*

by *J. H. Clements*

Lat. *54° 14' 1/2" N.* Long. *1° 15' 1/2" W*

Time of Observation *9 a.m.*

Nearest Railway Station *Thirsk*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *-* in.

" " " " Sea Level *245* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.05	.11	.09	.02	-	-	-	.13	.14			1
2	.08	.19	-	.08	-	-	-	-	.11	-			2
3	.12	.04	.03	-	.11	-	-	.03	-	.09			3
4	-	.03	.03	-	.17	-	.03	.17	.18	.03			4
5	-	.01	.01	.02	.23	-	-	.66	-	.04			5
6	.02	.25	-	.32	-	.42	-	.20	.01	.09			6
7	.24	.03	-	.15	-	.02	-	-	.21	.10			7
8	-	.03	.14	-	-	-	.27	.01	.04	.02			8
9	-	.41	-	.08	-	.07	-	-	.92	.26			9
10	.02	.02	.02	-	-	-	.47	-	.04	-			10
11	.22	.01	.09	-	.22	-	.21	-	.03	-			11
12	-	.15	.14	.01	.05	-	.38	.04	.12	.11			12
13	-	-	-	.07	.19	-	-	-	.30	.11			13
14	.17	-	-	.32	-	-	.05	-	.20	.06			14
15	.20	-	-	.04	.02	-	.36	-	.61	-			15
16	.02	-	-	-	-	.23	.38	.12	.19	-			16
17	.26	-	-	.02	.77	.21	.25	.13	.05	.25			17
18	.39	-	.03	.02	-	-	.03	-	.47	-			18
19	.27	-	.07	.17	-	.01	.48	.14	.01	.11			19
20	.15	.64	-	.10	-	.12	.12	-	.06	-			20
21	.19	.01	-	-	.83	.04	.03	-	.12	.16			21
22	.02	-	-	-	-	.03	.04	-	.03	-			22
23	.06	-	-	.01	.44	-	.15	-	.15	-			23
24	-	.07	-	-	-	-	.18	-	.20	.03			24
25	-	-	-	-	.02	-	.06	.31	.04	-			25
26	-	-	-	-	-	-	.32	.06	.31	-			26
27	-	.02	.05	-	-	.04	.01	.34	.15	-			27
28	-	.25	.10	-	-	-	-	-	.01	-			28
29	-	-	.27	-	-	-	-	.01	.39	-			29
30	-	X	.20	.01	-	-	-	-	.18	-			30
31	-	X	.15	X	-	X	-	.01	X	-	X		31
Total	2.46	2.21	1.44	1.51	3.07	1.19	3.82	2.23	5.26	1.60			YEAR'S TOTAL
Rain Days.	17	17	15	16	12	10	19	14	28	15			

Gauge removed when Mr. Clements left Sutton Hall having been 29 1/2

REGISTER OF RAINFALL IN 1920.

Kept at Sutton Hall
in the County of Yorkshire
by W. J. G. J. J.

Lat. _____ Long. _____
Time of Observation 9.30
Nearest Railway Station Falmer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14			03			50			11		25	1
2	04			28	50		50			26		25	2
3			15	16			60		35	50		10	3
4							40	10	30	33		16	4
5					10		15	70		1..04			5
6					05		25	08	06				6
7			10	15	06		46						7
8							12	20					8
9				23			06						9
10	04			40			07						10
11	70			10									11
12	46		03	12			25					50	12
13		05		18				04				10	13
14			25	12			25	02			20	03	14
15		30	20				05		25		10		15
16		21	10	29						59	10	01	16
17	07		20	13			50		11		07		17
18				32				05	21				18
19	20	29		10		1.15			06				19
20				25									20
21				05			25					02	21
22				07			20					02	22
23							20						23
24				05			27					18	24
25			37	10			07					05	25
26		07	05			70	75						26
27	24						17					04	27
28	30				55		12						28
29	50		30	05							64	08	29
30			04		90						09	39	30
31	25											14	31
TOTAL	2.94	-92	1.79	3.18	2.16	1.85	6.13	1.19	1.34	2.83	1.20	2.26	YEAR'S TOTAL
Days with 0.1 in. or more	118	5	11	20	6	2	22	7	7	6	6	16	119
Days with 0.4 in. or more	11	5	10	19	6	2	22	6	7	6	6	12	112



SWINTON

COUNCIL OFFICES
YORKSHIRE
1911

Kept at Bouncy
in the County of WR
by Horace

FORM A2.
BRITISH RAINFALL.
Gauge 10 JAN 1912
in. _____
ound 1 ft. _____
a Level 127 ft. _____
Name Midland
Distance 400 yds. Direction East
The result entered to the

IMPORTANT NOTE.
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	nil	nil	nil	nil	0.02	nil	nil	nil	nil	1
2	0.43	nil	nil	nil	nil	nil	nil	0.01	nil	nil	nil	0.20	2
3	0.01	nil	nil	nil	0.18	nil	nil	nil	nil	nil	0.15	0.02	3
4	0.01	nil	0.13	nil	0.02	nil	nil	0.02	0.50	0.09	nil	nil	4
5	0.02	nil	nil	nil	nil	nil	nil	0.04	nil	0.30	nil	nil	5
6	0.09	nil	nil	nil	nil	nil	nil	nil	nil	0.13	0.30	0.40	6
7	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.20	0.15	7
8	0.10	nil	0.06	nil	0.01	nil	nil	nil	nil	nil	0.35	0.15	8
9	nil	nil	nil	nil	nil	0.06	nil	nil	nil	nil	nil	0.25	9
10	0.01	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.15	10
11	nil	nil	nil	nil	nil	nil	nil	0.01	nil	0.10	0.15	0.20	11
12	0.16	nil	0.09	nil	0.02	nil	nil	nil	0.46	nil	0.25	0.20	12
13	0.12	nil	0.10	nil	nil	0.02	nil	nil	nil	0.06	0.40	0.25	13
14	nil	nil	0.04	nil	0.02	nil	0.04	nil	nil	nil	nil	0.30	14
15	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.16	nil	0.15	15
16	nil	nil	nil	nil	nil	0.12	nil	nil	nil	0.11	nil	0.10	16
17	nil	0.07	nil	0.01	~~0.25~~	0.35	0.01	nil	nil	nil	nil	0.10	17
18	nil	0.21	nil	0.02	nil	0.08	nil	nil	nil	nil	0.45	0.06	18
19	nil	nil	0.09	0.05	nil	0.02	nil	nil	0.21	nil	0.20	0.17	19
20	nil	0.04	0.05	0.20	nil	nil	0.03	nil	0.18	nil	nil	0.02	20
21	nil	0.19	nil	nil	nil	0.22	nil	0.56	nil	nil	nil	0.01	21
22	nil	nil	0.06	nil	nil	nil	0.02	0.06	nil	0.36	nil	0.06	22
23	nil	0.20	nil	nil	nil	0.40	nil	0.05	0.16	nil	0.02	0.10	23
24	nil	0.10	0.10	nil	nil	1.20	nil	0.02	nil	nil	nil	0.25	24
25	0.10	0.10	0.04	0.08	nil	nil	nil	nil	0.30	nil	0.04	0.02	25
26	nil	nil	nil	nil	0.30	nil	nil	nil	nil	0.28	0.02	0.30	26
27	nil	0.06	nil	0.06	nil	nil	nil	nil	0.46	nil	nil	0.05	27
28	nil	nil	0.08	0.25	nil	0.05	nil	0.87	nil	nil	nil	0.04	28
29	nil		0.04	nil	0.10	nil	0.10	nil	nil	0.10	0.10	nil	29
30	nil		0.02	0.04	nil	0.08	nil	nil	0.08	0.18	0.34	nil	30
31	nil		0.06		nil		nil	0.18		0.19		nil	31
Total	1.05	0.97	0.96	0.71	0.65	2.60	0.20	1.84	2.35	2.06	2.97	3.70	TOTAL for year
No. of Rain Days.	10	8	14	8	7	11	5	11	8	12	14	25	20.06

Kept at Council Offices, Surinboro
(Lipkoo)
in the County of NY York
by Horace Birks

FORM A2.
BRITISH RAINFALL.
10 JAN 1912
RAIN GAUGE { Pattern Herby's Gauge
Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 127 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Madland
Distance 400 yds. Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	nil	nil	nil	nil	0.02	nil	nil	nil	nil	1
2	0.43	nil	nil	nil	nil	nil	nil	0.01	nil	nil	nil	0.20	2
3	0.01	nil	nil	nil	0.18	nil	nil	nil	nil	nil	0.15	0.02	3
4	0.01	nil	0.13	nil	0.02	nil	nil	0.02	0.50	0.09	nil	nil	4
5	0.02	nil	nil	nil	nil	nil	nil	0.04	nil	0.30	nil	nil	5
6	0.09	nil	nil	nil	nil	nil	nil	nil	nil	0.13	0.30	0.40	6
7	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.20	0.15	7
8	0.10	nil	0.06	nil	0.01	nil	nil	nil	nil	nil	0.35	0.15	8
9	nil	nil	nil	nil	nil	0.06	nil	nil	nil	nil	nil	0.25	9
10	0.01	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.15	10
11	nil	nil	nil	nil	nil	nil	nil	0.01	nil	0.10	0.15	0.20	11
12	0.16	nil	0.09	nil	0.02	nil	nil	nil	0.46	nil	0.25	0.20	12
13	0.12	nil	0.10	nil	nil	0.02	nil	nil	nil	0.06	0.40	0.25	13
14	nil	nil	0.04	nil	0.02	nil	0.04	nil	nil	nil	nil	0.30	14
15	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.16	nil	0.15	15
16	nil	nil	nil	nil	nil	0.12	nil	nil	nil	0.11	nil	0.10	16
17	nil	0.07	nil	0.01	~~0.01~~	0.35	0.01	nil	nil	nil	nil	0.10	17
18	nil	0.21	nil	0.02	nil	0.08	nil	nil	nil	nil	0.45	0.06	18
19	nil	nil	0.09	0.05	nil	0.02	nil	nil	0.21	nil	0.20	0.17	19
20	nil	0.04	0.05	0.20	nil	nil	0.03	nil	0.18	nil	nil	0.02	20
21	nil	0.19	nil	nil	nil	0.22	nil	0.56	nil	nil	nil	0.01	21
22	nil	nil	0.06	nil	nil	nil	0.02	0.06	nil	0.36	nil	0.06	22
23	nil	0.20	nil	nil	nil	0.40	nil	0.05	0.16	nil	0.02	0.10	23
24	nil	0.10	0.10	nil	nil	1.20	nil	0.02	nil	nil	nil	0.25	24
25	0.10	0.10	0.04	0.08	nil	nil	nil	nil	0.30	nil	0.04	0.02	25
26	nil	nil	nil	nil	0.30	nil	nil	nil	nil	0.28	0.02	0.30	26
27	nil	0.06	nil	0.06	nil	nil	nil	nil	0.46	nil	nil	0.05	27
28	nil	nil	0.08	0.25	nil	0.05	nil	0.87	nil	nil	nil	0.04	28
29	nil		0.04	nil	0.10	nil	0.10	nil	nil	0.10	0.10	nil	29
30	nil		0.02	0.04	nil	0.08	nil	nil	0.08	0.18	0.34	nil	30
31	nil		0.06		nil		nil	0.18		0.19		nil	31
Total	1.05	0.97	0.96	0.71	0.65	2.60	0.20	1.84	2.35	2.06	2.97	3.70	TOTAL for year
No. of Rain Days.	10	8	14	8	7	11	5	11	8	12	14	25	20.06

82

RI

SWAINLEY
WHORLTON SCHOOL

33613
FORM A.
BRITISH RAINFALL

Kept at Whorlton
in the County of N.
by H. H. Pr...

age _____ in.
round _____ ft. _____ in.
Sea Level _____ ft.

IMPORTANT N
previous day. If an
requested to add the
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

1918-19.

result entered to the
al rule, he is earnestly
in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										07		08	1
2										01	40	12	2
3										06	32	01	3
4										14	32	10	4
5										05			5
6										11		01	6
7										05	23		7
8										07	01		8
9										10		02	9
10											02	01	10
11												03	11
12										12		01	12
13										09			13
14										01			14
15												75	15
16											01	23	16
17										01		40	17
18										06		08	18
19										27	01		19
20										09			20
21										12		03	21
22												43	22
23											04	01	23
24										01	02	17	24
25											01	32	25
26											07	01	26
27										01	08		27
28											01		28
29											01	65	29
30		X									07	43	30
31		X		X		X			X		X	01	31
Total										1.45	1.63	3.91	
Rain Days.										19	16	22	

YEAR'S TOTAL

82

RI

Kept at Whorlton School, Swainby, Northallerton
in the County of N. B. Yorks.
by H. H. Brunton

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

33613

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										07		08	1
2										01	40	12	2
3										06	32	01	3
4										14	32	10	4
5										05			5
6										11		01	6
7										05	23		7
8										07	01		8
9										10		02	9
10											02	01	10
11												03	11
12										12		01	12
13										09			13
14										01			14
15												75	15
16											01	23	16
17										01		40	17
18										06		08	18
19										27	01		19
20										09			20
21										12		03	21
22												43	22
23											04	01	23
24										01	02	17	24
25											01	32	25
26											07	01	26
27										01	08		27
28											01		28
29											01	65	29
30		X									07	43	30
31		X		X		X			X		X	01	31
Total										1.45	1.63	3.91	
Rain Days.										19	16	22	
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1919

Kept at *Kiblington School, Swainley, Northallerton*
in the County of *N. R. Yorks*
by *H. H. Brunton*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	03			23		43						1
2	03		02		01		53						2
3	01	01			02	13	36						3
4	78		46		10	07	04						4
5	02	09			02	01							5
6	05		14		03								6
7	02		13	01	09								7
8	23			07	03								8
9	04		04	02		01							9
10			08	02									10
11			64		16		23						11
12			50	01		05	07						12
13	09	01	05	18			21						13
14	20		02	64									14
15	06	06	05	11		01							15
16	01	05	02	06	01								16
17	01	05		04		01							17
18			04										18
19	03	12	65	03		04	50						19
20	48	21	03			09	45						20
21	15	10	11			07							21
22	01	06	05			02	15						22
23	01	03	05			19	02						23
24		01	04	10		08							24
25	04	13		02	08								25
26	01	36	30	04			01						26
27	14	12	01	56			03						27
28	05	01	01	14		02	03						28
29	24		02	01		01							29
30	01	X	03	20		51							30
31	07	X	02	X		X	09		X		X		31
Total	2.81	1.45	3.51	2.26	.76	1.33	3.16						YEAR'S TOTAL
Rain Days.	26	17	25	18	10	16	16						

TADCASTER GRAMMAR SCH

Kept at Tadcaster
in the County of ~~York~~
by Stanley

1915 - 1918

FORM A.
BRITISH RAINFALL
3. JAN 1916

1.2
M.
Tadcaster
5 in.
ve Ground — ft. 9 in.
Sea Level 50 ft.

IMPORTANT
previous day. If an Observer prefers not to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.29			.36	.12			.1	1
2	.5	.42	.11			.05		.3					2
3		.18	.02	.28			.04					.6	3
4	.79			.15			.9					.55	4
5	.18		.05									.6	5
6	.13	.43					.41	.3				.12	6
7	.3	.25	.1	.13			.02					.01	7
8	.4			.14			.02				.04		8
9	.12	.01		.08				.1		.15	.01	1.01	9
10			.1					.09					10
11	.31		.02		.72			.02			.12	.16	11
12					.06		.15			.16	.53		12
13	.06	.37											13
14		.02										.07	14
15	.06				.05						.41	.09	15
16	.29	.2			.05		.92			.03		.01	16
17		.14										.05	17
18		.13	.21										18
19													19
20												.44	20
21	.02	.04					.1					.11	21
22	.12		.1	.02			.1						22
23		.13	.05				.1			.42		.2	23
24	.06		.1						.4	.04		.18	24
25			.01							.02			25
26		.11				.05	.15		.03			.12	26
27	.02	.08				.02	.5			.32		.32	27
28		.08						.49		.05		.04	28
29		X			.32	.02				.02	.15	.5	29
30		X				.05				.04	.01		30
31	.14	X		X		X		.34	X		X	.22	31
Total	3.53	2.62	.84	.83	1.44	.19	3.41	2.00	.85	1.34	1.24	5.53	23.94
Rain Days.	16	15	11	8	6	5	12	8	3	10	8	21	23.94

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
3. JAN 1916

Kept at Jadcaster Grammar School

in the County of Yorkshire

by Stanley Hewitt

Lat. 53.9 Long. 1.2

Time of Observation 9 AM

Nearest Railway Station Jadcaster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.24			.36	.12			.1	1
2	.5	.42	.11			.05		.3					2
3		.18	.02	.28			.04					.6	3
4	.79			.15			.9					.55	4
5	.18		.05									.6	5
6	.13	.43					.41	.3				.12	6
7	.3	.25	.1	.13			.02					.01	7
8	.4			.14			.02				.04		8
9	.12	.01		.08				.1		.15	.01	1.01	9
10			.1					.09					10
11	.31		.02		.72			.02			.12	.16	11
12					.06		.15			.16	.53		12
13	.06	.37											13
14		.02										.07	14
15	.06				.05						.41	.09	15
16	.29	.2			.05		.92			.03		.01	16
17		.14										.05	17
18		.13	.21										18
19													19
20												.44	20
21	.02	.04					.1					.11	21
22	.12		.1	.02			.1						22
23		.13	.05				.1			.42		.2	23
24	.06		.1						.4	.04		.18	24
25			.01							.02			25
26		.11				.05	.15		.03			.12	26
27	.02	.08				.02	.5			.32		.32	27
28		.08						.49		.05		.04	28
29		X			.32	.02				.02	.15	.5	29
30		X				.05				.04	.01		30
31	.14	X		X		X		.34	X		X	.22	31
Total	3.53	2.62	.84	.83	1.44	.19	3.41	2.00	.85	1.34	1.24	5.53	23.94
Rain Days.	16	15	11	4	6	5	12	8	3	10	8	21	23.94

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916.

Kept at Tadcaster Grammar School

in the County of Yorkshire WR

by Stanley Hurst

Lat. 54° 25' N Long. 1° 25' W

Time of Observation 9 a.m.

Nearest Railway Station Tadcaster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 3 1/2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15			.21	.13				.16		1
2	.03	.06	.26						.26	.13	.01		2
3	.15	.04		.13				.01	.46	.2	.04		3
4		.22		.01	.65	.36			.23	.41	.3		4
5		.04	.12		.15	.15				.3	.32		5
6		.25	.1	.06	.37	.01	.12			.02	.25	.03	6
7	.04	.04	.06				.22			.04	.01	.24	7
8		.04	.1								.01	.08	8
9			.03		.41	.12			.27		.1	.14	9
10						.39	.04		.01	.04	.02	.05	10
11		1.00	.35	.03			.03		.01	.09		.02	11
12			.35	.01	.35		.33	.11		.02		.05	12
13		.04	.16				.1	.54		.64		.05	13
14		.03	.03		.06			.51		.06		.02	14
15		.3	.66				.1	.42	.01	.01			15
16	.16	.05	.16	.06			.5	.4		.01			16
17	.1			.11			.08	.03	.05	.11	.05		17
18	.08	.26		.09				.06	.13	.06	.35	.1	18
19	.16		.24	.04				.03	.03		.7		19
20			.4	.12	.03	.13	.03	.86			.02	.01	20
21			.03	.04			.42				.01	.04	21
22		.04		.04		.11				.1	.29	.11	22
23		.02						.05				.2	23
24		.41						.28		.02		.15	24
25		.15	.08		.04			.16		.05	.02		25
26			.05							.03			26
27		.14						.02		.1	.01		27
28		.26			.04					.11	.01	.12	28
29		.2				.08				.2		.2	29
30		X								.15		.02	30
31		X		X		X			X	.02	X		31
Total	.56	3.41	3.36	.22	2.10	1.55	1.60	3.48	1.46	2.95	2.51	1.66	25.06
Rain Days.	6	20	18	12	9	9	11	14	10	24	19	18	170

REGISTER OF RAINFALL IN 1917

Kept at Yadcaster Grammar School
in the County of Yorkshire
by G. Hillarby

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		13							25	17	1
2	05	02		18		02						04	2
3		01		12		08	01			06	10		3
4		02	32	02						15	10		4
5	23		12	30					30		30		5
6	36		01								19		6
7	10					03				56			7
8	46	01		13					01	33	05		8
9	08		21	06						02	25		9
10	22		33	05	05					02			10
11	03			30						42			11
12	15			01	28					12		02	12
13	30				33			2.83	14	31			13
14	10	02		07				45					14
15	02			03			25	06	02	01			15
16	03	05	01	15								37	16
17			01		51		01	40	01	01		13	17
18	09			18	30			09	09			02	18
19	05	12	05		05	38	20						19
20	12	20	03			70		04	01		35		20
21	02	04	075					11	01	01			21
22		04	14					05	01	03			22
23		05			08	01	01	04					23
24						10		04		43	21		24
25		04				01	01	11		33			25
26			03			01		50	02	35	10		26
27			03			31		75				03	27
28	04		20			01	10	07					28
29							07			30	08	07	29
30	02	X	15				02	01					30
31		X	07	X		X	03		X		X		31
Total	2.47	63	1.785	1.73	1.60	1.66	71	5.55	62	3.46	1.98	85	23.945
Rain Days.	19	13	16	14	7	11	10	15	10	18	11	8	152

REGISTER OF RAINFALL IN 1918

Kept at Ladcaster Grammar School
in the County of W. B. York
by G. Hillary

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

262
229
FORM A.
BRITISH RAINFALL
22-119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08	10	04	01	01	-							1
2			01	05									2
3	01		03		56								3
4			02		09								4
5		34	12	05	50								5
6	03	36	01	29									6
7	25	03		12									7
8		05	04	07									8
9		43		08									9
10		01		01									10
11	15	13	01		24								11
12		09	05	04	14								12
13		01		06	13								13
14	03			02									14
15	08		01										15
16													16
17				01	04								17
18			02										18
19			05	06									19
20	92	40											20
21	15	05			80								21
22	05			01									22
23	09				37								23
24		04											24
25													25
26													26
27		02	01										27
28		17	16										28
29			06										29
30		X	17										30
31		X	23										31
Total	1.84	2.23	1.04	.88	2.88								YEAR'S TOTAL
Rain Days.	14	18	17	14	10								

REGI

TADCASTER
OXTON HALL

Kept at

Oxton H.

in the County of

YORKSHIRE

by

James Rod

IMPORTANT NOT

previous day. If an Ob

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		6			11	22		23	10				1
2		31			17			16					2
3	2	10	24	20		8		11					3
4	72			10		62						101	4
5	16											8.2	5
6	14	27				37						8.8	6
7	3	29	5	8		2		29				12	7
8	37	28	12	16				52					8
9	9	2		11		5		6			7		9
10		4								10			10
11	28					2		7				55	11
12	1	3		1	58		14						12
13	4			27	8					24	84		13
14		31					4						14
15		22			6			4					15
16	29						83	11				35	16
17		21			5								17
18		14					18					05	18
19		11	26										19
20													20
21	1	22										48	21
22	10			4			22					14	22
23			9				21						23
24	6	3	4	4						7			24
25			9						14			20	25
26							13		4			08	26
27	2	9										58	27
28	2						31			41		07	28
29								37					29
30		X			29			2				54	30
31	12	X		X		X		32	X		X		31
Total	2.46	2.34	.89	1.01	1.34	1.38	2.06	1.83	28	.82	.91	5.87	21.195
Rain Days.	17	17	17	17	17	17	17	17	17	17	17	17	

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL.
20 JAN 1916

Kept at *Oxton Hall, Tadcaster.*

in the County of *Yorkshire*

by *James Roberts (Gardener)*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station *Tadcaster.*

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		6			11	22		23	10				1
2		31			17			16					2
3	2	10	24	20		8		11					3
4	72			10		62						1.01	4
5	16											8.2	5
6	14	27				37						8.8	6
7	3	29	5	8		2		29				12	7
8	37	28	12	16				5½					8
9	9	2		11		5		6			7		9
10		4								10			10
11	28					2		7				55	11
12	1	3		1	58		14						12
13	4			27	8					24	84		13
14		31					4						14
15		2½			6			4					15
16	27						83	11				35	16
17		21			5								17
18		14					18					05	18
19		11	26										19
20													20
21	1	2½										48	21
22	10			4			22					14	22
23			9				21						23
24	6	3	4	4						7			24
25			9						14			20	25
26							13		4			08	26
27	2	9										58	27
28	2						31			41		07	28
29								37					29
30					29			2				54	30
31	12							32					31
Total	2.46	2.34	.89	1.01	1.34	1.38	2.06	1.83½	.28	.82	.91	5.87	21.195
Rain Days.	9	7	7	9	7	7	8	12	3	4	2	14	

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Oxton Hall Tadcaster
 in the County of York W.R.
 by James Roberts

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Tadcaster
 Diameter of Funnel of Rain Gauge 6 inches
 Height of top of Gauge above Ground _____ ft. 11 inches
 " " " " Sea Level _____ ft.

3434
 FORM A.
 BRITISH RAINFALL
 23 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	13		15				32				16		1
2		7				27			15	14			2
3	3								70				3
4					62	30			28	39	42		4
5		22		14	20					27	17		5
6		23	20		35						31		6
7		8	4		6		38			5		29	7
8		3	12		4	14							8
9			4		42	32			11			24	9
10						19	7		5	4	10	6	10
11		45	30	11		10							11
12			33		28		45	12					12
13			16				8	40		61			13
14		11	3		5			60					14
15			66				7	33					15
16		12	14	4				50					16
17				9			8		6	19			17
18		22						8	19		72		18
19		4	17	17				5			27	48	19
20	12		33	7				55			3		20
21	24		4	5			34						21
22			2			12		8					22
23			5					10			5	22	23
24								20					24
25		23	6					15		9	3		25
26		5						2		19			26
27		19								17			27
28		28	1							11			28
29										18		38	29
30		X											30
31		X		X		X			X	2	X		31
Total	52	2.32	2.85	.67	2.02	1.44	1.79	3.18	1.54	2.45	2.26	1.67	22.71
Rain Days.	4	14	18	7	8	7	8	13	7	13	10	6	115

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Oxton Hall Tadcaster

in the County of York

by James Roberts Gardener

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Tadcaster

Diameter of Funnel of Rain Gauge 5 inches

Height of top of Gauge above Ground _____ ft. 15 inches

" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				36					24		28	13	1
2	3			20		2							2
3											2		3
4			3							22		2	4
5			13							5	5		5
6				23						6.1	16		6
7				5						21		2	7
8	68			9					3				8
9	25		4	14									9
10	14		56	15						5	21		10
11				19						13	3		11
12					23					47			12
13	29									15			13
14	9			8									14
15	15						21					25	15
16												21	16
17				23	51			50					17
18				4	10		32	3	12				18
19	16					38							19
20	5	52				77					42		20
21		6						18					21
22		1	25			8		3	2				22
23			19		6	7		4					23
24						6		6		48	25		24
25								9		25	9		25
26								53	2	49			26
27			19			23	9	65				4	27
28			17				10	5		2			28
29							37	1				10	29
30		X			5			5		4	5		30
31		X		X		X			X		X	6	31
Total	184	59	156	176	95	161	109	222	43	3.17	156	83	17.61
Rain Days.	9	3	8	11	5	7	5	12	5	13	10	8	96

Altitude 333

TERRINGTON

Kept at *The Cliff*

THE CLIFF

in the County of *Gloucester*

Has cellars

a. m.

1915

IMPORTANT
entered to the prev

possible, and the result

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	.23	.7	0	.19	0	.58	.79	.92	0	.8	.9	1
2	—	.15	.20	.9	0	.4	.5	.17	.7	0	.5	0	2
3	.62	0	.11	.10	0	0	.10	.16	.2	0	.16	.48	3
4	.12	.1	.2	0	.1	0	.68	.18	.0	0	.3	.79	4
5	.23	.3	.5	0	.27	.1	0	.2	.0	.4	0	.71	5
6	.04	.21	.6	.13	.9	0	.63	.10	.4	.2	0	.11	6
7	.34	.44	.8	.10	0		.12	.23	0	0	0	.2	7
8	.14	.3	.3	0	0		.10	.6	0	0	.5	0	8
9	—	.3	0	0	0		.7	.6	0	0	0	.46	9
10	.29	.1	0	0	0		0	.14	0	.1	0	.7	10
11	.02	.16	.2	.10	.61	0	.1	.5	0	0	.11	.6	11
12	.15	.6	0	.25	.3	0	.10	.6	0	.19	.71	0	12
13	.01	.40	0	0	0	0	0	.10	.2	0	.14	.7	13
14	—	.17	0	0	0	0	.3	.8	0	.1	0	.2	14
15	.27	.10	0	0	0	0	.41	.1	0	.4	.16	.23	15
16	—	.38	0	0	.5	0	.88	.4	0	0	0	.7	16
17	.12	.17	.2	0	0	0	.4	.8	0	0	.8	.5	17
18	.02	.8	.30	0	0	0	0	0	.3	.1	.3	.3	18
19	—	.2	.6	0	0	0	.12	0	0	0	0	0	19
20	.16	.0	.1	0	0	0	0	0	0	.7	0	.42	20
21	.10	.4	0	.9	0	0	.2	0	0	0	0	.5	21
22	—	.1	.10	0	0	0	.38	.1	0	0	0	.24	22
23	.20	.4	.1	0	0	0	.15	0	.3	0	.2	.7	23
24	—	0	.14	.4	0	0	0	0	.66	.3	0	.18	24
25	—	.0	.1	0	0	.5	.3	0	.3	0	.7	.5	25
26	.02	.22	.9	0	0	.11	.10	0	0	0	0	.33	26
27	.01	.7	0	0	0	.15	.44	0	0	.18	0	.22	27
28	—	.8	.5	0	.2	0	.4	.26	0	.18	0	.1	28
29	.01		0	0	.37	0	0	.2	.18	.2	.20	.25	29
30	.02		0	.17	.1	0	0	.2	0	0	.1	.1	30
31	.25		0		0		0	.36		0		.16	31
Total	3.33	3.14	1.43	1.07	1.65	.36	5.08	3.00	2.00	.80	1.90	5.55	TOTAL
No. of Rain Days	22	24	19	9	10	5	22	22	10	12	15	27	29.01
													29.27
													197

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE TWOPENCE.

Altitude 333

Register of Rainfall in 1915

3 - JAN 1916

Kept at *The Cliff, Torrington*

by *Sir Alfred Ascelles*

in the County of *York*

N

Time of Observation *9 a.m.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	.23	.7	0	.19	0	.58	.79	.92	0	.8	.9	1
2	—	.15	.20	.9	0	.4	.5	.17	.7	0	.5	0	2
3	.62	0	.11	.10	0	0	.10	.16	.2	0	.16	.48	3
4	.12	.1	.2	0	.1	0	.68	.18	.0	0	.3	.79	4
5	.23	.3	.5	0	.27	.1	0	.2	.0	.4	0	.71	5
6	.04	.21	.6	.13	.9	0	.63	.10	.4	.2	0	.11	6
7	.34	.44	.8	.10	0		.12	.23	0	0	0	.2	7
8	.14	.3	.3	0	0		.10	.6	0	0	.5	0	8
9	—	.3	0	0	0		.7	.6	0	0	0	.46	9
10	.29	.1	0	0	0		0	.14	0	.1	0	.7	10
11	.02	.16	.2	.10	.61	0	.1	.5	0	0	.11	.6	11
12	.15	.6	0	.25	.3	0	.10	.6	0	.19	.71	0	12
13	.01	.40	0	0	0	0	0	.10	.2	0	.14	.7	13
14	—	.17	0	0	0	0	.3	.8	0	.1	0	.2	14
15	.27	.10	0	0	0	0	.41	.1	0	.4	.16	.23	15
16	—	.38	0	0		0	.88	.4	0	0	0	.7	16
17	.12	.17	.2	0	0	0	.4	.8	0	0	.8	.5	17
18	.02	.8	.30	0	0	0	0	0	.3	.1	.3	.3	18
19	—	.2	.6	0	0	0	.12	0	0	0	0	0	19
20	.16	.0	.1	0	0	0	0	0	0	.7	0	.42	20
21	.10	.4	0	.9	0	0	.2	0	0	0	0	.5	21
22	—	.1	.10	0	0	0	.38	.1	0	0	0	.24	22
23	.20	.4	.1	0	0	0	.15	0	.3	0	.2	.7	23
24	—	0	.14	.4	0	0	0	0	.66	.3	0	.18	24
25	—	.0	.1	0	0	.5	.3	0	.3	0	.7	.5	25
26	.02	.22	.9	0	0	.11	.10	0	0	0	0	.33	26
27	.01	.7	0	0	0	.15	.44	0	0	.18	0	.22	27
28	—	.8	.5	0	.2	0	.4	.26	0	.18	0	.1	28
29	.01		0	0	.37	0	0	.2	.18	.2	.20	.25	29
30	.02		0	.17	.1	0	0	.2	0	0	.1	.1	30
31	.25		0		0		0	.36		0	—	.16	31
Total	3.33	3.14	1.43	1.07	1.65	.36	5.08	3.00	2.00	.80	1.90	5.55	29.01
No. of Rain Days	22	24	19	9	10	5	22	22	10	12	15	27	27.27
													197

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE TWOPENCE.

R

THIRSK.

Kept at Brynke

in the County of N. H.

by Allen B. J.

BRYNKELL HOW

YORKS

1911 - 1920

IMPORTANT NOTE
previous day. If an C
requested to add the re
for it at the end of t
the selection and plac
Organization are given

Dr. H. R. MILL, 62, Camden Square, London, N.W.

11

11
Meteorological Office
8 in.

ove Ground 1 ft. in.

Sea Level 115 ft.

a m.

Name Thirsk

Distance 12 miles Direction West

and the result entered to the
universal rule, he is earnestly
year in the space provided
crement of rain,
British Rainfall
on application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	.05	-	.03	-	-	1
2	-	-	-	-	.19	-	.12	-	-	.17	.03	.05	2
3	.40	-	-	.05	.18	-	-	.01	-	.05	.03	.02	3
4	.02	-	.08	.38	-	-	-	.16	.02	.04	.20	.24	4
5	-	-	.02	.15	.02	-	-	.63	-	-	.02	-	5
6	.05	-	.09	.01	-	-	-	.18	-	-	.09	.42	6
7	.20	-	-	-	.01	-	-	-	-	-	.03	-	7
8	-	-	.09	-	-	.01	-	-	.04	-	.04	.51	8
9	-	-	~~.03~~	.05	-	-	-	-	-	-	-	.06	9
10	-	.05	~~.03~~	.01	-	-	-	-	-	-	.01	.35	10
11	-	-	.03	-	-	.01	-	-	-	-	.13	.01	11
12	.30	-	.02	-	.07	.04	-	-	.78	-	.37	.01	12
13	.29	.03	.24	-	.05	.02	-	-	-	-	.01	.42	13
14	-	.10	.17	-	.16	-	-	-	-	-	.02	.53	14
15	-	.01	.18	-	-	-	-	-	-	-	.18	.23	15
16	-	-	.15	.02	-	.03	.22	-	-	-	-	.10	16
17	-	-	.02	-	.04	.07	.07	-	-	-	.23	.06	17
18	-	.05	.10	-	-	.23	-	-	-	-	.26	.10	18
19	-	-	-	-	-	.03	.13	.02	.09	.09	.64	.05	19
20	-	.08	-	.04	-	-	.10	.84	.05	.01	.02	.20	20
21	-	.22	-	.01	-	-	-	.49	-	.10	.10	.02	21
22	-	-	-	.01	.01	-	-	.20	-	.04	.10	-	22
23	.13	.12	-	-	-	1.07	-	-	.22	.03	-	.19	23
24	.04	.01	.03	-	-	1.03	-	.02	-	.15	-	.08	24
25	.01	.04	-	.03	-	.38	.01	-	.37	.04	.02	.11	25
26	-	-	-	.08	.12	-	.07	.02	-	.69	.30	.14	26
27	-	.03	.01	.04	-	-	-	.21	.16	.04	.02	.04	27
28	-	.01	.01	.20	-	.04	-	.03	-	.02	.02	.11	28
29	-	-	-	.18	-	.01	.05	.03	.44	.25	-	.02	29
30	-	-	-	-	.08	-	-	-	.14	.08	.01	-	30
31	-	-	.01	-	.11	-	-	-	-	.14	-	.04	31
Total	1.44	.75	1.35	1.26	1.04	2.97	.77	2.89	2.31	1.97	2.88	4.11	TOTAL for year 23.74
No. of Rain Days.	9	12	16	15	12	13	8	14	10	17	24	26	176

R

Kept at *Bryn Kellhow, Thirsk*in the County of *N. Riding Yorkshire*by *Allan B. Hall*

Pattern *Meteorological Office*
RAIN GAUGE Diameter of top *8* in.
Height of top above Ground *1* ft. *-* in.
" " " Sea Level *115* ft.
Time of Observation *9 a.m.* *Thirsk*
Nearest Railway Station { Name
Distance *1 1/2 miles* Direction *West*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	.05	-	.03	-	-	1
2	-	-	-	-	.19	-	.12	-	-	.17	.03	.05	2
3	.40	-	-	.05	.18	-	-	.01	-	.05	.03	.02	3
4	.02	-	.08	.38	-	-	-	.16	.02	.04	.20	.24	4
5	-	-	.02	.15	.02	-	-	.63	-	-	.02	-	5
6	.05	-	.09	.01	-	-	-	.18	-	-	.09	.42	6
7	.20	-	-	-	.01	-	-	-	-	-	.03	-	7
8	-	-	.19	-	-	.01	-	-	.04	-	.04	.51	8
9	-	-	~~.03~~	.05	-	-	-	-	-	-	-	.06	9
10	-	.05	~~.03~~	.01	-	-	-	-	-	-	.01	.35	10
11	-	-	.03	-	-	.01	-	-	-	-	.13	.01	11
12	.30	-	.02	-	.07	.04	-	-	.78	-	.37	.01	12
13	.29	.03	.24	-	.05	.02	-	-	-	-	.01	.42	13
14	-	.10	.17	-	.16	-	-	-	-	-	.02	.53	14
15	-	.01	.18	-	-	-	-	-	-	-	.18	.23	15
16	-	-	.15	.02	-	.03	.22	-	-	-	-	.10	16
17	-	-	.02	-	.04	.07	.07	-	-	-	.23	.06	17
18	-	.05	.10	-	-	.23	-	-	-	-	.26	.10	18
19	-	-	-	-	-	.03	.13	.02	.09	.09	.64	.05	19
20	-	.08	-	.04	-	-	.10	.84	.05	.01	.02	.20	20
21	-	.22	-	.01	-	-	-	.49	-	.10	.10	.02	21
22	-	-	-	.01	.01	-	-	.20	-	.04	.10	-	22
23	.13	.12	-	-	-	1.07	-	-	.22	.03	-	.19	23
24	.04	.01	.03	-	-	1.03	-	.02	-	.15	-	.08	24
25	.01	.04	-	.03	-	.38	.01	-	.37	.04	.02	.11	25
26	-	-	-	.08	.12	-	.07	.02	-	.69	.30	.14	26
27	-	.03	.01	.04	-	-	-	.21	.16	.04	.02	.04	27
28	-	.01	.01	.20	-	.04	-	.03	-	.02	.02	.11	28
29	-	-	-	.18	-	.01	.05	.03	.44	.25	-	.02	29
30	-	-	-	-	.08	-	-	-	.14	.08	.01	-	30
31	-	-	.01	-	.11	-	-	-	-	.14	-	.04	31
Total	1.44	.75	1.35	1.26	1.04	2.97	.77	2.89	2.31	1.97	2.88	4.11	TOTAL for year 23.74
No. of Rain Days.	9	12	16	15	12	13	8	14	10	17	24	26	176

REGISTER OF RAINFALL IN 1913

K^{pt} at Brynkeelhow, Thirsk
in the County of Yorkshire N.R.2
by Allen B. Hall

Pattern Recognized official
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 115 ft.
Time of Observation 9 a.m. Thirsk
Nearest Railway Station { Name
Distance 12 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.35	.08	.01	-	.20	-	.25	.30	.03	-	.15	1
2	.15	.07	.22	.02	-	.38	.77	.01	.09	.07	-	-	2
3	-	.09	.01	-	-	.80	-	.25	.16	.02	-	.16	3
4	.23	-	.49	-	.03	.77	-	.64	.05	-	.49	-	4
5	.04	-	-	-	.20	.09	-	.01	-	-	.01	-	5
6	.45	.38	-	-	-	.01	-	.36	.01	-	-	.01	6
7	-	.06	-	-	.07	-	-	.83	.18	-	.02	.01	7
8	.40	.20	.13	-	-	.12	-	-	.25	.03	.27	.02	8
9	-	.04	.05	.03	-	.54	-	.01	.03	-	.04	.01	9
10	-	.01	.01	.02	.02	.53	-	.19	.01	-	.15	-	10
11	.20	.02	.01	-	-	-	-	.04	.02	-	.22	.15	11
12	.05	.02	.05	-	-	.12	.89	-	-	-	.45	.01	12
13	-	.02	-	-	-	.04	-	.01	-	.12	.59	.02	13
14	.17	-	.41	-	-	.19	-	.02	-	-	.02	.04	14
15	.06	.02	.30	-	.62	.07	-	-	-	-	-	.04	15
16	.65	.01	.15	-	.06	.16	-	.01	-	.12	-	-	16
17	.01	.04	.26	-	-	.25	.02	.20	-	-	-	.05	17
18	.10	.01	-	-	-	-	.04	.42	-	.02	-	-	18
19	.15	.23	.02	-	-	-	.30	.31	-	.06	.04	-	19
20	.25	.10	-	-	.56	.14	.02	.02	-	.11	-	-	20
21	-	-	.28	-	.02	.01	.02	-	-	.11	.04	-	21
22	.03	.09	-	-	.53	.47	-	.18	-	.01	-	.01	22
23	-	-	.14	-	.03	-	.24	.44	-	.02	.08	-	23
24	.11	-	-	-	-	.12	.07	.13	-	-	-	.12	24
25	.15	-	.02	-	-	.66	-	.11	-	.02	.12	.04	25
26	-	.03	.03	-	-	.03	.12	.16	-	.81	.05	.23	26
27	-	-	.04	-	.01	.23	.28	.02	-	.27	.04	.09	27
28	-	-	-	.02	.21	.01	.17	.64	-	.28	.13	-	28
29	-	.01	-	-	-	.02	.18	.03	.57	.04	-	.03	29
30	-	-	.15	-	.19	-	-	-	.29	.11	-	-	30
31	-	-	.18	-	.03	-	.47	.37	-	.02	-	-	31
Total	3.30	1.79	3.03	.10	2.58	5.96	3.59	4.86	1.96	2.26	2.73	1.19	TOTAL for year 53.35
No. of Rain Days.	17	20	21	5	14	24	14	26	12	19	17	18	207

REGISTER OF RAINFALL IN 1913

Kept at Bryn Kellhow, Shirk
in the County of Yorkshire N.R.
by Allen B. Hall

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Shirk
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 115 ft.

FORM A.
BRITISH RAINFALL
3-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.10	.24	—	—	—	—	.01	—	.07	—	1
2	.01	.08	.06	.06	—	.08	—	—	—	—	.08	—	2
3	.02	—	—	—	.20	—	.14	—	—	.08	—	.02	3
4	.36	.02	—	—	—	.03	—	—	—	.11	.16	.07	4
5	.35	.04	.01	—	—	.03	—	.31	—	.19	—	—	5
6	.03	.26	.12	—	.52	.05	.27	—	—	—	.02	—	6
7	—	.30	—	.07	.09	.05	—	—	—	.31	—	—	7
8	—	.01	.02	—	.41	.07	—	—	.08	.09	.07	—	8
9	—	.06	—	.04	.14	.02	—	.09	—	—	.01	—	9
10	—	.17	.01	.01	.13	—	—	—	—	.04	.40	—	10
11	1.00	—	—	.61	.04	—	—	—	—	—	.08	.01	11
12	.08	.02	—	—	—	—	—	—	.05	—	.27	—	12
13	—	—	—	.05	—	—	—	.06	.24	.01	.10	—	13
14	.08	.06	.11	.04	—	—	.08	—	—	.09	—	.03	14
15	.26	—	.37	.31	—	—	—	—	—	—	.19	—	15
16	—	—	—	—	—	—	.02	.02	—	—	.03	—	16
17	.02	—	.19	.10	—	.21	.01	—	.14	—	.07	—	17
18	.02	—	.28	.10	—	.07	—	—	—	—	.07	.02	18
19	.17	—	.03	—	.10	.02	—	—	.11	.02	—	—	19
20	.06	—	.09	.03	—	—	—	—	.03	.09	.18	—	20
21	.03	—	—	.02	.07	—	.04	.17	.12	—	—	—	21
22	.09	—	.26	—	.07	—	—	.38	—	—	—	—	22
23	.08	—	.01	—	—	.04	.02	.02	.20	—	.03	—	23
24	.08	—	—	.06	—	.34	—	—	—	—	.02	—	24
25	—	—	—	.02	—	—	—	—	.26	.03	.03	—	25
26	—	.06	.03	.28	—	.03	—	—	.09	.24	.14	.21	26
27	—	.05	.01	.39	—	.15	—	—	—	.01	.03	.11	27
28	.32	—	.20	.40	—	—	—	—	—	—	—	.24	28
29	.05	—	.22	.46	.07	—	—	.04	—	.01	.04	.62	29
30	.32	—	.04	—	—	—	—	—	—	.60	—	.10	30
31	.04	—	.01	—	.06	—	—	.02	—	—	—	—	31
Total	3.53	1.13	2.17	3.29	1.90	1.39	.58	1.11	1.33	1.92	2.09	2.03	YEAR'S TOTAL 22.47
Rain Days.	22	12	20	19	12	14	7	9	11	15	21	10	172

REGISTER OF RAINFALL IN 1914

Kept at Bryn Cellanow, Thirsk
in the County of Yorkshire N.R. 2
by Allen B. Hall

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Thirsk 1½ miles
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 115 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	—	—	.01	1.07	.45	—	—	—	.16	1
2	—	—	—	—	—	—	.69	.40	—	.04	.19	.16	2
3	—	—	.04	—	.28	—	—	.02	—	—	.13	.50	3
4	—	—	.03	.16	.12	—	—	—	—	—	.09	.51	4
5	.03	.02	.05	.08	.05	.04	.02	—	—	.02	.13	.06	5
6	—	.06	—	.03	.10	—	—	.02	—	—	.05	.08	6
7	—	.03	.20	.04	.08	.17	—	—	—	—	.12	.12	7
8	.40	—	.04	—	.15	.21	—	.07	.01	.03	—	.02	8
9	.38	.04	—	.11	—	.54	—	.05	.02	—	.04	.03	9
10	.25	.13	—	—	—	—	—	—	.10	—	.03	—	10
11	—	.21	.16	—	.05	—	—	—	.06	—	.21	.12	11
12	—	.01	.02	—	—	—	—	—	.14	—	—	.37	12
13	.01	.12	.20	—	—	—	—	—	—	—	.11	.27	13
14	.02	.11	—	.03	—	—	.06	—	—	—	.15	.21	14
15	.04	.01	.08	—	—	—	.01	—	.04	—	.35	.08	15
16	.04	—	.11	—	—	—	1.37	—	.55	—	.06	—	16
17	.04	.09	—	—	—	—	.02	—	.45	—	.02	.05	17
18	—	—	.09	—	—	—	—	—	.04	—	.03	.14	18
19	.02	—	.01	—	.02	—	.02	—	—	—	.06	.07	19
20	—	.12	.23	—	—	—	—	—	—	.02	—	—	20
21	—	.40	—	—	—	—	.04	.01	—	.04	.04	—	21
22	—	.01	—	—	.06	.09	—	.03	—	.04	—	.13	22
23	—	—	.08	—	.43	.32	—	—	—	—	.02	.08	23
24	—	—	.06	.05	.14	—	—	.14	—	—	.27	—	24
25	—	.05	.08	—	—	—	.01	.19	—	.67	.05	.39	25
26	—	—	.09	—	—	—	.12	.06	—	.33	.16	.21	26
27	.03	—	—	—	—	—	—	—	—	.03	.11	.61	27
28	—	.01	.01	—	.05	—	—	.01	—	.10	.07	.14	28
29	—	~~X~~	.13	—	.01	—	—	.13	—	.25	.05	—	29
30	—	~~X~~	.10	—	—	—	—	.05	—	.05	.10	.20	30
31	.18	~~X~~	—	~~X~~	—	~~X~~	.40	.03	~~X~~	.25	~~X~~	—	31
Total	1.44	1.43	1.81	.50	1.54	1.38	3.83	1.66	1.41	1.87	2.64	4.71	YEAR'S TOTAL 24.22
Rain Days.	12	17	20	7	13	7	12	15	9	13	25	24	174

REGISTER OF RAINFALL IN 1915

Kept at Brynckellhow Thirsk
in the County of Yorkshire North Riding
by Allan B Hall

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 115 ft.

FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.23	—	—	.04	—	1.02	.27	.53	—	.08	.08	1
2	.01	.17	.23	.10	—	.03	.09	.70	—	—	.05	—	2
3	.46	.01	.08	.13	—	—	.25	.21	—	—	.05	.50	3
4	.19	—	.01	—	.04	—	.44	.15	—	—	.04	.23	4
5	.13	.18	—	.02	—	—	—	—	—	—	.02	.83	5
6	.10	.41	.03	.13	—	—	.72	.03	.04	.04	—	.10	6
7	.32	.49	.05	—	—	—	.37	.24	—	—	—	.02	7
8	.12	.04	—	—	—	—	.08	.03	—	—	.07	—	8
9	.01	.02	—	—	—	—	.16	.03	—	.02	—	.46	9
10	.15	—	.06	—	—	—	—	.37	—	—	—	.06	10
11	—	.12	.06	.02	.63	—	—	—	—	—	.01	.09	11
12	.13	.05	—	.30	.03	—	.03	.03	—	.06	.72	—	12
13	—	.29	—	—	—	—	.02	—	—	—	.01	—	13
14	—	.12	—	—	.07	—	.04	—	—	—	—	.05	14
15	.25	.01	—	.03	—	—	.26	.07	—	.06	.70	.24	15
16	.01	.28	—	—	.05	—	.51	.04	.02	.08	—	.01	16
17	.11	.20	.02	—	—	—	.14	—	—	—	—	.06	17
18	—	.10	.28	—	—	—	—	—	—	.07	.03	—	18
19	—	.01	.10	—	—	—	.06	—	—	.02	—	—	19
20	.01	—	—	—	—	—	—	—	—	—	—	.49	20
21	.26	—	—	.05	—	—	.01	—	—	—	—	.04	21
22	.01	—	.04	—	—	—	.13	—	—	.01	—	.20	22
23	.18	.42	.04	—	—	—	.41	—	—	—	—	.01	23
24	—	—	.03	.05	—	—	—	—	.44	.03	—	.10	24
25	—	—	—	—	—	.06	.06	—	.01	.03	.04	.04	25
26	—	.12	.04	—	—	.20	.19	—	—	.01	.05	.45	26
27	.03	.19	.01	—	—	.04	.11	—	—	.36	—	.12	27
28	.01	.08	.02	—	.15	—	—	.26	—	.18	—	.01	28
29	.02	~~—~~	—	—	.27	—	—	.01	.08	.02	.23	.35	29
30	.11	~~—~~	—	.17	—	—	.07	.01	—	—	.02	—	30
31	.16	~~—~~	—	~~—~~	—	~~—~~	.02	.41	~~—~~	.02	~~—~~	.22	31
Total	3.13	3.24	1.10	1.00	1.28	0.33	5.19	2.86	1.12	1.01	2.12	4.76	YEAR'S TOTAL 27.14
Rain Days.	23	21	16	10	8	4	23	16	6	15	15	24	181

REGISTER OF RAINFALL IN 1916

Kept at Brynkellhow, Shirk
in the County of Yorkshire North Riding
by Alfred Ball

Lat. 54° 13 1/4' N Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Shirk
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 115 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.03	.03	—	—	.03	.16	—	—	—	.06	—	1
2	.03	.03	.10	—	—	.05	—	—	.18	.05	.01	—	2
3	—	.06	.11	.08	—	—	.25	—	1.26	.06	.16	—	3
4	—	.27	.02	.03	.54	.36	.06	—	.03	.23	.30	—	4
5	—	.05	.09	—	.40	.34	—	—	—	.46	.15	—	5
6	—	.29	.16	.10	.36	—	.20	—	—	.03	.28	—	6
7	—	.06	.10	.01	.10	.11	.10	—	—	.06	.01	.15	7
8	—	.02	.13	—	.18	.03	—	—	—	.07	—	.03	8
9	—	—	.01	—	.14	.14	—	—	.04	—	—	.28	9
10	—	.02	.01	—	.01	.08	.10	—	—	.08	.02	.04	10
11	.06	.41	.21	.11	—	.12	.13	—	.07	.02	—	.08	11
12	—	.01	.12	—	.55	.13	.63	.03	.01	—	—	.09	12
13	—	.04	.08	—	.08	.01	.18	.19	—	.55	—	.20	13
14	—	.15	.05	—	.06	.01	—	.14	—	.02	.04	.08	14
15	—	.12	.34	—	—	—	.03	.38	—	.02	—	—	15
16	—	.10	.16	.07	—	—	.05	.06	—	.01	—	.06	16
17	.02	—	—	.19	—	—	.03	.04	.22	.16	.02	—	17
18	—	.28	—	.14	—	—	—	.04	.26	.06	.74	.07	18
19	.05	—	.06	.13	—	—	—	.02	.06	—	.43	.12	19
20	.04	—	.20	.06	—	.03	.08	.04	—	—	.10	.05	20
21	.03	—	.03	.14	.07	—	.01	.02	—	—	—	—	21
22	—	.08	.01	.01	—	.12	—	—	—	.15	—	—	22
23	—	.02	.09	.01	—	.01	—	.01	—	—	.12	.28	23
24	—	.01	—	.04	—	.78	—	.22	—	—	—	.03	24
25	—	.07	.19	—	.01	—	—	.36	—	.16	.03	.05	25
26	.05	.07	.03	—	.01	.03	—	—	.01	.01	—	—	26
27	—	.27	.02	—	—	—	—	.02	—	.34	—	—	27
28	—	.05	.01	—	.04	—	—	—	—	.04	—	.16	28
29	—	.24	—	—	—	.12	—	—	—	.17	—	.08	29
30	—	X	—	—	.05	—	—	—	—	.26	—	.01	30
31	—	X	—	X	—	X	—	—	X	.08	X	—	31
Total	.48	2.75	2.36	1.12	2.60	2.50	2.01	1.57	2.14	3.09	2.47	1.86	26.95
Rain Days.	8	24	25	14	15	18	14	14	10	23	15	18	198

REGISTER OF RAINFALL IN 1917

Kept at Brynkellhow Shirsk
in the County of Yorkshire N.R.
by Allen A. Hall

Lat. 54° 13' 4" N Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Shirsk 1 1/2 miles W
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.14	—	.23	—	.77	.25	—	.13	.06	1
2	.05	—	—	.12	—	—	—	.24	—	—	—	—	2
3	—	—	—	—	—	.03	—	.05	—	.01	.01	—	3
4	—	—	.10	.04	—	—	—	.05	—	.12	.02	.01	4
5	.15	—	.07	.17	—	—	—	—	—	—	.03	—	5
6	—	—	—	—	—	—	—	—	—	.40	.10	—	6
7	.58	—	.02	—	—	.13	—	—	—	.06	—	.03	7
8	.64	—	.05	.08	—	—	—	1.39	—	.23	.04	—	8
9	.11	—	.01	.03	—	—	—	.47	—	—	.33	.07	9
10	.22	—	.75	.22	.07	—	—	.14	—	.23	.11	—	10
11	.07	—	—	—	.01	—	—	.11	—	.19	.01	—	11
12	.38	—	—	.06	.11	—	—	.10	—	.69	—	—	12
13	.30	—	—	.05	.20	.10	—	.36	.09	.02	—	.11	13
14	.17	—	—	.07	.04	—	—	.15	—	~~—~~	—	.03	14
15	.03	—	—	.16	—	—	.09	.07	—	.02	—	.22	15
16	.07	—	—	.30	—	—	—	.03	—	~~—~~	—	.42	16
17	.04	.05	—	.18	.17	.03	.02	.31	—	.04	—	.30	17
18	.04	—	—	.02	.05	—	.31	.10	.17	—	—	—	18
19	.04	.11	.07	.02	.11	.12	—	—	—	—	—	—	19
20	.18	.42	.18	—	—	.49	.09	.03	—	~~—~~	.34	—	20
21	.02	.12	.30	—	—	—	—	.05	—	.03	—	—	21
22	—	.01	.16	—	—	.27	—	.05	—	~~—~~	—	—	22
23	.01	.02	—	—	.05	.02	.02	.09	.02	.01	—	—	23
24	.01	—	—	—	—	.02	—	.02	—	.30	.14	—	24
25	—	.04	.04	—	—	—	.01	.05	—	.15	—	.09	25
26	—	—	.24	—	—	.15	.01	.83	.07	.15	.08	.07	26
27	—	—	.04	—	—	.19	.29	.42	—	.01	—	.06	27
28	—	—	.04	—	—	.03	.12	.11	—	.07	—	—	28
29	—	—	—	—	—	—	.05	.06	—	.31	—	—	29
30	.03	~~—~~	.05	.16	—	—	.03	—	—	.01	.03	—	30
31	.04	~~—~~	.26	~~—~~	.02	~~—~~	.04	.05	~~—~~	—	~~—~~	.02	31
Total	3.18	.77	2.38	1.72	.83	1.81	1.08	6.10	.60	3.05	1.37	1.49	YEAR'S TOTAL 24.38
Rain Days.	21	7	16	16	10	13	12	26	5	20	13	13	172

had to be REGISTER OF RAINFALL IN 1918

BRYNKELLHOW

Kept at

in the County of

by

Thirsk

Yorkshire N.R.

Alan B Hall

Lat. 54°13'4" Long. 1°20'N

Time of Observation 9 a.m.

Nearest Railway Station Thirsk

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft.

Sea Level 115 ft.

FORM A. BRITISH RAINFALL 2-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	.05	.08	.02	—	—	—	.15	.12	.29	.08	1
2	.07	.18	—	.07	—	—	—	—	.10	—	—	.17	2
3	.03	.06	.01	—	.06	—	—	.03	—	.07	.23	—	3
4	—	.04	.02	—	.31	—	.03	.33	.22	.04	.27	.20	4
5	—	.01	.01	.02	.23	—	—	.71	—	.05	.02	.05	5
6	.02	.22	—	.38	—	.33	—	.18	.01	.09	—	.03	6
7	.15	.10	—	.06	—	.04	—	—	.13	.17	.38	.01	7
8	—	.01	.06	—	—	—	.29	.01	.05	.04	.02	—	8
9	—	.43	—	.24	—	.04	—	—	.78	.36	.07	.06	9
10	—	.02	—	—	—	—	.48	—	.01	—	.05	.04	10
11	.17	.02	.05	—	.02	—	.17	.03	.05	—	—	.05	11
12	—	.12	.13	.02	.18	—	.33	.01	.13	.08	—	.01	12
13	—	—	—	.05	.12	—	—	—	.27	.14	—	—	13
14	.19	.01	—	.34	—	.01	.06	—	.50	.14	—	.08	14
15	.13	—	—	.03	.02	.01	.41	—	.80	—	—	.87	15
16	.02	—	—	—	—	.15	.18	.10	.25	.02	—	.24	16
17	.28	—	—	—	.87	.09	.19	.10	.02	.25	—	.34	17
18	.41	—	.03	—	—	—	.40	—	.73	.02	—	.01	18
19	.29	—	.09	.17	—	.02	.33	.16	—	.11	—	.04	19
20	.14	.57	—	.09	—	.10	.17	—	.05	.01	—	—	20
21	.15	.01	—	—	.58	.01	.03	—	.23	.17	—	—	21
22	.01	—	—	.04	—	.07	.02	—	.04	—	—	.48	22
23	.04	—	—	—	.24	—	.27	—	.17	—	.07	—	23
24	—	.06	—	—	—	—	.07	—	.22	.04	.01	—	24
25	—	—	—	—	.04	—	.14	.31	.04	—	—	.07	25
26	—	—	—	—	—	—	.21	.03	.37	—	.20	.07	26
27	—	—	.01	—	—	—	.22	.38	.26	—	.19	.07	27
28	—	.19	.30	—	—	—	—	—	—	—	.08	.43	28
29	—	X	.11	—	—	—	—	.03	.35	—	.04	.22	29
30	—	X	.14	.01	—	—	—	.02	.18	—	.09	.31	30
31	—	X	.23	X	—	X	—	.02	X	.01	X	.22	31
Total	2.12	2.10	1.24	1.60	2.69	0.87	4.00	2.45	6.11	1.93	2.01	4.15	YEAR'S TOTAL 31.27
Rain Days.	16	17	14	14	12	11	19	16	26	19	15	24	203

REGISTER OF RAINFALL IN 1919.

Kept at Boynkellhow, Thirsk
in the County of Yorkshire N.R.
by Alan B Hall

Lat. 54° 13' 14" N Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	—	—	—	.27	—	.33	—	.25	.08	.06	.04	1
2	.23	—	.02	—	.02	—	.53	—	.02	—	.05	—	2
3	.53	—	—	—	.19	.08	.02	—	—	—	.10	.07	3
4	.21	.04	.30	—	.01	.16	—	.05	.29	—	.08	.05	4
5	.22	—	—	—	—	—	—	—	—	—	.02	.03	5
6	.14	—	.08	—	.04	—	—	—	—	—	.03	.06	6
7	.01	—	.04	.03	.06	—	—	—	—	—	.01	.02	7
8	.13	—	—	.04	.12	.02	—	.02	—	.04	.30	.06	8
9	.07	—	.03	—	—	.05	—	—	—	—	.10	—	9
10	—	—	.06	.09	.05	—	—	—	—	.09	.19	.28	10
11	.01	—	.61	—	.12	—	.25	—	—	.02	.13	.02	11
12	—	—	.20	.01	—	.08	.10	—	.05	.26	—	.01	12
13	.11	—	.04	.03	—	.01	.04	.02	—	.16	—	.04	13
14	.35	—	—	.33	—	—	—	.07	—	—	.28	.02	14
15	.05	.15	.05	.19	—	—	—	—	—	.01	—	.77	15
16	.01	.13	.02	.03	.05	—	—	—	—	—	.10	—	16
17	—	.02	—	.02	—	.01	—	.02	—	—	.11	—	17
18	—	—	.04	—	.02	—	.02	.16	—	—	—	.03	18
19	.10	.15	.65	—	—	.04	.50	.27	.04	—	.18	.04	19
20	.60	.16	—	—	—	.07	.21	.03	.11	—	.05	.03	20
21	.30	.18	—	—	—	.02	—	—	.08	—	.04	.19	21
22	—	.12	.03	—	—	.02	.07	.01	.10	—	.01	.16	22
23	—	—	—	.02	—	.13	.02	—	—	.54	.02	.08	23
24	—	—	—	.06	.02	.26	.02	—	—	.28	.02	—	24
25	.07	.08	—	.04	—	.02	—	.49	—	—	.14	—	25
26	—	.03	.15	.02	—	.02	—	.41	.03	.14	.35	.49	26
27	.29	—	—	.28	—	.02	—	.01	.02	1.14	.14	—	27
28	.03	—	—	.18	—	—	—	.62	—	.26	—	.22	28
29	.13	~~—~~	—	—	—	—	—	.03	—	.72	—	.17	29
30	.01	~~—~~	—	.31	—	.25	—	.01	—	.08	.15	.26	30
31	.04	~~—~~	—	~~—~~	—	~~—~~	.10	—	~~—~~	.12	~~—~~	.09	31
TOTAL	4.01	1.06	2.32	1.68	.97	1.26	2.21	2.22	.99	3.94	2.66	3.23	YEAR'S TOTAL. 26.55
Days with ≥ .01 in. or more	23	10	15	16	12	17	13	15	10	15	24	24	194

REGISTER OF RAINFALL IN 1920.

Kept at Brynkellhow Thirsk
in the County of Yorkshire N.R.
by Alan B. Hall

Lat. 54° 13' 14" Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 115 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.09	.20	.40	.03	.41	—	.01	.17	—	.01	1
2	—	.03	.08	.10	—	—	.19	—	.17	.19	—	.30	2
3	.01	—	—	.04	—	—	.05	.19	.16	.40	—	.08	3
4	.03	—	—	.03	.01	—	.61	.70	.08	.85	—	.94	4
5	.01	—	.04	—	.11	—	.15	.02	.01	.02	—	.02	5
6	—	—	.14	.05	.04	—	.09	.04	—	—	—	.04	6
7	.04	—	.04	—	—	—	.20	—	—	.01	—	.01	7
8	.03	.03	—	.25	.07	—	.19	.20	—	.01	.07	—	8
9	.20	.07	—	.30	—	—	.10	.04	.02	—	—	—	9
10	.77	.03	.03	.31	—	—	.17	.01	—	—	—	—	10
11	.21	.02	.01	.10	.13	—	—	—	—	—	—	.45	11
12	.09	—	.08	.23	.01	—	—	—	—	.01	.04	.18	12
13	.10	—	.05	.09	—	—	—	—	.02	—	.10	.23	13
14	—	.09	.43	.14	—	.01	.15	—	.26	—	.21	.02	14
15	—	.19	.20	.27	—	—	—	—	—	.91	.04	—	15
16	—	—	—	—	.01	—	.02	—	.10	—	.05	—	16
17	—	—	—	—	.17	—	.02	.12	.09	—	—	—	17
18	.21	.02	—	.02	.16	.45	.04	.04	.13	—	—	—	18
19	.03	.28	—	.16	—	.02	.02	.10	.03	—	—	—	19
20	.08	.03	—	.12	—	.16	.04	—	—	—	.02	.01	20
21	—	—	—	.24	—	—	.30	.37	.04	—	—	—	21
22	.04	—	—	.16	—	—	.03	—	.01	.01	.01	—	22
23	.01	—	.06	.02	—	—	.22	.02	.02	—	—	.22	23
24	.02	—	.32	.11	—	—	.07	—	—	.01	—	.05	24
25	—	.10	.03	.01	—	—	.48	—	—	—	.03	—	25
26	.03	—	.23	—	—	—	.04	—	.01	—	—	.01	26
27	.21	.04	.01	.07	.22	.43	—	—	—	—	.27	.02	27
28	.74	—	.08	.11	—	.03	.07	—	.01	—	.05	.08	28
29	.11	—	.12	.01	.77	.08	.09	—	—	—	.10	.50	29
30	.04	X	.04	—	.10	.04	—	—	.12	.01	.19	.16	30
31	.14	X	—	X	.12	X	.02	—	X	.09	X	.11	31
TOTAL	3.15	.93	2.08	3.14	2.32	1.25	4.21	1.85	1.29	2.69	1.18	3.44	YEAR'S TOTAL
Days with ".01 in. or more	22	12	19	24	14	9	24	12	18	13	13	20	27.53
Days with ".04 in. or more	14	6	15	19	11	5	20	9	9	6	10	13	137

REG 3429

Kept at Stoneyhoun
in the County of York
by Mrs. J.

THIRSK, ~~SOUTH VISSA~~
STONEYBOURGH

1914 - ~~80~~ 1920

780609

20 1/4 W.
a.m.
link
5 in.

Ground 1 ft. 2 in.
Sea Level 122 ft.

The result entered to the
usual rule, he is earnestly
requested to add the rea

IMPORTANT NOTE.
previous day. If an O
requested to add the rea
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									—	—	—	'15	1
2									—	'04	'20	'16	2
3									—	—	'10	'42	3
4									—	—	'08	'57	4
5									—	'02	'09	'04	5
6									—	—	'04	'09	6
7									—	—	'12	'13	7
8									'01	'01	—	'03	8
9									'01	'01	'03	'03	9
10									'10	—	'02	—	10
11									'03	—	'19	'14	11
12									'13	—	—	'34	12
13									'01	—	'10	'24	13
14									—	—	'13	'18	14
15									'02	—	'22	'06	15
16									'47	—	'09	—	16
17									'48	—	—	'06	17
18									'04	—	—	'12	18
19									—	—	'09	'08	19
20									—	—	—	—	20
21									—	'07	'03	—	21
22									—	'03	—	'15	22
23									—	—	'02	'07	23
24									—	—	'25	—	24
25									—	'61	'05	'37	25
26									—	'33	'16	'23	26
27									—	'02	'14	'55	27
28									—	'11	'03	'17	28
29									—	'21	'04	—	29
30		X							—	'05	'08	'77	30
31		X		X		X			X	'17	X	—	31
Total									1'30	1'68	2'30	4'55	YEAR'S TOTAL
Rain Days.									10	13	23	24	

REG

Kept at Stoneyhough, Thirk
in the County of York NR 2
by Mrs. J. Foggett

Lat. 54° 14' N Long. 1° 20' 4" W
Time of Observation 9 a.m.
Nearest Railway Station Thirk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 122 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									—	—	—	'15	1
2									—	'04	'20	'16	2
3									—	—	'10	'42	3
4									—	—	'08	'57	4
5									—	'02	'09	'04	5
6									—	—	'04	'09	6
7									—	—	'12	'13	7
8									'01	'01	—	'03	8
9									'01	'01	'03	'03	9
10									'10	—	'02	—	10
11									'03	—	'19	'14	11
12									'13	—	—	'34	12
13									'01	—	'10	'24	13
14									—	—	'13	'18	14
15									'02	—	'22	'06	15
16									'47	—	'09	—	16
17									'48	—	—	'06	17
18									'04	—	—	'12	18
19									—	—	'09	'08	19
20									—	—	—	—	20
21									—	'07	'03	—	21
22									—	'03	—	'15	22
23									—	—	'02	'07	23
24									—	—	'25	—	24
25									—	'61	'05	'37	25
26									—	'33	'16	'23	26
27									—	'02	'14	'55	27
28									—	'11	'03	'17	28
29									—	'21	'04	—	29
30		X							—	'05	'08	'17	30
31		X		X		X			X	'17	X	—	31
Total									1'30	1'68	2'30	4'55	YEAR'S TOTAL
Rain Days.									10	13	23	24	

REGISTER OF RAINFALL IN 1915

Kept at

Stoneybrough, Thirsk

in the County of

York (E.R.)

by

Thomas Jackson Figgitt.

Lat. 54° 14' 4" Long. 1° 20' 4" W.

Time of Observation

9 a.m.

Nearest Railway Station

Thirsk

Diameter of Funnel of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

2

in.

" " " " Sea Level

122

ft.

BRITISH RAINFALL FORM A. 14 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

17

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30	20	—	—	04	—	62	23	53	—	07	07	1
2	02	15	19	10	—	—	08	60	—	—	04	—	2
3	39	—	07	11	—	03	28	20	—	—	04	46	3
4	16	—	—	—	03	—	38	24	—	—	05	22	4
5	11	18	—	—	01	—	—	—	—	01	02	75	5
6	10	34	04	14	—	—	58	02	04	03	—	07	6
7	32	44	04	—	—	—	43	24	—	—	—	01	7
8	11	04	—	—	—	—	05	03	—	—	06	—	8
9	01	02	—	—	—	—	10	03	—	—	—	39	9
10	14	—	06	—	—	—	—	32	—	02	—	08	10
11	—	12	07	01	57	—	—	01	—	—	02	08	11
12	13	04	—	30	04	—	03	02	—	04	75	02	12
13	—	29	—	—	—	—	01	—	—	—	—	—	13
14	01	13	—	—	07	—	04	16	—	—	—	05	14
15	21	02	—	02	—	—	13	09	—	09	71	20	15
16	02	28	—	—	05	—	69	07	02	10	—	—	16
17	10	19	03	—	—	—	10	—	01	—	—	07	17
18	—	10	29	—	—	—	—	—	—	07	03	—	18
19	—	02	12	—	—	—	05	—	—	01	—	—	19
20	01	—	—	—	—	—	—	—	—	—	—	44	20
21	29	02	—	05	—	—	01	—	—	—	—	07	21
22	02	—	08	—	—	—	08	—	—	—	—	13	22
23	13	12	03	03	—	—	26	—	—	—	—	01	23
24	—	—	04	03	—	—	—	—	43	02	—	07	24
25	—	—	—	—	—	06	08	—	—	03	05	05	25
26	—	11	06	—	—	22	21	—	01	—	03	41	26
27	01	19	07	—	—	02	06	—	—	38	—	12	27
28	03	07	13	—	21	—	—	29	—	10	—	—	28
29	—	X	—	—	23	—	—	—	07	—	19	31	29
30	12	X	—	16	—	—	09	03	—	—	02	01	30
31	16	X	—	X	—	X	—	31	X	03	X	22	31
Total	290	307	132	95	125	33	430	289	111	93	208	431	2544
Rain Days.	23	21	15	10	9	4	22	17	7	13	14	24	179

REGISTER OF RAINFALL IN 1916

Kept at Stoneybrough, Thurst -
in the County of York (East Riding)
by Mrs. J. Loggitt -

Lat. $54^{\circ} 14'$ Long. $10^{\circ} 20' W$ - 2. JAN 1911
Time of Observation 9 a.m.
Nearest Railway Station Thirsk - N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'17	'03	'04	—	—	'03	'35	—	—	—	'05	—	1
2	'01	'02	'17	—	—	'04	'01	—	'20	'05	—	—	2
3	—	'08	'14	'08	—	—	'18	—	<u>'13</u>	'08	'16	—	3
4	—	'27	'02	'04	'52	'32	'05	—	'04	'21	'27	—	4
5	'01	'09	'11	—	'44	'30	—	—	—	'50	'14	—	5
6	—	'25	'17	'10	'33	—	'20	—	—	'04	'26	—	6
7	—	'07	'13	'01	'12	'11	'11	—	—	'05	'01	'16	7
8	—	'03	'12	—	'14	'03	—	—	—	'12	—	—	8
9	—	—	—	—	'13	'13	—	—	'03	—	—	'23	9
10	'04	—	—	—	—	'08	'09	—	—	'07	'02	'03	10
11	'02	'38	'18	'11	—	'13	'13	—	'05	'02	—	'06	11
12	—	'05	'11	—	'68	'15	'63	'02	—	—	—	'08	12
13	—	'01	'10	—	'08	'01	'16	'25	'02	'55	'02	'22	13
14	—	'12	'03	—	'06	'02	—	'09	'01	'02	—	'05	14
15	—	'11	'30	—	—	—	'04	'30	—	'02	—	—	15
16	—	'12	'13	'06	—	—	'06	'06	—	—	—	'06	16
17	'02	—	—	'18	—	—	'01	'03	'23	'13	—	—	17
18	—	'25	—	'15	—	—	—	'04	'25	'06	'78	'11	18
19	'03	—	'06	'13	—	—	—	'02	'05	—	'40	'09	19
20	'04	—	'17	'04	—	'01	'10	'04	—	—	'08	'04	20
21	'02	—	'03	'12	'05	—	—	—	—	—	—	—	21
22	—	'07	—	—	—	'12	—	—	—	'13	—	—	22
23	—	'01	'08	'01	—	—	—	'01	—	—	'13	'29	23
24	—	'03	—	'03	—	'80	—	'21	—	—	—	'04	24
25	—	'07	'20	—	'01	—	—	'34	'01	'15	'03	'03	25
26	'04	'09	'04	—	'01	'03	—	—	—	'04	—	—	26
27	—	'22	'01	—	—	—	—	'17	—	'28	—	—	27
28	—	'11	—	—	'03	—	—	—	—	'05	—	'21	28
29	—	'17	—	—	—	'12	—	—	—	'19	—	'07	29
30	—	~~X~~	—	—	'09	'01	—	—	—	'22	—	'01	30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	'07	~~X~~	—	31
Total	40	2'65	2'34	1'06	2'69	2'44	2'12	1'58	2'02	3'05	2'35	1'78	24'48
Rain Days.	10	23	21	13	14	18	14	13	11	22	13	17	189

REGISTER OF RAINFALL IN 1917

Kept at Honeybough, Thurst
in the County of York - N. Riding
by Thomas J. Forcett

Lat. 54° 14' N. Long. 1° 20' W.
Time of Observation 9 a.m.
Nearest Railway Station Thurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 122 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.14	—	.37	—	1.07	.27	—	.12	.05	1
2	.05	—	—	.13	—	—	—	.22	—	—	—	—	2
3	—	—	—	—	—	.02	—	.10	—	.01	—	—	3
4	~~.14~~	—	—	.02	—	—	—	—	—	.11	.02	—	4
5	.14	—	.10	.15	—	—	—	—	—	—	.06	—	5
6	—	—	.07	—	—	.12	—	—	—	.31	.12	—	6
7	.55	—	.01	—	—	.01	—	.22	—	.16	—	.03	7
8	.71	—	.08	.11	—	—	—	1.29	—	.24	.05	—	8
9	.12	—	—	.04	—	—	—	.42	—	.04	.33	.06	9
10	.22	—	.76	.22	.06	—	—	.13	—	.21	.10	—	10
11	.04	—	—	.01	—	—	—	.11	—	.16	.02	—	11
12	.38	—	—	.06	.13	—	—	.10	—	.64	—	.05	12
13	.31	—	—	.05	.11	.07	—	.38	.09	.02	—	.08	13
14	.21	—	.01	.07	.10	—	.01	.13	—	.01	—	.03	14
15	.24	—	—	.16	—	—	.10	.21	—	.01	—	.26	15
16	.05	.02	—	.25	—	—	—	.05	—	—	—	.44	16
17	.03	.03	—	.20	.16	.05	.02	.32	—	.04	—	.37	17
18	.04	—	—	.03	.05	—	.27	.10	.19	—	—	—	18
19	.05	.16	.17	—	.10	.11	—	—	—	—	—	—	19
20	.14	.35	.11	—	—	.50	.02	.06	—	—	.33	—	20
21	.01	.11	.33	—	—	—	—	.06	—	.02	—	—	21
22	—	—	.20	—	—	.20	—	.05	—	—	—	—	22
23	—	.02	—	—	.05	.02	.01	.07	.02	.02	—	—	23
24	—	—	—	—	—	—	—	.03	—	.33	.13	—	24
25	—	.04	.04	—	—	—	—	.05	—	.17	—	.10	25
26	—	—	.24	—	—	—	.01	.90	.06	.14	.08	.09	26
27	—	—	.06	—	—	.20	.28	.42	—	.04	—	.08	27
28	—	—	.04	—	—	.22	.16	.16	—	.06	—	—	28
29	—	~~X~~	—	—	—	.07	.08	.01	—	.35	—	—	29
30	.05	~~X~~	.04	.05	—	—	.02	—	—	.02	.04	—	30
31	.05	~~X~~	.32	~~X~~	.02	~~X~~	.07	.05	~~X~~	—	~~X~~	.02	31
Total	5.19	.73	2.58	1.69	.78	1.96	1.05	6.51	.63	3.11	1.40	1.66	25.29
Rain Days.	14	7	16	16	9	13	12	26	5	22	12	13	160

REGISTER OF RAINFALL IN 1918

Kept at Stoneybrough, Thirsk
in the County of York - N. Riding
by Thomas J. Foggitt

Lat. 54° 14' 4" N Long. 1° 20' 4" W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 122 ft.

FORM A.
BRITISH RAINFALL
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.06	.06	.04	.01	—	—	—	.13	.11	.22	—	1
2	.08	.13	—	.06	—	—	—	—	.10	—	—	.17	2
3	—	.06	.02	—	.21	—	—	.04	—	.07	.19	—	3
4	—	—	.02	—	.16	—	.04	.28	.21	.03	.19	.17	4
5	—	—	—	.01	.22	—	—	.81	.01	.05	.04	—	5
6	—	.29	—	.36	—	.35	—	.10	—	.15	—	.02	6
7	.30	—	—	.05	—	—	—	—	.11	.11	.27	—	7
8	—	.03	.09	—	—	—	.32	.01	.05	.11	—	—	8
9	—	.42	—	.21	—	.05	—	—	.71	.19	.08	.02	9
10	.01	.02	—	—	—	—	.35	—	.05	.01	.05	—	10
11	.20	—	.09	—	.18	—	.15	.05	.04	—	—	—	11
12	—	.17	.08	—	.02	—	.41	—	.12	.07	—	—	12
13	—	—	—	.06	.10	—	—	—	.32	.15	—	—	13
14	.18	—	—	.39	—	.01	.06	—	.34	.05	—	.18	14
15	.12	—	—	.03	.02	.02	.41	—	.81	—	—	.67	15
16	.02	—	—	—	.01	.17	.25	.08	.20	.01	—	.17	16
17	.29	—	—	—	.46	.15	.20	.09	.01	.27	—	.25	17
18	.42	—	.04	—	—	—	.29	—	.60	.05	—	.02	18
19	.26	—	.08	.17	—	.02	.41	.14	.01	.07	—	—	19
20	.16	.58	—	.10	—	.11	.15	—	.05	.02	—	—	20
21	.15	.03	—	—	.61	.04	—	—	.20	.15	—	—	21
22	.01	—	—	.05	—	.05	.03	—	.04	—	—	.30	22
23	.03	—	—	—	.26	—	.27	—	.60	—	.02	.02	23
24	—	.03	—	—	—	—	.08	—	.20	.04	—	—	24
25	—	—	—	—	.04	—	.11	.28	.07	—	—	.04	25
26	—	—	—	—	—	—	.31	.05	.29	—	.15	.06	26
27	—	—	.07	—	—	.01	—	.36	.19	—	.17	.06	27
28	—	.21	.26	—	—	—	—	—	—	—	.05	.44	28
29	—	X	.10	—	—	—	—	.03	.41	—	—	.10	29
30	—	X	.16	.01	—	—	—	—	.10	.01	.10	.35	30
31	—	X	.18	X	—	X	—	.02	X	—	X	.17	31
Total	2.26	2.03	1.25	1.54	2.30	.98	3.84	2.34	5.97	1.72	1.53	3.21	28.97
Rain Days	15	12	13	13	13	11	17	14	27	20	12	17	184

REGISTER OF RAINFALL IN 1919.

Kept at Storeybrough Thirsk
in the County of York - North Riding
by Thomas J. Foggitt

Lat. 54° 14' 4 Long. 1° 20' 4
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	-	-	-	26	-	38	-	22	08	06	04	1
2	20	-	02	-	03	-	57	-	02	-	04	-	2
3	56	-	-	-	20	11	05	-	-	-	11	06	3
4	19	04	35	-	01	12	-	05	17	-	05	06	4
5	23	-	-	-	-	-	-	-	-	-	03	03	5
6	02	-	09	-	05	-	-	-	-	02	04	05	6
7	01	-	04	01	11	-	-	-	-	-	-	03	7
8	10	-	-	03	06	01	-	01	-	-	32	03	8
9	05	-	04	01	-	05	-	-	-	-	11	-	9
10	-	-	04	09	05	-	-	-	-	12	26	29	10
11	-	-	61	-	11	-	25	-	04	02	08	02	11
12	-	-	27	02	-	07	14	-	02	27	-	-	12
13	08	-	05	10	-	-	05	06	-	17	-	04	13
14	25	-	-	22	-	-	-	02	-	-	23	05	14
15	03	15	05	19	-	-	-	03	-	-	01	75	15
16	01	12	-	03	04	-	-	-	-	-	11	-	16
17	-	02	-	02	-	-	-	02	-	02	08	-	17
18	-	-	06	-	02	-	02	41	-	-	-	02	18
19	05	23	64	-	-	04	59	05	15	-	24	04	19
20	60	09	-	-	-	09	20	02	-	-	-	18	20
21	17	18	01	-	-	03	-	-	09	-	04	05	21
22	-	11	-	-	-	02	08	01	09	-	01	17	22
23	-	-	-	04	-	12	-	-	-	71	02	05	23
24	-	-	-	03	03	26	02	-	-	22	04	-	24
25	05	07	-	05	-	03	-	46	-	01	12	-	25
26	-	05	14	04	-	01	-	43	06	26	41	50	26
27	22	-	-	26	-	-	-	-	01	1 06	11	-	27
28	-	-	-	20	-	-	-	64	-	32	-	23	28
29	13	~~X~~	-	-	-	-	-	02	-	94	-	17	29
30	01	~~X~~	-	32	-	28	-	-	-	03	15	26	30
31	02	~~X~~	03	~~X~~	-	~~X~~	10	-	~~X~~	16	~~X~~	10	31
TOTAL	3 24	1 06	2 44	1 66	97	1 24	2 45	2 23	87	4 41	2 67	3 22	YEAR'S TOTAL 26 46
Days with 01 in. or more	21	10	15	17	12	14	12	14	10	16	23	23	187

REGISTER OF RAINFALL IN 1920

Kept at Stoneybrough Thirsk
in the County of York - North Riding
by Thomas J. Foggitt

Lat. 54° 14' N Long. 1° 20' 4" W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	12	20	41	03	52	—	02	20	—	02	1
2	—	—	06	11	—	—	20	02	14	13	—	30	2
3	—	03	—	04	—	—	10	12	16	42	—	23	3
4	03	—	—	04	04	—	64	68	08	87	—	89	4
5	—	—	04	—	09	—	18	05	—	02	—	03	5
6	—	—	14	07	05	—	06	—	—	—	—	04	6
7	06	—	05	—	01	—	21	—	—	—	—	—	7
8	01	03	—	22	05	—	20	20	—	01	07	—	8
9	27	06	—	30	—	—	17	03	02	—	—	—	9
10	73	02	03	32	—	—	20	01	—	—	—	—	10
11	24	01	04	12	12	—	—	—	—	—	—	44	11
12	09	—	06	19	01	—	—	—	—	—	04	21	12
13	—	10	05	11	—	—	—	—	—	—	06	19	13
14	—	17	49	13	—	02	14	—	26	—	21	02	14
15	10	—	22	36	—	—	02	—	01	98	05	—	15
16	—	—	—	—	—	—	50	—	08	—	03	—	16
17	—	—	—	—	17	—	—	15	10	—	—	—	17
18	23	01	—	06	16	39	03	—	10	—	—	—	18
19	—	24	—	11	—	12	—	12	03	—	—	—	19
20	07	04	—	12	—	09	—	—	—	—	01	—	20
21	—	—	—	22	—	—	06	41	03	—	—	—	21
22	03	—	—	15	—	—	30	—	—	—	—	—	22
23	—	—	06	12	—	—	04	02	—	—	—	20	23
24	02	—	36	—	—	—	24	—	—	—	—	06	24
25	—	11	04	01	—	—	06	—	—	—	02	—	25
26	04	—	22	—	—	—	48	—	—	—	—	02	26
27	22	02	02	06	26	42	04	—	—	—	26	—	27
28	83	—	08	10	—	06	01	—	—	—	05	09	28
29	12	—	12	01	88	06	07	—	—	—	10	50	29
30	14	~~X~~	04	—	02	04	06	—	14	—	18	22	30
31	05	~~X~~	—	~~X~~	11	~~X~~	02	—	~~X~~	10	~~X~~	05	31
TOTAL	3'28	84	2'24	3'17	2'38	1'23	4'55	1'81	1'17	2'73	1'08	3'51	YEAR'S TOTAL
Days with "01 in. or more	18	12	19	23	14	9	25	11	13	8	12	17	181
Days with "04 in. or more	14	6	17	21	11	7	21	7	8	6	9	13	140

R

THIRSK

Kept at Mount.

in the County of York

by A. J. Wal

MOUNT ST JOHN

YORKSHIRE

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of
the selection and pla
Organization are given

Dr. H. R. MILL, 62, Camden Square, London, N.W.

11

Shew gauge

5 in.

ove Ground 1 ft. 10 in.

Sea Level 542 ft.

am.

Name Thirsk MR.

Distance 6 1/2 miles Direction S 65° W

and the result entered to the
universal rule, he is earnestly
year in the space provided

urement of rain,

British Rainfall

on application to

Jan. 1, following.

NR2

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01 in	-	-	-	-	-	-	.11	-	-	-	-	1
2	.44 in	-	-	-	.19	-	.21	-	-	.03	.02	.06	2
3	.01	.01	.01	.21	.18	-	-	-	-	.16	.02	.01	3
4	-	-	.12	.57	-	-	-	.18	.01	.09	.23	.23	4
5	.03	-	.01	.02	.07	-	-	.69	-	.05	.02	-	5
6	.14 in	-	.16	-	-	-	-	.18	-	-	.11	.41	6
7	.01	-	.01	-	-	-	-	-	-	-	.04	-	7
8	-	-	.25	-	-	.01	-	-	.04	-	.04	.36	8
9	-	-	.01	.06	-	-	-	-	-	-	-	.06	9
10	-	.05	-	.01	-	-	-	-	-	-	.01	.41	10
11	.47 in	-	.01	-	-	-	-	-	-	-	.29	-	11
12	.32 in	-	.09 in	-	.08	.02	-	-	.77	-	.41	-	12
13	-	.10	.29 in	-	.02	.04	-	-	-	-	.02	.51	13
14	-	.22	.25 in	-	.09	-	-	-	-	-	.01	.58	14
15	-	.01	.14 in	-	-	-	-	-	-	.03	.14	.26	15
16	-	-	.33 in	.02	-	.01	.19	-	-	.01	.03	.14	16
17	-	-	.01	-	.01	.30	.05	-	-	-	.19	.08	17
18	-	.04	.10 in	-	-	.19	-	-	-	-	.40	.07	18
19	-	-	.01	-	-	-	.14	.03	.13	.09	1.04	.07	19
20	.01 in	.07	-	.03	-	-	.10	1.00	.02	-	.08	.26	20
21	-	.24	-	-	-	-	-	.31	-	.14	.23 in	.02	21
22	.11	-	-	.01	-	-	-	.14	-	.01	.13	-	22
23	.03	.08	-	-	-	.90	-	-	.34	.02	-	.19	23
24	.06	.02	.04 in	-	-	1.22	-	.02	-	.17	-	.08	24
25	-	.04	-	.06	-	.60	-	-	.36	.05	.03	.11	25
26	-	-	-	.07	.19	-	.04	.05	-	.76	.45	.15	26
27	-	.03	.01	.04	.01	-	-	.22	.15	.05	.01	.03	27
28	-	.02	.01	.24	-	.05	-	.01	-	.06	.01	.10	28
29	-	-	-	.05	-	-	.05	.01	.56	.24	.01	.02	29
30	-	-	-	-	.10	-	-	-	.13	.09	.01	-	30
31	-	-	-	-	.02	-	-	-	-	.13	-	.03	31
Total	1.64	.93	1.86	1.39	.96	3.34	.78	2.95	2.51	2.18	3.98	4.24	26.76
No. of Rain Days.	12	13	19	13	11	10	7	13	10	18	26	24	176

Kept at Mount St. John

in the County of Yorks, N.R. 2

by A. J. Walker

Pattern Copper Snow gauge
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 542 ft.

Time of Observation 9 am

Nearest Railway Station { Name Thirsk N.R.
Distance 6 1/4 miles Direction S. 65° W. by S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01 <i>sn</i>	-	-	-	-	-	-	.11	-	-	-	-	1
2	.44 <i>sn</i>	-	-	-	.19	-	.21	-	-	.03	.02	.06	2
3	.01	.01	.01	.21	.18	-	-	-	-	.16	.02	.01	3
4	-	-	.12	.57	-	-	-	.18	.01	.09	.23	.23	4
5	.03	-	.01	.02	.07	-	-	.69	-	.05	.02	-	5
6	.14 <i>m</i>	-	.16	-	-	-	-	.18	-	-	.11	.41	6
7	.01	-	.01	-	-	-	-	-	-	-	.04	-	7
8	-	-	.25	-	-	.01	-	-	.04	-	.04	.36	8
9	-	-	.01	.06	-	-	-	-	-	-	-	.06	9
10	-	.05	-	.01	-	-	-	-	-	-	.01	.41	10
11	.47 <i>m</i>	-	.01	-	-	-	-	-	-	-	.29	-	11
12	.32 <i>sn</i>	-	.09 <i>sn</i>	-	.08	.02	-	-	.77	-	.41	-	12
13	-	.10	.29 <i>sn</i>	-	.02	.04	-	-	-	-	.02	.51	13
14	-	.22	.25 <i>sn</i>	-	.09	-	-	-	-	-	.01	.58	14
15	-	.01	.14 <i>m</i>	-	-	-	-	-	-	.03	.14	.26	15
16	-	-	.33 <i>sn</i>	.02	-	.01	.19	-	-	.01	.03	.14	16
17	-	-	.01	-	.01	.30	.05	-	-	-	.19	.08	17
18	-	.04	.10 <i>m</i>	-	-	.19	-	-	-	-	.40	.07	18
19	-	-	.01	-	-	-	.14	.03	.13	.09	1.04	.07	19
20	.01 <i>sn</i>	.07	-	.03	-	-	.10	1.00	.02	-	.08	.26	20
21	-	.24	-	-	-	-	-	.31	-	.14	.23 <i>m</i>	.02	21
22	.11	-	-	.01	-	-	-	.14	-	.01	.13	-	22
23	.03	.08	-	-	-	.90	-	-	.34	.02	-	.19	23
24	.06	.02	.04 <i>m</i>	-	-	1.22	-	.02	-	.17	-	.08	24
25	-	.04	-	.06	-	.60	-	-	.36	.05	.03	.11	25
26	-	-	-	.07	.19	-	.04	.05	-	.76	.45	.15	26
27	-	.03	.01	.04	.01	-	-	.22	.15	.05	.01	.03	27
28	-	.02	.01	.24	-	.05	-	.01	-	.06	.01	.10	28
29	-	-	-	.05	-	-	.05	.01	.56	.24	.01	.02	29
30	-	-	-	-	.10	-	-	-	.13	.09	.01	-	30
31	-	-	-	-	.02	-	-	-	-	.13	-	.03	31
Total	1.64	.93	1.86	1.39	.96	3.34	.78	2.95	2.51	2.18	3.98	4.24	26.76
No. of Rain Days.	12	13	19	13	11	10	7	13	10	18	26	24	176

Card for use with 18.

REGIS

THIRSK
BALDERSBY PARK
YORKSHIRE

FORM A2.
BRITISH RAINFALL.

Kept at Baldersby
in the County of York
by Jas. E. Heath

ft. in.
00 ft.

Direction NW
entered to the
he is earnestly
space provided

1912 - 1920

IMPORTANT NOTE.—If an Observer has not recorded rain on the previous day. If an Observer is requested to add the reading at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0-3		0-2			0-2	0-1	0-37	0-32	0-25		0-13	1
2			0-7	0-2		0-43	0-12	0-21	0-11	0-2			2
3		0-17	0-18			0-49	0-62		0-11	0-2		0-12	3
4	0-12	0-13			0-5	0-82	0-1	0-33	0-13		0-16		4
5	0-25		0-46			0-66		0-20	0-6	0-2	0-1	0-1	5
6			0-1		0-24	0-8		0-1					6
7	0-39	0-31				0-5		0-40					7
8		0-6	0-1		0-2	0-1		0-1	0-14		0-22	0-1	8
9	0-16	0-16	0-13			0-9			0-16	0-2	0-2		9
10	0-6	0-2	0-4	0-3	0-2	0-20					0-16		10
11	0-13		0-2	0-2		0-23					0-25	0-15	11
12	0-12	0-2					0-2	0-6	0-1	0-2	0-32	0-1	12
13	0-19	0-2	0-1			0-13	0-43			0-12	0-33	0-3	13
14		0-3				0-5						0-4	14
15	0-13		0-36			0-19						0-8	15
16	0-8	0-1	0-25		0-52	0-10				0-6		0-6	16
17	0-55		0-10		0-3	0-5		0			0-2	0-8	17
18		0-4	0-19			0-22	0-2	0-19		0-2			18
19	0-4	0-1					0-1	0-10		0-8	0-5		19
20	0-16	0-22			0-66		0-16	0-14		0-7	0-1		20
21	0-17				0-10	0-11	0-2			0-11	0-2		21
22	0-2	0-1	0-39		1-55		0-4			0-1			22
23		0-8			0-6	0-43	0-39	0-34		0-1	0-5		23
24	0-1	0-1	0-13					0-26				0-15	24
25	0-17					0-3	0-23	0-4		0-1	0-15	0-1	25
26	0-6	0-3	0-3			0-59	0-3	0-10		0-86	0-7	0-24	26
27	0-3		0-1				0-25	0-6		0-22		0-11	27
28	0-2					0-29	0-26		0-1	0-27	0-2		28
29						0-2	0-29	0-56		0-3	0-11	0-6	29
30	0-5		0-20	0-1	0-2	0-1	0-12		0-55	0-4			30
31			0-6		0-28		0-2			0-2			31
Total	2-94	1-33	2-67	0-8	3-55	5-30	3-05	3-38	1-60	2-28	1-97	1-29	TOTAL for year 29-44
No. of Rain Days.	22	17	20	4	12	24	19	17	10	21	17	16	199

Kept at Baldersby Park, Thirsk.
Yorkshire N2
in the County of
by Jas. E. Hathaway

RAIN GAUGE
Pattern Telling gauge
Diameter of top 10 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 100 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Baldersby.
Distance 2½ Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0=3		0=2			0=2	0=1	0=37	0=32	0=25		0=13	1
2			0=7	0=2		0=43	0=12	0=21	0=11	0=2			2
3		0=17	0=18			0=49	0=62		0=11	0=2		0=12	3
4	0=12	0=13			0=5	0=82	0=1	0=33	0=13		0=16		4
5	0=25		0=46			0=66		0=20	0=6	0=2	0=1	0=1	5
6			0=1		0=24	0=8		0=1					6
7	0=39	0=31				0=5		0=40					7
8		0=6	0=1		0=2	0=1		0=1	0=14		0=22	0=1	8
9	0=16	0=16	0=13			0=9			0=16	0=2	0=2		9
10	0=6	0=2	0=4	0=3	0=2	0=20					0=16		10
11	0=13		0=2	0=2		0=23					0=25	0=15	11
12	0=12	0=2					0=2	0=6	0=1	0=2	0=32	0=1	12
13	0=19	0=2	0=1			0=13	0=43			0=12	0=33	0=3	13
14		0=3				0=5						0=4	14
15	0=13		0=36			0=19						0=8	15
16	0=8	0=1	0=25		0=52	0=10				0=6		0=6	16
17	0=55		0=10		0=3	0=5		0			0=2	0=8	17
18		0=4	0=19			0=22	0=2	0=19		0=2			18
19	0=4	0=1					0=1	0=10		0=8	0=5		19
20	0=16	0=22			0=66		0=16	0=14		0=7	0=1		20
21	0=17				0=10	0=11	0=2			0=11	0=2		21
22	0=2	0=1	0=39		1=55		0=4			0=1			22
23		0=8			0=6	0=43	0=39	0=34		0=1	0=5		23
24	0=1	0=1	0=13					0=26				0=15	24
25	0=17					0=3	0=23	0=4		0=1	0=13	0=1	25
26	0=6	0=3	0=3			0=59	0=3	0=10		0=86	0=7	0=24	26
27	0=3		0=1				0=25	0=6		0=22		0=11	27
28	0=2					0=29	0=26		0=1	0=27	0=2		28
29						0=2	0=29	0=56		0=3	0=11	0=6	29
30	0=5		0=20	0=1	0=2	0=1	0=12		0=55	0=4			30
31			0=6		0=28		0=2			0=2			31
Total	2=94	1=33	2=67	0=8	3=55	5=30	3=05	3=38	1=60	2=28	1=97	1=29	TOTAL for year 29.44
No. of Rain Days.	22	17	20	4	12	24	19	17	10	21	17	16	199

REGISTER OF RAINFALL IN 1913.

Kept at Baldersby Park
 in the County of Yorkshire
 by Jas. E. Hathaway

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Baldersby N.E.R.
 Diameter of Rain Gauge 12 in.
 Height of top of Gauge above Ground 2 ft. in.
 " " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0=3		0=10	0=23							0=5		1
2	0=1	0=4	0=11	0=4		0=8					0=4	0=1	2
3	0=2				0=23		0=11		0=1	0=27			3
4	0=40	0=4	0=1			0=2	0=3		0=1	0=4	0=13	0=4	4
5	0=21	0=4	0=2			0=13	0=2	0=3	0=4	0=24	0=1	0=19	5
6	0=1	0=20			0=39	0=22	0=44				0=1		6
7		0=30		0=1	0=8	0=14				0=58			7
8		0=1			0=34	0=4			0=2	0=6	0=6		8
9		0=7		0=2	0=11	0=3		0=7			0=4		9
10		0=15	0=2							0=3	0=30		10
11	0=21	0=1		0=37	0=7						0=5		11
12	0=95			0=1					0=3	0=1	0=24		12
13	0=25	0=2		0=4				0=11	0=20		0=2		13
14	0=17	0=8	0=12	0=2			0=4			0=8			14
15	0=31	0=1	0=32	0=22							0=19		15
16		0=1					0=2	0=3			0=2		16
17			0=15	0=4		0=20			0=18		0=5		17
18	0=2		0=27	0=12		0=2	0=3				0=9	0=2	18
19	0=17		0=7	0=1	0=4				0=14	0=1			19
20	0=47		0=10	0=3					0=3	0=9	0=15		20
21	0=4		0=31		0=7		0=5	0=14					21
22	0=8				0=4		0=1	0=37	0=7				22
23	0=6					0=8	0=3	0=2	0=6		0=5		23
24	0=10	0=2				0=14		0=1					24
25				0=5					0=29	0=2	0=2		25
26		0=1	0=3	0=30		0=3			0=7	0=16	0=10	0=17	26
27			0=17	0=21		0=10			0=1		0=1	0=7	27
28	0=35			0=58						0=1		0=13	28
29	0=2		0=22	0=46	0=8			0=10		0=52	0=1		29
30	0=29		0=1										30
31	0=9				0=9								31
Total	4=26	1=01	2=03	2=76	1=54	1=23	0=78	0=88	1=16	2=12	1=64	0=63	YEAR'S TOTAL 20=06
Rain Days.	22	15	16	18	11	13	10	9	14	14	21	7	170

REGISTER OF RAINFALL IN 1914

Kept at Baldersby Park W. Church
in the County of Yorkshire
by Jas. E. Hathaway

Lat. _____ Long. _____
Time of Observation 9.0
Nearest Railway Station Baldersby
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 100 ft.

FORM A
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						0=01	1=54	0=23			0=02	0=12	1
2						0=02	0=60	0=40		0=06	0=15	0=10	2
3			0=02		0=23			0=05			0=03	0=46	3
4			0=03	0=12	0=11						0=05	0=54	4
5			0=07	0=10		0=02	0=04			0=02	0=15	0=07	5
6		0=04		0=03	0=12	0=02					0=05	0=05	6
7		0=03	0=23	0=01	0=05	0=08					0=11	0=06	7
8	0=14		0=04		0=11	0=34	0=03	0=07		0=01		0=03	8
9	0=26	0=04		0=11		0=50		0=03			0=03	0=04	9
10	0=18	0=00							0=09		0=05		10
11		0=19	0=13		0=04				0=04		0=15	0=18	11
12		0=08	0=03				0=04		0=07			0=21	12
13		0=09	0=15								0=11	0=20	13
14		0=07	0=02				0=07				0=07	0=15	14
15	0=03	0=04	0=04						0=03		0=20	0=05	15
16	0=02		0=06				1=20		0=40		~~0=01~~		16
17	0=03	0=13	0=03				0=02		0=30		0=01	0=06	17
18		0=02	0=08						0=04		0=01	0=05	18
19	0=02		0=01		0=01		0=03		0=02		0=06	0=05	19
20		0=11	0=16			0=08			0=03	0=01			20
21		0=50				0=02	0=03			0=04	0=01		21
22		0=05	0=02		0=07	0=03	0=03	0=05		0=04		0=05	22
23			0=01		0=42	0=33						0=05	23
24			0=01	0=01	0=62			0=11			0=26		24
25		0=03	0=08				0=01	0=13		0=55		0=01	25
26							0=16	0=03		0=24	0=14	0=24	26
27	0=05		0=01							0=08	0=16	0=35	27
28			0=11		0=03			0=01		0=08	0=04	0=18	28
29			0=08		0=02			0=18		0=12	0=04	0=01	29
30		X		0=02				0=05		0=04	0=16	0=16	30
31	0=14	X		X	0=02	X	0=38	0=03	X	0=25	X		31
Total	0=87	1=52	1=42	0=40	1=85	1=45	4=18	1=37	1=02	1=54	2=08	3=47	21=17
Rain Days.	89	15	22	7	13	11	14	13	9	13	23	25	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Baldersby Park, Thirsk
in the County of Yorkshire North Riding
by Jas. E. Hathaway

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Baldersby N.E.R.
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.22			0.03		0.01	0.06	0.20		0.04	0.08	1
2	0.20	0.09	0.11	0.18		0.02	0.13	0.44			0.03		2
3			0.07	0.10			0.40	0.10			0.01	0.54	3
4	0.58				0.03		0.20	0.13			0.02	0.55	4
5	0.15	0.14			0.01					0.02	0.01	0.77	5
6	0.14	0.77	0.06	0.09			0.82			0.11		0.04	6
7	0.08	0.57	0.04				0.36	0.37	0.08				7
8	1.00	0.03					0.09	0.02			0.04		8
9	0.02	0.02						0.08		0.03		0.07	9
10	0.04		0.06					0.11	0.01	0.05		0.33	10
11	0.14	0.11	0.03	0.03	0.67						0.02	0.05	11
12		0.04		0.24	0.02		0.11			0.05	0.55	0.04	12
13	0.09	0.18			0.02		0.03						13
14		0.07			0.04		0.03					0.06	14
15	0.05						0.05	0.05		0.08		0.17	15
16	0.39	0.24			0.06		0.59	0.07		0.02	0.32	0.07	16
17	0.02	0.16	0.02				0.03			0.01	0.11	0.06	17
18		0.04	0.09						0.02	0.05	0.01		18
19			0.08				0.07			0.06			19
20										0.01		0.65	20
21	0.20	0.02		0.03								0.06	21
22			0.05			0.01	0.20		0.01	0.01		0.11	22
23	0.05		0.03	0.01			0.64			0.03			23
24		0.01	0.08	0.05			0.03		0.47	0.01		0.18	24
25				0.01		0.08				0.03		0.04	25
26	0.01		0.03			0.23	0.19			0.01	0.02	0.46	26
27		0.12	0.02			0.01				0.37		0.88	27
28		0.10	0.02		0.18			0.31	0.02	0.09		0.02	28
29	0.02	0.07			0.24					0.01	0.16	0.40	29
30		~~X~~		0.06				0.02		0.01	0.01		30
31	0.19	~~X~~		~~X~~		~~X~~		0.35	~~X~~	0.01	~~X~~	0.17	31
Total	3.37	3.00	0.79	0.80	1.30	0.35	3.98	2.11	0.81	1.07	1.35	5.80	YEAR'S TOTAL 24.73
Rain Days.	18	19	15	10	10	5	18	13	7	21	14	23	173

REGISTER OF RAINFALL IN 1916

Kept at Baldersby Park
in the County of Yorkshire NR
by Jas E. Hatherway

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Baldersby
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.25	0 01	07			02	01	02			05		1
2	0.02	03				02	017		018		01	01	2
3		0.14	024	09					1.21	05	012		3
4		0 15	01	03	0 68	030	020	01	04	015	03		4
5		0 07	03		0.42	040	03			1.11	01		5
6		0 21	012	011	044					053	021		6
7	0.02	0 06	05	02	013	07	019			02	01	015	7
8		02	05		04	02	010			01		02	8
9					021	08						022	9
10						09			05		01		10
11	0.07	0 35	011	03		010	01		04	06		012	11
12	01	02	019		0 32	08	07					04	12
13		01	025		04		078	01		064	06	09	13
14		0 16	02		05	01	015	022	01	05	01	02	14
15		0 16	053					09			01		15
16		0 10	010	06			06	039		012	01	03	16
17				0 18			017	05		015			17
18	0.02	0 24		011		01	03	04	020	03	056		18
19	0.06		011	017				05	024		031		19
20	0.12		033	031		01		02	02		06	09	20
21	0.02			08	012		010	05					21
22		0 05		04		012				08	01	01	22
23			014	03		01			02		01	01	23
24			016	05		010				02	01	01	24
25		054	016		013			050		011	02	01	25
26	0.03	019	05		02			1.27		02			26
27		008	06			04				035		01	27
28		018			011			03	01	09		014	28
29										016		04	29
30		X			03	012				025			30
31		X		X		X			X	017	X		31
Total	0.62	2.27	2.78	1.31	2.74	1.60	2.07	2.75	2.02	4.17	1.52	1.02	24.87
Rain Days.	10	20	20	14	14	18	14	14	11	21	19	17	192

REGISTER OF RAINFALL IN 1917

Kept at Baldersby Park Thirsk
in the County of Yorkshire
by Jas E. Heathaway

Lat. Long.
Time of Observation
Nearest Railway Station Baldersby
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 0 in.
Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		04		021		044		060	024	01	013	06	1
2	01			017		01		014	02				2
3			01	01		01		04		02	04		3
4										019			4
5	01	01	04	018							04	01	5
6				01		033		01		043	09	01	6
7	0-43					09		01		07		011	7
8	0-58		07	07				098		024	04	01	8
9	01			08				035	02	02	018	03	9
10	09		072	011	08	01		013		018	06	02	10
11	0-19				01			02		020	01		11
12	0-13	02		04	012			011		069	01	06	12
13	0-12			07	018	03		023	07	01		08	13
14	0-13		01	03	05			015				04	14
15	01			05			010	03		03		07	15
16	05	01		016				05		01	01	028	16
17	08	04		016	033		02	031		06		016	17
18	01	0-20		04	07		030	08	05			08	18
19	05	0-30	07		014	012	02		01	01		015	19
20	03	0-10	08			036	01	06	01		022	015	20
21			01					05		01			21
22	02		042			09		03		03			22
23					06	05	03	013		01		01	23
24	01	0-3			01		01			027	016		24
25			02				01	03		020			25
26			08			025	01	051	04	027	03	02	26
27			012			016	031	051				08	27
28			08				0-15	04		03			28
29			04				011			031	03		29
30		X	02				02	02		02	02	01	30
31	04	X		X	02	X	02	02	X		X		31
Total	2-00	075	1-72	1-39	1-07	1-95	1-12	5-01	046	3-32	1-07	1-44	YEAR'S TOTAL 21-30
Rain Days.	19	9	15	15	11	13	14	26	8	24	15	20	78

REGISTER OF RAINFALL IN 1918

20

Kept at Baldersby Park
 in the County of Yorkshire N
 by J. E. Hathaway

Lat. _____ Long. _____
 Time of Observation 9:00 a.m.
 Nearest Railway Station Baldersby
 Diameter of Funnel of Rain Gauge 10 in.
 Height of top of Gauge above Ground 2 ft. _____ in.
 " " " " Sea Level 100 ft.

BRITISH RAINFALL
 FORM A.
 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	05	05	01	01				010	011	018		1
2	01	07		03					013			013	2
3	04	010	02	01	044					06	012		3
4	01		01		011		01	036	033	02	017	019	4
5		01	01	01	045			068		09	04		5
6		036	01	029		029		06		012		05	6
7		02		011		01			04	014	025		7
8		05	08	01	01		031	02	012	03	01		8
9	05	029		015		03			071	021	06	03	9
10	01	021	01				029		09	01	05	02	10
11	08	02	07		018		06	03	01		01	04	11
12		012	06		05		066		07	02	01	01	12
13			08	08	020				030	016			13
14	012			020		03	06		049	04	01	024	14
15				02	02		041	06	100		01	070	15
16	013	01	01		02	046	020	09	017	04		021	16
17					043	010	022			025		015	17
18	084		03				025		061	01		04	18
19	027		07	013		013	043	012	04	08		09	19
20	011	053		014		011			015	03	01	01	20
21	016	04			095	02			010	014			21
22		02		04	013	01	01		02		01	010	22
23	01				037		022				01	01	23
24		04			01		06	04	029	02	01		24
25						01	020	04	015			02	25
26							09	01	018		013	09	26
27		03	05			01		050	027		016	05	27
28		013	019								04	015	28
29	01		04					01	031			045	29
30	01	X	014							01	03	033	30
31		X	09	X		X			X		X	09	31
Total	1-90	2-10	9-5	1-23	3-38	1-21	3-48	2-02	5-68	1-59	1-32	3-20	28-05
Rain Days.	16	18	18	14	15	12	16	18	23	20	20	23	208

REGISTER OF RAINFALL IN 1919.

Kept at Baldersby Park
in the County of Yorkshire
by J. E. Hathaway

Lat. _____ Long. _____
Time of Observation 9.0
Nearest Railway Station Baldersby.
Diameter of Funnel of Rain Gauge 1.0 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29	01			027		034		017	08	03	03	1
2	0 05		02		01		035		02		02		2
3	0 19				026	010	02		01		05	017	3
4	0 54		03					09	012	02	08	09	4
5	0 36	07	029		04					01	05	05	5
6	0 06	01	011		02				01	02	02	02	6
7	01		07		015								7
8	08		03	02	05	03				01	0.26	02	8
9	0 11		02								04	01	9
10	-		05	04	05				01	05	09	019	10
11	01		091		014	03	026		04	010	016	03	11
12	01		012				07		03	016	03	02	12
13	04	01	04	0.15			07	09		016	02	02	13
14	020			0.33			02	02		04		05	14
15	03	010	05	020							07	072	15
16	01	0.29		04							07		16
17	-			010				01	01		011	01	17
18	-		04		01		01	040		01		03	18
19	04	020	061			01	065	04	08	01	014	04	19
20	059	010				010	013					016	20
21	017	019				01	01		09	01	02	09	21
22	-	015	04			01	01	01	010			018	22
23	-		01	07		01	01			081	02	06	23
24	01	01		03	04	031				042	01	02	24
25	03	06		03		013		047		01	021		25
26		01	019	04		01		019		024	0.20	032	26
27	08	01		017		01			03	052	017	02	27
28	09			015				082		025		022	28
29	08					02				052		017	29
30			01	024		019				02	012	023	30
31			02				04			08		09	31
TOTAL	3.08	1.22	2.66	1.61	1.04	0.97	1.99	2.14	0.72	3.55	2.00	3.06	24.04
Days with 0.1 in. or more	23	14	19	14	11	14	14	10	13	22	23	27	204

REGISTER OF RAINFALL IN 1920.

Kept at Baldersby Park.
in the County of Yorkshire
by Jas. E. Hathaway

Lat. Long.
Time of Observation 9.30
Nearest Railway Station Baldersby N.E.R.
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		08	08	025	046	03	071		01	012	01	01	1
2			06	09			013	01	012	09		030	2
3		04		08			010	015	022	032		016	3
4	01			03	011		058	072	015	074		052	4
5		01	03		02		021	01		02		01	5
6			012	010	02		03			01		06	6
7	04	01	06				042				01		7
8		01		028	05		09	015	01	01	014		8
9	015	016	01	046			04	019		01		01	9
10	099	05	05	052			020	09					10
11	022	02	02	017	012							03	11
12	010		013	021			01			01	01	09	12
13	06		05	04	01	05				01	06		13
14		06	023	013			013		024	06	023	01	14
15		014	035	020			01		01	086	03	05	15
16							050		06		04	06	16
17		01			016			010	015	02	01	01	17
18	019			07	013	04		01	06	01		011	18
19	01	042		014		014	02	03			01		19
20	04	01		014			04		01		02		20
21	01			05			030	026	01			01	21
22	04			014			04	01		01			22
23		01	07	03			024			03	02	018	23
24	01	01	030			01	04		01			03	24
25		06	07	02		02	049		01	01	01		25
26	08	04	022				012						26
27	021			02	029	049	03		01	01	027	01	27
28	041		015	015	03	010	03				01	07	28
29	038		09	01	086		02		02	01	09	053	29
30	08	~~X~~	02		07	04			07	01	013	021	30
31	05	~~X~~		~~X~~	010	~~X~~			~~X~~	07	~~X~~	06	31
TOTAL	3.08	1.14	2.11	3.33	2.43	092	4.53	1.73	1.17	2.44	1.10	2.53	YEAR'S TOTAL 26.51
Days with "01 in. or more	19	17	19	23	14	9	25	12	17	21	17	22	215
Days with "04 in. or more	15	9	15	18	10	6	18	7	8	7	7	13	133

SOWERBY
THIRSK

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

Kept at Thirsk
in the County of York
by A. C. Bar

YORKSHIRE
1912

in _____
und _____ ft. _____ in.
Level _____ ft.
ne _____
tance _____ Direction _____

IMPORTANT NOTE. Rainfall is measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31							.04					1
2					.14		.13			.04	.03	.02	2
3				.14	.16					.17	.02	.04	3
4				.29	.03			.14	.04	.06		.22	4
5	.06		.05	.03				.30		.05	.15		5
6			.04					.33			.07	.43	6
7			.04								.04		7
8	.07		.27						.02		.05	.42	8
9				.06									9
10	.02	.08		.05								.31	10
11	.27												11
12	.18		.04		.04				.63		.46		12
13		.04	.05									.47	13
14		.04	.08		.26						.04	.48	14
15			.05								.17	.18	15
16			.09			.02	.26				.04	.23	16
17					.04	.29	.03				.14		17
18		.02	.06									.09	18
19						.04	.10		.09	.06	.36	.08	19
20		.06		.03			.19	.64	.04			.14	20
21		.08						.55		.08	.04	.03	21
22	.05	.02						.14			.09		22
23	.04	.15				.96			.13	.08			23
24						.90				.09			24
25			.03			.38			.34	.06			25
26				.08	.11		.03			.57	.28	.50	26
27		.03	.04					.21	.13	.06	.04	.07	27
28				.24		.04						.16	28
29									.22	.16	.04	.03	29
30			.02	.12	.09				.65	.10	.02		30
31					.09					.12		.07	31
Total	1.00	.52	.86	1.04	.96	2.63	.74	2.35	2.29	1.70	2.08	3.97	TOTAL 28.14
No. of Rain Days.	8	9	13	9	9	8	6	8	10	15	18	21	134

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Thirsk

in the County of York

NR 2

by A. C. Bamlett

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31							.04					1
2					.14		.13			.04	.03	.02	2
3				.14	.16					.17	.02	.04	3
4				.29	.03			.14	.04	.06		.22	4
5	.06		.05	.03				.30		.05	.15		5
6			.04					.33			.07	.43	6
7			.04								.04		7
8	.07		.27						.02		.05	.42	8
9				.06									9
10	.02	.08		.05								.31	10
11	.27												11
12	.18		.04		.04				.63		.46		12
13		.04	.05									.47	13
14		.04	.08		.26						.04	.48	14
15			.05								.17	.18	15
16			.09			.02	.26				.04	.23	16
17					.04	.29	.03				.14		17
18		.02	.06									.09	18
19						.04	.10		.09	.06	.36	.08	19
20		.06		.03			.19	.64	.04			.14	20
21		.08						.55		.08	.04	.03	21
22	.05	.02						.14			.09		22
23	.04	.15				.96			.13	.08			23
24						.90				.09			24
25			.03			.38			.34	.06			25
26				.08	.11		.03			.57	.28		26
27		.03	.04					.21	.13	.06	.04	.07	27
28				.24		.04						.16	28
29									.22	.16	.04	.03	29
30			.02	.12	.09				.65	.10	.02		30
31					.09					.12		.07	31
Total	1.00	.52	.86	1.04	.96	2.63	.74	2.35	2.29	1.70	2.08	3.97	TOTAL 20.14
No. of Rain Days.	8	9	13	9	9	8	6	8	10	15	18	21	134

THIRSK
CARLTON MINICOTT

21 JAN 1916

Kept at Carlton Minicott
in the County of the A.

SCHOOL
YORKSHIRE

1915 - 17, 19-20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1				—	.03	—	1.46	.10	.31	—	.06	.09	1
2				.14	—	.04	.10	.58	—	—	.04	—	2
3				.11	—	—	.25	.16	—	—	.03	.52	3
4				—	.05	—	.35	.12	—	—	.03	.27	4
5				—	.02	—	—	—	—	.01	.01	.81	5
6				.13	—	—	.71	.02	.06	.02	—	.07	6
7				—	—	—	.24	.28	—	—	—	.02	7
8				—	—	—	.03	.05	—	—	.07	—	8
9				—	—	—	—	.07	—	.02	—	.50	9
10				—	—	—	—	.10	—	—	—	.05	10
11				.02	.69	—	.02	—	—	—	.01	.12	11
12				.22	.05	—	.05	—	—	.04	.64	—	12
13				—	.01	—	.02	—	—	—	—	.01	13
14				—	.07	—	.06	.31	—	.01	—	.06	14
15				.02	—	—	.15	.14	—	.05	.75*	.19	15
16				—	.05	—	.59	.15	.02	.02	—	—	16
17				—	—	—	—	—	—	.01	—	.05	17
18				—	—	—	—	—	.01	.05	.01	—	18
19				—	—	—	.04	—	—	.01	—	—	19
20				—	.01	—	—	—	—	.03	—	.45	20
21				.03	—	—	—	.01	—	—	—	.07	21
22				—	—	—	.11	—	—	.01	—	.11	22
23				.02	—	—	.26	—	—	.01	—	.01	23
24				.04	—	—	.01	—	.37	.02	—	.11	24
25				—	—	.08	.07	—	—	.02	—	.06	25
26				—	—	.26	.21	—	—	—	.06	.53	26
27				—	—	.02	.01	—	—	.38	—	.13	27
28				—	.20	—	—	.28	—	.10	—	.03	28
29				—	.23	—	—	—	.01	.02	.16	.36	29
30				.16	—	.30	.08	.01	—	—	—	.01	30
31				—	—	—	—	.38	—	.01	—	.19	31
Total				.89	1.41	.70	4.92	2.76	.78	.84	1.87	4.82	TOTAL for year
No. of Rain Days				10	11	5	21	16	6	19	12	25	1899 125 11

* = 9 inches of snow.

April 10 Dec

Register of Rainfall in 1915.

Kept at Carlton Minniott Council School, Thirsk, by James Garfield Milner,

in the County of the North Riding of Yorkshire. Time of Observation 9 A.M.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1				—	.03	—	1.46	.10	.31	—	.06	.09	1
2				.14	—	.04	.10	.58	—	—	.04	—	2
3				.11	—	—	.25	.16	—	—	.03	.52	3
4				—	.05	—	.35	.12	—	—	.03	.27	4
5				—	.02	—	—	—	—	.01	.01	.81	5
6				.13	—	—	.71	.02	.06	.02	—	.07	6
7				—	—	—	.24	.28	—	—	—	.02	7
8				—	—	—	.03	.05	—	—	.07	—	8
9				—	—	—	—	.07	—	.02	—	.56	9
10				—	—	—	—	.10	—	—	—	.05	10
11				.02	.69	—	.02	—	—	—	.01	.12	11
12				.22	.05	—	.05	—	—	.04	.64	—	12
13				—	.01	—	.02	—	—	—	—	.01	13
14				—	.07	—	.06	.31	—	.01	—	.06	14
15				.02	—	—	.15	.14	—	.05	.75*	.19	15
16				—	.05	—	.59	.15	.02	.02	—	—	16
17				—	—	—	—	—	—	.01	—	.05	17
18				—	—	—	—	—	.01	.05	.01	—	18
19				—	—	—	.04	—	—	.01	—	—	19
20				—	.01	—	—	—	—	.03	—	.45	20
21				.03	—	—	—	.01	—	—	—	.07	21
22				—	—	—	.11	—	—	.01	—	.11	22
23				.02	—	—	.16	—	—	.01	—	.01	23
24				.04	—	—	.01	—	.37	.02	—	.11	24
25				—	—	.08	.07	—	—	.02	—	.06	25
26				—	—	.26	.21	—	—	—	.06	.53	26
27				—	—	.02	.01	—	—	.38	—	.13	27
28				—	.20	—	—	.28	—	.10	—	.03	28
29				—	.23	—	—	—	.01	.02	.16	.36	29
30				.16	—	.30	.08	.01	—	—	—	.01	30
31				—	—	—	—	.38	—	.01	—	.19	31
Total				.89	1.41	.70	4.92	2.76	.78	.84	1.87	4.82	TOTAL for year
No. of Rain Days				10	11	5	21	16	6	19	12	25	1899
													125
													11

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE TWOPENCE.

* = 9 inches of snow.

21 JAN 1916

April 10 Dec

REGISTER OF RAINFALL IN 1916.

Kept at Carlton Miniott,
in the County of Yorkshire, (North Riding)
by J. Garfield Milner.

Lat. 54°13'30" N. Long. 1°24' W.

Time of Observation 9 a.m.

Nearest Railway Station Thirsk.

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.03	.05				.18	-	-	-	.04	-	1
2	.02	.02	.18				-		.24	.07	-	.01	2
3		.10	.09	.08			.24	.01	1.02	.09	.15		3
4		.22	.02	.04	.67	.32	.07		-	.18	.28		4
5	.01	.07	.07		.41	.40	-		.01	.45	.13		5
6		.21	.14	.12	.39		.22		-	.02	.16		6
7		.08	.10		.17	.09	.17		-	.07		.15	7
8		.03	.08		.05	.03	-		-	.07		.02	8
9		-	-		.12	.16	-		.06	-		.02	9
10	.07	.01	.01		-	.13	.04		-	.07	.02	.04	10
11	.02	.38	.14		-	.11	.11		.03			.08	11
12		.02	.15		.44	.07	.42	.02	-			.04	12
13		.01	.21		.02		.61	.26	-	.55	.08	.17	13
14		.14	.02				-	.15	.02	.03		.05	14
15		.12	.41				.04	.35	-	.01			15
16		.07	.11	.06			.06	.03	-			.06	16
17	.01	-	-	.17			.01		.22	.15	.07		17
18		.24	-	.09			.01		.29	.04	.62		18
19	.05	-	.08	.20			-	.10	.02		.32		19
20	.06	-	.19	.03			.08	.04	-		.08	.12	20
21	.04	-	.03	.33	.01		-	.01	-				21
22		.10	-	.03		.13	-	-	-	.13			22
23		.01	.11	.02			-	.24	-		.14	.24	23
24		.02	-	.02		.64	-	.31	.01	.02		.11	24
25		.02	.20		.06		-	-	-	.15	.01	.01	25
26	.05	.08	.03		.02	.04	-	.03	-				26
27		.23	-				-	-	.01	.38			27
28		.07	.01	.02	.05		-	.01	-	.05		.16	28
29		.18	-			.13	-	-	-	.15		.07	29
30		X	-				-	-	-	.25			30
31		X	-	X	.15	X		-	X	.08	X		31
Total	156	2.46	2.43	1.21	2.56	2.25	2.56	1.56	1.93	3.01	2.20	1.35	YEAR'S TOTAL 24.08
Rain Days.	10	24	22	13	13	12	14	13	11	20	13	16	181

REGISTER OF RAINFALL IN 1914.

Kept at Barlton Minniott
in the County of Yorkshire (North Riding)
by J. Garfield Milner.

Lat. 54° 13' 30" N. Long. 10° 24' W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level — ft.

2425
FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—			.17		.56		.76	.32			.04	1
2	.03			.16				.16	.06				2
3				.01		.02		.08		.01			3
4			.11							.11	.02		4
5	.13		.05	.20							.07		5
6			—			.12					.09		6
7	.65		.02			.01				.50			7
8	.65			.12				2.06		.23	.05		8
9	.06			.06				.44		.03	.23		9
10	.22		.83	.24	.05			.14		.18	.10		10
11	.03							.04		.20			11
12	.15			.04	.12			.10		.71		.06	12
13	.16			.05	.12	.07		—	.09	.02			13
14	.28			.12	.27					.01		.15	14
15	.05			.14				.62	.11			.20	15
16	.05			.16			.10	.05		.05		.49	16
17	.03		.02	.19	.15	.05	.05	.45	.01			.48	17
18	.03	.08		.05	.06		.25	.05	.18				18
19	.05	.15	.07		.11	.13	.02	.10					19
20		.36	.07			.48	.02		.01		.35		20
21	.12	.13	.24							.02			21
22			.18			.05							22
23		.04			.07	.02	.03	.21	.02				23
24								.05			.19		24
25		.05	.04				.02	.04				.05	25
26			.15			.12	.01	.79	.06		.02	.15	26
27			.06			.18	.29	.41					27
28	.01		.04			.03	.12	.72		.50			28
29	.02						.14	—		.40			29
30	.03	X	.04	.19			.04	—		.02	.04		30
31	.06	X	.18	X		X	.03	—	X		X	.04	31
Total	28.1	.81	2.10	1.90	.95	1.84	1.12	6.67	.86	2.99	1.16	1.66	YEAR'S TOTAL 24.87
Rain Days.	20	6	15	15	8	13	13	19	9	15	10	9	152

REGISTER OF RAINFALL IN 1919.

Kept at Carlton Minnott School

in the County of Yorkshire NR

by L.P. Knowles

Lat. 54° 15' N Long. 1° 10' W

Time of Observation 9.30 am

Nearest Railway Station Thirsk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

Sea Level 96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	-	-	.001	.33				.24			.06	1
2		-	-	.001	.02				.02	.001	.04	.22	2
3		-	-		.10	.16			-	-	.01	.09	3
4		.05	-		.16	.03			.19	-	.08	.06	4
5		-	-		.001	.001				.01	.03		5
6	1.10	-	-		.09					.015	.08		6
7	.02	-	-	.01	.12					.001		.08	7
8	.10	-	-	.05	.07		1.00			.001		.03	8
9	.10	-	-	.02	.23						.51	.03	9
10	-	-	.60	.02	.12			.015		.51	.25	.33	10
11	-	.001	.001	.12	-				.04		-	.03	11
12	-	.05	.001	.12	.001						-	.12	12
13	.10	-	-	-	-	.09						.42	13
14	.25	-	-	.30	-			.06	.02			.04	14
15	.03	.05	.10	.41	-					.50	.33	.02	15
16	.01	.32	.05	.06	-							-	16
17	.05	-	-	-	-	.001		.02			.09	-	17
18	-	.015	.06	-	.04			.50	.10		.001	-	18
19	-	.30	.68	-	-	.04		.18	.06	.02	.22	-	19
20	.70	.001	.001	-	.001			.025	.02	.001		-	20
21	.18	-	.01	-	-	.001		.001	.18	.001		-	21
22	.001	.32	-	-	-			.32	.001	.001		.16	22
23	-	.05	-	.30	-	.04		.16		-			23
24	.04	-	.001	.20	-			.09			.03		24
25	.02	-	-	-	-	.001					.25		25
26	-	-	.20	-	-			.57		.32	.36	.60	26
27	.21	.12	.001	-	-			.38		.70	.12		27
28	.05	.01	-	.26	-	(60)	1.10	.001	.04	.33	-	.60	28
29	.06	X	-	.01	-		.10	.96	.001	.81	-	.20	29
30	.03	X	.001	.32	-		-	-		.03	.20	-	30
31	.01	X	.02	X	-	X	-	.02	X	.165	X	-	31
TOTAL	3.31	1.28	1.72	2.12	1.28	.96	2.20	3.30	.91	3.40	2.60	3.39	26.47
Days with .01 in. or more	20	8	8	12	10	10	2	12	8	12	15	17	134

REGISTER OF RAINFALL IN 1920.

Kept at *Carlton Ministt School*
in the County of *Yorks N. Riding*
by *L.P. Knowles*

Lat. _____ Long. _____
Time of Observation *9.0 am*
Nearest Railway Station *Thirsk*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *100* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.2	-	.51			-		.08	1
2			.04		.25	.01	.15					.01	2
3	<i>Frost</i>	.01			.1		.2			.45		.28	3
4		.06			.001		.04			.2			4
5		.001			.12		.41		.5	.61		.15	5
6		.01			.1		.75		.16	.21		.6	6
7	.12	-	.3	.5	.04		.07		.4		.05	.03	7
8	.05	.01	.001				.6		.05		.05	.01	8
9	<u>1.5</u>	.14	.02				.14		.15		.08		9
10	.05	.01	.06	.6	.06				.001		.01		10
11	.04	.02	.01	.5	.12								11
12	.08	.001	.53	.09		.005	.23			.001			12
13	.001		.02	.15	.001	.005	.15		.001				13
14	.001	.03	.001	.07	-				.001				14
15	-		.1	.08	-		.12		.29		.35		15
16	.25	.001	.01	.21	.001				.05		.05		16
17		.001	.001		.15				.03	.4	.05		17
18	.001	.02	.001	.04	.15		.3			.2	.01		18
19	.06	.34		.15		.01	.2			.65		.001	19
20	.01	.001		.15		.1	.02		.1				20
21	.04	.01		.2	~~.001~~		.05		.001	.1		.001	21
22		.01		.14			.36		.03				22
23		.02	.08				.07		.01		.01	.001	23
24		.01	.15						.01		.01		24
25		.09	.06			.005							25
26		-		.1			.11						26
27		.001				.3	.05		.01	.002			27
28		.001		.05		.1	.015		.001				28
29		-		.01	.5	.05			.01	.001	.35		29
30		~~X~~		.02	.65	.02			-		.19		30
31		~~X~~		~~X~~	.15	~~X~~	.001		~~X~~	.001	~~X~~		31
TOTAL	<i>W.D.</i> ~~2.203~~ <i>18</i> 9	.797 <i>14</i> 22 4	~~1.64~~ <i>12</i> 16 7	3.06 <i>15</i> 17 14	2.593 <i>13</i> 16 13	6.05 <i>9</i> 10 3	4.546 <i>21</i> 22 19	3.467 ~~X~~	1.805 <i>14</i> 19 8	2.825 <i>8</i> 12 7	1.21 <i>7</i> 12 8	~~1.63~~ <i>10</i> 10 4	YEAR'S TOTAL <i>W.D.</i> ~~25.591~~

REC

THIRSK

FORM A2.
BRITISH RAINFALL.

Kept at

Spital Hill

in the County of

York

by

C. H. R.

SPITAL HILL
YORKSHIRE

1912 - 1920

1 ft. — 1 in.
ft.

Thirsk

Direction N.W.

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.31	.05	-	-	.24	.09	.25	.26	.03	-	-	1
2	-	-	.16	.01	-	.34	.66	-	.09	.06	-	.08	2
3	.15	.12	-	-	-	.90	-	.34	.15	-	-	.17	3
4	.40	-	.46	-	.01	.52	-	.75	.03	-	.65	.01	4
5	-	-	-	-	.18	.06	-	-	-	-	-	-	5
6	.60	.28	-	-	-	.04	-	.38	-	-	-	-	6
7	-	.04	-	-	.05	-	-	.01	.16	-	.02	-	7
8	.21	.19	.11	-	-	.06	-	-	.23	.01	.23	-	8
9	-	.02	.05	.02	-	.82	.04	-	.05	-	.04	-	9
10	.06	-	-	-	-	.50	-	.11	.01	-	.18	-	10
11	.13	-	-	-	-	-	-	.01	-	-	.26	.20	11
12	.03	-	.04	-	-	.11	1.04	-	-	-	.51	.03	12
13	-	-	-	-	-	.02	-	-	-	.12	.67	.01	13
14	.18	-	.44	-	-	.24	-	.03	-	-	.02	.03	14
15	.06	-	.27	-	.58	.10	-	-	-	-	-	.05	15
16	.66	-	.15	-	.08	.10	-	.01	-	.10	-	-	16
17	-	.07	.22	-	-	.24	.03	.17	-	-	-	.08	17
18	.12	.07	-	-	-	-	.05	.50	-	.02	.01	-	18
19	.20	.24	-	-	-	.01	.20	.48	-	.05	-	-	19
20	.18	.05	-	-	.36	.12	.04	-	-	.11	.02	-	20
21	-	-	.27	-	.02	-	-	-	-	.15	.03	-	21
22	.02	.08	.20	-	.47	.45	-	.27	-	.01	-	-	22
23	-	-	.15	-	.04	-	.24	.37	-	.01	.08	-	23
24	.11	-	-	-	-	.05	.05	.08	-	.01	-	.13	24
25	.10	-	-	-	-	.62	-	.08	-	-	.15	.06	25
26	.03	.01	.03	-	-	.01	.15	.17	-	.95	.09	.26	26
27	-	-	-	-	-	.25	.20	-	-	.30	.04	.10	27
28	-	-	-	-	.37	-	.14	.63	-	.34	.11	-	28
29	-	-	-	-	-	.07	.11	-	.73	.03	.01	.05	29
30	.05	-	.20	-	.10	-	.02	-	.24	.12	.01	-	30
31	-	-	.06	-	-	-	.46	.40	-	.04	-	-	31
Total	3.29	1.48	2.86	.03	2.26	5.89	3.52	5.04	1.95	2.46	3.13	1.26	TOTAL for year
No. of Rain Days.	18	12	16	2	11	23	15	19	10	18	19	14	33.16

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Spital Hill, Thirsk
in the County of York N2
by C. H. Gill

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Thirsk
Distance 3 1/4 Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.31	.05	—	—	.24	.09	.25	.26	.03	—	—	1
2	—	—	.16	.01	—	.34	.66	—	.09	.06	—	.08	2
3	.15	.12	—	—	—	.90	—	.34	.15	—	—	.17	3
4	.40	—	.46	—	.01	.52	—	.75	.03	—	.65	.01	4
5	—	—	—	—	.18	.06	—	—	—	—	—	—	5
6	.60	.28	—	—	—	.04	—	.38	—	—	—	—	6
7	—	.04	—	—	.05	—	—	.01	.16	—	.02	—	7
8	.21	.19	.11	—	—	.06	—	—	.23	.01	.23	—	8
9	—	.02	.05	.02	—	.82	.04	—	.05	—	.04	—	9
10	.06	—	—	—	—	.50	—	.11	.01	—	.18	—	10
11	.13	—	—	—	—	—	—	.01	—	—	.26	.20	11
12	.03	—	.04	—	—	.11	<u>1.04</u>	—	—	—	.51	.03	12
13	—	—	—	—	—	.02	—	—	—	.12	.67	.01	13
14	.18	—	.44	—	—	.24	—	.03	—	—	.02	.03	14
15	.06	—	.27	—	.58	.10	—	—	—	—	—	.05	15
16	.66	—	.15	—	.08	.10	—	.01	—	.10	—	—	16
17	—	.07	.22	—	—	.24	.03	.17	—	—	—	.08	17
18	.12	.07	—	—	—	—	.05	.50	—	.02	.01	—	18
19	.20	.24	—	—	—	.01	.20	.48	—	.05	—	—	19
20	.18	.05	—	—	.36	.12	.04	—	—	.11	.02	—	20
21	—	—	.27	—	.02	—	—	—	—	.15	.03	—	21
22	.02	.08	.20	—	.47	.45	—	.27	—	.01	—	—	22
23	—	—	.15	—	.04	—	.24	.37	—	.01	.08	—	23
24	.11	—	—	—	—	.05	.05	.08	—	.01	—	.13	24
25	.10	—	—	—	—	.62	—	.08	—	—	.15	.06	25
26	.03	.01	.03	—	—	.01	.15	.17	—	.95	.09	.26	26
27	—	—	—	—	—	.25	.20	—	—	.30	.04	.10	27
28	—	—	—	—	.37	—	.14	.63	—	.34	.11	—	28
29	—	—	—	—	—	.07	.11	—	.73	.03	.01	.05	29
30	.05	—	.20	—	.10	—	.02	—	.24	.12	.01	—	30
31	—	—	.06	—	—	—	.46	.40	—	.04	—	—	31
Total	3.29	1.48	2.86	.03	2.26	5.88	3.52	5.04	1.95	2.46	3.13	1.26	TOTAL for year
No. of Rain Days.	18	12	16	2	11	23	15	19	10	18	19	14	33.16

REGISTER OF RAINFALL IN 1913

Kept at *Spital Hill, Thirsk*
 in the County of *Yor*
 by *B. H. Gill*

Lat. _____ Long. _____
 Time of Observation *9 am*
 Nearest Railway Station *Thirsk*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *12½* ft.
 " " " " Sea Level *116.603* ft.

FORM A.
 BRITISH RAINFALL
 24 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.02	.09	.25	.00	.00	.00	.00	.01	.00	.02	.00	1
2	.00	.05	.04	.06	.00	.10	.00	.00	.00	.00	.02	.00	2
3	.02	.00	.00	.00	.20	.00	.23	.00	.00	.21	.00	.00	3
4	.40	.02	.00	.00	.00	.02	.01	.00	.00	.03	.15	.67	4
5	.33	.05	.00	.00	.00	.15	.00	.20	.00	.18	.00	.00	5
6	.02	.30	.13	.00	.50	.11	.33	.00	.00	.00	.02	.00	6
7	.00	.31	.00	.02	.09	.16	.00	.00	.00	.33	.02	.00	7
8	.00	.01	.03	.00	.49	.04	.00	.00	.07	.08	.07	.00	8
9	.00	.06	.01	.05	.12	.01	.00	.14	.00	.00	.04	.00	9
10	.00	.14	.00	.01	.10	.00	.01	.00	.00	.01	.39	.00	10
11	.23	.01	.00	.39	.02	.00	.00	.00	.00	.00	.08	.02	11
12	.37	.01	.00	.00	.00	.00	.00	.00	.02	.00	.28	.00	12
13	.05	.00	.00	.05	.00	.00	.00	.05	.28	.03	.09	.00	13
14	.05	.06	.20	.00	.00	.00	.09	.00	.00	.07	.00	.01	14
15	.25	.02	.35	.30	.00	.00	.00	.00	.00	.00	.23	.02	15
16	.02	.00	.01	.00	.00	.00	.02	.00	.00	.00	.03	.00	16
17	.01	.00	.30	.09	.00	.00	.02	.00	.10	.00	.08	.00	17
18	.02	.00	.28	.10	.00	.19	.01	.00	.00	.00	.05	.00	18
19	.28	.00	.02	.00	.21	.02	.00	.00	.07	.01	.00	.02	19
20	.04	.00	.12	.03	.00	.00	.00	.04	.09	.10	.11	.00	20
21	.03	.00	.00	.00	.12	.00	.04	.16	.00	.00	.00	.00	21
22	.07	.00	.30	.00	.05	.00	.00	.36	.09	.00	.00	.00	22
23	.09	.00	.00	.00	.00	.08	.02	.02	.10	.00	.05	.00	23
24	.08	.05	.00	.05	.00	.35	.07	.02	.00	.00	.00	.02	24
25	.00	.00	.00	.03	.00	.00	.00	.00	.25	.03	.03	.02	25
26	.00	.04	.04	.23	.00	.00	.00	.00	.09	.24	.15	.23	26
27	.03	.06	.01	.46	.00	.18	.00	.00	.00	.00	.03	.08	27
28	.32	.00	.20	.41	.00	.00	.00	.00	.00	.00	.00	.09	28
29	.02		.25	.45	.00	.00	.00	.04	.00	.01	.03	.76	29
30	.30		.03	.00	.00	.00	.00	.00	.00	.60	.00	.03	30
31	.06		.00		.02		.00	.00		.00		.00	31
Total	3.14	1.21	2.41	2.98	1.92	1.41	.79	1.03	1.17	1.93	1.97	1.97	YEAR'S TOTAL 21.93
Rain Days.	24	16	18	17	11	12	11	9	11	14	21	12	176

REGISTER OF RAINFALL IN 1914

Kept at *Spital Hill, Thirsk*
in the County of *York - RR 2*
by *C. H. Gill*

Lat. *54° 12 3/4 N.* Long. *10 18 1/2 W.*
Time of Observation *9 a.m.*
Nearest Railway Station *Thirsk*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *117* ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	-	-	-	-	1.64	.53	-	.02	.02	.18	1
2	-	-	-	-	-	-	.55	.42	-	.03	.22	.23	2
3	.01	-	.06	-	.24	-	-	-	-	-	.11	.69	3
4	-	-	.03	.18	.09	-	-	-	-	-	.11	.53	4
5	-	-	.05	.08	.03	.03	.02	-	-	.02	.14	.04	5
6	-	.10	-	.03	.10	-	-	-	-	-	.05	.05	6
7	-	.02	.25	.04	.06	.30	-	.03	-	-	.12	.10	7
8	.47	-	.03	-	.15	.19	.02	.05	-	.03	-	.01	8
9	.48	.03	-	.24	.01	.65	-	.03	-	-	.05	.07	9
10	.21	.11	-	.02	-	-	-	-	.13	-	.04	-	10
11	-	.25	.21	-	.15	-	-	-	.03	-	.20	.20	11
12	.01	.01	.01	-	.01	-	-	-	.15	-	-	.40	12
13	-	.14	.21	-	-	-	-	-	-	-	.10	.28	13
14	.02	.10	-	.02	-	-	.10	-	-	-	.10	.17	14
15	.03	-	.07	-	-	-	.05	-	.05	-	.37	.10	15
16	.07	-	.11	-	-	-	1.33	-	.56	-	.07	-	16
17	.03	.09	.06	-	-	-	.02	-	.35	-	-	.06	17
18	.02	-	.05	-	-	-	.03	-	.05	-	-	.17	18
19	-	-	-	-	.01	-	.05	-	.02	-	.06	.08	19
20	-	.16	.26	-	-	-	-	-	-	.01	-	.01	20
21	-	.61	.01	-	-	-	.03	.01	-	.03	.05	.01	21
22	-	-	.01	-	.10	.03	-	-	-	.03	.01	.12	22
23	-	-	.05	-	.37	.35	-	-	-	-	.02	.07	23
24	-	-	.05	.05	.30	-	-	.19	-	.01	.32	-	24
25	-	.06	.10	-	-	-	-	.11	-	.73	.06	.35	25
26	-	-	.06	-	-	-	.18	.08	-	.34	.20	.20	26
27	.04	-	-	-	-	-	-	-	-	.05	.22	.55	27
28	.01	.01	.01	-	.03	-	-	-	-	.09	.05	.15	28
29	-	-	.10	-	.01	-	-	.16	-	.35	.07	-	29
30	-	X	.10	-	-	-	-	.05	-	.07	.46	.15	30
31	.04	X	-	X	-	X	.43	.03	X	.24	X	-	31
Total	1.54	1.70	1.29	.66	1.66	1.55	4.45	1.69	1.34	2.05	3.22	4.97	YEAR'S TOTAL 25.18
Rain Days.	13	14	22	8	15	6	13	12	8	15	25	26	177

Barnet

27 JAN 1915

SPI TAL HILL.

THIRSK

Yorks

Jan 26th - 1915.

Dear Sir
I am not sure that my
report of last years rainfall is
correct. The total twelve months
registered by me should be
26.74 and I am afraid I did
not add in January & thus
made it in mistake 25.18.

Will you kindly correct my
report & I apologise for giving
the trouble

Yours truly
C. H. Gill

REGISTER OF RAINFALL IN 1915

Kept at Spital Hill, Thirsk
in the County of York
by B. H. Gill

Lat. 52° 12' 30" N Long. 10° 18' 45" W
Time of Observation 9 a.m.
Nearest Railway Station 2 1/2
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 117 ft.
" " " " Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.22	-	-	.03	-	.75	.35	.59	-	.12	.07	1
2	-	.13	.21	.10	-	.01	.10	.43	-	-	.04	.01	2
3	.46	-	.08	.11	-	-	.25	.14	-	-	.03	.47	3
4	.17	-	.01	-	.03	.00	.46	.13	-	-	.05	.29	4
5	.12	.18	-	-	-	-	-	-	-	-	.01	.76	5
6	.12	.32	.03	.13	-	-	.55	.01	.04	.17	-	.06	6
7	.34	.45	SW .07	-	-	-	.38	.28	-	-	-	.03	7
8	.06	.03	-	-	-	-	.14	.02	-	-	.05	-	8
9	-	.03	-	-	-	-	.15	.05	-	.01	-	SW+R .36	9
10	.16	-	.04	-	-	-	.01	.48	-	-	-	.06	10
11	-	.17	.05	.02	.59	-	-	-	-	-	.02	SW+R .09	11
12	.13	.05	-	.29	.04	-	.08	.02	-	.06	.79	-	12
13	-	.30	-	-	-	-	.01	-	-	-	-	-	13
14	.01	.13	-	-	.02	-	.03	-	-	.01	-	.03	14
15	.24	.02	-	.03	-	-	.35	.06	-	.09	SW .32	.18	15
16	.02	.26	-	-	.04	-	.61	.04	.02	.01	-	.01	16
17	SW .17	.10	.05	-	-	-	.06	-	-	.01	-	.07	17
18	-	.12	SW .24	-	-	-	-	-	-	.05	.01	.05	18
19	-	-	SW .10	-	-	-	.05	-	-	.02	-	-	19
20	.02	-	-	-	-	-	-	-	-	-	-	.46	20
21	SW .25	.02	-	.05	-	-	-	.02	-	-	-	.07	21
22	.02	-	.04	-	-	-	.19	.01	-	.01	-	.10	22
23	.33	.07	.02	.01	-	-	.34	-	-	-	-	.01	23
24	.01	-	.04	.03	-	-	-	-	.41	.05	-	.08	24
25	-	-	-	-	-	.06	-	-	-	.03	SW .06	.05	25
26	.01	.09	SW .06	-	-	.16	.17	-	-	.01	-	.45	26
27	-	SW .16	SW .01	-	-	.06	.14	-	-	.35	-	.10	27
28	-	SW+R .09	SW .02	-	.16	-	-	.22	-	.10	-	.01	28
29	SW .02	-	-	-	.22	-	-	-	.08	.01	.19	.30	29
30	SW .10	X	-	.18	-	-	.02	.01	.01	-	.01	.01	30
31	.16	X	-	X	-	X	.07	.34	X	.03	X	.20	31
Total	3.14	2.94	1.07	.95	1.13	.30	4.91	2.61	1.15	1.02	1.70	4.38	YEAR'S TOTAL 25.30
Rain Days.	22 4 of which Snow	20 2 of which Snow	16 6 of which Snow	10	8	5	22	17	6	17	13 2 of which Snow	27 2 of which Snow	183

REGISTER OF RAINFALL IN 1916

Kept at *Spital Hill, Thirsk*

in the County of *York* *NR*

by *C. H. Gill*

Lat. *54°* Long. *12 3/4° W*
Time of Observation *9 A.M.*
Nearest Railway Station *Thirsk 2 1/2 m. N*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft.
" " " " Sea Level *117* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.02	.03	-	-	.02	.14	-	-	-	.05	-	1
2	.02	.03	<i>SH</i> .07}	-	-	.04	-	-	.13	.06	.01	.01	2
3	-	.06	<i>SH</i> .76}	.06	-	-	.34	.01	<u>1.55</u>	.06	.11	-	3
4	-	.18	<i>SH</i> .03}	.02	.54	.37	.03	-	.03	.23	.30	-	4
5	.01	.10	.15	-	.33	.45	-	-	-	.43	.11	-	5
6	-	.21	<i>SH</i> .12}	<i>SH</i> .11}	.35	-	.13	-	-	.03	.24	-	6
7	-	.07	<i>SH</i> .72}	-	.06	.09	.15	-	-	.07	.01	.15	7
8	-	.02	<i>SH</i> .77}	-	.25	.07	-	-	-	.01	-	.03	8
9	-	-	<i>SH</i> .01}	-	.14	.15	-	-	.04	-	-	.26	9
10	.07	-	-	-	-	.06	.10	-	-	.09	.02	.03	10
11	-	.38	.23	.10	-	.13	.10	-	.05	.02	-	.07	11
12	.02	-	.09	-	.43	.13	.65	.01	-	-	-	.07	12
13	-	-	.10	-	.09	.01	.17	.26	.02	.53	.02	.17	13
14	-	.15	.03	-	.09	.01	-	.07	.01	.03	-	.10	14
15	-	.13	.33	-	-	-	.03	.46	-	.01	-	-	15
16	-	<i>SH</i> .09}	.12	.06	-	-	.09	.07	-	-	-	.03	16
17	.02	-	-	.21	-	-	.02	.02	.19	.15	.04	-	17
18	-	.22	-	.14	-	-	-	.04	.18	.05	.71	<i>SH</i> .05}	18
19	.04	-	.07	.12	-	-	-	.02	.05	-	.40	<i>SH</i> .06}	19
20	.04	-	.22	.10	-	.04	.06	.02	-	-	.07	.04	20
21	.03	<i>SH</i> .01}	.03	.10	.06	-	.01	.05	-	-	-	-	21
22	-	<i>SH</i> .09}	.02	.02	-	.10	-	-	-	.13	.01	.01	22
23	-	-	.08	.02	-	.01	-	.01	-	.01	.09	.27	23
24	-	.03	-	.03	-	.82	-	.24	-	.02	-	.04	24
25	-	<i>SH</i> .07}	<i>R+SH</i> .15}	-	-	-	-	.35	-	.12	.04	.04	25
26	.04	<i>SH</i> .06}	<i>SH</i> .03}	-	-	-	-	-	-	.02	-	-	26
27	-	.27	<i>SH</i> .04}	-	-	-	-	.01	-	.27	-	-	27
28	-	.14	-	-	.03	-	-	.02	-	.04	.01	.17	28
29	-	.19	-	-	-	.12	-	-	-	.19	-	.08	29
30	-	~~X~~	-	~~X~~	.05	~~X~~	-	~~X~~	-	.19	~~X~~	-	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	~~X~~	-	.10	~~X~~	-	31
Total	.47	2.52	2.40	1.09	2.42	2.62	2.02	1.66	2.25	2.86	2.24	1.68	YEAR'S TOTAL 24.23
Rain Days.	10	21	23	13	12	17	14	16	10	24	17	19	196

REGISTER OF RAINFALL IN 1917

Kept at *Spital Hill, Thirsk*
in the County of *York*
by *C. H. Gill*

Lat. *54° 12' 34" N* Long. *10° 18' 34" W*
Time of Observation *9 A.M.*
Nearest Railway Station *Thirsk 2 1/2 miles*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *117* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	SH .01	-	SH .14	-	.14	-	.51	.28	-	.13	.06	1
2	.04	-	-	SH .07	-	.05	-	.15	.01	-	-	-	2
3	-	-	-	SH .02	-	.03	-	.04	-	-	.01	-	3
4	-	-	SH .05	SH .02	-	-	-	-	-	.12	.01	-	4
5	.14	-	SH .05	SH .20	-	-	-	-	-	.22	.03	.01	5
6	-	-	-	.02	-	.11	-	-	-	-	.10	-	6
7	SH .53	-	SH .01	-	-	.03	-	-	-	.21	.01	.07	7
8	.67	-	SH .03	.08	-	-	-	1.37	-	.21	.04	-	8
9	SH .14	-	SH .02	SH .05	-	-	-	.50	-	.04	.35	SH .08	9
10	SH .16	-	.66	SH .08	.05	-	-	.13	-	.15	.10	-	10
11	.04	-	-	SH .01	.01	-	-	.27	-	.20	.01	-	11
12	.43	-	-	.05	.14	-	-	.12	-	.75	-	.03	12
13	SH .28	-	-	.04	.29	.07	-	.27	.08	.01	.01	.10	13
14	SH .15	-	-	.06	.02	-	-	.15	-	-	-	.05	14
15	SH .05	-	-	.17	-	-	.10	.03	-	.01	.01	.21	15
16	SH .05	.02	-	SH .24	-	-	-	.05	-	-	-	SH .45	16
17	.02	.03	-	SH .18	.19	-	.03	.26	-	.03	-	.30	17
18	.07	-	-	.03	.05	-	.51	.05	.10	-	-	-	18
19	.10	.15	SH .10	-	.11	.13	-	-	-	-	-	.01	19
20	SH .12	.33	SH .09	-	-	.44	.04	.03	.02	-	.34	-	20
21	SH .01	.13	SH .37	-	-	-	-	.05	-	.02	.01	-	21
22	-	-	.22	-	-	.21	-	.04	-	.01	-	-	22
23	SH .02	.03	-	-	.05	.02	.03	.05	.02	.01	.01	.01	23
24	-	-	-	-	-	.02	.04	.04	-	.30	.13	-	24
25	-	.05	.05	-	-	-	-	.04	-	.17	-	-	25
26	-	-	SH .25	-	-	.09	.01	.86	-	SH .18	.14	SH .20	26
27	SH .01	-	.04	-	-	.14	.23	.47	-	.05	-	.06	27
28	SH .01	-	.06	-	-	-	.17	.15	-	.05	-	.01	28
29	SH .01	~~X~~	SH .02	-	-	-	.21	-	-	.33	.01	-	29
30	SH .05	~~X~~	.04	.10	-	-	.01	-	~~X~~	.02	.04	-	30
31	SH .04	~~X~~	SH .30	~~X~~	.01	~~X~~	.04	.03	~~X~~	-	~~X~~	.02	31
Total	3.14	.75	2.36	1.57	.92	1.48	1.42	5.66	.51	3.09	1.49	1.67	YEAR'S TOTAL 24.06
Rain Days.	23	8	17	18	10	13	12	24	6	21	19	16	187

REGISTER OF RAINFALL IN 1918

Kept at *Spital Hill, Thirsk*
in the County of *Yorkshire*
by *C. H. Gill*

Lat. _____ Long. _____
Time of Observation *9*
Nearest Railway Station *Thirsk*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *117* ft.

BRITISH RAINFALL
FORM A
18-1-18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
24

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.05	^{SH} .05	.03	.02	-	-	-	.12	.10	.18	.06	1
2	^{SH} .10	.14	^{SH} .01	.08	.01	-	-	-	.08	.01	-	.13	2
3	^{SH} .02	.06	.02	.01	.14	-	-	.05	.01	.05	.19	-	3
4	-	.01	.02	-	.21	-	.03	.32	.24	.02	.15	.23	4
5	-	-	-	.02	.20	-	-	.58	.01	.03	.02	-	5
6	.01	.28	-	.33	.01	.37	-	.24	.01	.09	-	.02	6
7	^{SH} .20	.05	-	.06	-	.02	-	-	.19	.04	.24	-	7
8	-	-	^{SH} .03	-	-	-	.18	.01	.03	.07	.01	.01	8
9	-	.41	.01	.20	-	.06	-	-	.82	.24	.04	.09	9
10	^{SH} .01	.02	.01	.01	-	-	.33	-	.01	-	.04	.04	10
11	^{SH} .13	.01	.10	-	.18	-	.16	.03	.03	-	-	.04	11
12	^{SH} .01	.16	.12	-	.04	-	.22	-	.10	.07	-	.01	12
13	-	.01	-	.05	.14	-	.05	-	.25	.16	-	-	13
14	.07	-	-	.33	-	.01	.04	-	.23	.06	-	.09	14
15	^{SH} .15	-	-	.02	.02	-	.38	-	.66	.01	-	.65	15
16	^{SH} .02	-	-	-	-	.16	.24	.08	.19	.02	-	.20	16
17	^{SH} .21	-	-	^{SH} .01	.94	.07	.19	.12	.03	.16	-	.21	17
18	.44	-	.02	-	-	-	.09	-	.54	.02	-	.02	18
19	.24	-	.08	.14	-	.02	.38	.14	.02	.07	-	-	19
20	.13	.57	-	.04	-	.09	.08	-	.05	.02	-	-	20
21	.13	.02	-	-	.49	.03	.02	-	.10	.22	-	-	21
22	.01	-	-	.04	-	.03	.02	-	.04	.01	-	.29	22
23	.03	-	-	-	.25	-	.19	-	.07	-	-	.02	23
24	-	.06	-	-	-	.02	.18	.06	.19	.03	-	-	24
25	-	-	-	-	.02	.01	.07	.28	.05	-	-	.07	25
26	-	-	-	-	-	-	.18	.02	.24	-	.12	.05	26
27	-	.01	.05	-	-	.01	.01	.32	.19	-	.16	.06	27
28	-	^{SH} .19	.24	-	-	-	-	-	-	-	.04	.42	28
29	-	X	.07	-	-	-	-	.05	.28	-	.02	.10	29
30	-	X	.15	-	-	-	-	.01	.16	-	.08	.30	30
31	-	X	.13	X	-	X	-	-	X	-	X	.09	31
Total	1.94	2.05	1.11	1.37	2.67	.90	3.04	2.31	4.94	1.50	1.29	3.20	26.32
Rain Days.	18	16	16	15	14	13	20	15	29	21	13	23	213

REGISTER OF RAINFALL IN 1919.

Kept at Spital Hill, Thirsk
in the County of York
by C. H. Gill

Lat. 54° 12' N Long. 1° 18' E
Time of Observation 9 A.M.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	-	-	-	.27	-	.30	-	.23	.08	.03	.03	1
2	.18	-	.02	-	.01	-	.54	-	.02	-	.04	-	2
3	.62	-	-	-	.12	.11	.06	-	-	-	.10	.07	3
4	.11	.03	.32	-	.10	.09	-	.08	.46	-	.06	.04	4
5	.24	.04	.01	-	-	-	-	-	.01	-	.03	.03	5
6	.02	-	.09	-	.05	-	-	-	-	-	.03	.07	6
7	.01	-	.04	-	.12	-	-	-	-	-	.01	.03	7
8	.09	-	-	.03	.05	.01	-	.01	-	.02	.26	.03	8
9	.04	-	.05	.03	-	.04	-	-	-	.01	.08	-	9
10	-	-	.04	.08	.04	-	-	-	-	.08	.17	.25	10
11	-	-	.82	-	.15	-	.26	-	-	.02	.10	.01	11
12	-	-	.19	.01	-	.08	.18	-	.03	.26	-	.01	12
13	.08	-	.05	.10	-	.01	.08	.05	-	.15	-	.04	13
14	.28	-	.01	.31	-	-	-	.04	-	.01	.09	.04	14
15	.05	.15	.08	.15	-	-	-	-	-	.01	.04	.69	15
16	.01	.15	.01	.03	.04	-	-	-	-	-	.10	.02	16
17	.01	.02	-	.02	-	.01	-	.01	-	-	.12	-	17
18	-	-	.03	.01	.02	-	.02	.37	-	-	.01	.02	18
19	.24	.15	.43	-	-	.01	.61	.06	.13	-	.15	.04	19
20	.53	.08	.01	-	-	.08	.21	.03	.02	-	.01	.18	20
21	.19	.16	.03	-	-	.01	.01	-	.08	-	.06	.06	21
22	-	.17	.03	-	-	.01	.08	.01	.13	-	.01	.17	22
23	-	-	.02	.05	-	.14	.01	-	-	.62	.02	.09	23
24	-	.01	.01	.04	.01	.27	.01	-	-	.17	.02	-	24
25	.05	.07	-	.08	.01	.01	-	.41	-	.01	.13	-	25
26	-	.03	.20	.04	-	.02	-	.44	.01	.24	.30	.49	26
27	.19	.01	-	.22	-	.02	-	-	.02	.01	.08	-	27
28	.03	-	-	.15	-	-	-	.60	-	.30	-	.26	28
29	.12	-	-	.01	-	-	-	.02	-	.74	.02	.18	29
30	.01	-	-	.28	-	.22	-	-	-	.04	.14	.24	30
31	.02	-	.02	-	-	.05	-	-	-	.07	-	.09	31
TOTAL	3.33	1.07	2.51	1.64	.99	1.14	2.42	2.13	1.14	3.84	2.21	3.18	YEAR'S TOTAL 25.60
Days with .01 in. or more	23	13	22	18	13	17	14	13	11	18	27	25	214

REGISTER OF RAINFALL IN 1920.

Kept at *Spital Hill, Thirsk*in the County of *York*by *G. H. Gill*

Lat. _____ Long. _____

Time of Observation *9*Nearest Railway Station *Thirsk*Diameter of Funnel of Rain Gauge *5* in.Height of top of Gauge above Ground *1* ft." " " " Sea Level *117* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.02	.20	.44	.02	.59	-	-	.19	-	.02	1
2	-	-	.05	.06	-	-	.30	.02	.25	.17	-	.29	2
3	.01	.03	-	.03	-	-	.06	.13	.15	.35	-	.15	3
4	.05	-	-	.02	.04	-	.51	.75	.14	.82	-	.82	4
5	-	-	.03	-	.10	-	.16	.05	.01	.02	-	.02	5
6	-	-	.10	.09	.05	-	.05	-	-	-	-	.05	6
7	.02	.01	.01	.02	-	-	.27	-	-	-	-	.01	7
8	.05	.01	.03	.27	.04	-	.14	.27	-	.01	.03	-	8
9	<i>RESH</i> .26	.07	.01	.41	-	-	.05	.02	.02	-	-	-	9
10	.73	.02	.02	.24	-	-	.13	.02	-	-	-	-	10
11	.25	-	.03	.12	.06	-	-	-	-	-	-	<i>RESH</i> .32	11
12	.09	-	.06	.19	.01	-	.01	-	.02	-	.03	<i>SH</i> .24	12
13	<i>SH</i> .10	.01	.07	.10	-	-	-	-	-	-	.09	<i>SH</i> .19	13
14	.01	.07	<i>RESH</i> .42	.13	-	-	.12	-	.25	-	.17	<i>SH</i> .02	14
15	-	.15	.18	.25	-	-	.02	-	.02	.76	.02	-	15
16	-	-	.01	-	.02	-	.55	-	.09	-	.04	-	16
17	-	-	-	-	.20	-	-	.15	.13	-	-	-	17
18	.22	-	-	.04	.14	.55	.09	.02	.08	-	-	-	18
19	.01	.26	-	.12	.01	.08	-	.07	.03	-	-	-	19
20	.07	<i>SH</i> .03	-	.12	-	.09	.03	-	-	-	.01	-	20
21	-	-	-	.23	-	-	.32	.39	.02	-	-	.01	21
22	.04	-	-	.15	-	-	.05	-	-	-	.01	-	22
23	-	-	.04	.16	-	-	.22	.01	.01	-	.01	.18	23
24	.02	.01	.33	-	-	-	.05	-	-	-	-	.03	24
25	-	.07	.03	.03	-	-	.49	-	-	-	-	-	25
26	.03	.03	.21	-	-	-	.04	-	-	-	-	-	26
27	.19	-	.01	.06	.25	.45	.02	-	-	-	.26	.02	27
28	<i>RESH</i> .77	-	.09	.10	-	.05	.04	-	-	-	.05	.09	28
29	.09	-	.13	.01	.84	.06	.10	-	-	-	.08	.40	29
30	.13	~~X~~	.02	-	.02	.03	-	-	.10	-	.18	.22	30
31	.06	~~X~~	.01	~~X~~	.10	~~X~~	.02	-	~~X~~	-	~~X~~	.06	31
TOTAL	3.20	.77	2.01	3.15	2.32	1.33	4.43	1.90	1.32	2.32	.98	3.14	YEAR'S TOTAL
Days with 0.1 in. or more	<i>21</i>	<i>13</i>	<i>23</i>	<i>25</i>	<i>15</i>	<i>8</i>	<i>26</i>	<i>12</i>	<i>15</i>	<i>7</i>	<i>13</i>	<i>19</i>	<i>26.87</i>
Days with 0.4 in. or more	<i>15</i>	<i>5</i>	<i>12</i>	<i>19</i>	<i>11</i>	<i>6</i>	<i>21</i>	<i>7</i>	<i>8</i>	<i>5</i>	<i>7</i>	<i>12</i>	<i>129.8</i>

REC

THIRSK
CARLTON GRANGE
YORKSHIRE
1914

Kept at Carlton gr
in the County of York
by Mr. S. Selman Post

IMPORTANT N
previous day. If an
requested to add the reading at
for it at the end of this paragraph. Full instructions for the measurement
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL.
9 JAN 1915

in.
nd / ft. — in.
Level 93 ft.
result entered to the
rule, he is earnestly
the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						-	1.40	.29	-	-	-	.06	1
2						-	.79	.54	-	.04	.21	.16	2
3						-	-	.03	-	-	.08	.10	3
4						-	-	-	-	-	.09	.60	4
5						.01	.02	-	-	.02	.11	.60	5
6						.01	-	-	-	-	.04	.06	6
7						.37	-	.08	-	-	.12	.12	7
8						.20	.02	-	.02	.02	-	.04	8
9						.50	-	.05	-	-	.05	.02	9
10						-	-	-	.13	-	.04	.02	10
11						-	-	-	-	-	.20	-	11
12						-	.03	-	.13	-	.03	.19	12
13						-	-	-	-	-	.09	.26	13
14						-	.07	-	-	-	.10	.22	14
15						-	.03	-	.02	-	.22	.19	15
16						-	1.46	-	.50	-	-	.04	16
17						-	.02	-	.48	-	-	-	17
18						-	-	-	.04	-	.04	.04	18
19						-	.03	-	.02	-	.08	.11	19
20						.11	-	-	-	.02	-	.09	20
21						.01	-	.05	-	.03	-	-	21
22						.17	-	-	-	.03	.03	.02	22
23						.18	.04	.02	-	-	-	.15	23
24						-	-	.14	-	-	.01	.09	24
25						-	-	-	-	.60	.28	.37	25
26						-	.17	.02	-	.28	.04	.27	26
27						-	-	-	-	.03	.16	.16	27
28						-	-	-	-	.11	.15	.47	28
29						-	-	.11	-	.15	.04	.12	29
30		X				-	-	.11	-	.06	.04	.17	30
31		X		X		X	.35	.02	X	.20	.06	-	31
Total						1.56	4.43	1.46	1.34	1.59	2.25	4.63	YEAR'S TOTAL
Rain Days.						9	13	12	8	13	23	27	

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
9 - JAN 1915

Kept at Carlton Grange, Thirsk
in the County of York - North Riding
by Mr. S. Selman Pollard

Lat. 54° 13 3/4' N Long. 1° 23' W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						-	1.40	.29	-	-	-	.06	1
2						-	.79	.54	-	.04	.21	.16	2
3						-	-	.03	-	-	.08	.10	3
4						-	-	-	-	-	.09	.60	4
5						.01	.02	-	-	.02	.11	.60	5
6						.01	-	-	-	-	.04	.06	6
7						.37	-	.08	-	-	.12	.12	7
8						.20	.02	-	.02	.02	-	.04	8
9						.50	-	.05	-	-	.05	.02	9
10						-	-	-	.13	-	.04	.02	10
11						-	-	-	-	-	.20	-	11
12						-	.03	-	.13	-	.03	.19	12
13						-	-	-	-	-	.09	.26	13
14						-	.07	-	-	-	.10 in	.22	14
15						-	.03	-	.02	-	.22	.19	15
16						-	1.46	-	.50	-	-	.04	16
17						-	.02	-	.48	-	-	-	17
18						-	-	-	.04	-	.04	.04	18
19						-	.03	-	.02	-	.08	.11	19
20						.11	-	-	-	.02	-	.09	20
21						.01	-	.05	-	.03	-	-	21
22						.17	-	-	-	.03	.03	.02	22
23						.18	.04	.02	-	-	-	.16	23
24						-	-	.14	-	-	.01	.09	24
25						-	-	-	-	.60	.28 222	.37	25
26						-	.17	.02	-	.28	.04	.27	26
27						-	-	-	-	.03	.16	.16	27
28						-	-	-	-	.11	.15	.47	28
29						-	-	.11	-	.15	.04	.12	29
30		X				-	-	.11	-	.06	.04	.17	30
31		X		X		X	.35	.02	X	.20	.06	-	31
Total						1.56	4.43	1.46	1.34	1.59	2.25	4.63	YEAR'S TOTAL
Rain Days.						9	13	12	8	13	23	27	

REC

THIRSK

FORM A2.
BRITISH RAINFALL
21 FEB 1912

Kept at St. Peter's under

in the County of NR

by

J. W. Mansel

SUTTON

1911 - 1917, 1920

in.
ound / ft. in.
a Level 246 ft.
me Thurs

tance 4 1/2 Direction West
he result entered to the
sal rule, he is earnestly
in the space provided
t of rain,
h Rainfall
lication to

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. '01	in. —	in. —	in. —	in. —	in. —	in. —	in. —	in. —	in. —	in. —	in. —	1
2	'49	—	—	—	'18	'03	'10	'11	—	'02	'03	'09	2
3	'04	—	'01	'14	'13	—	—	—	—	'15	'02	'07	3
4	—	—	'08	'43	—	—	—	'16	'02	'56	'15	'21	4
5	'04	—	'02	'02	'03	—	—	'56	—	'03	'02	—	5
6	'18	—	'12	—	—	—	—	'20	—	—	'08	'50	6
7	'01	—	'02	—	—	—	—	—	—	—	'04	—	7
8	—	—	'25	—	—	—	—	—	'03	—	'03	'39	8
9	—	—	—	'08	—	'02	—	—	—	—	—	'03	9
10	—	'06	—	—	—	—	—	—	—	—	—	'38	10
11	'44	—	'03	—	—	—	—	—	—	—	'28	—	11
12	'41	—	'07	—	'10	—	—	—	'74	—	'36	—	12
13	—	'09	'40	—	—	—	—	—	—	—	'02	'50	13
14	—	'24	'20	—	'09	—	—	—	—	—	'07	'45	14
15	—	'01	'14	—	—	—	—	—	—	—	'20	'24	15
16	—	—	'28	—	—	—	—	—	—	—	'03	'11	16
17	—	—	'03	—	—	'34	—	—	—	—	'17	'06	17
18	—	—	'12	—	—	'18	'17	—	—	—	'41	'06	18
19	—	'02	'01	—	—	—	'08	—	'12	'11	'84	'06	19
20	—	'11	—	'04	—	—	'13	'42	'02	—	'09	'23	20
21	—	'26	—	—	—	—	'11	'33	—	'14	'24	'02	21
22	—	—	—	'02	—	—	—	'13	—	—	'09	—	22
23	'15	'11	—	—	—	'50	—	—	'33	'03	—	'17	23
24	'03	—	'03	—	—	'50	—	'02	—	'18	—	'06	24
25	—	'07	—	'07	—	'50	—	'02	'35	'03	'02	'18	25
26	—	—	—	'10	—	—	—	—	—	'75	'59	'15	26
27	—	'02	'37	'04	'20	—	—	—	—	'06	'02	'03	27
28	—	'02	—	'26	—	'03	—	'30	'14	'03	—	'09	28
29	—	—	—	'06	—	—	'06	'07	'50	'22	—	'02	29
30	—	—	—	—	'07	—	—	—	'09	'11	—	—	30
31	—	—	—	—	'03	—	—	—	—	'10	—	'04	31
Total	1'80	1'01	2'12	1'26	'83	2'11	'65	3'32	2'34	2'05	3'74	3'94	TOTAL for year 25'19
No. of Rain Days	10	11	17	11	8	8	6	11	10	15	22	24	153

REC

FORM A2.
BRITISH RAINFALL
21 FEB 1912Kept at Sutton-under-Whitlandin the County of NR Yorkby J. ManselRAIN
GAUGEDiameter of top 5 in.Height of top above Ground 1 ft. in." " " Sea Level 246 ft.Time of Observation 9 a.m.

Nearest Railway Station

Name ThurstDistance 4 1/2 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	—	—	—	—	—	—	—	—	—	—	1
2	.49	—	—	—	.18	.03	.10	.11	—	.02	.03	.09	2
3	.04	—	.01	.14	.13	—	—	—	—	.15	.02	.07	3
4	—	—	.08	.43	—	—	—	.16	.02	.06	.15	.21	4
5	.04	—	.02	.02	.03	—	—	.06	—	.03	.02	—	5
6	.18	—	.12	—	—	—	—	.20	—	—	.08	.40	6
7	.01	—	.02	—	—	—	—	—	—	—	.04	—	7
8	—	—	.25	—	—	—	—	—	.03	—	.03	.39	8
9	—	—	—	.08	—	.02	—	—	—	—	—	.03	9
10	—	.06	—	—	—	—	—	—	—	—	—	.33	10
11	.44	—	.03	—	—	—	—	—	—	—	.28	—	11
12	.41	—	.07	—	.10	—	—	—	.74	—	.36	—	12
13	—	.09	.40	—	—	—	—	—	—	—	.02	.50	13
14	—	.24	.20	—	.09	—	—	—	—	—	.01	.45	14
15	—	.01	.14	—	—	—	—	—	—	—	.20	.24	15
16	—	—	.28	—	—	—	—	—	—	—	.03	.11	16
17	—	—	.03	—	—	.34	—	—	—	—	.17	.06	17
18	—	—	.12	—	—	.18	.17	—	—	—	.41	.06	18
19	—	.02	.01	—	—	—	.08	—	.12	.11	.84	.06	19
20	—	.11	—	.04	—	—	.13	.42	.02	—	.09	.23	20
21	—	.26	—	—	—	—	.11	.33	—	.14	.24	.02	21
22	—	—	—	.02	—	—	—	.13	—	—	.09	—	22
23	.15	.11	—	—	—	.50	—	—	.03	.03	—	.17	23
24	.03	—	.03	—	—	.50	—	.02	—	.18	—	.06	24
25	—	.07	—	.07	—	.50	—	.02	.35	.03	.02	.18	25
26	—	—	—	.10	—	—	—	—	—	.75	.59	.15	26
27	—	.02	.31	.04	.20	—	—	—	—	.06	.02	.03	27
28	—	.02	—	.26	—	.03	—	.30	.14	.03	—	.09	28
29	—	—	—	.06	—	—	.06	.07	.50	.22	—	.02	29
30	—	—	—	—	.07	—	—	—	.09	.11	—	—	30
31	—	—	—	—	.03	—	—	—	—	.10	—	.04	31
Total	1.80	1.01	2.12	1.26	.85	2.11	.65	3.32	2.34	2.05	3.74	3.94	TOTAL for year 28.19
No. of Rain Days	10	11	17	11	8	8	6	11	10	15	22	24	153

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
14 JAN 1913

Kept at Sutton under Chetstone cliff
York N2
in the County of _____
by J. R. Mansell

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 246 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Thirsk
Distance 4 1/2 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.30	.07			.22	.11	.26	.22	.22		.08	1
2			.18			.25	.64	.03	.02	.04			2
3	.15	.08				.89		.34	.15	.02		.15	3
4	.32		.50	.02	.02	.50			.10		.53		4
5	.02			.21	.05						.07		5
6	.71	.28				.04		.48	.02		.07		6
7		.05	.12		.07			.01	.25		.07		7
8	.17	.18									.28		8
9	.01	.04	.10	.10		.79		.03	.09		.03		9
10	.01			.02	.02	.53		.08	.30		.13		10
11	.18	.01						.01	.02		.47	.26	11
12	.04		.07			.08	.10	.01			.96	.02	12
13	.01					.06		.07		.15	.68	.01	13
14	.18		.50			.22					.02	.02	14
15	.03	.04	.31		.55	.11						.03	15
16	.39		.16		.04	.07				.15			16
17		.04	.23			.21		.18				.05	17
18	.10						.07	.33		.02			18
19	.10	.24			.19		.15	.04		.07	.03		19
20	.27	.10	.8		.07	.12	.10						20
21			.20		.10					.32	.03		21
22	.02	.09				.28		.21					22
23	.01		.12			.05	.21	.39			.09		23
24	.16		.01			.40		.08				.17	24
25	.20		.02								.10	.02	25
26	.02	.03	.07			.02	.23	.25		.67	.05	.24	26
27						.23	.21	.02		.32	.04	.06	27
28					.05		.11	.03		.30	.13		28
29		.01	.07			.03	.11			.04		.03	29
30	.07				.13		.02	.02	.80	.14			30
31			.20				.47	.42		.107			31
Total	3.17	1.49	2.93	.12	2.45	5.24	3.53	4.39	1.97	2.53	3.62	1.08	TOTAL for year
No. of Rain Days.	22	14	17	2	11	21	13	21	10	14	18	13	176

REGISTER OF RAINFALL IN 19/3

Kept at *Brook House, Sutton, Thirsk*

in the County of *Yorkshire*

by *H. Mansell*

Lat. *54* Long.

Time of Observation *9 a.m.*

Nearest Railway Station *Thirsk*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft.

" " " " Sea Level *246* ft.

FORM A.
BRITISH RAINFALL
9-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.06	.31							.02		1
2		.04	.04	.01		.13			.01		.02		2
3	.01				.18		.11			.2			3
4	.33	.02				.02				.11	.16	.6	4
5	.35	.04				.1	.01	.19		.32			5
6	.01	.27	.1		.45	.05	.23				.01		6
7		.25			.06	.17				.42			7
8		.02	.03		.48	.04			.05	.09	.06		8
9		.06	.01	.05	.16						.05		9
10		.15	.01	.01	.07					.02	.36		10
11	.47			.36							.07		11
12	.07	.01							.12		.3		12
13	.01			.05					.12	.02	.13		13
14	.05	.01	.19	.02			.15			.09			14
15	.23	.01	.26	.3							.2		15
16	.01		.01								.14		16
17			.24	.11		.15			.11		.03		17
18	.01		.24	.09		.06							18
19	.13		.01		.02	.02			.25				19
20	.13		.1	.02					.11	.09	.13		20
21	.09		.01		.1		.04	.26	.08				21
22	.09		.28		.05			.35	.07				22
23	.05		.02			.01		.02	.12		.03		23
24	.1			.04		.68							24
25	.07			.02					.21	.01	.03	.05	25
26		.04	.02	.23					.10	.23	.15	.21	26
27		.15	.02	.48		.17					.06	.1	27
28	.34		.2	.69						.01		.32	28
29			.32	.36	.04						(.04)	.63	29
30	.26		.06							.60		.05	30
31	.05				.02								31
Total	2.92	1.07	2.23	3.15	1.63	1.60	.54	.82	1.35	2.21	1.99	1.96	YEAR'S TOTAL 21.48
Rain Days.	22	13	21	17	11	12	5	4	12	13	19	7	156

REGISTER OF RAINFALL IN 1914

Kept at Brook House Sutton Park
in the County of York N.R.
by F. R. Mansel

Lat. 54° 44' Long. 1° 15 3/4 W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 246 ft.

FORM A.
BRITISH RAINFALL.

13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1'62	'80				'10	1
2							'62	'30			'24	'11	2
3			'05		'29		'04	'01		'03	'17	'41	3
4	'01		'04	'15	'13						'15	'40	4
5			'06	'08	'05		'01			'02	'12	'12	5
6		'07		'03	'07						'05	'06	6
7		'03	'21	'02	'06	'23		'01			'10	'11	7
8	'45		'03		'19	'20	'02	'05		'01			8
9	'33	'03		'31	'02	'62		'03	'02		'06	'06	9
10	'15	'11		'01					'10		'01		10
11		'25	'14		'05				'02		'18	'21	11
12		'01	'01						'15			'69	12
13	'01	'09	'19	'01							'10	'26	13
14	'03	'09					'16				'05	'16	14
15	'05		'12				'09		'04		'37	'15	15
16	'07		'18				'30		'45		'12		16
17	'05	'07	'03				'01		'42		'02	'09	17
18	'03		'07			'13			'06		'05	'17	18
19							'15		'02			'07	19
20	'01	'22	'28			'04			'01	'02		'01	20
21			'01				'02			'06		'03	21
22					'09	'14		'02			'01	'12	22
23			'06		'39	'26						'08	23
24			'06	'08	'02			'26			'24		24
25		'05	'08				'01	'13		'62	'05	'31	25
26							'15	'04		'41	'16	'19	26
27	'04									'02	'14	'58	27
28		'03	'09							'15	'03	'23	28
29			'00					'14		'31	'05		29
30		X	'11							'06	'31	'16	30
31	'13	X		X	'04	X	'42		X	'26	X		31
Total	136	105	192	71	140	162	462	149	129	197	278	488	YEAR'S TOTAL 2509
Rain Days.	13	12	20	8	12	7	14	11	10	12	23	25	167

REGISTER OF RAINFALL IN 1915

Kept at Brook House, Sutton, Thirsk
in the County of York
by J. H. Russell

Lat. 52° Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Thirsk 4 1/2 m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 246 ft.

FORM A.
BRITISH RAINFALL

15 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.21			.06		.74	.27	.41		.20	.05	1
2	.01	.15	.21	.08			.70				.07	.35	2
3	.58	.01	.07	.14			.30	.10				.72	3
4	.18		.01		.68		.46	.12			.05	.74	4
5	.15	.12	.01		.03							.08	5
6	.09	.39	.02	.16			.52		.02			.03	6
7	.39	.38	.06				.41	.20					7
8	.13	.04					.10	.02					8
9	.03	.02					.20	.14			.04	.06	9
10	.17		.06					.86			.01		10
11	.01	.16	.02	.03							.04	.07	11
12	.14	.07					.02			.13	1.11		12
13		.35		.30			.02				.19	.01	13
14		.14			.03			.02		.02		.03	14
15	.23	.08		.01			.26	.06		.13		.20	15
16	.05	.26			.04		.63	.01					16
17	.15	.12					.11					.09	17
18		.14	.27							.05		.04	18
19		.02	.14				.06						19
20	.06											.50	20
21	.22	.04		.11								.08	21
22	.02		.04							.01		.18	22
23	.35	.10	.02				.13			.01		.03	23
24			.05	.02					.16			.08	24
25						.03	.01		.04	.01	.12	.05	25
26	.01	.13	.06			.18	.15			.05		.34	26
27	.02	.16	.02			.07	.12			.30		.15	27
28		.05	.04		.33		.01	.23		.14			28
29	.01								.16		.18	.31	29
30	.14	X		.21		.02	.15				.02		30
31	.17	X		X		X	.05	.38	X	.02	X	.14	31
Total	3.60	3.14	1.10	1.06	1.17	.30	4.45	3.11	.79	.87	2.03	4.33	25.95
Rain Days.	24	22	16	9	6	4	20	13	5	11	11	23	164

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Brook House Sutton
in the County of York
by J. W. Samsel

Lat. 52' Long.
Time of Observation 9 a.m.
Nearest Railway Station Thurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 246 ft.

FORM A.
BRITISH RAINFALL.
14 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.05	.03			.01	.15				.05		1
2	.02	.02	.1							.04			2
3		.05	.08				.11			.06	.15		3
4		.2	.03	.04	.45	.46	.01		.08	.27	.26		4
5		.09	.14	.03	.21	.36				.45	.13		5
6		.24	.15	.07	.32		.11				.24		6
7		.05	.14		.15	.09	.08			.12		.17	7
8		.02			.14	.03						.04	8
9	.01		.2		.38	.29						.34	9
10			.01			.03	.14					.03	10
11	.06	.36	.21	.13		.15			.1	.21		.04	11
12			.18	.06	.36	.2	.76					.04	12
13		.03	.14		.06		.39	.3		.55		.04	13
14		.13	.03		.11			.08				.29	14
15		.11	.39				.04	.4					15
16		.06	.13	.09		.13	.03					.02	16
17	.02			.25			.01	.09		.16	.02		17
18		.22		.1		.6		.01	.4	.07	.95	.02	18
19	.03		.07	.15				.03	.08		.58		19
20	.01		.25	.08			.07	.02			.08	.07	20
21	.05	.02	.05	.07	.04		.01						21
22		.19	.02							.16			22
23		.01	.08	.01							.12	.3	23
24		.04		.03				.19		.04			24
25		.1	.15					.05		.09		.07	25
26		.09	.01					.06					26
27		.36	.05					.7		.24			27
28		.18						.01				.18	28
29		.28								.28		.08	29
30		X			.48	.11				.24	X		30
31		X		X		X			X	.06	X		31
Total	.34	2.90	2.70	1.11	2.70	2.46	1.91	1.94	.66	3.04	2.58	1.73	24.07
Rain Days.	8	23	23	13	11	12	13	12	4	16	10	15	160

REGISTER OF RAINFALL IN 1917

Kept at Brock House Linton Hunts

in the County of York

by W. Mansel

Lat. 54° Long.

Time of Observation 9 a.m.

Nearest Railway Station Thurk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 246 ft.

FORM A.
BRITISH RAINFALL.
12 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.06		.16		.45	.32		.11	.05	1
2	.07			.08					.03				2
3				.01		.03		.06	.01				3
4											.02		4
5	.16		.24	.17							.03		5
6											.13		6
7	.15							.09		.46	.14	.02	7
8	1.01		.03	.05				1.46			.04		8
9	.21			.09				.65			.71	.05	9
10	.18		.74	.1				.12		.43	.25		10
11	.07	.01		.1				.37		.21	.01		11
12	.73	.02			.15			.09		.73		.02	12
13	.32			.05	.31			.34	.09			.09	13
14	.26						.12	.19				.01	14
15	.04			.23			.12	.04		.02		.19	15
16	.1	.01		.26			.01	.05				.02	16
17	.03	.02	.04	.18				.32				.46	17
18	.08				.41		.5	.09	.12				18
19		.13	.09			.13							19
20	.15	.35				.66	.24	.03			.37	.01	20
21	.05		.38					.04					21
22			.19			.15		.03					22
23					.05	.05		.04			.01	.01	23
24										.31	.09		24
25							.02	.08		.19		.13	25
26			.21					.71	.07		.18	.09	26
27							.25	.43		.12		.02	27
28			.08				.22	.33		.03			28
29							.11			.08	.02		29
30	.05	X	.06							.38	.02		30
31		X	.22	X		X	.04	.02	X		X	.04	31
Total	3.66	.54	2.28	1.38	.92	1.18	1.63	6.03	.64	2.96	2.13	1.21	24.56
Rain Days.	17	6	11	12	4	6	10	23	6	11	15	15	136

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1924

Kept at Brook House, Sutton Thirk
in the County of York N.R.
by A. N. Mansell

Lat. 54° 14' 1/2" N Long. 1° 15' 1/2" W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.11	.18	.33	.03	.66	-	-	.15	-	.01	1
2	.09	-	.07	.05	-	-	.46	-	.20	.21	-	.28	2
3	-	.02	-	.02	-	-	.08	.16	.14	.39	-	.19	3
4	.06	-	-	-	.03	-	.54	.83	-	1.02	-	1.17	4
5	-	-	.04	-	.10	-	.19	.03	-	-	-	.01	5
6	-	-	.10	.08	.06	-	.10	.06	-	-	-	.19	6
7	.03	-	-	.03	.01	-	.28	-	-	-	-	-	7
8	-	-	-	.13	.08	-	.10	.25	-	-	.04	-	8
9	.21	.04	-	.29	-	-	.06	.07	.03	-	-	-	9
10	.70	.02	-	.18	-	-	.13	-	-	-	-	-	10
11	.25	.02	.09	.07	.10	-	.02	-	-	-	-	.45	11
12	.08	-	.10	.18	.01	-	-	-	.04	-	.02	.20	12
13	.14	.02	-	.16	-	-	.02	-	-	-	.11	.21	13
14	-	.08	.42	.13	-	-	.10	-	.28	-	.18	.04	14
15	-	.13	.25	.23	-	-	.60	-	-	.88	.03	-	15
16	-	-	-	-	-	-	.01	-	.10	-	.04	-	16
17	-	-	-	-	.19	-	.05	.22	.08	-	-	-	17
18	.24	.02	-	.07	.12	.78	-	-	.12	-	-	-	18
19	-	.25	-	.14	-	-	-	.03	-	-	-	-	19
20	.12	.01	-	.19	-	.17	.03	-	-	-	-	-	20
21	-	-	-	.24	-	-	.33	.66	-	-	-	.02	21
22	-	-	-	.16	-	-	.04	-	-	-	-	-	22
23	-	-	.06	.07	-	-	.26	-	-	-	-	.17	23
24	.01	-	.35	.06	-	-	.06	-	-	-	-	-	24
25	.02	.10	.07	.02	-	-	.55	-	-	-	.01	-	25
26	.03	.05	.23	-	-	-	-	-	-	-	-	.03	26
27	-	-	-	.07	.25	.50	-	-	-	-	.36	-	27
28	.82	-	.09	.12	.20	.02	.06	-	-	-	.07	.12	28
29	.08	-	.12	-	.55	.02	.09	-	-	-	.09	.45	29
30	.12	~~X~~	.01	-	.10	.10	.03	-	.20	-	.18	.17	30
31	.09	~~X~~	-	~~X~~	.10	~~X~~	.02	-	~~X~~	.05	~~X~~	.08	31
TOTAL	3.09	.76	2.11	2.87	2.23	1.62	4.87	2.31	1.19	2.70	1.13	3.79	YEAR'S TOTAL
Days with .01 in. or more	17	12	15	23	15	7	26	9	9	6	11	14	28.67

RE
Kept at New
in the County of
by C. S.

THIRSK
NEWBUILDING

1915 - 1918.

3652
FORM A.
BRITISH RAINFALL
14 JUN 1916

Thirsk
in.
ound 1 ft. 2 in.
a Level 611 ft.

IMPORTANT N
previous day. If an
requested to add the r
for it at the end of
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

result entered to the
rule, he is earnestly
the space provided
of rain,
Jan. 1, following.
1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	15	x		7		3	35	46		8	5	1.
2	1	18	16	9		2	10	70					2
3	46	x	8	15			31	2			12	35	3
4	18	x	2		3		35	10			10	30	4
5	11	17	x								5	90	5
6	9	41	4				62	015 712	3	7		10	6
7	35	43	10				51	14				x	7
8	21	4	4	15				6			4	x	8
9	1	3	x				10	x				40	9
10	15	x	7					52				7	10
11	7	19	3	4	65		10	15				11	11
12	13	7		33	2		3	0		5		3	12
13	x	18					4	x				10	13
14	x	20			2		26	22		1	78	2	14
15	22	3					85	11		18	11	20	15
16	3	25			5		17	0		6	20	x	16
17	17	19					10	2				0	17
18	x	10	50							6	1	x	18
19	x	3	12									x	19
20	5	x										50	20
21	36	2		11			1					7	21
22	2	x	7				10	3				18	22
23	26	15	3	3			14					24	23
24	x	x	6	5			x		20	90		10	24
25	x	x				8	5			4		6	25
26	x	11	7			16	26			3	25	35	26
27	x	18	3			13	8			37		13	27
28	x	5	3		15		x	28	19	15		x	28
29	4	31 6			30		11				25	41	29
30	17	X		22		2		2			X		30
31	14	X		X		X		32	X		X	21	31
Total	331	316	145	117	129	41	432	350	88	192	181	406	2824
Rain Days.	21	21	16	9	8	5	21	18	4	11	11	23	168

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
14 JUN 1916

Kept at

Newbold driving

in the County of

York

by

C. S. Thompson

Lat.

Long.

Time of Observation

9 AM

Nearest Railway Station

Thirsk

Diameter of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft.

2 in.

" " " " Sea Level

611 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	15	x		7		3	35	46		8	5	1.
2	1	18	10	9		2	10	70					2
3	46	x	8	15			31	25			12	35	3
4	18	x	2		3		35	10			10	30	4
5	11	17	x								5	90	5
6	9	41	4				62	15 7 1/2	3	7		10	6
7	35	43	10				51	14				x	7
8	21	4	4	15				6			4	x	8
9	1	3	x				10	x				40	9
10	15	x	7					52				7	10
11	x	10	3	4	65		10	15				11	11
12	13	7		33	2		3	9		5	5	2	12
13	x	18					4	x				10	13
14	x	20			2		26	25		1	78	2	14
15	22	3					85	11		18	11	20	15
16	3	25			5		17	5		6	20	x	16
17	17	19					10	2				9	17
18	x	10	50							6	1	x	18
19	x	3	12									x	19
20	5	x										50	20
21	36	2		11			1					7	21
22	2	x	7				10	3				18	22
23	26	15	3	3			14					21	23
24	x	x	6	5			x		20	00		10	24
25	x	x				8	5			4		6	25
26	x	11	7			16	20			3	25	35	26
27	x	18	3			13	8			37		13	27
28	x	5	3		15		x	28	19	15		x	28
29	4	31 6			30		11				25	41	29
30	17	X		22		2		2			X		30
31	14	X		X		X		32	X		X	21	31
Total	331	316	145	117	129	41	432	350	88	192	181	406	2824
Rain Days.	21	21	16	9	8	5	21	18	4	11	11	23	168

REGISTER OF RAINFALL IN 1918

Kept at Newbury Thurs
in the County of Wilt
by General Horton

Lat. North Long. West
Time of Observation 9 a.m.
Nearest Railway Station Thurs
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
20.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			7	11					11	16	22	35	1
2		17		10					14		15		2
3		6	3					9	17	9	25		3
4			4		24			11				21	4
5					25			56		8			5
6		24		34		24		32	16	14	25		6
7				9		14			15		8		7
8		10	7	8		4	40	2	15	28			8
9		32					12		67				9
10		2							14				10
11		3	12		23		56	4	12				11
12		16	9		8		40		10	15			12
13				6	8				27				13
14				38					36	15			14
15				4		10	38		69				15
16							20	18	26			84	16
17					41	26	22	12	58			10	17
18			2				50			45		28	18
19			8	29			22	15					19
20		60				10	26		5				20
21					59		6		32	30		32	21
22			7				4		3				22
23					38		30		6				23
24		7					10		16	10		15	24
25							16	25					25
26							11	7	26		40	8	26
27						12	30	40	10			44	27
28		21	34									10	28
29			6						32			60	29
30		X	80						20			13	30
31		X	20	X		X			X		X		31
Total		198	129	142	226	100	427	223	348	195	135	360	YEAR'S TOTAL
Rain Days.		11	13	9	8	7	17	12	24	10	6	12	

R

THIRSK
THE HALL
YORKSHIRE
1911 - 15, 1917Kept at The Hall
in the County of York
by Reginald BFORM A2.
BRITISH RAINFALL
JAN 19121 ft. 10 in.
vel 121 ft.Thirsk DER.
ce. 1 mi Direction SW.
result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	.04	-	-	-	-	1
2	.35 sm	-	-	-	.21	-	.13	-	-	.04	.02	.06	2
3	-	-	-	.07 sm	.21	-	-	.21	-	.18	.02	.01	3
4	-	-	.10	.46 sm	-	-	-	.63	-	.08	.23	.24	4
5	.05	-	.01	.01 sm	.01	-	-	.16	-	.03	.01	-	5
6	.20	-	.07	5	-	-	-	-	-	-	.08	.47	6
7	-	-	-	-	-	-	-	-	-	-	.02	-	7
8	-	-	.18	-	-	-	-	-	.03	-	.06	.49	8
9	-	-	-	.06	-	-	-	-	-	-	-	.06	9
10	.01	.05	-	-	-	-	-	-	-	-	-	.40	10
11	.34 sm	-	.02	-	-	-	-	-	-	-	.12	-	11
12	.22 sm	-	.04 sm	.01	.05	.04	-	-	.78	-	.39	-	12
13	-	.02	.20	-	.04	.01	-	-	-	-	.01	.52	13
14	-	.06	.21	-	.25	-	-	-	-	-	.01	.53	14
15	-	-	.13	-	-	-	-	-	-	-	.19	.16	15
16	-	-	.14	.01	-	.03	.26	-	-	-	.16	.08	16
17	-	-	.01	-	.01	.24	.02	-	-	-	.08	.06	17
18	-	.05	.09	-	-	.13	-	-	-	-	.30	.09	18
19	-	.01	-	.01	-	.06	.10	.01	.10	.06	.69	.08	19
20	-	.13	-	.03	-	-	.10	.68	.05	-	.03	.15	20
21	-	.18	-	-	-	-	-	.80	-	.12	.08	.01	21
22	.10	-	-	.01	-	-	-	.10	-	.05	.11	-	22
23	.02	.13	-	-	-	1.08	-	-	.23	-	-	.20	23
24	.02	-	.02	-	-	1.00	-	.01	-	.15	-	.12	24
25	-	.04	-	.01	-	.34	-	-	.40	.04	.02	.11	25
26	-	-	-	.07	.11	-	.03	.04	-	.68	.29	.19	26
27	-	.03	.01	.03	-	-	-	.21	.16	.04	-	.03	27
28	-	.01	.01	.21	-	.03	-	.01	-	.02	.02	.11	28
29	-	-	-	.16	-	-	.03	-	.49	.28	-	.01	29
30	-	-	-	-	.07	-	-	-	.12	.11	-	.01	30
31	-	-	-	-	.11	-	-	-	-	.09	-	.02	31
Total	1.31	.71	1.24	1.15	1.07	2.96	.67	2.90	2.36	1.97	2.94	4.21	TOTAL for year 23.49
No. of Rain Days.	9	11	15	14	10	10	7	12	9	15	22	25	159

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at The Hall, Thirsk
in the County of York, D.R. 2
by Reginald Bell

Pattern Copper Snowden
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 121 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Thirsk D.R.
Distance 1 ml. Direction WSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	.04	-	-	-	-	1
2	.35 _{sn}	-	-	-	.21	-	.13	-	-	.04	.02	.06	2
3	-	-	-	.07 _{sn}	.21	-	-	.21	-	.18	.02	.01	3
4	-	-	.10	.46 _{sn}	-	-	-	.63	-	.08	.23	.24	4
5	.05	-	.01	.01 _{sn}	.01	-	-	.16	-	.03	.01	-	5
6	.20	-	.07	-	-	-	-	-	-	-	.08	.47	6
7	-	-	-	-	-	-	-	-	-	-	.02	-	7
8	-	-	.18	-	-	-	-	-	.03	-	.06	.49	8
9	-	-	-	.06	-	-	-	-	-	-	-	.06	9
10	.01	.05	-	-	-	-	-	-	-	-	-	.40	10
11	.34 _{sn}	-	.02	-	-	-	-	-	-	-	.12	-	11
12	.22 _{sn}	-	.04 _{sn}	.01	.05	.04	-	-	.78	-	.39	-	12
13	-	.02	.20	-	.04	.01	-	-	-	-	.01	.52	13
14	-	.06	.21	-	.25	-	-	-	-	-	.01	.53	14
15	-	-	.13	-	-	-	-	-	-	-	.19	.16	15
16	-	-	.14	.01	-	.03	.26	-	-	-	.16	.08	16
17	-	-	.01	-	.01	.24	.02	-	-	-	.08	.06	17
18	-	.05	.09	-	-	.13	-	-	-	-	.30	.09	18
19	-	.01	-	.01	-	.06	.10	.01	.10	.06	.69	.08	19
20	-	.13	-	.03	-	-	.10	.68	.05	-	.03	.15	20
21	-	.18	-	-	-	-	-	.80	-	.12	.08	.01	21
22	.10	-	-	.01	-	-	-	.10	-	.05	.11	-	22
23	.02	.13	-	-	-	1.08	-	-	.23	-	-	.20	23
24	.02	-	.02	-	-	1.00	-	.01	-	.15	-	.12	24
25	-	.04	-	.01	-	.34	-	-	.40	.04	.02	.11	25
26	-	-	-	.07	.11	-	.03	.04	-	.68	.29	.19	26
27	-	.03	.01	.03	-	-	-	.21	.16	.04	-	.03	27
28	-	.01	.01	.21	-	.03	-	.01	-	.02	.02	.11	28
29	-	-	-	.16	-	-	.03	-	.49	.28	-	.01	29
30	-	-	-	-	.07	-	-	-	.12	.11	-	.01	30
31	-	-	-	-	.11	-	-	-	-	.09	-	.02	31
Total	1.31	.71	1.24	1.15	1.07	2.96	.67	2.90	2.36	1.97	2.94	4.21	TOTAL for year 23.49
No. of Rain Days.	9	11	15	14	10	10	7	12	9	15	22	25	159

REGISTER OF RAINFALL IN 1912

Kept at The Hall, Thirsk
in the County of York, N.R. 2
by Reginald Bell

Lat. 54° 14' N. Long. 1° 20 3/4 W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 121 ft.

BRITISH RAINFALL
FORM A.
FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.56 ^{sn}	.10	.01	-	.22	.08	.22	.31	.03	-	.14 ^{sn}	1
2	-	-	.20	.02	-	.43	.80	-	.10	.05	-	-	2
3	.14	.06 ^{sn}	-	-	-	.82	-	.30	.17	.02	-	.14	3
4	.36	-	.55	-	.02	.79	-	.44	.04	-	.41	-	4
5	-	-	.01	-	.23	.07	-	-	-	-	-	-	5
6	.42	.41	-	-	-	-	-	.39	-	.01	.01	-	6
7	-	.05	-	-	.06	-	-	.01	.17	-	.01	.01	7
8	.43 ^{sn}	.19	.12	-	-	.06	-	.01	.25	-	.23	-	8
9	-	.02	.05	.02	-	.49	.01	-	.01	-	.03	-	9
10	.04	-	.01	.02	.01	.54	-	.17	.01	-	.17	-	10
11	.15	.01	-	-	-	-	-	.04	-	-	.26	.14	11
12	.04	.01	.03	-	-	.11	.60	-	-	-	.50	.02	12
13	-	.02	-	-	-	.03	-	-	-	.09	.49	.01	13
14	.15	-	.42	-	-	.16	-	.02	-	-	.01	.03	14
15	.08	.01	.25	-	.59	.11	-	-	-	-	-	.05	15
16	.60	-	.14	-	.06	.09	-	-	-	.10	-	-	16
17	-	.03	.25	-	-	.24	-	.20	-	-	-	.04	17
18	.11 ^{sn}	.01	-	-	-	-	.05	.44	-	.01	-	-	18
19	.13	.28	-	-	-	-	.29	.20	-	.06	.02	-	19
20	.24	.04	-	-	.67	.14	.01	.02	-	.08	.02	-	20
21	-	-	.24	-	.07	-	-	-	-	.09	.02	-	21
22	.02	.08	-	-	.53	.42	-	.28	-	-	-	-	22
23	.01	-	.14	-	.02	-	.24	.35	-	.02	.06	-	23
24	.10	-	-	-	-	.21	.15	.14	-	-	.04	.12	24
25	.13	-	.01	-	-	.74	-	.09	-	-	.10	.02	25
26	.07 ^{sn}	.03	.02	-	-	.04	.22	.14	-	.81	.06	.26	26
27	-	-	.02	-	-	.25	.16	-	-	.26	.03	.08	27
28	-	.01	-	.01	.22	.01	.27	.69	-	.29	.13 ^{sn}	.01	28
29	-	-	.04	-	-	.02	.13	-	.70	.03	-	.02	29
30	.04	-	.12	-	.26	-	.02	-	.22	.13	-	-	30
31	-	-	.13	-	.02	-	.49	.37	-	.03	-	-	31
Total	3.26	1.82	2.85	.08	2.76	5.99	3.52	4.52	1.98	2.11	2.60	1.09	32.58
Rain Days.	19	17	20	5	13	22	15	20	10	17	19	15	192
YEAR'S TOTAL													32.58

REGISTER OF RAINFALL IN 1913

Kept at The Hall, Thirsk.
in the County of York N.R.
by Reginald Bell

Lat. 54° 14' N. Long. 1° 20 1/2' W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 121 ft.

FORM A.
BRITISH RAINFALL
13 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.01	.11	.25	-	-	-	-	-	-	.07	-	1
2	.01	.04	.06	.08	-	.07	-	-	-	-	.05	-	2
3	.03	-	-	-	.19	-	.14	-	-	.14	-	.01	3
4	.37	.02	-	-	-	.03	-	-	-	.02	.17	.66 <i>sn</i>	4
5	.30	.04	.01	-	-	.08	.01	.38	-	.20	-	-	5
6	.01	.23	.13	-	.47	.05	.28	-	-	-	.02	-	6
7	-	.32	-	.01	.09	.21	-	-	-	.29	-	-	7
8	-	.01	.01	-	.47	.02	-	-	.07	.08	.05	-	8
9	-	.06	-	.03	.10	-	-	.13	-	-	.04	-	9
10	-	.15	.01	.01	.06	-	-	-	.01	.02	.34	-	10
11	.90 <i>sn</i>	-	-	.65 <i>sn</i>	.01	-	-	-	-	-	.06	-	11
12	.08 <i>sn</i>	.02	-	-	-	-	-	-	.03	-	.26	-	12
13	-	-	-	.05	-	-	-	.04	.21	.01	.08	-	13
14	.07	.06	.18	.03	-	-	.05	-	-	.07	-	.01	14
15	.24	.01	.30	.31	-	-	-	-	-	-	.18	.02	15
16	-	-	-	-	-	-	-	.02	-	-	.02	-	16
17	-	-	.13	.07	-	.22	.01	-	.15	-	.09	-	17
18	.01	-	.33	.10	-	.07	-	-	-	-	.03	.02	18
19	.16	-	.02	-	.10	.01	-	-	.11	.01	-	-	19
20	.04	-	.08	.03	-	-	-	-	.14	.06	.19	-	20
21	.04	-	-	.01	.07	-	.05	.19	-	-	-	-	21
22	.07 <i>sn</i>	-	.28	-	.06	-	-	.39	.09	-	-	-	22
23	.08	-	-	-	-	-	.02	-	.10	.01	.04	-	23
24	.06	-	-	.06	-	.29	-	-	-	-	-	-	24
25	-	-	-	.01	-	-	-	-	.27	.03	.02	-	25
26	-	.03	.02	.32	-	.03	-	-	.09	.21	.12	.20	26
27	-	.09	.01	.37	-	.14	-	-	-	-	.02	.09	27
28	.32	-	.20	.49	-	-	-	-	-	.02	-	.38 <i>sn</i>	28
29	.02	-	.21	.49	.06	-	-	.03	-	-	.03	.58 <i>sn</i>	29
30	.37	-	.03	-	-	-	-	-	-	.61	-	-	30
31	.03	-	-	-	.06	-	-	.01	-	-	-	-	31
Total	3.29	1.09	2.12	3.36	1.74	1.22	.56	1.19	1.27	1.78	1.88	1.97	YEAR'S TOTAL 21.47
Rain Days.	21	14	18	19	12	12	7	8	11	15	20	9	166

EX ML
REGISTER OF RAINFALL IN 1914

Kept at *The Hall, Thurst*

in the County of *Hok NR*

by *Reginald Bell*

Lat. *54° 14'* Long. *1° 20 3/4 W.*

Time of Observation *9 am*

Nearest Railway Station *Thurst*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *10* in.

" " " " Sea Level *121* ft.

FORM A.
BRITISH RAINFALL
11 JAN 1915
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	-	-	-	.01	1.37	.36	-	-	-	.15	1
2	-	-	-	-	-	-	.55	.38	-	.04	.20	.13	2
3	-	-	.03	-	.26	-	-	.01	-	-	.06	.44	3
4	-	-	.02	.17	.17	.01	-	-	-	-	.07	.61	4
5	.01 <i>sn</i>	-	.05	.08	.09	.02	.01	-	-	.02	.10	.03	5
6	-	.06	-	.02	.08	-	-	-	-	-	.04	.09	6
7	-	.02	.22	.03	.06	.26	-	.06	-	-	.10	.11	7
8	.38	-	.02	-	.14	.20	.03	.02	.01	.01	-	.01	8
9	.39	.03	-	.12	-	.51	-	.04	.01	.01	.03	.01	9
10	.15	.14	-	-	-	-	-	-	.09	-	.02	-	10
11	-	.21	.16	-	.04	-	-	-	.04	-	.16	.13	11
12	-	.01	.02	-	-	-	-	-	.13	-	-	.29	12
13	-	.11	.16	-	-	-	-	-	-	-	.05	.24	13
14	.02	.12	-	.01	-	-	.06	-	-	-	.15 <i>sn</i>	.16	14
15	.04	.01	.09	-	-	-	.04	-	.03	-	.29	.04	15
16	.04	-	.09	-	-	-	1.28	-	.57	-	.04	-	16
17	.03	.10	.04	-	-	-	.02	-	.35	-	-	.04	17
18	.01	-	.05	-	-	-	-	-	.03	-	-	.11	18
19	-	-	-	-	.01	-	.01	-	.01	-	.06	.05	19
20	-	.15	.18	-	-	.09	-	-	-	.02	-	-	20
21	-	.43	-	-	-	-	.02	-	-	.03	.02	-	21
22	-	-	-	-	.10	.12	-	.01	-	-	-	.13	22
23	-	-	.07	-	.36	.29	-	-	-	-	-	.06	23
24	-	-	.05	.04	.18	-	-	.10	-	-	.25	-	24
25	-	-	.09	-	-	-	-	.17	-	.61	.03	.38	25
26	-	-	.10	-	-	-	.16	.01	-	.30	.13	.24	26
27	.03	-	-	-	-	-	-	-	-	.01	.13	.47	27
28	-	-	-	-	.04	-	-	-	-	.10	.03	.13	28
29	-	-	.12	-	-	-	-	.11	-	.21	-	-	29
30	-	X	.10	-	.01	-	-	.06	-	.04	.10	.17	30
31	.18	X	-	X	-	X	.37	-	X	.22	X	-	31
Total	1.28	1.40	1.66	.47	1.54	1.51	3.92	1.32	1.27	1.62	2.06	4.22	YEAR'S TOTAL 22.27
Rain Days.	11	13	19	7	13	9	12	12	10	13	21	24	164

REGISTER OF RAINFALL IN 1915

Kept at The Hall Thirsk
in the County of Yorkshire N 2
by H. H. Watson

Lat. 54° 14' N Long. 1° 20 3/4 W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 121 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	32	18			4		80	19	40		07	07	1
2		13	21	11		02	07	59			03		2
3	37		06	11			25	22			04	47	3
4	17				2		39	20			04	21	4
5	10	19								01	01	80	5
6	09	32	02	13			60		03	03	01	05	6
7	28	46	02				35	26				01	7
8	11	02					05	07		01	16		8
9	01	03					14	06				45 SN	9
10	13		07		58			26				03	10
11		10	05	01	03						02	09	11
12	12	04		28			02			02	72		12
13		24					02						13
14		11			06		03	13		01		05	14
15	23	01		01			19	08		10	65 SN	20	15
16		28			04		57		02	01			16
17	09 SN	17	04				04					06	17
18		09	22 SN						02	06	02		18
19		01	08 SN				03			01	01		19
20	01											45	20
21	21 SN	02		04			02	01				06	21
22							06					14	22
23	12	07 SN	02	02			30			01			23
24			04						43	03		07	24
25						05	11		01	03	01 SN	05	25
26	01	12	03 SN			23	20				05 SN	44	26
27	01	17 SN	01 SN			02	03			41		11	27
28		07 SN	02 SN		21			27	06	10			28
29	03 SN				25			01			19	34	29
30	11 SN			15		02	05	01			01		30
31	14						02	39		01		23	31
Total	272	284	85	86	1.23	34	4.34	270	1.03	0.87	1.95	4.38	24.11
Rain Days.	20	21	14	9	8	5	23	15	7	15	16	21	174

REGISTER OF RAINFALL IN 1917

Kept at The Hall, Thurston
in the County of Yorkshire
by A. H. Watson

Lat. 54° 14' N Long. 1° 20' 34" W
Time of Observation 9 a.m.
Nearest Railway Station Thurston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 60 in.
" " " " Sea Level 121 ft.

FORM A.
BRITISH RAINFALL
14 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.85N		4.4		9.0	2.3		1.1	0.5	1
2	0.4			1.05N				1.8					2
3						0.2		0.8		0.1			3
4			0.75N	0.2				0.1		0.1			4
5	1.2		0.45N	1.55N							0.4		5
6						1.6				2.5	1.0		6
7	5.2		0.25N			0.1				2.2		0.2	7
8	6.0		0.35N	0.8				1.39		2.2	0.4		8
9	0.85N			0.25N				4.0		0.3	3.0	0.7	9
10	2.05N		7.2	2.15N	0.6			1.6		1.9	0.8		10
11	0.3							0.9		1.8	0.1		11
12	3.3			0.6	1.2			1.0		6.2		0.3	12
13	2.75N			0.4	1.5	0.7	0.1	3.6	0.8	1.1		0.7	13
14	1.85N		0.1	0.7	2.1			1.2		0.1		0.2	14
15	0.35N			1.4		0.4	0.7	1.0				2.2	15
16	0.35N			2.1				0.4				4.65N	16
17		0.3		1.9	1.6		0.4	3.1		0.3		2.55N	17
18	0.3			0.2	0.5		2.7	1.1	1.8				18
19	0.5	1.2	1.45N		0.9	1.1							19
20	1.25N	3.2	0.8			4.7	0.2	0.5			3.2		20
21		0.9	5.05N					0.6					21
22			1.65N			1.6		0.7					22
23		0.2			0.4		0.1	0.4	0.1		0.2		23
24						0.1		0.2		0.1	1.2		24
25		0.2	0.3			0.1	0.2	0.3		3.1		0.75N	25
26			2.05N			1.7	0.1	8.2	0.5	1.5	0.5	0.65N	26
27			0.4			2.6	2.5	4.1		1.1		0.5	27
28			0.3			0.4	1.4	1.5		0.1			28
29							0.9			0.6			29
30	0.65N	~~X~~	0.5	1.8	0.2			0.1		3.1	0.2		30
31	0.85N	~~X~~	2.85N	~~X~~		~~X~~		1.0	~~X~~	0.1	~~X~~	0.1	31
Total	2.74	.60	2.40				.93			2.75			YEAR'S TOTAL
Rain Days.	27.4	0.60	2.78	1.57	0.90	1.97	0.93	6.11	0.35	2.84	1.21	1.38	25.11
	17	6	16	15	9	14	12	26	5	20	12	13	165

S. modern
Kept at Thixendale
in the County of ER
by G. H.

THIXENDALE
YORKSHIRE
1911

FORM A1.
BRITISH RAINFALL.
13 OCT 1911
in. —
und — ft. 10
Level 425 ft.
a.m. Burdale
ne 2 Direction NE

IMPORTANT NOTE. — If an Observer prefers not to conform to this rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 100	in. —	in. 005	in. —	in. —	in. —	in. —	in. 505	in. —	in. —	in. —	in. —	1
2	270	—	—	—	185	—	225	100	—	—	—	—	2
3	020	020	—	055	200	005	—	060	—	—	—	—	3
4	060	005	210	160	—	—	—	215	030	—	—	—	4
5	050	—	010	015	015	—	—	330	—	—	—	—	5
6	305	—	060	135	—	—	—	280	—	—	—	—	6
7	005	010	030	005	—	—	—	—	—	—	—	—	7
8	035	—	180	—	—	040	—	—	130	—	—	—	8
9	—	—	140	015	—	—	—	—	—	—	—	—	9
10	035	035	010	010	—	—	—	—	—	—	—	—	10
11	245	—	—	—	135	005	—	—	005	—	—	—	11
12	215	—	310	—	080	080	—	—	565	—	—	—	12
13	010	010	270	—	—	155	—	—	—	—	—	—	13
14	—	250	195	—	075	—	—	—	060	—	—	—	14
15	—	040	320	040	—	—	—	—	010	—	—	—	15
16	—	—	165	—	—	050	100	—	—	—	—	—	16
17	—	005	030	010	010	055	015	—	—	—	—	—	17
18	—	010	100	110	—	085	—	—	—	—	—	—	18
19	—	070	010	—	080	600	040	080	—	—	—	—	19
20	—	085	—	140	—	010	140	830	—	—	—	—	20
21	—	355	—	—	—	—	—	270	—	—	—	—	21
22	110	010	—	—	—	010	025	335	—	—	—	—	22
23	010	120	—	020	—	690	—	—	—	—	—	—	23
24	020	060	160	040	—	1365	015	—	—	—	—	—	24
25	005	020	005	150	—	370	—	—	—	—	—	—	25
26	—	—	—	065	190	—	440	050	—	—	—	—	26
27	—	115	035	170	—	—	—	450	—	—	—	—	27
28	—	050	015	240	—	—	—	235	—	—	—	—	28
29	—	—	005	020	—	020	360	005	—	—	—	—	29
30	—	—	—	—	070	030	—	—	—	—	—	—	30
31	—	—	010	—	170	—	—	—	—	—	—	—	31
Total	1.495	1.270	2.275	1.400	1.210	3.710	1.360	3.765					TOTAL for year
No. of Rain Days	415	16	4921	17	11	415	9	13					

S. made

FORM A1.
BRITISH RAINFALL
13 OCT 1917

Kept at Thixendale
in the County of ER York 3
by Gm H. Jm

RAIN GAUGE Diameter of top 10 1/2 in.
Height of top above Ground — ft. 10
" " " Sea Level 425 ft.
Time of Observation 10 a.m.
Nearest Railway Station { Name Burdale
Distance 2 Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.100	—	.005	—	—	—	—	.505	—	—	—	—	1
2	.270	—	—	—	.185	—	.225	.100	—	—	—	—	2
3	.020	.020	—	.055	.200	.005	—	.060	—	—	—	—	3
4	.060	.005	.210	.160	—	—	—	.215	.030	—	—	—	4
5	.050	—	.010	.015	.015	—	—	.330	—	—	—	—	5
6	.305	—	.060	.135	—	—	—	.280	—	—	—	—	6
7	.005	.010	.030	.005	—	—	—	—	—	—	—	—	7
8	.035	—	.180	—	—	.040	—	—	.130	—	—	—	8
9	—	—	.140	.015	—	—	—	—	—	—	—	—	9
10	.035	.035	.010	.010	—	—	—	—	—	—	—	—	10
11	.245	—	—	—	.135	.005	—	—	.005	—	—	—	11
12	.215	—	.310	—	.080	.080	—	—	.565	—	—	—	12
13	.010	.010	.270	—	—	.155	—	—	—	—	—	—	13
14	—	.250	.195	—	.075	—	—	—	.060	—	—	—	14
15	—	.040	.320	.040	—	—	—	—	.010	—	—	—	15
16	—	—	.165	—	—	.050	.100	—	—	—	—	—	16
17	—	.005	.030	.010	.010	.055	.015	—	—	—	—	—	17
18	—	.010	.100	.110	—	.085	—	—	—	—	—	—	18
19	—	.070	.010	—	.080	.600	.040	.080	—	—	—	—	19
20	—	.085	—	.140	—	.010	.140	.830	—	—	—	—	20
21	—	.355	—	—	—	—	—	.270	—	—	—	—	21
22	.110	.010	—	—	—	.010	.025	.335	—	—	—	—	22
23	.010	.120	—	.020	—	.690	—	—	—	—	—	—	23
24	.020	.060	.160	.040	—	.1365	.015	—	—	—	—	—	24
25	.005	.020	.005	.150	—	.570	—	—	—	—	—	—	25
26	—	—	—	.065	.190	—	.440	.050	—	—	—	—	26
27	—	.115	.035	.170	—	—	—	.450	—	—	—	—	27
28	—	.050	.015	.240	—	—	—	.235	—	—	—	—	28
29	—	—	.005	.020	—	.020	.360	.005	—	—	—	—	29
30	—	—	—	—	.070	.030	—	—	—	—	—	—	30
31	—	—	.010	—	.170	—	—	—	—	—	—	—	31
Total	1.495	1.270	2.275	1.400	1.210	3.710	1.360	3.765	—	—	—	—	TOTAL for year
No. of Rain Days	14 ₁₅	16 ₁₇	19 ₂₁	17	11	14 ₁₅	9	13	—	—	—	—	

Refer- Specify
Kert at
in the County of
by

3076

THORNEYHOLME GARDENS

1912 - 13, 1915, 1918

1919 1921 1924

IMPORTANT

previous day. If requested to add the for it at the end of this paragraph. the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL

9 a.m.
Longridge
5 in.

above Ground 1 ft. 6 in.
Sea Level (about) 380 ft.

and the result entered to the universal rule, he is earnestly year in the space provided

Jan. 1, following.
.80

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	.03	.23	-	.10	.15	.60	.55	.10	-	-	1
2	.03	-	.54	-	-	.35	.18	.40	.27	-	-	.53	2
3	.15	-	.70	.12	.26	.10	.08	.10	.15	-	-	-	3
4	.50	-	.25	-	-	.45	-	.38	1.43	-	.07	.43	4
5	.77	-	1.07	.60	.04	.45	-	1.60	-	-	1.45	-	5
6	.27	-	.10	-	.45	.13	-	.37	.25	-	-	.04	6
7	.41	-	.10	-	.05	-	-	1.06	-	-	.03	-	7
8	-	-	.04	-	.23	-	.18	.06	.43	-	.03	-	8
9	.78	1.00	.10	.28	-	.25	-	.11	.15	-	.35	-	9
10	.27	.10	.61	.45	-	.45	-	-	-	-	.25	.23	10
11	.14	-	-	.12	.04	.76	-	.03	-	-	1.28	-	11
12	.05	.03	-	-	.17	.25	.20	.03	-	-	-	1.22	12
13	.25	-	.90	-	-	.45	-	-	-	-	-	.16	13
14	.15	-	-	-	-	-	-	.30	-	.38	-	1.00	14
15	.45	-	.55	-	-	.47	-	.25	-	-	-	.79	15
16	.18	.28	.03	-	.41	.43	-	.12	-	.40	-	.12	16
17	1.10	-	.33	-	-	.27	-	.35	-	.25	.07	.25	17
18	-	.30	.35	-	.30	1.40	-	.45	-	-	.20	.80	18
19	-	.02	-	-	-	.18	-	.15	-	.60	.09	.26	19
20	.38	-	1.35	-	-	.18	-	.20	-	.55	.80	-	20
21	.12	-	-	-	.48	.11	-	.27	-	.50	.12	-	21
22	-	-	.32	-	-	.03	-	.15	-	.43	-	-	22
23	-	.53	-	-	.49	-	-	.67	-	-	.40	-	23
24	-	-	.21	-	-	.46	-	.70	-	-	.80	-	24
25	.03	.10	.20	-	-	.27	.03	.15	-	.16	.37	.42	25
26	-	-	.25	-	-	.61	-	.03	-	-	.30	-	26
27	-	.32	.25	-	-	.06	.28	.30	-	2.60	.50	.45	27
28	-	.21	1.00	-	-	.80	.45	-	-	.42	-	.36	28
29	-	.04	-	-	-	.18	.77	.68	-	.35	.33	-	29
30	-	-	.10	-	-	-	.78	.32	.40	.20	-	-	30
31	-	-	-	-	.10	.15	.05	.55	.10	.06	-	-	31
Total	6.07	2.93	9.38	1.80	3.02	9.19	3.15	9.83	3.63	7.00	7.44	7.06	70.50
Rain Days.	6.03	2.96	9.58	1.57	3.12	9.24	3.60	9.78	3.18	6.90	7.44	7.86	71.26
	18	10	23	6	12	25	11	27	8	14	18	15	189
		12		5	13					13		16	

W.P. 2

Specimen

Kert at

in the County of

by

Thorneyholme

Launceston

R. A. Tabor Esq.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

9 a.m.

Longridge

5 in.

1 ft. 6 in.

(about) 380 ft.

BRITISH RAINFALL FORM A.
22 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.80

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	.03	.23	-	.10	.15	.60	.55	.10	-	-	1
2	.03	-	.54	-	-	.35	.18	.40	.27	-	-	.53	2
3	.15	-	.70	.12	.26	.10	.08	.10	.15	-	-	-	3
4	.50	-	.25	-	-	.45	-	.38	1.43	-	.07	.43	4
5	.77	-	1.07	.60	.04	.45	-	1.60	-	-	1.45	-	5
6	.27	-	.10	-	.45	.13	-	.37	.25	-	-	.04	6
7	.41	-	.10	-	.05	-	-	1.06	-	-	.03	-	7
8	-	-	.04	-	.23	-	.18	.06	.43	-	.03	-	8
9	.78	1.00	.10	.28	-	.25	-	.11	.15	-	.35	-	9
10	.27	.10	.61	.45	-	.45	-	-	-	-	.25	.23	10
11	.14	-	-	.12	.04	.76	-	.03	-	-	1.28	-	11
12	.05	.03	-	-	.17	.25	.20	.03	-	-	-	1.22	12
13	.25	-	.90	-	-	.45	-	-	-	-	-	.16	13
14	.15	-	-	-	-	-	-	.30	-	.38	-	1.00	14
15	.45	-	.55	-	-	.47	-	.25	-	-	-	.79	15
16	.18	.28	.03	-	.41	.43	-	.12	-	.40	-	.12	16
17	1.10	-	.33	-	-	.27	-	.35	-	.25	.07	.25	17
18	-	.30	.35	-	.30	1.40	-	.45	-	-	.20	.80	18
19	-	.02	-	-	-	.18	-	.15	-	.60	.09	.26	19
20	.38	-	1.35	-	-	.18	-	.20	-	.55	.80	-	20
21	.12	-	-	-	.48	.11	-	.27	-	.50	.12	-	21
22	-	-	.32	-	-	.03	-	.15	-	.43	-	-	22
23	-	.53	-	-	.49	-	-	.67	-	-	.40	-	23
24	-	-	.21	-	-	.46	-	.70	-	-	.80	-	24
25	.03	.10	.20	-	-	.27	.03	.15	-	.16	.37	.42	25
26	-	-	.25	-	-	.61	-	.03	-	-	.30	-	26
27	-	.32	.25	-	-	.06	.28	.30	-	2.60	.50	.45	27
28	-	.21	1.00	-	-	.80	.45	-	-	.42	-	.36	28
29	-	.04	-	-	-	.18	.77	.68	-	.35	.33	-	29
30	-	-	.10	-	-	-	.78	.32	.40	.20	-	-	30
31	-	.03	.23	-	.10	.15	.05	.55	.10	.06	-	.80	31
Total	6.07	2.93	9.38	1.80	3.02	9.19	3.15	9.83	3.63	7.00	7.44	7.06	70.50
Rain Days.	6.03	2.96	9.58	1.57	3.12	9.24	3.60	9.78	3.18	6.90	7.44	7.86	71.26
	19	12	23	5	13	25	11	27	8	14	18	15	189

3076

3076

REGISTER OF RAINFALL IN 19/3

Kept at "Thornesholme", nr. Dunstap Bridge
in the County of ~~Lancaster~~ Yorkshire W.
by R. A. Tatton Esq.

Lat. 53.57 Long. 2.31
Time of Observation 9 am
Nearest Railway Station Longridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	.47	.32				.30					.72	.60	2
3	.04	.20	2.03	.18	.83							.53	3
4											.30	.50	4
5	.70	.40					.10						5
6		.92			.65	.50	.60				.08		6
7	.32	.43								.87		.45	7
8			.70		.23	.25	.10	.22				1.00	8
9		.43	1.37		.10	1.75		.15			.70		9
10		.73	.90	.20	.15	.06			.07	.30			10
11					.05	.34				.06	.27	.55	11
12									.35		.13		12
13				.55					.16		.45		13
14			.25				.19		.20	.89	.12	.10	14
15				1.06				.22			.70		15
16							.07				.40		16
17			2.00				.30				.13		17
18	.20			.41	.18		.06				1.00		18
19	.60		.46	.70		.29			.08	.15	1.30		19
20										.18	1.93		20
21			.16				.12	.50					21
22				.12				.88	.17				22
23	.65				.34	.25			.36		.20	.45	23
24	1.00		1.02			.36					.12		24
25		.15				.07			.62			1.00	25
26									.60	.08		.10	26
27		.12		.52						.27		.18	27
28			.21	1.00		.10			.70	.08	.20		28
29				.75				.17	.10	.18	.25		29
30	1.53		.20	.82						.25			30
31					.16								31
Total	5.51	3.70	9.30	6.31	2.69	4.27	1.54	2.14	3.41	3.31	9.00	5.46	56.64
Rain Days.	9	9	11	11	9	11	8	6	11	11	18	11	125

REGISTER OF RAINFALL IN 1915

Kept at Thornesholme, Dunsop Bridge
in the County of York
by R. I. Latham Esq

Lat. 53° 54' Long. 2° 31'
Time of Observation 9 am
Nearest Railway Station Loughridge
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

FORM A
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1916

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	1.05			.77			.40					1
2		.75	.75	.20			.50	.26					2
3	.55		.75	1.00		.10	.48	.54				.32	3
4		.54	.21		.12							.81	4
5	.43	.23	.52			.20		.11				.70	5
6	.50		.21	.50			.75	.15				.50	6
7	1.03	1.23		.24			.61	.62				.10	7
8	.68	.10		.20				.34			.20		8
9		.14						.10			.51		9
10	1.31		.15	.10			.74					1.65	10
11	.13				.77			.22					11
12	.43						.38			.45	.63		12
13	.30							.25					13
14	.55						.19	1.00	.17			.74	14
15	<u>1.91</u>							.25	.7			.46	15
16		.74			.42								16
17		.41											17
18		.37											18
19	.20		.25	.75			.45						19
20	.80						.20					.56	20
21							.46	.6					21
22							.10					.38	22
23			.38						.10	.10		.56	23
24						.06			.41	.40		.84	24
25		.87							.24			.50	25
26							.41					.61	26
27						.36	.10					.46	27
28		.57				.33		.25					28
29					.10			.27				.33	29
30		X				.10					.60	.18	30
31	.87	X		X		X		.87	X		X	.15	31
Total	10.14	7.00	3.22	2.99	2.18	1.15	5.37	5.69	.99	.95	1.94	9.85	51.47
Rain Days.	15	12	8	7	5	6	13	16	5	3	4	18	112

REGISTER OF RAINFALL IN 1918

Kept at Thornycroft, Dunsop Bridge
in the County of Lancashire
by R. A. Tasson Esq
J. C. Robinson on B.

Lat. 53.57 Long. 2.39
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

14
20
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
1919

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	5.81	9.04	2.32	1.58	2.35	2.25	4.51	4.66	14.23	5.61	4.30	12.10	YEAR'S TOTAL 68.76
Rain Days													

THORNTON - LE. DALE

BECK-SIDE

1911 - 1916

Kept at Beck-side

in the County of NRY

by Miss Ethel

in.
und ft.
Level 7100 ft.
e Thornton-Dale
ance 1 m. Direction N.E.
e result entered to the

Jan. 1, following.

.05

IMPORTANT NOTE. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .14	in.	in.	in.	in.	in.	in. .12	in. .144	in.	in. .06	in. .01	in. .01	1
2	.58		.01		.08		.15			.02		.10	2
3	.03	.01		.09	.17			.02		.27	.05		3
4	.10	.01	.13	.19				.06	.01	.27	.33	.30	4
5	.06			.10				.56		.12	.04	.01	5
6	.16		.07	.08				.14		.13	.12	.32	6
7	.02	.01	.06	.01							.05		7
8			.09			.04			.03	.02	.03	.15	8
9			.08	.03								.08	9
10	.04	.03	.02			.02					.33	.43	10
11	.35		.01		.01	.02					.28	.12	11
12	.37		.18		.11	.20			.35		.21	.02	12
13	.02		.53		.02	.25					.04	.21	13
14		.20	.30		.10	.09			.06		.04	.54	14
15		.05	.35						.02	.04	.19	.21	15
16			.32			.03	.07			.01	.04	.07	16
17		.01	.05	.01		.82	.06				.27	.12	17
18		.02	.12			.25					.46	.12	18
19		.03	.01	.03	.05	.06	.10	.03	.04	.08	.97	.03	19
20		.02		.01		.04	.13	.63	.02		.14	.45	20
21		.26						.19	.01	.19	.39	.01	21
22	.08						.01	.34		.02	.13		22
23	.01	.20		.02		.61			.73	.04		.11	23
24	.08	.02	.10	.10		.97	.04			.11		.11	24
25	.01	.11		.08		.60	.02		.28	.03	.04	.11	25
26				.09	.12		.72			.57	.54	.14	26
27		.04	.07	.16				.20	.24	.13	.04	.06	27
28		.06	.01	.05		.04	.40	.01		.09	.05	.07	28
29			.01			.11		.05	.42	.36	.01	.05	29
30					.22	.02			.36	.11	.01		30
31			.01		.13					.16		.05	31
Total	2.05	1.08	2.55	1.05	1.01	4.17	1.82	2.67	2.57	2.83	4.81	4.00	TOTAL for year 30.61 30.61
No. of Rain Days	15	16	21	15	10	17	11	12	13	21	26	27	204

2-JAN-1912

Kept at Beck-side Thornton-le-dale
in the County of North Yorkshire 4
by Miss Ethel M. Priestman

Pattern _____
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 2100 ft.
Time of Observation 8 a.m.
Nearest Railway Station { Name Thornton-le-dale
Distance 1 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .14	in.	in.	in.	in.	in.	in. .12	in. .44	in.	in. .06	in. .01	in. .01	1
2	.58		.01		.08		.15			.02		.10	2
3	.03	.01		.09	.17			.02		.27	.05		3
4	.10	.01	.13	.19				.06	.01	.27	.33	.30	4
5	.06			.10				.56		.12	.04	.01	5
6	.16		.07	.08				.14		.13	.12	.32	6
7	.02	.01	.06	.01							.05		7
8			.09			.04			.03	.02	.03	.15	8
9			.08	.03								.08	9
10	.04	.03	.02			.02					.33	.43	10
11	.35		.01		.01	.02					.28	.12	11
12	.37		.18		.11	.20			.35		.21	.02	12
13	.02		.55		.02	.25					.04	.21	13
14		.20	.30		.10	.09			.06		.04	.54	14
15		.05	.35						.02	.04	.19	.21	15
16			.32			.03	.07			.01	.04	.07	16
17		.01	.05	.01		.82	.06				.27	.12	17
18		.02	.12			.25					.46	.12	18
19		.03	.01	.03	.05	.06	.10	.03	.04	.08	.97	.03	19
20		.02		.01		.04	.13	.63	.02		.14	.45	20
21		.26						.19	.01	.19	.39	.01	21
22	.08						.01	.34		.02	.13		22
23	.01	.20		.02		.61			.73	.04		.11	23
24	.08	.02	.10	.10		.97	.04			.11		.11	24
25	.01	.11		.08		.60	.02		.28	.03	.04	.11	25
26				.09	.12		.72			.57	.54	.14	26
27		.04	.07	.16				.20	.24	.13	.04	.06	27
28		.06	.01	.05		.04	.40	.01		.09	.05	.07	28
29			.01			.11		.05	.42	.36	.01	.05	29
30					.22	.02			.36	.11	.01		30
31			.01		.13					.16		.05	31
Total	2.05	1.08	2.55	1.05	1.01	4.17	1.82	2.67	2.57	2.83	4.81	4.00	TOTAL for year 30.61 30.61
No. of Rain Days	15	16	21	15	10	17	11	12	13	21	26	27	204

REGISTER OF RAINFALL IN 1912.

Kept at *Beck-side, Thornton-le-dale*
 in the County of *York*
 by *Arthur Priestman (mrs)*

Lat. _____ Long. _____
 Time of Observation *8 a.m.*
 Nearest Railway Station _____
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground _____ ft. *8* in.
 " " " " Sea Level *12.5* ft.

FORM A
 BRITISH RAINFALL
 12 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.09	.07	.06	.01	.24		.42	.09	.04		.12	1
2		.08	.06	.02		.05	.48	.09		.26	.02		2
3	.14	.12	.02			.84		.15	.20	.11		.15	3
4	.30	.09	.26			.47		.22	.01		.25		4
5	.04				.19	.20		.03			.01		5
6	.94		.04		.01	.07		.45	.03				6
7	.06	.04	.02	.02	.12		.01	.05	.26				7
8	.19	.16	.12			.02	.04		.21		.25		8
9	.08	.03	.17			.01		.01	.38		.03		9
10				.07	.05	.07			.19		.09		10
11	.25	.05						.55	.01		.14	.34	11
12	.06	.09	.06			.09	.58				1.47		12
13	.18	.02	.01			.08				.11	.50	.09	13
14			.58			.15		.09	.01		.06	.04	14
15			.54		.56	.11		.01		.09		.02	15
16	.15		.09		.04	.03				.06	.01		16
17		.05	.21			.38		.15				.02	17
18	.13					.04	.07			.02			18
19	.18	.20	.04				.42	.38		.12	.01		19
20	.05	.09			.29	.03	.07	.02		.35		.01	20
21			.27		.07					.20			21
22		.11	.02		.65	.62		.06		.04			22
23	.05		.07		.02	.07	.10	.57		.03	.20		23
24	.23		.01			.04	.33	.01				.13	24
25	.30		.02			.78	.03	.06			.11	.02	25
26	.03	.06	.04					.97		.67	.12	.22	26
27			.06			.47	.77	.01		.39	.02	.08	27
28				.02	.13	.18	.05	.40	.01	.12	.28		28
29			.09			.80	.09	.07	.30	.03	.10	.06	29
30	.13		.10			.21	.09	.04	.25	.09		.01	30
31			.19		.09		.95	.30		.32			31
Total	3.49	1.28	3.16	.19	2.23	6.05	4.08	5.11	1.95	3.05	3.67	1.31	35.57
Rain Days.	19	15	25	5	13	25	15	24	13	18	18	14	204

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
2 - JAN 1914

Kept at *Beckside Thornton-le-Dale*
in the County of *Yorkshire*
by *Ethel M. Priestman*

Lat. _____ Long. _____
Time of Observation *8 a.m.*
Nearest Railway Station *Thornton Dale*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *8* in.
" " " " Sea Level *125* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0-00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.07	.48							.02		1
2	.01	.03	.05	.01		.11					.07		2
3	.04		.02		.09				.01	.22		.02	3
4	.39		.05		.01		.01		.02	.76	.36	.38	4
5	.15	.02	.02		.02	.32	.16	.01		.27	.02		5
6	.01	.13	.05		.19	.03	.05	.02					6
7		.26		.03	.04	.11	.04			.60			7
8		.01		.01	.41	.12		.01	.06	.24	.06	.04	8
9		.05	.01	.02	.35			.24			.01		9
10		.08	.05	.01	.03	.06	.03			.01	.53		10
11	1.23			.49							.16	.01	11
12	.26								.05		.03		12
13								.13	.01		.09		13
14	.10	.03	.04	.01					.01	.11	.04	.01	14
15	.20		.18	.35			.02				.18	.01	15
16	.02			.02							.04		16
17		.01	.17	.13		.02			.11		.04		17
18			.23	.14	.02	.04					.12	.02	18
19	.08		.04	.01	.01				.08				19
20	.20	.01	.10	.02					.07	.04	.10		20
21	.02	.02	.03		.29			.10	.02				21
22	.04		.12		.04	.07	.01	.29	.01				22
23	.12		.09			.02	.01	.03	.12		.01	.01	23
24	.20			.02		.73		.20				.06	24
25				.11		.07			.08	.02		.05	25
26		.01	.02	.02					.03	.39	.09	.27	26
27		.12	.01	.21	.01	.06				.09	.05	.05	27
28	.19	.04	.14	.28						.02	.01	.18	28
29			.30	.15	.05			.06			.07	.39	29
30	.28		.01		.10					.35		.32	30
31	.14				.30								31
Total	3.70	.82	1.80	2.52	1.96	1.76	.33	1.09	.68	3.12	2.10	1.82	21.70
Rain Days.	20	14	22	20	16	13	8	10	14	13	21	15	186

REGISTER OF RAINFALL IN 1914

Kept at Back-side, Thornton-le-dale
in the County of York NR 4
by Ethel M. Priestman (Miss)

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Thornton Dale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 512.5 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.82	.34				.12	1
2							1.06	.16			.41	.06	2
3	.01		.10		.13		.22				.09	.30	3
4			.02	.09	.12						.04	.59	4
5	.01		.08	.11	.18	.01	.05	.02			.33	.01	5
6		.05		.04	.09		.02				.03	.03	6
7		.02	.09	.02	.07	.42						.13	7
8	.37		.10	.09	.24	.50	.04	.04		.8	.01	.01	8
9	.25	.04	.01	.21	.12	.83		.01	1.17		.02	.05	9
10	.28	.12							.01		.01	.01	10
11		.10	.13		.32				.03		.25	.17	11
12	.07	.01	.02						.12		.01	.83	12
13	.06	.07	.26						.01		.13	.25	13
14	.02	.21	.04	.05			.10			.05	.04	.21	14
15	.05		.17		.01		.31			.02	.58	.02	15
16	.22		.08				1.96		.16		.22		16
17	.15	.12					.01		.64		.02	.08	17
18	.05	.05	.11						.03		.01	.38	18
19	.01		.09						.11		.10	.01	19
20	.02	.08	.10			.30			.03	.03	.11		20
21		.34	.10			.01		.01		.05		.03	21
22	.04	.07	.02	.04	.05	.21	.07	.06		.07	.05	.23	22
23		.01	.01	.03	.32	.37					.01	.12	23
24	.01		.08	.07	.03			.39			.18		24
25		.07					.01	.01		.49	.06	.17	25
26			.07				.14	.16		.23	.14	.31	26
27	.01									.11		.64	27
28	.01	.06								.21	.19	.20	28
29			.04					.16		1.02	.02		29
30		X	.14					.01		.06	.15	.16	30
31	.07	X	.07	X		X	.30		X	.33	X		31
Total	1.71	1.42	1.93	.75	1.68	2.65	5.11	1.37	2.31	2.75	3.21	5.12	YEAR'S TOTAL 30.01
Rain Days.	19	16	23	10	12	8	14	12	10	13	26	26	189

REGISTER OF RAINFALL IN 1915

Kept at *Beck-side Thornton-le-dale*
in the County of *York*
by *Miss Ethel M Priestman*

Lat. *54 1/2* Long. *1 2*
Time of Observation *8 a.m.*
Nearest Railway Station *Thornton Dale*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *8* ft. *8* in.
" " " " Sea Level *c 125* ft.

3679
FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.15	.02	.	.13	.	.15	.78	.19	.	.18	.18	1
2	.03	.20	.28	.08	.	.01	.04	.21	.11	.	.06	.	2
3	.44	.	.08	.12	.	.	.12	.05	.03	.	.41	.42	3
4	.13	.	.	.	.	.	.62	.18	.	.	.07	.65	4
5	.22	.01	.01	.	.06	.02	.06	.	.	.05	.07	.41	5
6	.03	.25	.05	.14	.01	.	.44	.29	.02	.	.	.13	6
7	.38	.28	.08	.01	.	.	.21	.14	.03	.	.	.	7
8	.04	.01	.04	.	.	.	.03	.01	.	.	.03	.	8
9	.	.01	.	.	.	.	.01	.05	.	.04	.02	.26	9
10	.22	.	.	.	.	.	.	.02	.	.	.	.12	10
11	.07	.23	.01	.08	.62	.	.01	.19	.	.	.	.13	11
12	.19	.03	.	.22	.05	.	.14	.	.	.41	1.33	.10	12
13	.	.54	.	.	.	.	.	.02	.	.	.12	.	13
14	.07	.28	.	.	.05	.	.07	.03	.	.	.02	.06	14
15	.29	.19	.	.	.	.	.12	.33	.	.	.	.11	15
16	.06	.22	.	.	.01	.	1.25	.05	.	.02	.10	.01	16
17	.50	.23	.	.	.	.	.62	.	.	.	.04	.02	17
18	.	.15	.24	.	.	.	.	.	.01	.	.08	.05	18
19	.	.05	.03	.	.	.	.08	.	.	.18	.	.	19
20	.07	.	.	.	.	.	.	.	.	.11	.	.39	20
21	.11	.04	.	.12	.08	.	.	.	.	.02	.	.02	21
22	.02	.	.05	.02	.	.	.47	.	.	.	.	.16	22
23	.37	.18	.03	.04	.	.	.20	.	.06	.	.05	.05	23
24	.	.01	.13	.	.	.	.02	.	.44	.03	.01	.17	24
25	.	.	.01	.	.	.14	.01	.	.	.03	.27	.01	25
26	.02	.28	.04	.	.	.08	.11	.	.03	.09	.04	.16	26
27	.04	.06	.03	.	.	.	.48	.	.04	.13	.	.46	27
28	.	.04	.04	.	.22	.	.01	.17	.	.22	.	.	28
29	.01	.	.	.	.30	.	.01	.01	.46	.	.30	.19	29
30	.04	X	.	.16	.	.	.15	.	.21	.	.	.01	30
31	.09	X	.	X	.	X	.	.32	X	.01	X	.12	31
Total	3.58	3.44	1.17	.99	1.53	.25	5.43	2.85	1.63	1.04	3.20	4.39	29.50
Rain Days.	24	22	17	10	10	4	25	17	12	13	18	25	197

REGISTER OF RAINFALL IN 1916

Kert at Beck-side, Thornton-le-dale
in the County of York
by Miss E. M. Priestman

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Thornton Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
Sea Level 125 ft.

FORM A.
BRITISH RAINFALL.
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17		.06			.02					.11		1
2	.02	.10	.27			.12	.18			.01	.02		2
3		.12	.05	.03		.10	.03		.11	.18	.11	.02	3
4	.01	.13	.15	.06	.57	.01			.31	.61	.25	.27	4
5	.09		.27	.02	.15	.39			.15	.39	.15	.10	5
6		.31	.23	.02	.18	.32			.01	.02	.23	.01	6
7		.01	.19		.17	.02	.08			.03	.01	.17	7
8			.52		.11	.05	.07					.01	8
9			.07		.27						.04	.33	9
10	.02		.02	.04			.05		.01	.07	.02	.05	10
11	.11	.49	.65	.17	.02	.02				.05		.18	11
12	.02		.45	.01	.38	.09	.15	.07	.04	.03		.13	12
13		.02	.12		.39	.42	.08			.39	.04	.09	13
14		.12	.03		.17		.67	1.20	.02	.14		.13	14
15	.03	.19	.41			.03	.01	.13		.07			15
16		.01	.03	.09			.15	.19		.04		.13	16
17	.01			.12			.01	.07		.10	.01	.02	17
18		.21		.34			.01	.01	.17	.07	1.43		18
19	.04		.03	.01	.12			.01	.21	.10	.93	.19	19
20	.06		.14	.22			.31	.32	.10		.14	.02	20
21	.01	.20	.10	.03	.21		.21					.24	21
22		.35	.02							.03			22
23		.03	.06	.03		.03				.03	.11	.20	23
24		.01	.02	.12		.02		.10		.13		.05	24
25		.11	.08		.03	2.47		.22		.10	.11	.10	25
26	.01	.43	.06								.09		26
27		.50						.87		.09			27
28		.25	.05		.02			.15		.15		.29	28
29		.22			.03					.10		.09	29
30		X			.09	.14			X	.25	X	.01	30
31		X		X		X			X	.08	X	.01	31
Total	.60	3.81	4.08	1.31	2.91	4.25	2.01	3.34	1.13	3.26	3.80	2.84	33.34
Rain Days.	13	20	25	15	16	16	14	12	10	25	17	24	207

REGIS

THORNTON LE-MOOR

FORM A.
BRITISH RAINFALL.

Kept at

THORNTON
NORTHAMPTON

in the County of

1911 - 1920

by

R. W. Peck

NOTE.—Full instructions respecting the
"Rules for Rainfall Observers"

1 ft. in.
126 ft.

ation are given in
lon, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	—	—	—	.04	.04	—	—	—	—	1
2	.25	—	—	—	.15	—	.12	—	—	.09	—	.10	2
3	.03	—	.05	.09	.16	—	—	—	—	.22	.03	—	3
4	—	—	.10	.29	—	—	—	.17	.07	.27	.13	.23	4
5	.08	—	.03	.02	—	—	—	.54	—	.03	.03	—	5
6	.18	—	.07	.01	—	—	—	.18	—	.01	.13	.40	6
7	—	—	—	—	—	—	—	—	—	—	.02	—	7
8	—	—	.17	—	—	.02	—	—	.06	.02	.05	.57	8
9	—	—	—	.02	—	—	—	—	—	—	—	.11	9
10	.02	.05	—	.01	—	—	—	—	—	—	—	.48	10
11	.30	—	—	—	—	—	—	—	—	—	.15	—	11
12	.17	—	.07	—	.30	.06	—	—	.73	—	.29	.01	12
13	—	.03	.32	—	—	.02	—	—	—	—	.03	.50	13
14	—	.02	.33	—	.10	—	—	—	—	—	.01	.50	14
15	—	—	.18	—	—	—	—	—	—	—	.11	.19	15
16	.07	—	.24	.04	—	.02	.20	—	—	—	—	.06	16
17	—	—	.02	—	—	.12	.03	—	—	—	.27	.07	17
18	—	.08	.04	—	—	.06	—	—	—	—	.34	.15	18
19	—	—	—	.01	—	.30	—	.03	.12	—	.03	.14	19
20	—	.12	—	.01	—	.03	.07	.40	.02	.09	.02	.15	20
21	—	.17	—	—	—	—	—	.60	—	.16	.12	.01	21
22	.12	.01	—	—	.02	—	—	.09	—	—	.09	—	22
23	.01	.10	—	—	—	.11	—	—	.18	—	—	.15	23
24	.05	.01	—	—	—	.09	—	—	—	.11	—	.04	24
25	—	—	—	.03	—	.35	—	—	.37	.04	.02	.11	25
26	—	—	—	.07	.11	.07	—	.07	—	.69	.21	.15	26
27	—	.06	—	.04	—	—	—	.27	.09	.03	.02	.03	27
28	—	.02	—	.27	—	—	—	—	—	—	—	.09	28
29	—	—	—	.23	—	—	.05	—	.51	.21	—	.02	29
30	—	—	.05	—	.09	—	—	—	.15	.05	.01	—	30
31	—	—	.02	—	.18	—	—	—	—	.05	—	.02	31
Totals	1.24	.67	1.69	1.14	.91	3.19	.51	2.39	2.24	2.07	3.11	4.28	23.44
Total from Jan. 1		1.91	3.60	4.74	5.65	8.84	9.35	11.74	13.98	16.05	19.16	23.44	157

REGIS

FORM A.
BRITISH RAINFALL.

Kept at **THORNTON-LE-MOOR,**
NORTHALLERTON.
in the County of **NR York**
by **R. W. Peckitt**

RAIN GAUGE.

Nearest Railway Station **Afterburg**
Time of Observation **9. A.M.**
Diameter **3** in.
Height of top above Ground **1** ft. **126** in.
Sea Level **126** ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	—	—	—	.04	.04	—	—	—	—	1
2	.25	—	—	—	.15	—	.12	—	—	.09	—	.10	2
3	.03	—	.05	.09	.16	—	—	—	—	.22	.03	—	3
4	—	—	.10	.29	—	—	—	.17	.07	.27	.13	.23	4
5	.08	—	.03	.02	—	—	—	.54	—	.03	.03	—	5
6	.18	—	.07	.01	—	—	—	.18	—	.01	.13	.40	6
7	—	—	—	—	—	—	—	—	—	—	.02	—	7
8	—	—	.17	—	—	.02	—	—	.06	.02	.05	.57	8
9	—	—	—	.02	—	—	—	—	—	—	—	.11	9
10	.02	.05	—	.01	—	—	—	—	—	—	—	.48	10
11	.30	—	—	—	—	—	—	—	—	—	.15	—	11
12	.17	—	.07	—	.30	.06	—	—	.73	—	.29	.07	12
13	—	.03	.32	—	—	.02	—	—	—	—	.03	.50	13
14	—	.02	.33	—	.10	—	—	—	—	—	.01	.50	14
15	—	—	.18	—	—	—	—	—	—	—	.11	.19	15
16	.07	—	.24	.04	—	.02	.20	—	—	—	—	.06	16
17	—	—	.02	—	—	.12	.03	—	—	—	.27	.07	17
18	—	.08	.04	—	—	.06	—	—	—	—	.34	.15	18
19	—	—	—	.07	—	.30	—	.03	.12	—	.03	.14	19
20	—	.12	—	.07	—	.03	.07	.40	.02	.09	.02	.15	20
21	—	.17	—	—	—	—	—	.60	—	.16	.12	.07	21
22	.12	.01	—	—	.02	—	—	.09	—	—	.09	—	22
23	.01	.10	—	—	—	.11	—	—	.18	—	—	.15	23
24	.05	.07	—	—	—	.09	—	—	—	.11	—	.04	24
25	—	—	—	.03	—	.35	—	—	.37	.04	.02	.11	25
26	—	—	—	.07	.11	.07	—	.07	—	.69	.21	.15	26
27	—	.06	—	.04	—	—	—	.27	.09	.03	.02	.03	27
28	—	.02	—	.27	—	—	—	—	—	—	—	.09	28
29	—	—	—	.23	—	—	.05	—	.51	.21	—	.02	29
30	—	—	.05	—	.09	—	—	—	.15	.05	.07	—	30
31	—	—	.02	—	.18	—	—	—	—	.05	—	.02	31
Totals	1.24	.67	1.69	1.14	.91	3.19	.51	2.39	2.24	2.07	3.11	4.28	23.44
Total from Jan. 1		1.91	3.60	4.74	5.65	8.84	9.35	11.74	13.98	16.05	19.16	23.44	157

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at *Monkton-le-Wood*

in the County of *York*

by *R. W. Peckitt*

Pattern *Showden*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. " in.
" " " Sea Level *126* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Otterington*
Distance *2 1/2* m. Direction *W*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. .44	in. .12	in. —	in. —	in. .25	in. .20	in. .39	in. .20	in. .05	in. —	in. .14	1
2	—	.02	.11	—	—	.43	.74	—	.09	.06	—	—	2
3	.15	.10	.07	—	—	.86	—	.27	.20	—	—	.15	3
4	.25	—	.83	—	.02	.66	—	.34	.08	—	.23	—	4
5	—	—	—	—	.25	.12	—	.02	—	—	—	—	5
6	.29	.33	—	—	.02	.03	—	.33	—	—	—	—	6
7	—	.07	—	—	.10	.05	—	.04	.21	—	.08	—	7
8	.46	.19	.06	—	—	.04	—	.07	.30	—	.18	—	8
9	—	.03	.03	.02	—	.31	—	—	.07	—	—	—	9
10	.10	—	.02	—	—	.43	—	.16	—	—	.09	—	10
11	.09	—	—	—	—	—	.03	.27	.02	—	.31	.12	11
12	.04	—	.07	—	—	.06	.92	—	—	—	.40	.04	12
13	—	—	.46	—	—	.03	—	—	—	.08	.24	.07	13
14	.16	—	.20	—	—	.14	—	.02	—	—	—	.04	14
15	.11	.07	.15	—	.55	.08	—	—	—	—	—	.03	15
16	.50	—	.26	—	.02	.09	—	—	—	.10	—	—	16
17	—	.05	—	—	—	.29	—	.19	—	—	—	—	17
18	.09	—	.02	—	—	.07	.03	.06	—	.03	—	—	18
19	.12	.29	—	—	—	.02	.47	.20	—	.02	.02	—	19
20	.25	.05	.19	—	.61	.09	.11	.03	—	.09	.02	—	20
21	—	—	.07	—	.03	.01	.02	—	—	.05	.02	—	21
22	—	.06	.12	—	.63	.47	—	.24	—	—	—	—	22
23	.03	—	.01	—	.02	.01	.26	.32	—	.03	.15	—	23
24	.19	—	—	—	—	.07	.14	.10	—	—	.08	.21	24
25	.26	—	—	—	—	.57	.04	.10	—	—	.10	—	25
26	.09	.04	.03	—	—	.07	.28	.08	—	.79	.08	.32	26
27	—	—	—	—	—	.28	.17	—	—	.25	.02	.12	27
28	—	—	.20	—	.11	.02	.37	.63	—	.30	.13	—	28
29	—	.02	.20	—	—	.03	.29	.07	.63	.04	—	.09	29
30	—	—	.10	—	.21	—	—	—	.19	.09	—	—	30
31	—	—	.18	—	.05	—	.53	.34	—	.03	—	—	31
Total	3.21	1.76	3.12	.02	2.62	5.34	4.60	4.16	1.90	2.01	2.01	1.27	TOTAL for year 32.02
No. of Rain Days	17	14	21	1	13	28	16	22	10	15	16	11	18 1/2

REGISTER OF RAINFALL IN 1913

Kept at *Thornton-le Moor*
in the County of *York* *N 2*
by *R. W. Peckitt*

Lat. _____ Long. _____
Time of Observation *9 AM*
Nearest Railway Station *Otterington*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *136* ft.

BRITISH RAINFALL FORM A
2 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.09	—	.08	.29	—	—	—	—	.01	—	.04	—	1
2	—	.04	.08	.03	—	.86	—	—	—	—	.04	—	2
3	.05	—	—	—	.18	—	.13	—	—	.06	—	.02	3
4	.40	—	—	—	—	.02	.02	—	—	.10	.18	.62	4
5	.26	.03	.03	—	.50	.06	—	.23	—	.05	—	—	5
6	—	.16	.17	—	—	.08	.26	—	—	—	.04	—	6
7	.61	.37	—	.03	.10	.17	—	—	—	.35	.05	—	7
8	—	—	—	—	.42	.03	—	.02	.05	.04	.06	—	8
9	—	.07	.07	.05	.24	.06	—	.03	—	—	.05	—	9
10	—	.16	.02	—	.11	—	—	—	.07	.02	.29	—	10
11	<i>now</i> .94	—	—	.62	.02	—	—	—	—	.01	.06	—	11
12	.08	—	—	—	—	—	—	—	.04	—	.21	—	12
13	.03	—	—	.06	—	—	—	.07	.18	.07	.09	—	13
14	.05	.08	.18	.04	—	—	.29	—	—	.10	—	.03	14
15	.26	.02	.27	.37	—	—	.03	—	—	—	.13	—	15
16	—	—	—	—	—	—	.03	.05	—	—	.04	—	16
17	—	—	.11	.04	—	.21	—	—	.11	—	.08	—	17
18	—	—	.32	.12	—	.04	—	—	—	—	.03	—	18
19	.20	—	.03	—	—	—	—	—	.49	.04	—	—	19
20	.04	—	.07	—	—	—	—	.03	.43	.12	.23	—	20
21	.07	—	—	—	.10	—	—	.23	.07	—	—	—	21
22	.08	—	.30	—	.08	—	—	.33	.09	.07	—	—	22
23	.09	—	—	.08	—	.08	—	.03	.06	—	.05	—	23
24	.16	—	—	—	—	.31	.04	—	—	—	—	—	24
25	—	—	—	—	—	—	—	—	.34	.03	—	—	25
26	—	.02	—	.34	—	—	.02	—	.13	.17	.16	.22	26
27	—	.03	.04	.26	—	.12	—	—	—	.07	.02	.13	27
28	.30	—	.20	.57	—	—	—	—	—	.07	—	.50	28
29	.07	—	.18	.47	.07	—	—	.05	—	—	.07	.61	29
30	.31	—	.02	—	—	—	—	—	—	.47	—	.05	30
31	—	—	.02	—	.03	—	—	.03	—	—	—	—	31
Total	3.43 3.43	.98	2.13	3.37	1.85	1.24	.82	1.10	1.95	1.60	1.97	2.18	YEAR'S TOTAL 22.62 22.62 161
Rain Days.	19	10	18	15	11	12	8	11	13	17	19	8	

REGISTER OF RAINFALL IN 1914

Kept at *Thornton-le-Cluon*
in the County of *York* *NR 2*
by *Joe Peckitt*

Lat. *54° 17'* Long. *1° 24'*
Time of Observation *9 A.M.*
Nearest Railway Station *Otterington*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *7* ft. *0* in.
" " " " Sea Level *136* ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	.05	.93	.16	—	—	—	.17	1
2	—	—	—	—	—	—	.97	.35	—	.07	.19	.10	2
3	—	—	.03	—	.19	—	—	.05	—	—	.09	.46	3
4	—	—	.02	.16	.17	.02	—	—	—	—	.05	.48	4
5	—	—	.06	.09	.04	.03	—	—	—	.03	.11	.04	5
6	—	.03	—	.04	.06	—	—	—	—	—	.03	.08	6
7	—	.08	.27	—	.06	.31	—	.04	—	—	.12	.12	7
8	.29	—	—	.10	.15	.35	.05	.05	—	.02	.07	.03	8
9	.34	.06	—	.16	—	.67	—	—	—	—	.07	.03	9
10	.12	.16	—	—	—	—	—	—	.18	—	.02	—	10
11	—	.06	.17	—	(.08)	—	—	—	.07	—	.14	.23	11
12	—	.04	.03	—	—	—	—	—	.12	—	.02	.20	12
13	.04	.07	.13	—	—	—	—	—	.07	—	.12	.23	13
14	.02	.16	—	—	—	—	.06	—	—	—	.20	.17	14
15	.03	.04	.10	—	—	—	.08	—	—	—	.33	.05	15
16	.11	.07	—	—	—	—	1.31	—	.68	—	.04	—	16
17	—	.05	.05	—	—	—	.04	—	.25	—	.07	.03	17
18	.03	.03	.04	—	—	.09	.01	—	.04	—	.07	.12	18
19	—	—	.02	—	—	—	.50	—	.05	—	.07	—	19
20	—	.16	.14	—	—	.29	—	—	.03	—	—	—	20
21	—	.36	—	—	—	—	.06	—	—	—	—	.08	21
22	—	—	—	—	.29	.26	—	.06	—	.04	.02	.13	22
23	—	—	.05	—	.40	.52	—	—	—	—	—	.10	23
24	—	—	.08	.06	—	—	—	.12	—	—	.34	—	24
25	—	.05	.10	—	—	—	—	.12	—	.56	.04	.40	25
26	—	—	.04	—	—	—	.20	.07	—	.34	.11	.25	26
27	.04	—	—	—	—	—	—	—	—	.08	.14	.45	27
28	.01	—	.07	—	.03	—	—	—	—	.07	.02	—	28
29	—	—	.10	—	.02	—	—	.15	—	.23	.04	—	29
30	—	—	.07	—	—	—	—	.04	—	.04	.08	.32	30
31	.20	—	—	—	—	—	.32	.17	—	.17	—	—	31
Total	1.23	1.30	1.58	.61	1.49	2.59	4.58	1.32	1.37	1.60	2.42	4.27	YEAR'S TOTAL 24.31
Rain Days.	11	14	20	6	11	10	12	12	9	11	26	23	165

REGISTER OF RAINFALL IN 1915

Kept at *Thorncliffe Moor*
in the County of *York*
by *H. J. P. W. Peckitt*

Lat. *54.17.13* Long. *1.24*
Time of Observation *9 A.M.*
Nearest Railway Station *Otterington*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *136* in.
Sea Level *136* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36	.14	—	—	.10	—	.04	.14	.55	—	.15	.09	1
2	~~.14~~	.15	.24	.11	—	.04	.09	.66	.02	—	.07	—	2
3	.40	—	.06	.12	—	—	.29	.11	—	—	~~.07~~	.47	3
4	.16	—	—	—	.07	—	.22	.16	—	—	~~.02~~	.22	4
5	.11	.24	.07	—	.05	—	—	—	—	.03	—	.82	5
6	.10	.34	.05	.12	—	—	.97	—	.03	.02	—	.04	6
7	.30	.47	.06	—	—	—	.57	.13	—	—	.03	.02	7
8	.17	.05	.07	—	—	—	.05	.05	—	—	—	—	8
9	.01	.02	—	—	—	—	.07	.02	—	—	—	.47	9
10	.13	—	.10	—	—	—	—	.25	—	—	.02	.09	10
11	—	.14	—	—	.54	—	—	—	—	—	~~.06~~	.12	11
12	.05	.02	—	.26	.05	—	.11	—	—	.14	.62	—	12
13	.02	.20	—	—	.03	—	.03	—	—	—	—	.07	13
14	—	.05	—	—	.06	—	.06	.03	—	—	.21	.04	14
15	.22	—	—	—	—	—	.33	.19	—	.26	.06	.17	15
16	—	.42	—	—	.02	—	.74	.15	—	.18	—	—	16
17	.05	.20	.04	—	—	—	.09	—	—	.05	—	.07	17
18	—	.05	.36	—	—	—	—	—	.07	—	—	.07	18
19	—	—	.11	—	—	—	.08	—	—	.02	—	—	19
20	.07	—	—	—	—	—	—	—	—	—	—	.44	20
21	.43	.03	—	.08	—	—	—	.02	—	—	—	.06	21
22	.03	—	.07	—	—	—	.03	—	—	—	—	.13	22
23	.15	.21	.05	.04	—	—	.24	—	—	—	—	.02	23
24	—	—	.08	.06	—	—	—	—	.37	.05	—	.11	24
25	—	—	—	—	—	.06	—	—	.02	.05	.04	.05	25
26	—	.08	.03	—	—	.19	.19	—	—	—	.05	.50	26
27	—	.25	.14	—	—	.10	.07	—	—	.35	—	.04	27
28	.03	.08	.02	—	.19	—	—	.32	—	.08	—	.02	28
29	.04	~~X~~	—	—	.21	.01	—	.07	—	—	.16	.23	29
30	.14	~~X~~	—	.13	—	.82	.15	.07	—	—	—	.02	30
31	.10	~~X~~	—	~~X~~	—	~~X~~	.02	.35	~~X~~	.03	~~X~~	.14	31
Total	3.01	3.14	1.43	.92	1.32	1.22	4.38	2.60	1.00	1.26	1.50	4.46	YEAR'S TOTAL 26.24
Rain Days.	21	19	16	8	10	6	21	16	6	12	13	26	174

REGISTER OF RAINFALL IN 1916

Kept at *Thornton-le-Clow*
in the County of *York NR*
by *R. W. Peckitt*

Lat. *54 17* Long. *1 24*
Time of Observation *9 AM*
Nearest Railway Station *Thornthorpe*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *136* in.
" " " " Sea Level *136* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.04	.13	—	—	.04	.16	—	—	—	.02	—	1
2	.02	(.03)	.28	—	—	.04	.07	—	.21	.08	.02	.02	2
3	—	.09	.15	.08	—	—	.13	—	1.20	.06	.15	—	3
4	—	.29	.01	.05	.56	.30	.07	—	.07	.19	.30	—	4
5	.81	.11	.09	—	.30	.20	—	—	—	.35	.17	—	5
6	—	.20	.16	.08	.42	—	.49	—	—	.05	.25	—	6
7	—	.09	.15	—	.12	.13	.11	—	—	.09	—	.22	7
8	—	.03	.15	—	.08	—	—	—	—	.04	—	—	8
9	—	—	.05	—	.10	.14	—	—	.02	—	—	.16	9
10	.03	—	—	—	—	.12	.07	—	—	.03	—	.06	10
11	—	.36	.09	.06	—	.16	.16	—	—	.04	—	—	11
12	—	.02	.18	—	.49	.07	.61	—	—	—	—	.06	12
13	—	.05	.16	—	.04	.02	.31	.35	—	.55	.04	.19	13
14	—	.04	.03	—	.03	.02	—	.22	.02	.02	—	.08	14
15	—	.20	.30	—	—	—	.03	.13	—	.81	—	—	15
16	—	.10	.14	.09	—	—	.09	.03	—	—	—	.03	16
17	—	.24	—	.12	—	—	—	.05	.19	.12	—	—	17
18	—	.04	—	.12	—	—	.07	.02	.29	.05	.64	.12	18
19	.05	—	.07	.17	—	—	—	.03	.04	—	.31	.10	19
20	.04	—	.17	.05	—	—	.10	.04	—	—	.09	.09	20
21	.01	—	.04	.15	.18	—	—	.02	—	—	—	—	21
22	—	.17	.07	—	—	.11	—	—	—	.12	.07	—	22
23	—	.03	.10	.07	—	.07	—	—	.5	—	—	.25	23
24	—	.03	—	.05	—	.50	—	.18	—	—	—	.06	24
25	—	.05	.09	—	.03	—	—	.30	—	.17	.12	.01	25
26	.56	.05	.02	—	.12	.04	—	—	—	.03	—	—	26
27	—	.20	.06	—	—	.07	—	.37	—	.42	—	—	27
28	—	.04	.03	.03	.02	—	—	.03	—	.02	—	.20	28
29	—	.18	—	—	—	.09	—	—	—	.13	—	.08	29
30	—	X	—	—	—	.02	—	—	—	.24	—	—	30
31	—	X	—	X	—	X	—	—	X	.13	X	—	31
Total	.42	2.78	2.66	1.06	2.49	2.02	1.99	1.77	2.04	2.92	2.10	1.73	23.08
Rain Days.	8	24	24	13	13	18	14	13	8	22	12	16	185

REGISTER OF RAINFALL IN 1917

Kept at Morton-le Moir
in the County of York
by R. H. Peckitt

Lat. 54.17 Long. 1.24
Time of Observation 9 A.M.
Nearest Railway Station Otterington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	—	.15	—	.59	—	1.45	.27	—	.14	.08	1
2	.06	—	—	.13	—	—	—	.29	.02	—	—	—	2
3	—	—	—	.02	—	.02	—	.11	—	—	.02	—	3
4	.18	—	.09	—	—	—	—	.04	—	.14	—	—	4
5	—	—	.05	.28	—	—	—	—	—	—	.02	.01	5
6	.70	—	—	—	—	.14	—	—	—	.17	.10	—	6
7	.89	—	.03	—	—	—	—	.03	—	.29	—	.05	7
8	.06	—	.12	.07	—	—	—	1.60	—	.19	.07	.01	8
9	.24	—	—	.05	—	—	—	.61	—	.03	.30	.04	9
10	—	—	—	.27	.07	—	—	.12	—	.21	.15	—	10
11	—	—	.52	—	—	—	—	.03	—	.16	.02	—	11
12	.20	.04	—	.06	.10	—	—	.20	—	.59	—	.05	12
13	.26	—	—	.05	.05	.18	—	.32	.10	.04	—	.05	13
14	.19	—	—	.17	.25	—	—	.19	—	.02	—	—	14
15	.02	—	—	.15	.01	—	.10	.05	—	—	—	.32	15
16	.11	—	—	.15	—	—	—	.03	—	—	—	.45	16
17	—	.06	—	.20	.11	—	—	.31	—	.01	—	.43	17
18	—	—	—	.05	.09	—	.28	.18	.04	—	—	—	18
19	.14	.13	.09	—	.11	.10	—	—	—	—	—	—	19
20	.10	.30	.05	—	—	.41	—	.06	—	—	.32	.02	20
21	—	.13	.29	—	—	—	—	.05	—	.02	—	—	21
22	—	—	.23	—	—	.20	—	.06	—	—	—	—	22
23	—	—	—	—	.08	.61	—	.23	.02	.04	—	—	23
24	—	—	—	—	—	—	.10	.03	—	.26	.15	—	24
25	—	.06	—	—	—	—	.02	.05	—	.21	.12	.04	25
26	—	—	.20	—	—	.20	—	.68	.03	.16	—	.05	26
27	.04	—	—	—	—	.19	.30	.40	—	.03	—	.12	27
28	—	—	.16	—	—	.01	.09	.15	—	.10	—	—	28
29	—	—	.01	—	—	—	.16	.01	—	.28	.03	—	29
30	.07	X	.03	.04	—	—	.02	—	—	.02	.02	—	30
31	.07	X	.35	X	—	X	.08	.04	X	—	X	.07	31
Total	3.33	.74	2.22	1.84	.87	2.05	1.15	7.32	.48	2.96	1.36	1.79	26.11
Rain Days.	16	7	14	15	9	11	9	27	6	20	13	15	162

REGISTER OF RAINFALL IN 1918

Kept at *Morton-le-Moor*
in the County of *York* *N.R.*
by *R. W. Peckitt*

Lat. *54° 17'* Long. *1° 24'*
Time of Observation *9 A.M.*
Nearest Railway Station *Stammingford*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *136* ft.
" " " " Sea Level

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.04	.09	.05	—	—	—	—	.12	.14	.25	.02	1
2	.06	.12	—	.10	—	—	—	—	.12	—	—	.14	2
3	—	.04	.03	.01	.14	—	—	.04	—	.06	.30	—	3
4	—	.03	.06	—	.32	—	—	.29	.23	.02	.02	.12	4
5	—	—	—	.01	.34	—	—	.52	.01	.10	—	—	5
6	.04	.28	—	.36	—	.26	—	.25	.06	.25	.24	.04	6
7	.19	.01	—	.05	—	.05	—	—	.12	.06	.02	—	7
8	—	.02	.10	—	—	—	.17	.02	.11	.08	.09	—	8
9	—	.39	—	.18	—	.06	—	—	.99	.19	.03	.03	9
10	.03	.06	—	.03	—	—	.25	—	.13	—	—	—	10
11	.19	.02	.05	—	.17	—	.29	.05	.09	—	—	.05	11
12	—	.16	.07	—	—	—	.08	—	.10	.03	—	—	12
13	—	—	—	.07	.09	—	—	—	.26	.11	—	—	13
14	.07	—	—	.25	—	—	.07	—	.41	.06	—	.09	14
15	.06	—	—	.04	—	—	.40	—	.96	—	—	.69	15
16	.01	—	—	—	.19	.27	.20	.06	.26	—	—	.11	16
17	.31	—	—	—	.32	.15	.32	.10	.01	.50	—	.19	17
18	.58	—	.03	—	—	—	.34	—	.62	.03	—	.02	18
19	.31	—	.11	.16	—	—	.35	.12	.04	.19	—	.02	19
20	.15	.52	—	.08	—	.13	.22	—	.05	.03	—	—	20
21	.18	.01	—	—	.21	.04	.03	—	.17	.19	—	—	21
22	.02	—	—	.05	—	.03	.04	—	.01	—	—	.18	22
23	.04	—	—	—	.40	—	.88	—	.11	—	.04	.03	23
24	—	.02	—	—	—	—	.12	—	.17	.03	.03	—	24
25	—	—	—	—	.03	—	.22	.32	.04	—	—	—	25
26	—	—	—	—	—	—	.16	.06	.25	—	.07	.04	26
27	—	—	.04	—	—	.05	—	.49	.12	—	.16	.07	27
28	—	.15	.17	—	—	—	—	—	—	—	.05	.48	28
29	—	—	.06	—	—	—	—	.02	.20	—	.01	.11	29
30	—	—	.13	—	—	—	—	—	.09	—	.06	.47	30
31	—	—	.15	—	—	—	—	—	—	—	—	.12	31
Total	2.25	1.87	1.09	1.44	2.21	1.04	4.14	2.34	5.85	2.07	1.49	3.02	28.81
Rain Days.	16	15	13	14	10	9	17	13	28	17	15	20	187

REGISTER OF RAINFALL IN 1919

3268

Kept at Thorncliffe Moor
in the County of York
by R. W. Peckitt

Lat. 54° 17' Long. 1° 24'
Time of Observation 9 A.M.
Nearest Railway Station Peterborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 126 ft.

FORM A.
BRITISH RAINFALL
JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	—	—	—	.28	—	.44	—	.23	.09	.07	.04	1
2	.17	—	.04	—	.02	—	.53	—	.02	—	.04	—	2
3	.54	—	—	—	.19	.10	.10	—	—	—	.56	.10	3
4	.19	.06	.38	—	.01	.08	—	.06	.11	—	.88	.05	4
5	.11	—	—	—	—	—	—	—	—	—	.06	.04	5
6	.05	—	.12	—	—	—	—	—	—	—	.04	—	6
7	—	—	.05	—	.10	—	—	—	—	—	—	.53	7
8	.13	—	—	.05	.09	—	—	—	—	.05	.40	.04	8
9	.03	—	.04	—	—	.11	—	—	—	—	.12	—	9
10	—	—	.06	.09	.07	—	—	—	—	.06	.17	.25	10
11	—	—	.66	—	.12	—	.22	—	—	.02	.11	.07	11
12	—	—	.33	—	—	.06	.12	—	.04	.33	—	—	12
13	.06	—	.03	.09	—	—	.04	.09	—	.16	—	.03	13
14	.20	—	—	.36	—	—	—	.08	—	.03	.14	.05	14
15	.03	.20	.06	.20	—	—	—	.01	—	.02	.02	.86	15
16	.02	.08	—	.06	—	—	—	—	—	—	.12	—	16
17	—	.08	.02	.04	—	—	—	.02	—	—	.08	—	17
18	—	—	.08	—	.03	—	—	.37	—	—	—	.04	18
19	.04	.21	.60	—	—	.07	.50	.11	.11	—	.29	.05	19
20	.12	—	—	—	—	.09	.13	.05	—	—	.07	.11	20
21	.16	.17	.02	—	—	.03	.01	—	.05	—	.04	—	21
22	—	.09	—	—	—	.07	.05	.05	.02	—	—	.23	22
23	—	—	—	.03	—	.06	—	—	—	.78	.03	.06	23
24	—	.01	—	.04	.02	.25	—	—	—	.33	.08	—	24
25	.06	.07	—	.08	—	.08	—	.58	—	—	.19	—	25
26	—	.10	.09	.05	—	.03	—	.41	—	.25	.43	.50	26
27	.18	—	—	.35	—	—	—	—	—	.80	.11	.07	27
28	.05	—	—	.12	—	—	—	.95	—	.45	—	.15	28
29	.08	—	—	.07	—	—	—	.05	—	1.22	—	.16	29
30	.02	X	—	.30	—	.33	—	—	—	.05	.07	.25	30
31	.04	X	.04	X	—	X	.07	—	X	.20	X	—	31
Total	2.65	1.19	2.62	1.76	.93	1.32	2.21	2.83	.58	4.84	2.73	3.06	YEAR'S TOTAL 26.72
Rain Days.	21	11	16	15	10	13	11	13	7	16	23	21	177

REGISTER OF RAINFALL IN 1920

Kept at Thornhill

in the County of York

by R. W. Peckitt

Lat. 54.17 Long 1.24

Time of Observation 9 A.M.

Nearest Railway Station Thornhill

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.11	.25	.48	—	.43	—	.04	.20	—	.01	1
2	—	—	.11	.16	—	—	.29	.01	.18	.06	—	.29	2
3	—	.02	—	.16	—	—	.41	.06	.11	.38	—	.25	3
4	.12	—	—	.07	.03	—	.70	.65	.08	.77	—	.59	4
5	—	—	.06	—	.09	—	.15	.05	—	.02	—	—	5
6	—	—	.31	.08	.05	—	.06	—	—	—	—	.03	6
7	.08	—	.06	.02	—	—	.46	—	—	—	—	—	7
8	—	—	—	.24	.04	—	.10	.12	—	—	.06	—	8
9	.22	.06	—	.37	—	—	.13	.09	—	—	—	—	9
10	.57	.07	—	.37	—	—	.20	.02	—	—	—	—	10
11	.27	.07	.06	.09	.13	—	—	—	—	—	—	—	11
12	.12	—	.06	.15	.01	—	.06	—	—	—	.04	.28	12
13	.09	—	.04	.15	—	—	—	—	—	—	.01	.19	13
14	—	.09	.50	.14	—	—	.06	—	.20	—	.23	—	14
15	—	.13	.10	.17	—	—	—	—	.02	.72	.02	—	15
16	—	—	—	—	—	—	.46	—	.09	—	.03	—	16
17	—	—	—	—	.15	—	—	.19	.08	—	—	—	17
18	.24	.03	—	—	.14	.03	.14	.02	.10	—	—	—	18
19	—	.30	—	.14	—	.07	.02	.06	—	—	—	—	19
20	.08	—	—	.15	—	.07	.02	—	—	—	—	.03	20
21	—	—	—	.27	—	—	.29	.37	.08	—	—	—	21
22	.04	—	—	.14	—	—	.02	—	—	—	—	—	22
23	—	—	.07	.08	—	—	.25	—	—	—	—	.20	23
24	.03	—	.30	.02	—	—	.07	—	—	—	—	.08	24
25	—	.11	.06	—	—	—	.46	—	—	—	—	—	25
26	.04	.05	.17	—	—	—	.04	—	—	—	—	—	26
27	.26	—	.01	.05	.19	.51	.02	—	—	—	.29	—	27
28	.60	—	.18	.07	—	.02	.05	—	—	—	.107	.12	28
29	.18	—	.07	—	.95	.56	.07	—	.02	—	.07	.50	29
30	.14	—	.03	—	.08	.05	—	—	.12	—	.18	.22	30
31	.05	—	—	—	.10	—	.05	—	—	.10	—	—	31
TOTAL	3.22	.93	2.30	3.31	2.44	.81	5.07	1.64	1.12	2.25	1.00	2.79	YEAR'S TOTAL 26.82
Days with ".01 in. or more	17	10	18	22	13	7	26	11	12	7	10	13	177 166

REGISTER OF RAINFALL IN 1920.

Kept at Thornton-le-Moor
in the County of N. R. Yorks
by R. M. Peckitt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			11	25	48		43		04	20		01	1
2			11	16			29	01	18	06		29	2
3		02		16			41	06	11	38		25	3
4	12			07	03		70	65	08	77		59	4
5			06		09		15	05		02			5
6			31	05	05		06					03	6
7	08		06	02			46						7
8				24	04		10	12			06		8
9	22	06		37			13	09					9
10	57	07		37			20	02					10
11	27	07	06	09	13								11
12	12		06	15	01		06				04	28	12
13	09		04	15							01	19	13
14		09	50	14			06		20		23		14
15		13	10	17					02	72	02		15
16							46		09		03		16
17					15			19	08				17
18	24	03			14	03	14	02	10				18
19		30		14		07	02	06					19
20				15		07	02					03	20
21	08			27			29	37	08				21
22	04			14			02						22
23			07	08			25					20	23
24	03		30	02			07					08	24
25		11	06				46						25
26	04	05	17				04						26
27	26		01	05	19	51	02				29		27
28	69		18	07		02	05				07	12	28
29	18		07		95	06	07		02		07	50	29
30	14		03		08	05			12		18	22	30
31	05				10		05			10			31
TOTAL	3.22	.93	2.30	3.31	2.44	.81	5.01	1.64	1.12	2.25	1.00	2.79	YEAR'S TOTAL 26.82
Days with 01 in. or more	17	10	18	22	13	7	26	11	12	7	10	13	166

TICKHILL
SANDBECK PARK
YORKSHIRE
1911 - 1915

Kept at Sandbeck
in the County of W.R.
by Geo. S.

Form A2.
BRITISH RAINFALL.

4 - JAN 1912
1 ft.

rel 150 ft.

m
maethy

1/2 mile Direction W.
result entered to the

IMPORTANT NOTE.
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							'07	'05					1
2	'26				'02			'02				'05	2
3	'02			'02	'10			'09		'09	'09		3
4			'12	'13				'03	'12	'15	'18	'21	4
5	'07		'02	'03				'02		'07			5
6	'14							'09		'02	'27	'56	6
7	'02		'03							'07	'08	'07	7
8	'09		'09						'31		'05	'28	8
9						'05						'02	9
10			'04									'39	10
11	'20							'06			'46	'07	11
12	'11		'05		'09				'38		'12		12
13			'13								'02	'58	13
14		'07	'05		'07		'05				'07	'57	14
15		'05	'11		'07					'05		'10	15
16			'07			'04	'03				'14	'07	16
17			'04	'03		'16	'07				'07	'22	17
18		'13	'02	'07		'06					'39	'05	18
19		'04						'02	'19	'16	'60	'07	19
20		'04		'05			'04	'57	'06			'27	20
21		'13	'07					'12		'37	'09		21
22		'04		'02				'10		'23		'21	22
23		'27	'06			'57		'07	'37	'07		'09	23
24		'06	'04	'07		1'44				'12		'05	24
25		'10	'03	'11		'03			'10	'02	'04	'11	25
26				'03	'34					'28	'47	'34	26
27		'07	'09	'10					'36	'07		'03	27
28		'04	'03	'15				'46			'10	'07	28
29			'02	'03			'05	'12	'18	'10		'02	29
30					'16	'16			'03	'18			30
31			'09							'03			31
Total	'85	1'04	1'14	'72	'79	2'57	'19	1'70	2'10	1'90	3'18	4'32	TOTAL for year 20'44
No. of Rain Days.	8	12	20	13	7	8	6	14	10	17	17	24	156

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

Kept at Sandwich Park
in the County of W York 6
by Geo Summers

RAIN GAUGE Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 150 ft.
Time of Observation 9 am
Nearest Railway Station { Name Maethy
Distance 1/2 mile Direction W

4 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							'07	'05					1
2	'26				'02			'02				'05	2
3	'02			'02	'10			'09		'09	'09		3
4			'12	'13				'03	'12	'15	'18	'21	4
5	'07		'02	'03				'02		'07			5
6	'14							'09		'02	'27	'56	6
7	'02		'03							'07	'08	'07	7
8	'09		'09						'31		'05	'28	8
9						'05						'02	9
10			'04									'39	10
11	'20							'06			'46	'07	11
12	'11		'05		'09				'38		'12		12
13			'13								'02	'58	13
14		'07	'05		'07		'05				'07	'57	14
15		'05	'11		'07					'05		'10	15
16			'07			'04	'03				'14	'07	16
17			'04	'03		'16	'07				'07	'22	17
18		'13	'02	'07		'06					'39	'05	18
19		'04						'02	'19	'16	'60	'07	19
20		'04		'05			'04	'57	'06			'27	20
21		'13	'07					'12		'37	'09		21
22		'04		'02				'10		'23		'21	22
23		'27	'06			'57		'07	'37	'07		'09	23
24		'06	'04	'07		<u>1'44</u>				'12		'05	24
25		'10	'03	'11		'03			'10	'02	'07	'11	25
26				'03	'34					'28	'47	'34	26
27		'07	'09	'10					'36	'07		'03	27
28		'04	'03	'15				'46			'10	'07	28
29			'02	'03			'05	'12	'18	'10		'02	29
30					'16	'16			'03	'18			30
31			'09							'03			31
Total	'85	1'04	1'14	'72	'79	2'57	'19	1'70	2'10	1'90	3'18	4'32	TOTAL for year 20'44
No. of Rain Days.	8	12	20	13	7	8	6	14	10	17	17	24	156

REGISTER OF RAINFALL IN 1912

Kept at Sandbeer Park
in the County of York W.G.
by Geo Summers

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Maethby S. Y. J. Rail
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		'02	'19			'35	'02		'11			'36	1
2						'44	'56		'08			'08	2
3	'10	'09		'07	'06	'36		'61	'21				3
4	'09		'45		'09	'45		22	'02		'26		4
5	'12	'06			'06	'10		'05	'07		'07		5
6	'75	'08	'04		'05	'05	'02	'28					6
7	'07	'05			'03	'04		'09	'05				7
8	'31	'06	'16			'06	'10	'07	'26			'07	8
9	'03	'45	'30	'13		'14		'05					9
10						'27		'21			'29	'04	10
11	'10										'04		11
12	'06	'32	'04			'06	'02				'07	'68	12
13		'02						'05		'05	'19		13
14	'09		'34			'08		'02				'07	14
15	'04		'15		'30	'04		'02					15
16	'64		'13		'19	'14		'05		'08			16
17	'15	'06	'07			25	'03	'28					17
18	28		'14			'02	'04			'02		'31	18
19	'32	'18	'02			'02	'78	'31			'04		19
20	'19		'05		'17	'04	'19	'07		'13			20
21			'43		'63		'85			'02			21
22		'04	'02		'91	'49	'19	'57			'06		22
23			'21		'04		'26	'26				'10	23
24	28		'07			'04	'05	'08				'04	24
25						'11		'17			'12	'25	25
26		'10	'04				'32	'91		'88	'10	'14	26
27						'16	'98			'83		'14	27
28			'03			'07	'05	'35	'07	'39	'24	'06	28
29		'07	'02			'52	'07		'58	'07	'11	'08	29
30	'06		'07		'63			'41	'02	'02		'02	30
31			'09		'39		'32						31
Total	3'62	1'54	2'94	'14	3'54	4'30	4'79	4'95	1'35	2'49	1'53	2'38	33'57
Rain Days.	18	14	22	2	13	24	18	22	10	10	12	15	180

REGISTER OF RAINFALL IN 1913

Kept at Sandbeck Park
in the County of York W6
by Geo Summers

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Maaltby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 150 ft.

BRITISH RAINFALL FORM A.
17 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'11	'08					'33	'03	'02		1
2		'03	'05								'02		2
3			'11		'35		'01		'07	'20		'18	3
4	'61	'08			'08		'13		'04	'27	'17	'20	4
5	'04		'02			'14	'14		'02	'63			5
6		'02	'06	'03	'54		'46		'07	'87			6
7		'19			'13	'03				'43			7
8		'03	'02		'31	'27		'05	'04	'03	'18	'07	8
9		'19		'01	'03	'04	'06				'16		9
10				'06			'09			'03	'15		10
11	1'45			'47		'02		'08		'05	'31		11
12											'10		12
13	'05		'05	'06				'03	'14		'09		13
14	'07	'09	'41	'01						'07	'05		14
15	'07	'03	'39	'21							'24	'02	15
16		'02	'13	'02				'10	'48				16
17		'03	'16	'07					1'90		'07		17
18			'17	'12			'01				'03	'02	18
19	'13		'03	'07			'04		'20				19
20	'11		'02	'06						'05	'05		20
21			'03		'10		'12						21
22	'15		'34					'84	'13				22
23	'05					'06		'08	'15				23
24	'10							'04					24
25	'07			'03					'07	'07		'07	25
26			'17	'11	'10				'07	'20	'10	'21	26
27		'03	'02	'28		'04						'10	27
28	'23		'14	'26						'02		'05	28
29	'02		'21	'47	'07			'43		'05		'28	29
30	'16		'07		'03					'20		'14	30
31	'07												31
Total	3'56	'74	2'65	2'30	1'74	'60	1'06	1'65	3'53	3'14	1'68	1'22	23'87
Rain Days.	16	11	21	18	10	7	9	8	14	16	15	11	156

REGISTER OF RAINFALL IN 1914

Kept at Sandbeck Park
in the County of York W.R. 6
by Geo Summers

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Maestby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 150 ft.

FORM A.
BRITISH RAINFALL
12 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'07				'74	'20		'03		'07	1
2							1'25	'13		'07	'22	'13	2
3	'02		'07		'02		'10	'07			'03	38	3
4	'10		'05	'15	'09			'02			'33	'21	4
5	'08		'10	'18	'07	'03	'10				'06	'09	5
6		'07		'16	'08		'43	'02				'15	6
7		'02	'23	'11	'05	'07		'03			'05	'08	7
8	'05		'02		'09	'53	'05	'04	'37				8
9	'26	'02		'02		'73		'11	'07				9
10	'26	'13	'02	'11					'04				10
11		'06	'33	'08		'20			'04		'27	'24	11
12		'04	'10				'04		'19			'22	12
13	'02	'04	'12						'07	'03	'14	'13	13
14	'02	'06	'02				'08			'42	'32	'16	14
15			'10								'07		15
16	'05		'03				'18		'06				16
17	'03	'10	'04						'20			'19	17
18			'07			'02	'02					'26	18
19											'04	'17	19
20	'02	'07	'12					'07		'09			20
21		'35	'02			'07		'13		'05		'17	21
22		'07			'30	'02	'05	'06		'15			22
23		'03	'05		'31	'15	'07						23
24		'02	'23		'09		'04	'23		'02	'28		24
25								'15		'60	'04		25
26			'13				'02	'34		'19	'05	'44	26
27	'03						'07				'04	'57	27
28	'03	'07	'05							'05	'07	'39	28
29	'07		'09							'44	'02		29
30	'02	X								'06	'16	'09	30
31		X		X		X	'25		X	'12	X	'08	31
Total	1'07	1'03	1'88	'81	1'70	1'70	3'43	1'54	'93	2'26	2'13	4'16	YEAR'S TOTAL 22'58
Rain Days.	15	15	22	7	9	9	16	14	8	14	17	20	166

REGISTER OF RAINFALL IN 1915

Kept at Sandbeck Gardens
 in the County of Yorkshire
 by Elvira Seale

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Harby
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 150 ft.

BRITISH RAINFALL
 FORM A.
 10 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.13			.36			.11	.23		.28	.05	1
2		.05	.14	.19		.04	.02	.68		.05	.01		2
3	.67	.07	.08	.10			.49	.29	.04			.38	3
4	.22						.13	.05				.04	4
5	.03	.31			.24			.04		.04	.01	.46	5
6	.02	.17	.09	.04			.43	.02				.04	6
7	.24	.26	.02	.02			.18	.32				.09	7
8	.10	.07					.07	.18			.17		8
9	.17							.14				.55	9
10	.26		.04					.50		.02		.07	10
11	.12				.46			.02			.37	.23	11
12	.02			.17	.16						<u>1.30</u>		12
13		.52			.02					.01			13
14		.07			.07			.07				.20	14
15	.32							.03				.13	15
16		.19			.11		1.36			.03	.11	.02	16
17		.09					.28						17
18		.17	.30					.09			.10		18
19			.07		.07		.09						19
20	.02	.02										.35	20
21	.07	.02		.03	.03		.03	.02				.03	21
22	.04	.02	.14				.20					.10	22
23	.02	.03	.08						.04				23
24			.19	.04					.54	.14		.21	24
25				.02		.18				.05		.13	25
26		.19				.07	.07		.02			.38	26
27		.13	.03				.05					.35	27
28		.25	.04			.06		.39		.45			28
29	.02				.02					.11	.17	.53	29
30	.05	X		.03		.04		.14			X	.02	30
31	.07	X		X		X			X		X	.21	31
Total	2.55	2.58	1.16	.64	1.42	.39	4.40	3.03	.87	.90	2.61	5.57	YEAR'S TOTAL 26.12
Rain Days.	19	16	12	9	10	5	13	17	5	9	9	22	146

R

Kept at Tickhillin the County of Yorkby G. G. P.

TICKHILL

1911 - 1913

FORM A2.
BRITISH RAINFALL
29 JAN 1912n. / ft. in.
level 61 ft.G. G. Philipnce 12.5 Direction 2result entered to the
rule, he is earnestlyIMPORTANT NO
previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	-	-	0.08	-	-	-	0.07	-	-	-	-	1
2	0.22(S)	-	-	-	0.09	-	-	0.01	-	-	-	0.02	2
3	-	-	-	0.01.5	0.05	-	-	0.09	0.02	0.09	-	-	3
4	0.01	-	-	0.12.5	-	-	-	0.03	0.17	0.13	0.23	0.18	4
5	-	-	0.01	0.05.5	-	-	-	0.01	-	0.08	-	-	5
6	-	-	-	-	-	-	-	0.07	-	0.02	0.21	0.60	6
7	0.02	-	-	-	-	-	-	-	-	0.02	0.08	0.02	7
8	0.09	-	0.09	-	-	-	-	-	^{The Night} 0.25	-	0.02	0.33	8
9	0.03	-	-	-	-	0.03	-	-	-	-	-	0.63	9
10	-	-	-	-	-	-	-	-	-	-	-	0.28	10
11	-	-	-	-	-	-	-	0.01	-	-	0.53	0.01	11
12	0.39(S)	-	-	-	0.06	-	-	-	0.23	0.61	0.09	0.55	12
13	-	-	0.28	-	-	-	-	-	-	-	-	-	13
14	-	0.04	0.06	-	0.06	-	0.63	-	-	-	-	0.53	14
15	0.01	0.03	-	-	0.11	-	-	-	-	0.02	-	0.03	15
16	-	-	-	-	-	0.63	0.02	-	-	0.03	0.12	0.02	16
17	-	-	0.19	-	-	0.13	-	-	-	-	-	0.23	17
18	-	0.08	0.05	-	-	0.11	-	-	-	0.01	0.27	0.02	18
19	-	0.01	0.61	0.01	-	-	0.63	0.05	0.17	0.18	0.62	0.80	19
20	-	0.05	-	0.05	-	-	0.06	0.25	0.06	-	-	0.30	20
21	-	0.15	-	-	-	-	0.02	0.06	-	0.35	0.08.5	-	21
22	-	0.10	-	-	-	-	-	0.10	-	0.23	0.02	0.15	22
23	-	0.46	-	0.01	-	0.81	-	-	0.20	-	-	0.12	23
24	-	0.09	0.11.5	-	-	1.298	-	-	-	0.13	-	0.05	24
25	0.02	-	0.61	0.12	-	0.63	-	-	0.10	-	0.02	0.05	25
26	-	-	-	0.02	0.60	-	-	-	-	-	0.26	0.32	26
27	-	0.09	0.12	0.13	-	-	-	0.59	0.32	-	-	0.02	27
28	-	-	0.02	0.17	-	-	-	0.06	-	-	0.09	0.05	28
29	-	-	0.01	0.02	-	-	0.07	0.01	0.16	0.11	0.61	0.02	29
30	-	-	0.17	-	0.08	0.15	-	-	0.02	0.20	-	0.01	30
31	-	-	-	-	-	-	-	-	-	0.02	-	-	31
Total	0.81	0.68	1.11	0.81	1.05	8.27	0.25	1.61	2.32	1.67	3.09	5.02	TOTAL for year
No. of Rain Days.	9	10	13	12	7	8	6	14	11	16	15	25	21.71

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
29 JAN 1912

Kept at Tickhill

in the County of Yorkshire

by G. S. Phillips

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 61 ft.
Time of Observation 9 am
Nearest Railway Station { Name G. S. Phillips
Tickhill Distance 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	—	0.08	—	—	—	0.07	—	—	—	—	1
2	0.22(S)	—	—	—	0.09	—	—	0.01	—	—	—	0.02	2
3	—	—	—	0.01.S	0.05	—	—	0.09	0.02	0.09	—	—	3
4	0.01	—	—	0.12.S	—	—	—	0.03	0.17	0.13	0.23	0.18	4
5	—	—	0.01	0.05.S	—	—	—	0.01	—	0.08	—	—	5
6	—	—	—	—	—	—	—	0.07	—	0.02	0.21	0.60	6
7	0.02	—	—	—	—	—	—	—	—	0.02	0.08	0.02	7
8	0.07	—	0.09	—	—	—	—	—	0.25	—	0.02	0.33	8
9	0.02	—	—	—	—	0.03	—	—	—	—	—	0.03	9
10	—	—	—	—	—	—	—	—	—	—	—	0.28	10
11	—	—	—	—	—	—	—	0.01	—	—	0.53	0.01	11
12	0.39(S)	—	—	—	0.06	—	—	—	0.23	0.01	0.09	0.55	12
13	—	—	0.28	—	—	—	—	—	—	—	—	—	13
14	—	0.02	0.06	—	0.06	—	0.03	—	—	—	—	0.53	14
15	0.01	0.03	—	—	0.11	—	—	—	—	0.02	—	0.03	15
16	—	—	—	—	—	0.03	0.02	—	—	0.03	0.12	0.02	16
17	—	—	0.17	—	—	0.13	—	—	—	—	—	0.23	17
18	—	0.08	0.05	—	—	0.11	—	—	—	0.01	0.27	0.02	18
19	—	0.01	0.01	0.01	—	—	0.03	0.05	0.17	0.18	0.62	0.80	19
20	—	0.05	—	0.05	—	—	0.06	0.25	0.06	—	—	0.30	20
21	—	0.15	—	—	—	—	0.02	0.06	—	0.35	0.08.S	—	21
22	—	0.10	—	—	—	—	—	0.10	—	0.23	0.02	0.15	22
23	—	0.06	—	0.01	—	0.81	—	—	0.20	—	—	0.12	23
24	—	0.09	0.11.S	—	—	1.98	—	—	—	0.13	—	0.05	24
25	0.02	—	0.01	0.12	—	0.03	—	—	0.10	—	0.02	0.05	25
26	—	—	—	0.02	0.60	—	—	—	—	—	0.26	0.32	26
27	—	0.07	0.12	0.13	—	—	—	0.59	0.32	—	—	0.02	27
28	—	—	0.02	0.17	—	—	—	0.06	—	—	0.09	0.05	28
29	—	—	0.01	0.02	—	—	0.07	0.01	0.16	0.11	0.01	0.02	29
30	—	—	0.17	—	0.08	0.15	—	—	0.02	0.20	—	0.01	30
31	—	—	—	—	—	—	—	—	—	0.02	—	—	31
Total	0.81	0.68	1.11	0.81	1.05	8.27	0.25	1.61	2.32	1.67	3.09	5.02	TOTAL for year
No. of Rain Days.	9	10	13	12	7	8	6	14	11	16	15	25	21.71

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

4 JUN 1913

Kept at *Lidwell*

in the County of *York*

by *G. G. Briggs*

Lat. Long.

Time of Observation *9 a.m.*

Nearest Railway Station *Fickhill*

Diameter of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. — in.

Sea Level *61* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.04.5	0.15	—	—	0.46	0.07	—	0.11	—	—	0.43.5	1
2	—	—	0.03	—	—	0.15	0.55	—	0.05	—	—	—	2
3	0.10	0.02.5	—	—	0.08	0.37	—	0.67	0.20	—	—	0.08	3
4	0.13	—	0.44	—	0.88	0.46	—	0.44	0.02	—	0.28	—	4
5	0.06	0.05.5	—	—	0.07	0.14	—	0.04	—	—	0.01	—	5
6	0.05.5	0.05	0.04	—	0.04	0.04	0.01	0.16	—	—	—	—	6
7	—	0.02	0.01	—	0.01	0.05	—	0.10	0.06	—	—	—	7
8	0.34.5	0.42	0.15	—	—	0.01	0.09	—	0.23	—	—	0.01	8
9	—	—	0.22	0.16	—	0.42	—	0.05	—	—	0.03	0.02	9
10	—	—	—	—	—	0.37	—	0.20	—	—	0.27	—	10
11	0.10	0.03	0.01	—	—	0.02	—	—	—	—	0.03	0.77	11
12	0.05	0.26	0.05	—	—	0.03	0.06	—	—	—	0.10	—	12
13	—	0.02	—	—	—	—	—	0.05	—	0.05	0.20	—	13
14	0.11	0.03	0.40	—	—	0.05	—	0.01	—	—	—	—	14
15	—	—	0.13	—	0.31	0.07	—	0.01	—	—	—	0.07	15
16	0.64.5	—	—	—	0.25	0.13	—	0.03	—	0.05	—	—	16
17	0.28.5	—	0.12	—	—	0.11	0.03	0.33	—	—	—	0.38	17
18	0.19.5	—	0.20	—	—	—	0.01	—	—	0.03	0.02	0.01	18
19	—	0.16	0.04	—	—	0.02	0.88	0.49	—	—	—	—	19
20	0.50	—	0.14	—	0.33	0.02	0.19	—	—	0.11	—	—	20
21	—	0.01	0.22	—	0.63	—	0.73	—	—	0.04	0.02	—	21
22	—	0.03	—	—	0.87	0.53.75	0.14	0.56	—	—	—	0.09	22
23	0.10	0.01	0.27	—	0.02	—	0.16	0.22	—	—	—	—	23
24	0.24.5	—	—	—	—	—	0.02	0.10	—	—	—	0.11	24
25	—	—	—	—	—	0.15	0.23	0.23	—	—	0.15	0.19	25
26	—	0.09	0.03	—	—	—	—	0.90	—	0.90	0.13	0.16	26
27	—	—	—	—	—	0.15	1.12.75	—	—	0.58	—	0.04	27
28	—	—	—	—	—	0.11	—	0.37	—	0.47	1.24.5	0.08	28
29	—	—	0.07	—	—	0.46	—	—	0.49	0.09	—	—	29
30	0.07	—	0.01	—	0.81	—	—	—	0.01	0.02	—	—	30
31	—	—	0.14	—	0.39	—	0.23	0.38	—	—	—	—	31
Total	3.87	1.24	2.87	0.16	4.69	4.32	4.52	5.34	1.17	2.64	2.48	2.44	35.74
Rain Days.	15	15	21	1	13	23	16	20	8	10	12	14	168

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
24 FEB 1914

Kept at Lickhills
in the County of York W6
by G. G. Phillips

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lickhills 547
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 61 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.03	—	0.07	0.00	—	—	—	—	0.53	—	—	—	1
2	0.01	0.05	—	0.02	—	—	—	—	—	—	0.02	—	2
3	—	—	0.13	—	0.38	—	—	—	0.01	0.29	—	0.22	3
4	0.62	0.14	—	—	0.09	0.03	0.18	—	0.08	0.17	0.17	0.21	4
5	—	—	—	—	—	0.25	0.27	—	0.01	0.54	—	—	5
6	0.03	0.02	0.07	0.02	0.58	0.03	0.43	—	—	0.63	—	—	6
7	—	0.19	—	—	0.06	0.15	—	—	—	0.67	0.01	—	7
8	—	0.03	—	—	0.32	0.12	—	0.07	0.06	0.54	0.14	—	8
9	—	0.18	—	0.02	0.02	0.03	0.04	—	—	0.06	0.02	0.01	9
10	—	0.01	—	0.07.5	—	0.02	0.05	—	—	0.02	0.17	—	10
11	1.48.5	—	—	0.60.5	—	—	—	—	—	0.04	0.34	—	11
12	—	—	—	—	—	0.03	—	—	—	0.01	0.06	—	12
13	0.01.5	—	—	0.05	—	—	—	—	0.08	0.01	0.10	—	13
14	0.14.5	0.07	0.50	—	—	—	—	0.03	—	0.08	0.09	—	14
15	0.05	0.02	0.48	0.23	—	—	—	—	0.02	—	0.019	0.01	15
16	0.01	—	0.21.5	0.01	—	—	—	0.02	0.48.5	—	0.02	—	16
17	0.01	0.02	0.10	—	—	—	—	—	1.75.5	0.01	0.01	—	17
18	—	—	0.15	0.12	—	—	0.03	—	—	0.01	0.04	0.02	18
19	0.18	—	—	—	—	0.02	—	—	0.15	—	—	—	19
20	0.08	—	0.35	0.07	—	—	—	—	—	0.06	0.04	—	20
21	—	—	0.03	—	0.09	—	0.21	—	—	—	0.12	—	21
22	0.18.5	—	0.25	—	0.01	—	—	0.81	0.15	0.01	—	—	22
23	0.09	—	—	—	—	0.02	—	0.06	0.14	—	0.01	—	23
24	0.03	—	—	—	—	—	—	0.04	—	—	—	—	24
25	—	—	—	—	—	—	—	—	0.07	0.01	—	—	25
26	—	0.08	0.16	0.15	0.03	—	—	—	0.01	0.18	0.03	0.23	26
27	—	—	0.07	0.31	—	0.05	—	—	—	0.02	0.01	0.03.5	27
28	0.25	—	0.07	0.34	—	—	—	—	0.01	—	—	0.20	28
29	—	—	0.26	0.43	0.04	—	—	0.48	—	0.04	—	0.27.5	29
30	0.27	—	—	—	—	—	—	—	—	0.18	0.02	0.06.5	30
31	—	—	—	—	0.05	—	—	—	—	—	—	—	31
Total	3.52	0.81	2.90	2.52	1.67	0.75	1.21	1.51	3.55	3.58	1.71	1.26	YEAR'S TOTAL 24.99
Rain Days.	17	11	15	15	11	11	7	7	15	21	20	10	166

REC

Rept at Fielden Hosp
in the County of WR York
by J. Roger

TORMORDEN FIELDEN HOSP

1911 - 1920

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden

FORM A2.
BRITISH RAINFALL

6-JAN 1912

" in.
round / ft. - in.
sea Level 650 ft.
m.
ame Eastwood
istance / ml. Direction N.E.
ne result entered to the
sal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.58	-	.10	-	.20	.07	-	-	.32	-	1
2	.03	-	.06	-	.48	-	-	.03	-	.10	.08	.20	2
3	-	-	.10	-	.60	-	-	.03	.04	.01	.80	.08	3
4	.18	-	.14	-	.02	-	-	.16	.06	.12	.69	.16	4
5	.68	-	.02	.04	.04	-	-	.46	-	.04	.30	.04	5
6	.44	-	.01	.06	-	-	-	.48	-	.19	.53	.24	6
7	.05	-	-	.26	-	-	-	-	-	.05	.22	-	7
8	.14	-	.33	-	-	-	-	-	.03	.05	.02	.40	8
9	-	-	-	-	-	-	-	-	-	-	-	1.56	9
10	.28	.04	-	-	-	-	-	-	-	-	-	.60	10
11	-	-	.01	-	-	-	-	.02	.01	-	.49	.18	11
12	.04	.04	.10	-	-	-	-	-	1.23	-	.54	-	12
13	.04	.40	-	-	.16	-	-	-	-	-	.21	.40	13
14	.04	.40	.05	-	.12	-	-	-	.01	.01	.04	.28	14
15	-	-	-	.12	-	-	-	-	-	.10	.29	.32	15
16	-	.92	.14	-	-	.16	.02	-	-	-	.17	.32	16
17	-	.03	.07	-	-	.66	-	-	-	-	.24	.17	17
18	.04	.51	.12	-	-	.08	-	-	-	.04	.20	.21	18
19	-	.08	.03	.05	-	.02	-	-	.18	.24	.08	.10	19
20	-	.24	-	.27	-	-	.07	.81	.08	.18	-	.37	20
21	.06	-	.02	.01	-	.01	.01	.01	.01	.17	-	.16	21
22	.01	.02	-	-	-	.06	-	-	-	.18	.08	-	22
23	-	.14	-	.02	.12	.35	-	.18	.18	.04	-	.32	23
24	.18	.24	-	.12	-	1.60	-	-	-	.24	-	.20	24
25	.03	.56	-	.26	-	.04	.64	.04	1.0	-	-	.34	25
26	-	.04	-	.28	-	.01	.02	.16	-	.69	.19	.06	26
27	-	.38	-	.25	-	-	-	.43	.44	-	-	.06	27
28	-	.34	-	.32	-	.12	-	.01	.04	-	-	.33	28
29	-	-	-	.30	-	.08	-	-	.26	.93	-	.13	29
30	.03	-	-	.01	.10	.36	-	-	.01	.42	.06	-	30
31	-	-	-	-	-	-	-	-	-	.12	-	.02	31
Total	2.27	4.38	1.78	2.37	1.74	3.55	.96	2.65	3.58	3.92	5.55	7.25	1900
No. of Rain Days.	1.6	1.6	1.5	1.5	.9	1.3	.6	1.3	1.5	2.0	2.0	2.6	174

REC

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Rept at Felden Hospital, Todmorden,
in the County of WR Yorkshire. 8
by F. Rogers.

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 650 ft.
Time of Observation 9.0 a.m.
Nearest Railway Station { Name Eastwood
Distance 1 ml. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.58	-	.10	-	.20	.07	-	-	.32	-	1
2	.03	-	.06	-	.48	-	-	.03	-	.10	.08	.20	2
3	-	-	.10	-	.60	-	-	.03	.04	.01	.80	.08	3
4	.18	-	.14	-	.02	-	-	.16	.06	.12	.69	.16	4
5	.68	-	.02	.04	.04	-	-	.46	-	.04	.30	.04	5
6	.44	-	.01	.06	-	-	-	.48	-	.19	.53	.24	6
7	.05	-	-	.26	-	-	-	-	-	.05	.22	-	7
8	.14	-	.33	-	-	-	-	-	.03	.05	.02	.40	8
9	-	-	-	-	-	-	-	-	-	-	-	1.56	9
10	.28	.04	-	-	-	-	-	-	-	-	-	.60	10
11	-	-	.01	-	-	-	-	.02	.01	-	.49	.18	11
12	.04	.04	.10	-	-	-	-	-	1.23	-	.54	-	12
13	.04	.40	-	-	.16	-	-	-	-	-	.21	.40	13
14	.04	.40	.05	-	.12	-	-	-	.01	.01	.04	.28	14
15	-	-	-	.12	-	-	-	-	-	.10	.29	.32	15
16	-	.92	.14	-	-	.16	.02	-	-	-	.17	.32	16
17	-	.03	.07	-	-	.66	-	-	-	-	.24	.17	17
18	.04	.51	.12	-	-	.08	-	-	-	.04	.20	.21	18
19	-	.08	.03	.05	-	.02	-	-	.18	.24	.08	.10	19
20	-	.24	-	.27	-	-	.07	.81	.08	.18	-	.37	20
21	.06	-	.02	.01	-	.01	.01	.01	.01	.17	-	.16	21
22	.01	.02	-	-	-	.06	-	-	-	.18	.08	-	22
23	-	.14	-	.02	.12	.35	-	-	.18	.04	-	.32	23
24	.18	.24	-	.12	-	1.60	-	-	-	.24	-	.20	24
25	.03	.56	-	.26	-	.04	.64	.04	1.0	-	-	.34	25
26	-	.04	-	.28	-	.01	.02	.16	-	.69	.19	.06	26
27	-	.38	-	.25	-	-	-	.43	.44	-	-	.06	27
28	-	.34	-	.32	-	.12	-	.01	.04	-	-	.33	28
29	-	-	-	.30	-	.08	-	-	.26	.93	-	.13	29
30	.03	-	-	.01	.10	.36	-	-	.01	.42	.06	-	30
31	-	-	-	-	-	-	-	-	-	.12	-	.02	31
Total	2.27	4.38	1.78	2.37	1.74	3.55	.96	2.65	3.58	3.92	5.55	7.25	10000
No. of Rain Days.	16	16	15	15	9	13	6	13	15	20	20	26	184

REGISTER OF RAINFALL IN 1912.

Kept at *Fielden Hospital Todmorden*
in the County of *York*
by *J. Rogers*

Lat. _____ Long. _____
Time of Observation *9.0 a.m.*
Nearest Railway Station *Mytholm*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *650* ft.

FORM A.
BRITISH RAINFALL
11 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.24	—	—	.26	.10	.06	.32	—	.01	.28	1
2	.05	—	.40	.03	.06	.08	.24	—	.16	—	—	.56	2
3	.12	.06	.10	—	.01	.52	—	.72	.58	—	—	.06	3
4	.41	—	.56	.48	.07	.58	—	1.24	.04	—	.40	—	4
5	.82	—	.07	—	.32	.10	—	—	.28	.02	.02	.04	5
6	.50	.32	.02	—	.07	—	—	.49	—	—	—	—	6
7	.80	.16	.02	.02	.14	—	—	.44	.21	—	.08	.01	7
8	.63	.32	.32	.16	—	.08	—	.03	.06	—	.04	—	8
9	.22	—	.14	.32	—	.80	.02	—	—	—	.06	.24	9
10	.32	.10	—	.12	—	.10	—	.10	—	—	1.04	—	10
11	.10	.05	—	—	—	—	—	.02	—	—	—	.11	11
12	—	.13	.24	—	—	.17	.54	—	—	—	—	.64	12
13	—	—	—	—	—	—	—	.28	—	.25	.06	.16	13
14	.06	—	.85	—	.04	.17	—	.08	—	—	—	.56	14
15	.48	—	.16	—	.48	.28	—	.04	—	.02	—	.32	15
16	.32	.08	.40	—	.08	.17	—	.17	—	.16	—	.33	16
17	.32	.07	.08	—	.08	.72	—	.35	—	—	.06	.08	17
18	.24	.01	.03	—	—	.04	—	—	—	.37	.04	.48	18
19	1.92	.07	.48	—	—	.02	.02	.33	—	.48	.16	.16	19
20	.08	—	.22	—	.40	.08	.10	.35	—	.46	—	.06	20
21	.17	—	.31	—	.24	—	.01	.11	—	.21	—	—	21
22	.02	.22	—	—	.44	.34	.14	.48	—	—	—	.24	22
23	—	—	.18	—	—	.01	.35	.56	—	—	.25	.08	23
24	.08	.06	.02	—	—	.34	—	.20	—	—	.62	.06	24
25	—	—	.02	—	—	.49	.06	.02	—	—	.34	.12	25
26	—	—	.16	—	—	.01	.29	.34	—	1.70	.38	.06	26
27	—	—	.53	—	—	.38	.49	—	—	.60	—	.30	27
28	—	.49	—	—	—	.15	.32	.74	.18	.52	.40	.40	28
29	—	.09	.05	—	—	—	.49	.02	.46	.16	—	.20	29
30	—	—	.48	—	.08	.03	.01	—	—	—	—	—	30
31	—	—	.10	—	.75	—	1.33	.32	—	—	—	.05	31
Total	7.66	2.23	6.18	1.13	3.26	5.92	4.51	7.49	2.29	4.95	3.96	5.60	YEAR'S TOTAL 55.18
Rain Days.	20	9	16	07	17	20	20	16	26	38	30	59	208
		15	26	7	15	24	16	24	9	12	16	25	

REGISTER OF RAINFALL IN 1913

Kept at *Fielden Hospital, Todmorden.*

in the County of *York W.B.*

by *F Rogers.*

Lat. _____ Long. _____

Time of Observation *9.0 a.m.*

Nearest Railway Station *Bastwood*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

Sea Level *650* ft.

FORM A
BRITISH RAINFALL
21 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.03	.55	.02	-	-	-	-	.03	-	.08	-	1
2	.01	.37	.65	.03	-	.17	-	-	-	-	.41	.17	2
3	.04	.18	.18	-	.45	-	-	-	-	-	.08	.76	3
4	.56	.14	.04	-	.02	.01	.08	-	.02	.09	.21	.64	4
5	.24	.12	.18	-	.06	.24	.24	-	.04	-	.01	.01	5
6	.08	.33	.21	-	.60	.20	.14	-	-	.17	.06	.03	6
7	.01	.44	-	-	.33	.14	.02	-	-	.24	-	.08	7
8	-	.29	.08	-	.08	.03	-	-	-	.12	.12	.02	8
9	-	.17	.52	.04	.14	.76	-	.09	-	-	.20	.17	9
10	-	.01	.26	-	.03	.01	.10	.32	-	-	.06	-	10
11	.64	-	-	.42	-	.08	-	-	-	.08	.16	.05	11
12	.08	-	-	.06	.01	-	-	-	.14	-	.24	.02	12
13	-	-	.48	-	-	-	.02	.04	.24	.03	.24	-	13
14	.16	-	.12	.32	-	-	-	-	.08	.23	.20	.05	14
15	.14	.02	.78	.92	-	-	-	.24	.05	-	.62	.08	15
16	-	-	.04	.02	-	-	.02	-	-	-	.38	.02	16
17	-	.02	-	.16	.18	.37	.13	-	.32	-	.18	-	17
18	.13	-	-	.40	.16	.06	.06	-	.04	-	.44	.02	18
19	.07	-	.48	-	.08	.04	-	-	-	.18	.34	-	19
20	.29	-	.12	.12	-	-	-	-	.08	.12	1.03	-	20
21	-	-	.18	-	.28	-	.16	.16	-	-	.01	-	21
22	.44	-	.60	-	.06	.04	-	.56	.14	-	-	-	22
23	.28	-	.02	-	.30	.12	-	.30	-	-	.12	.14	23
24	.48	.08	-	.08	.01	.21	-	.12	-	-	.03	.09	24
25	-	-	-	.10	-	-	-	-	.30	.04	.04	.20	25
26	-	.02	.12	.50	-	-	-	-	.12	.06	-	.26	26
27	-	-	-	.48	-	-	-	-	-	.12	-	.08	27
28	.40	-	.25	.62	-	-	-	-	-	.02	.01	.04	28
29	-	-	.32	.50	.08	-	-	.24	-	.02	.10	.06	29
30	.82	-	.01	-	.02	-	-	-	-	.22	.16	-	30
31	.13	-	.08	-	.06	-	-	-	-	-	-	-	31
Total	5.08	2.22	6.27	4.79	2.95	2.48	.97	2.07	1.55	1.74	5.53	2.94	YEAR'S TOTAL 38.59
Rain Days.	20	14	23	17	19	15	10	9	13	15	26	21	202

REGISTER OF RAINFALL IN 1914

Kept at Fielden Hospital, Todmorden
in the County of York W. I.
by J. Rogers

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Eastwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 650 ft.

FORM A.
BRITISH RAINFALL
13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.06	-	-	.01	.92	.06	-	.02	-	.64	1
2	.01	-	.02	-	-	-	.14	.56	-	.04	.32	.12	2
3	.17	-	.24	-	.70	-	.04	.08	-	.02	-	.80	3
4	.72	-	.47	.36	.20	-	-	.04	-	-	.16	.80	4
5	.08	-	.51	.37	.19	.10	.12	.44	-	-	.28	.52	5
6	-	.10	.07	.36	.18	.05	-	.10	-	-	-	.14	6
7	.06	-	.21	.06	.16	.08	-	.01	-	-	.04	.20	7
8	.72	-	.09	.05	.30	.32	-	.48	.05	-	-	-	8
9	.42	.21	-	.16	.02	.81	-	.30	.01	-	.16	-	9
10	.05	.14	-	.21	.04	-	-	-	.06	-	.24	-	10
11	-	.22	.61	-	.06	-	.02	-	.28	-	1.40	.36	11
12	-	.16	.04	-	.08	.04	.30	-	.03	-	.56	.36	12
13	-	.52	.20	.03	.02	-	.05	-	.06	-	.32	.42	13
14	.04	.54	.15	-	-	-	.04	-	.28	-	.14	.10	14
15	-	.03	.32	-	-	-	-	-	.11	-	.20	.01	15
16	-	.08	.13	-	-	-	.66	-	.13	-	-	-	16
17	.01	.96	.12	-	-	-	.14	-	.52	-	-	1.24	17
18	.03	.14	.05	-	-	.41	-	-	.04	-	-	.08	18
19	-	.04	.05	-	-	-	.14	-	.06	-	-	.20	19
20	-	.21	.12	-	-	-	-	-	-	.02	-	-	20
21	-	.58	-	-	-	.05	.01	.10	-	.08	.05	.03	21
22	-	.60	.03	.02	.06	.44	-	-	-	.08	-	-	22
23	-	.01	.10	.10	-	-	.05	.03	-	-	-	-	23
24	.08	-	.90	.06	.44	.03	.37	.53	-	-	.16	.03	24
25	.12	-	-	-	-	-	.49	.32	-	.92	.14	.67	25
26	.04	-	.20	-	-	-	.02	-	.01	.20	.18	.18	26
27	.05	.02	-	-	-	-	-	-	-	.38	.40	.84	27
28	.08	.22	.09	-	-	.02	.10	-	.02	.02	.34	-	28
29	-	X	.18	-	.03	-	-	.04	-	.26	.32	-	29
30	.18	X	.78	-	-	-	-	.06	-	.22	.30	.24	30
31	.80	X	.22	X	-	X	.48	-	X	.19	X	-	31
Total	3.68	4.78	5.96	1.78	2.48	2.36	4.09	3.15	1.66	2.45	5.71	7.98	YEAR'S TOTAL 46.08
Rain Days.	19	18	26	11	14	12	18	15	14	13	19	21	200

REGISTER OF RAINFALL IN 1915.

Kept at *Fildes Hospital.*

in the BOROUGH OF TODMORDEN,

by

John W.R.

RAIN GAUGE.

Lat..... Lon.....

Time of Observation... *9 a.m.*

Diameter... *5 inches*

Height of top above Ground... *1 1/4*

Sea Level... *650 ft.*

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	<i>.24</i>	<i>.32</i>	<i>.08</i>	<i>-</i>	<i>.24</i>	<i>-</i>	<i>.08</i>	<i>.38</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>-</i>	I
2	<i>.03</i>	<i>.58</i>	<i>.32</i>	<i>.42</i>	<i>-</i>	<i>-</i>	<i>.24</i>	<i>.46</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	2
3	<i>.64</i>	<i>.12</i>	<i>.12</i>	<i>.08</i>	<i>-</i>	<i>.02</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.67</i>	3
4	<i>.01</i>	<i>.17</i>	<i>-</i>	<i>.04</i>	<i>.04</i>	<i>-</i>	<i>.38</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.74</i>	4
5	<i>.21</i>	<i>.08</i>	<i>.24</i>	<i>-</i>	<i>.08</i>	<i>.03</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.92</i>	5
6	<i>.28</i>	<i>.04</i>	<i>.03</i>	<i>.40</i>	<i>.24</i>	<i>-</i>	<i>.56</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.48</i>	6
7	<i>.66</i>	<i>.70</i>	<i>-</i>	<i>.16</i>	<i>-</i>	<i>-</i>	<i>.28</i>	<i>.71</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.24</i>	7
8	<i>.36</i>	<i>.14</i>	<i>-</i>	<i>.24</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	8
9	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.06</i>	<i>.16</i>	<i>.52</i>	9
10	<i>.72</i>	<i>-</i>	<i>.05</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.69</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.32</i>	10
11	<i>.18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.92</i>	<i>-</i>	<i>.32</i>	<i>.16</i>	<i>-</i>	<i>-</i>	<i>.33</i>	<i>.32</i>	11
12	<i>.16</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>.78</i>	<i>.24</i>	12
13	<i>.32</i>	<i>.99</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>.02</i>	<i>.24</i>	<i>-</i>	<i>.32</i>	13
14	<i>.46</i>	<i>.61</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.24</i>	<i>.42</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	14
15	<i>.92</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.02</i>	<i>.03</i>	<i>-</i>	<i>.36</i>	<i>.20</i>	15
16	<i>-</i>	<i>.60</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.64</i>	<i>.48</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	16
17	<i>-</i>	<i>.68</i>	<i>.07</i>	<i>-</i>	<i>.24</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	17
18	<i>.05</i>	<i>.44</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	18
19	<i>.01</i>	<i>.14</i>	<i>.06</i>	<i>.16</i>	<i>.14</i>	<i>-</i>	<i>.67</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	19
20	<i>.44</i>	<i>.01</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.37</i>	20
21	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.16</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	21
22	<i>.03</i>	<i>-</i>	<i>.06</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.32</i>	22
23	<i>.02</i>	<i>.04</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.18</i>	23
24	<i>-</i>	<i>-</i>	<i>.12</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.25</i>	<i>.32</i>	<i>-</i>	<i>.64</i>	24
25	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>.01</i>	<i>-</i>	<i>.14</i>	25
26	<i>.02</i>	<i>.86</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.28</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.48</i>	26
27	<i>-</i>	<i>.28</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>.22</i>	<i>-</i>	<i>-</i>	<i>.69</i>	<i>-</i>	<i>.34</i>	27
28	<i>-</i>	<i>.35</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>.04</i>	<i>.35</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	28
29	<i>-</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.16</i>	<i>.40</i>	29
30	<i>.04</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.64</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	30
31	<i>.32</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>.06</i>	<i>.28</i>	<i>X</i>	<i>.16</i>	<i>X</i>	<i>.36</i>	31

Totals	<i>6.05</i>	<i>6.63</i>	<i>1.34</i>	<i>1.68</i>	<i>2.02</i>	<i>1.55</i>	<i>4.69</i>	<i>4.51</i>	<i>.51</i>	<i>1.62</i>	<i>1.81</i>	<i>8.39</i>	<i>480</i>
Totals from Jan. 1.		<i>12.68</i>	<i>14.02</i>	<i>15.70</i>	<i>17.72</i>	<i>19.27</i>	<i>23.96</i>	<i>28.47</i>	<i>28.98</i>	<i>30.60</i>	<i>32.41</i>	<i>40.80</i>	<i>167</i>

23 21 13 12 9 7 22 15 6 9 6 24

3338

3rd 4th

REGISTER OF RAINFALL IN 1916

Kept at Fildes Hospital, Tedmorden
in the County of York NR
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Eastwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 650 ft.

FORM A.
BRITISH RAINFALL
9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.05	.20	-	-	.34	.36	-	-	-	.22	-	1
2	.20	.16	.16	-	-	.05	-	-	.35	.16	.08	-	2
3	-	.40	-	-	-	.05	.76	-	.74	.38	.08	-	3
4	.12	.12	-	.04	.44	.99	-	-	.02	.52	.32	-	4
5	.16	.44	-	-	.08	.12	-	-	-	.20	.28	-	5
6	.90	.46	.08	-	.38	.04	.16	-	-	.21	.46	.06	6
7	.24	.28	.05	-	.24	.04	.13	-	-	.30	.08	.25	7
8	-	.08	.22	-	-	.05	.12	-	-	-	.32	-	8
9	.08	.03	.04	-	.16	.16	-	-	-	.05	.11	.24	9
10	.05	.08	-	.12	-	.24	.06	-	-	-	.06	.08	10
11	.01	.56	.17	.60	-	.07	.05	-	.07	.42	.01	.08	11
12	.18	.40	.08	.20	.24	-	.43	.05	-	.21	-	-	12
13	-	.16	.18	.38	-	-	-	.50	-	.92	-	-	13
14	.02	.24	.06	.24	.37	-	-	.35	.05	.36	-	-	14
15	-	.52	.48	.04	-	-	.09	.16	.08	.16	-	-	15
16	-	.44	.52	.28	-	-	.20	.76	-	-	-	-	16
17	.13	.16	-	.64	-	-	.14	.16	.64	.14	-	-	17
18	-	.48	-	.12	-	-	-	.16	.28	.32	.60	.16	18
19	.38	-	.26	.24	-	-	.02	.08	-	-	.24	-	19
20	.32	-	.24	-	-	-	-	.03	-	-	.06	.12	20
21	.24	-	-	.16	-	-	-	-	-	-	-	.04	21
22	-	-	-	.01	.04	.08	-	-	-	.25	-	.06	22
23	.07	.02	.03	.24	-	.02	-	.03	-	-	.37	.22	23
24	.16	.26	.02	.08	-	.04	-	.12	-	.03	-	.04	24
25	.06	.14	.32	-	.16	-	-	.16	-	.06	.38	.05	25
26	.01	.09	.12	-	-	.02	-	.02	.02	.12	.01	-	26
27	-	.28	.03	-	-	-	-	.07	-	.52	-	.01	27
28	-	.26	-	-	.02	-	-	-	-	.20	.16	.48	28
29	-	.16	-	-	-	-	-	-	-	.36	.01	.41	29
30	-	X	-	X	-	.14	-	-	-	.80	.01	.12	30
31	-	X	-	X	.07	X	-	.06	X	.24	X	.38	31
Total	3.77	6.27	3.26	3.39	2.20	2.45	2.52	2.71	2.25	7.93	3.86	2.80	YEAR'S TOTAL 43.41
Rain Days.		10.04	13.30	16.69	18.89	21.34	23.86	26.57	28.82	36.75	40.61	43.41	

REGISTER OF RAINFALL IN 1917

3188
FORM A.
BRITISH RAINFALL
4 JAN 1918

Kept at Fielden Hospital, Todmorden
in the County of York
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Eastwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	-	-	.10	-	.32	-	.06	.36	-	.08	.26	1
2	.44	.04	-	.10	-	.08	-	.01	.01	.08	.08	-	2
3	.10	.06	-	-	-	.18	-	-	-	.48	.06	.02	3
4	.05	-	-	-	-	-	-	.02	-	.34	.08	-	4
5	.30	-	.08	.18	-	-	-	.05	-	.12	.40	.02	5
6	.02	-	-	-	-	.26	-	-	-	.49	.48	-	6
7	.74	-	-	-	-	.14	-	-	-	.84	.08	.19	7
8	.40	-	.04	.32	-	-	-	.56	.01	.91	.32	.12	8
9	-	-	-	.08	-	-	-	.18	-	.21	.44	-	9
10	.60	-	~~.04~~	.24	.24	-	-	.17	-	.06	-	-	10
11	.10	-	-	.06	-	-	-	.08	-	.44	-	-	11
12	.01	-	-	.10	.44	-	-	.08	-	.49	.02	.04	12
13	.04	-	-	.16	.06	-	-	.07	.46	.04	-	.44	13
14	.09	.08	-	.08	-	-	-	.46	-	-	-	.29	14
15	.07	-	-	.12	-	-	.50	.02	.11	.24	-	.16	15
16	-	-	-	.28	-	-	.01	.26	-	.12	-	.50	16
17	.01	-	-	.22	.32	-	.28	.92	.12	.20	-	-	17
18	.04	-	.29	.04	.05	-	.68	.11	.16	-	-	.03	18
19	.03	.17	.24	-	.20	.08	-	-	.04	-	.04	.05	19
20	-	.16	.13	-	.18	.32	-	.05	.06	-	.16	.02	20
21	-	.02	.03	-	-	-	-	.07	-	.06	.01	-	21
22	-	-	-	-	-	-	-	.18	-	.12	.08	-	22
23	-	.04	-	-	.08	.16	-	.16	-	.32	.03	.05	23
24	-	.01	-	-	-	.03	-	.24	-	.80	.30	.05	24
25	-	.08	.08	-	-	-	.02	.08	.01	.38	-	-	25
26	-	-	-	-	-	.17	-	.34	.26	.24	.56	-	26
27	-	-	-	-	-	.19	.18	.60	-	.12	.27	.07	27
28	-	.03	.48	-	-	-	.03	.28	-	.12	.20	.02	28
29	-	-	.24	-	.07	-	-	.26	-	.52	.16	.12	29
30	-	~~X~~	.12	~~X~~	-	-	-	.06	-	.10	.20	-	30
31	-	~~X~~	.24	~~X~~	.08	~~X~~	.02	.24	~~X~~	-	~~X~~	.01	31
Total	3.36	.69	3.01	2.08	1.72	1.93	1.72	5.31	1.60	7.94	4.25	2.39	36.00
Rain Days.	17	10	12	14	10	11	8	27	11	25	21	17	183

REGISTER OF RAINFALL IN 1918.

Kept at Fielden Hospital.
in the County of YORK W Todmorden.
by _____

Lat. _____ Long. _____
Time of Observation 9.0 am.
Nearest Railway Station Eastwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 650 ft.

FORM A.
BRITISH RAINFALL
11.110

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.20	.06	.08	.06	-	-	-	.64	.09	-	.16	1
2	-	.24	-	-	-	-	-	-	.24	.09	.09	.45	2
3	-	.05	-	-	.44	-	-	.06	.06	.54	.10	.03	3
4	.02	.03	.01	-	.10	-	-	.17	.18	.28	.69	.38	4
5	-	.01	-	.08	.24	-	-	.44	.18	.56	-	.04	5
6	.05	1.47	-	.32	-	.16	-	.44	-	.16	-	-	6
7	.03	.28	.05	.19	-	-	-	.01	.34	.50	.25	-	7
8	.16	.32	.08	-	-	-	.14	.04	.68	.20	.06	.04	8
9	.22	1.08	.04	.08	-	.21	.01	-	.82	.36	.08	.06	9
10	.05	.65	.03	-	-	-	.01	-	.68	.10	.28	.04	10
11	.30	.12	-	.11	.08	-	.16	.01	.28	-	-	.12	11
12	-	.33	-	-	-	-	.15	-	.22	.12	-	.30	12
13	.03	.02	-	.07	.16	.04	-	-	.32	.12	-	-	13
14	.68	-	-	-	-	.16	.16	-	.44	-	-	.27	14
15	.12	-	-	-	-	.04	.64	-	1.66	-	-	.66	15
16	.06	-	-	-	-	.01	.09	.05	.22	-	-	.48	16
17	.29	-	-	-	.02	.07	.06	.12	.08	.14	-	.65	17
18	.49	-	.13	-	-	-	.40	.03	.33	-	-	.76	18
19	.24	.06	.08	.12	-	.02	.24	.20	.72	.09	-	.20	19
20	.11	.48	-	.04	-	.16	.94	-	.56	-	-	.10	20
21	.25	.80	-	-	.38	.16	-	-	.54	-	-	.62	21
22	.14	.04	-	-	.60	.08	.28	.01	.12	.03	-	.64	22
23	.06	.02	-	-	.38	-	.22	-	.02	-	.08	.26	23
24	.02	.07	-	-	-	-	.12	.10	.16	-	.04	.04	24
25	-	.16	-	-	-	.40	.20	.32	.12	-	.05	-	25
26	-	-	-	-	-	-	.04	.01	.73	.04	.02	.22	26
27	-	.04	.42	-	-	.03	-	.28	.54	-	.30	.72	27
28	-	.12	.56	-	-	-	-	.35	.14	-	.07	.72	28
29	-	-	.12	-	-	-	-	-	.12	-	-	.26	29
30	-	X	.32	-	-	-	-	.16	-	-	.09	.32	30
31	-	X	.26	X	-	X	-	.22	X	-	X	.01	31
Total	3.35	6.59	2.16	1.09	2.46	1.54	3.86	3.02	11.14	3.42	2.20	8.55	49.38
Rain Days.	20	22	13	9	10	13	17	19	28	16	14	27	208

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Fildem Hospital
in the County of James
by F. Rogers

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Eastwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 650 ft.

3022
FORM A.
BRITISH RAINFALL
10 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.88	-	.40	-	.64	-	.13	.07	.30	.40	.05	-	1
2	.42	-	-	-	.15	-	.14	.02	-	-	.16	.24	2
3	.65	-	-	-	.04	.03	.35	-	.08	-	.16	.20	3
4	.24	.03	.26	-	-	-	.12	.16	.05	-	-	.36	4
5	.08	.04	.04	-	-	-	-	-	-	-	.06	.36	5
6	-	-	.54	-	.70	-	-	-	-	-	-	.11	6
7	.08	-	.32	-	.14	-	-	-	.02	-	.06	-	7
8	.04	-	.03	-	.05	-	-	-	-	-	.10	-	8
9	.80	-	.08	.04	-	-	-	-	-	-	.03	-	9
10	.02	-	.87	.10	.04	-	-	-	-	-	-	.45	10
11	.03	-	1.00	.06	.10	-	.08	-	-	-	-	-	11
12	-	-	.94	.14	-	.17	.08	-	.05	-	-	-	12
13	.42	-	-	.38	-	-	.05	.03	-	.24	.38	.08	13
14	.28	-	-	.32	-	-	-	-	-	.08	.10	-	14
15	.33	.08	.03	.04	-	-	-	-	-	.04	.04	.01	15
16	.26	.50	-	-	-	-	-	-	-	-	.06	.25	16
17	.08	.14	-	-	-	.11	-	.43	-	-	.90	.26	17
18	-	-	.68	-	.01	.08	.04	.24	.14	-	.04	.32	18
19	.05	.24	.36	-	-	-	.44	.11	.16	-	.08	.16	19
20	.55	.08	.12	-	-	.24	.14	.12	-	-	.28	.20	20
21	.04	.38	-	-	-	.18	.21	-	.05	-	-	.76	21
22	-	.07	-	-	-	.06	-	.10	.24	-	.06	.54	22
23	-	.02	-	-	-	.12	-	.02	-	.54	.12	.23	23
24	-	-	-	.24	-	-	-	-	.28	.46	.26	.62	24
25	.08	-	-	.15	.05	.16	-	.64	.10	-	.38	.70	25
26	.04	-	.76	-	-	.03	.02	.62	.16	-	.04	.06	26
27	.48	-	-	.22	-	-	-	.06	-	-	-	.22	27
28	.03	-	-	.02	-	-	-	.66	-	.06	-	.30	28
29	.02	-	-	-	-	-	-	.03	-	.88	.54	.40	29
30	.03	X	.10	.09	-	.10	-	-	-	-	.28	.37	30
31	-	X	.03	X	-	X	.15	-	X	.04	X	.03	31
Total	5.93	1.58	6.56	1.80	1.92	1.28	1.95	3.31	1.63	2.74	4.18	7.27	YEAR'S TOTAL 40.15
Rain Days.	24	10	17	12	10	11	13	15	12	9	22	24	179

REGISTER OF RAINFALL IN 1920.

Kept at Felden Hospital, Todmorden.
in the County of York
by _____

Lat. _____ Long. _____
Time of Observation 8.0 a.m.
Nearest Railway Station Bastard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	-	.06	.15	.68	-	.50	.08	.17	.09	.28	.13	1
2	-	-	-	.08	.06	.03	.32	.04	.24	.11	-	.48	2
3	-	-	-	.10	.04	-	.78	1.24	.15	.12	-	.40	3
4	-	.08	-	-	.36	-	.22	.22	.04	.69	-	.03	4
5	-	-	.12	-	.20	-	.20	-	.16	.40	-	.03	5
6	-	-	.32	.36	.16	-	.08	-	-	-	-	.16	6
7	.28	.08	.27	.28	.14	-	.50	.26	-	-	.03	-	7
8	.16	-	-	.40	-	-	.04	-	-	-	-	-	8
9	.32	1.40	-	.76	-	-	.12	.02	-	-	.04	-	9
10	.96	.54	.06	.20	-	-	.40	.02	-	-	-	-	10
11	.40	.08	-	.21	.24	.26	.03	.02	-	-	-	.07	11
12	.22	.40	.22	.48	.04	.26	.20	-	-	-	.19	.06	12
13	.22	-	.46	.24	.03	.48	.01	-	-	-	.31	.07	13
14	.03	.30	.17	.56	-	.51	.10	-	.30	-	.62	.02	14
15	.02	.26	.08	.62	-	-	.71	-	.04	.03	.39	-	15
16	-	-	.06	.12	.09	-	-	-	(.13) 0.4	.13	.15	-	16
17	.08	-	.08	-	.28	-	-	.24	.50	.03	-	-	17
18	.19	-	-	.12	.70	-	-	-	.07	-	-	-	18
19	.12	1.00	-	.20	.48	.12	.06	.12	.04	-	-	-	19
20	.16	-	-	.12	-	-	.16	-	-	-	-	.16	20
21	-	-	-	.18	-	-	.70	.03	-	-	-	.28	21
22	.20	-	-	.34	-	-	.43	-	-	-	-	.08	22
23	-	-	-	.06	-	-	.50	-	-	-	-	.30	23
24	.04	-	.65	-	-	-	.12	-	-	-	-	.28	24
25	.21	.06	.06	.28	-	-	.84	-	-	-	-	.10	25
26	-	.12	.48	.42	-	-	.07	-	-	-	.08	.09	26
27	1.12	.04	.08	.20	.49	.58	.03	-	-	-	.20	.07	27
28	.26	-	.04	.12	.22	.11	.09	-	-	-	.16	.24	28
29	-	-	.52	.16	.38	.06	.12	-	-	-	.12	.84	29
30	.33	~~X~~	.02	.11	.01	.34	-	-	-	-	.16	.42	30
31	.24	~~X~~	-	~~X~~	.08	~~X~~	-	-	~~X~~	.16	~~X~~	.08	31
TOTAL	5.58	4.36	3.75	6.87	4.68	2.75	7.28	2.29	1.84	2.26	2.73	4.39	YEAR'S TOTAL 48.78
Days with ".1 in. or more	21	12	18	26	19	10	26	11	11	9	13	22	198

REG

TODMORDEN
SOURHALL HOSP.
YORKSHIRESept at Sourhall Hosp.
in the County of York
by F. Rogers

IMPORTANT NOTE.
previous day. If an Obse
requested to add the readin
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912in.
ound / ft. - in.
ea Level 1020 ft.
m.
ame Todmorden.istance 1/4 m. Direction E.
he result entered to the
sal rule, he is earnestly
r in the space provided
ent of rain,
ish Rainfall
plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.74	.10	.09	-	.19	.05	-	-	.32	.11	1
2	.18	-	.22	-	.34	-	.11	.06	-	.10	.09	.18	2
3	-	-	.18	-	.81	-	-	.03	-	.03	.88	.07	3
4	.03	-	.19	.03	-	-	-	.27	.11	.11	.70	.32	4
5	.14	-	.04	.05	.08	-	-	.53	-	.03	.45	.04	5
6	.56	-	.03	.06	-	-	-	.52	-	.18	.50	.39	6
7	.13	-	-	-	-	-	-	-	-	.14	.19	-	7
8	.28	-	.33	-	-	-	-	-	.08	.03	.02	.96	8
9	.17	-	-	-	-	-	-	-	-	-	-	.48	9
10	.30	.06	.23	-	-	-	-	-	-	-	-	.70	10
11	.22	-	.03	-	-	-	-	-	.04	-	.46	.26	11
12	.08	.02	.26	-	.09	-	-	-	1.46	-	.65	-	12
13	.02	-	-	-	.30	-	-	-	-	-	.24	.47	13
14	.08	.45	.03	-	.22	-	-	-	-	-	.04	.38	14
15	-	.32	.09	.20	-	-	-	-	-	.12	.37	.57	15
16	-	1.12	.12	-	-	.21	-	-	-	.06	.25	.41	16
17	.11	.06	.05	-	-	.66	.07	-	-	-	.26	.21	17
18	-	.61	.10	-	-	.31	-	.03	-	.05	.20	.26	18
19	-	.14	.02	.12	-	.10	.08	-	.30	.37	.22	.20	19
20	-	.28	.05	.22	-	-	.09	.62	.03	.21	-	.44	20
21	.03	.81	-	-	-	.03	.05	-	.05	.16	-	.26	21
22	.08	.14	-	.03	-	.06	-	.08	-	.33	.06	.02	22
23	.03	.62	-	-	.33	.58	-	-	.24	.21	-	.46	23
24	.38	.29	-	.15	-	1.90	-	.06	-	.32	-	.23	24
25	.05	.72	.05	.41	-	.88	.18	.05	.98	.07	-	.42	25
26	.03	.05	-	.40	.01	-	-	.24	-	.65	.17	.26	26
27	.05	.48	-	.54	-	-	-	.54	.67	-	.02	.09	27
28	-	.47	.04	.58	-	.24	-	.04	.19	-	.03	.58	28
29	-	-	-	.55	-	.41	-	-	.32	.93	-	.15	29
30	-	-	-	-	.18	.54	-	-	.02	.50	-	-	30
31	-	-	-	-	-	-	-	-	-	.19	-	.05	31
Total	2.95	6.64	2.80	3.44	2.45	5.12	.77	3.12	4.49	4.79	6.12	8.97	TOTAL for year 51.66
No. of Rain Days.	20	17	19	14	10	12	7	14	13	21	21	28	196

REG

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Sept at *Sourhall Hospital, Todmorden,*
in the County of *WR Yorkshire, 8*
by *J. Rogers.*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *-* in.
" " " Sea Level *1020* ft.
Time of Observation *9.0 a.m.*
Nearest Railway Station { Name *Todmorden.*
Distance *1 1/2* mls. Direction *E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.74	.10	.09	-	.19	.05	-	-	.32	.11	1
2	.18	-	.22	-	.34	-	.11	.06	-	.10	.09	.18	2
3	-	-	.18	-	.81	-	-	.03	-	.03	.88	.07	3
4	.03	-	.19	.03	-	-	-	.27	.11	.11	.70	.32	4
5	.14	-	.04	.05	.08	-	-	.53	-	.03	.45	.04	5
6	.56	-	.03	.06	-	-	-	.52	-	.18	.50	.39	6
7	.13	-	-	-	-	-	-	-	-	.14	.19	-	7
8	.28	-	.33	-	-	-	-	-	.08	.03	.02	.96	8
9	.17	-	-	-	-	-	-	-	-	-	-	.48	9
10	.30	.06	.23	-	-	-	-	-	-	-	-	.70	10
11	.22	-	.03	-	-	-	-	-	.04	-	.46	.26	11
12	.08	.02	.26	-	.09	-	-	-	1.46	-	.65	-	12
13	.02	-	-	-	.30	-	-	-	-	-	.24	.47	13
14	.08	.45	.03	-	.22	-	-	-	-	-	.04	.38	14
15	-	.32	.09	.20	-	-	-	-	-	.12	.37	.57	15
16	-	1.12	.12	-	-	.21	-	-	-	.06	.25	.41	16
17	.11	.06	.05	-	-	.66	.07	-	-	-	.26	.21	17
18	-	.61	.10	-	-	.31	-	.03	-	.05	.20	.26	18
19	-	.14	.02	.12	-	.10	.08	-	.30	.37	.22	.20	19
20	-	.28	.05	.22	-	-	.09	.62	.03	.21	-	.44	20
21	.03	.81	-	-	-	.03	.05	-	.05	.16	-	.26	21
22	.08	.14	-	.03	-	.06	-	.08	-	.33	.06	.02	22
23	.03	.62	-	-	.33	.58	-	-	.24	.21	-	.46	23
24	.38	.29	-	.15	-	1.90	-	.06	-	.32	-	.23	24
25	.05	.72	.05	.41	-	.08	.18	.05	.98	.07	-	.42	25
26	.03	.05	-	.40	.01	-	-	.24	-	.65	.17	.26	26
27	.05	.48	-	.54	-	-	-	.54	.67	-	.02	.09	27
28	-	.47	.04	.58	-	.24	-	.04	.19	-	.03	.58	28
29	-	-	-	.55	-	.41	-	-	.32	.93	-	.15	29
30	-	-	-	-	.18	.54	-	-	.02	.50	-	-	30
31	-	-	-	-	-	-	-	-	-	.19	-	.05	31
Total	2.95	6.64	2.80	3.44	2.45	5.12	.77	3.12	4.49	4.79	6.12	8.97	TOTAL for year 51.66
No. of Rain Days.	20	17	19	14	10	12	7	14	13	21	21	28	196

REGISTER OF RAINFALL IN 1912

Kept at *Sourhall Hospital, Todmorden.*
in the County of *York*
by *J. Rogers.*

Lat. _____ Long. _____
Time of Observation *9.0 a.m.*
Nearest Railway Station *Todmorden*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *1020* ft.

BRITISH RAINFALL
FORM A.
11 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.23	—	—	.16	.03	.18	.43	—	.03	1.23	1
2	.08	.16	.42	.11	.16	.12	.35	—	.08	—	—	.25	2
3	.68	—	.22	—	—	.57	—	.62	.73	—	—	.08	3
4	.62	—	.90	.62	.10	.85	—	.73	.04	—	.53	—	4
5	.38	—	.12	.02	.40	.28	—	.16	.38	.02	.03	.05	5
6	—	.36	.02	—	.09	—	—	.43	—	.04	—	—	6
7	.30	.13	.03	.02	.21	.06	.02	.15	.44	—	.14	—	7
8	.31	.45	.22	.26	.02	.08	—	.08	.16	—	.19	.04	8
9	.29	.13	.22	.48	—	.18	—	.03	—	—	.09	.25	9
10	.36	.04	.02	.18	—	.31	.13	.13	—	—	1.02	—	10
11	.11	.03	—	—	—	—	.03	.03	—	—	.02	.83	11
12	.12	.14	.37	—	—	.18	.02	—	—	—	—	.22	12
13	.05	—	.02	—	—	—	—	.44	—	.30	.14	.72	13
14	.30	—	1.12	—	—	.24	—	.18	—	—	—	.40	14
15	.22	.09	.43	—	.58	.24	—	.18	—	—	—	.36	15
16	.90	—	.55	—	.06	.25	—	.23	—	.19	.04	.13	16
17	.25	.14	.25	—	.12	1.02	—	.48	—	—	.10	.60	17
18	.32	—	.02	—	—	.17	—	.06	—	.53	.07	.16	18
19	.22	.11	.28	—	—	.08	.18	.46	—	.73	.33	—	19
20	.22	—	—	—	.46	.06	.09	.26	—	.53	—	.10	20
21	—	—	.25	—	.26	—	—	.16	—	.13	—	.18	21
22	—	.30	—	—	.50	.43	.16	.58	—	—	.02	.07	22
23	—	.03	.23	—	—	.10	.60	.86	—	—	.37	.05	23
24	.15	.04	.05	—	—	.56	.08	.16	—	—	.15	.15	24
25	.02	—	.03	—	—	.42	.09	—	—	—	.78	.22	25
26	—	.32	.24	—	—	.02	.33	.38	—	2.09	.38	.23	26
27	—	.17	.90	—	—	.70	.35	—	—	.62	—	.40	27
28	—	.12	—	—	—	.26	.62	.86	.15	.60	.28	.02	28
29	—	.08	.08	—	—	.06	.58	.04	.43	.22	—	.28	29
30	—	—	.40	—	.06	.11	.06	—	.02	.07	—	—	30
31	—	—	.21	—	.85	—	1.50	.41	—	—	—	.05	31
Total	5.92	2.84	7.83	1.69	3.87	7.51	5.22	8.28	2.86	6.07	4.71	7.07	YEAR'S TOTAL 63.57
Rain Days.	21	8	7	18	22	29	34	41	46	52	56	61	224
		18	27	7	14	26	18	26	10	13	19	25	

REGISTER OF RAINFALL IN 1913

Kept at *Sourhall Hospital, Todmorden*
 in the County of *York. W. R.*
 by *F. Rogers.*

Lat. _____ Long. _____
 Time of Observation *9.0 a.m.*
 Nearest Railway Station *Todmorden*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *—* in.
 " " " " Sea Level *1020* ft.

BRITISH RAINFALL
 FORM A.
 21 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	.48	.18	—	—	—	—	.07	—	.13	—	1
2	.03	—	.62	.04	—	.25	—	—	—	—	.40	.22	2
3	.06	.62	.23	—	.65	—	—	—	—	—	—	1.02	3
4	.76	.28	.08	—	.02	.02	.08	—	.02	—	.33	.62	4
5	.28	.16	.26	—	—	.27	.30	—	.02	.04	.02	—	5
6	.11	.32	.28	—	.82	.28	.18	—	—	.16	.03	—	6
7	.02	.65	.07	—	.54	.21	—	—	—	—	.04	.11	7
8	—	.27	.06	—	.07	.04	—	.18	—	.14	.13	.09	8
9	—	.18	.70	.04	.12	.78	.02	.39	—	—	.22	—	9
10	—	.02	.34	.18	.05	.02	.05	—	.03	—	.15	—	10
11	.35	—	—	.25	.04	.13	—	—	—	.05	.21	.28	11
12	.15	—	—	—	—	—	—	—	.38	—	.32	—	12
13	—	—	.64	—	—	—	.02	.08	.23	.08	.28	—	13
14	—	.03	.18	.40	—	—	.02	.02	—	.26	.33	.13	14
15	—	—	.82	1.15	—	—	—	.35	.03	—	.72	—	15
16	.12	—	.05	.03	—	—	—	—	—	—	.62	.13	16
17	.03	—	—	.21	.25	.32	.31	—	.36	—	.21	—	17
18	.15	—	.56	.54	.23	.03	.07	—	—	—	.40	.02	18
19	.10	—	—	.27	.17	.12	—	—	.04	.13	.40	—	19
20	.22	—	.12	.18	—	—	—	—	.03	.19	1.15	—	20
21	—	—	.14	.02	.25	—	.20	.28	—	—	.02	—	21
22	.57	—	.62	—	.16	—	—	.75	.18	—	.22	—	22
23	.47	—	.04	—	.70	.62	—	.34	.24	—	—	.22	23
24	.57	.13	—	.20	.02	.32	—	.08	—	—	.04	.08	24
25	—	—	—	.12	—	—	—	—	.35	.04	.10	.33	25
26	—	.09	.06	.80	—	.02	—	—	.18	.06	—	.90	26
27	—	—	—	.42	—	.02	—	—	—	.20	.04	.12	27
28	.28	—	.22	.60	—	.02	—	—	—	—	—	—	28
29	—	—	.30	.75	.03	—	—	.22	—	—	.35	.16	29
30	1.10	—	.02	—	.12	—	—	—	—	.30	.23	—	30
31	.16	—	.15	—	.34	—	—	—	—	—	—	—	31
Total	5.58	2.75	7.04	6.38	4.58	3.47	1.25	2.69	2.16	1.65	7.09	4.43	YEAR'S TOTAL 49.07
Rain Days.	20	11	24	19	18	17	10	10	14	12	26	15	196

REGISTER OF RAINFALL IN 1914

Kept at Towhall Hospital, Todmorden,
in the County of York. W. R.
by J. Rogers.

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Todmorden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1020 ft.

FORM A.
BRITISH RAINFALL
13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	.09	-	-	.02	.50	.15	-	.08	-	.38	1
2	.03	.02	.02	-	-	-	.25	.63	-	.20	.23	.16	2
3	.30	-	.45	-	.80	-	.05	.13	-	.03	.03	.93	3
4	.77	-	.75	.52	.22	-	-	-	-	-	.14	.86	4
5	.12	-	.77	.31	.13	.40	.02	-	-	.02	.34	.68	5
6	-	.09	.05	.48	.20	.08	-	.30	-	.02	.28	.10	6
7	.12	.04	.20	.10	.36	.05	-	.05	-	-	.04	.30	7
8	1.28	-	.11	.06	.33	.32	.06	.74	.13	-	.07	-	8
9	.70	.25	-	.54	.04	.84	-	.43	.04	-	.26	-	9
10	.05	.24	-	.15	.07	-	-	-	.11	-	.35	-	10
11	-	.30	.57	-	.04	-	.08	-	.37	-	2.06	.28	11
12	-	.25	.07	-	.24	.02	.25	-	.95	-	.62	.30	12
13	-	.74	.22	-	.02	-	.09	-	.16	-	.57	.34	13
14	.05	.50	.21	-	-	-	.03	-	.40	-	.30	.18	14
15	-	.05	.46	-	-	-	-	-	.09	-	.18	-	15
16	.02	.11	.09	-	-	-	1.00	-	.92	-	-	.02	16
17	.04	.92	.20	-	-	-	.15	-	.83	-	-	1.58	17
18	-	.20	.07	-	-	.70	-	-	.04	-	-	.10	18
19	-	.08	.12	-	-	-	.10	-	.08	-	.04	.22	19
20	-	.22	.10	-	-	-	-	-	.02	.03	-	-	20
21	-	.28	.02	-	-	.08	-	.02	-	.06	-	.07	21
22	-	.53	.06	.10	.10	.30	-	.08	-	.05	-	-	22
23	-	.02	.20	.21	.13	.04	.15	-	-	-	-	.03	23
24	.11	-	.84	.17	.33	.07	1.15	.51	-	-	.30	-	24
25	.12	-	-	-	-	-	.66	.45	-	1.10	.11	.75	25
26	.04	-	.06	-	-	-	.03	-	-	.25	.54	.26	26
27	.11	.02	-	-	-	-	-	-	.04	.80	.46	.82	27
28	.12	.36	.20	-	-	.04	.13	-	-	-	.32	-	28
29	.18	~~X~~	.25	-	.05	-	-	.10	-	.34	.42	.42	29
30	-	~~X~~	.83	-	-	-	-	.06	-	.03	.34	-	30
31	1.03	~~X~~	.25	~~X~~	.03	~~X~~	.68	-	~~X~~	.14	~~X~~	-	31
Total	5.23	5.22	7.26	2.64	3.09	2.96	5.38	3.65	4.18	3.15	8.00	8.78	YEAR'S TOTAL 59.54
Rain Days.	19	20	27	10	16	13	18	13	14	14	22	21	207

REGISTER OF RAINFALL IN 1915

Kept at *Lourhall Hospital*

in the BOROUGH OF TODMORDEN,

by

Ynks W.R.

RAIN GAUGE.

Lat..... Lon.....

Time of Observation.....*9 a.m.*.....

Diameter.....*5 inches*.....

Height of top above Ground.....*1 ft*.....

Sea Level.....*1020 ft.*

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.21	.58	.06	—	.28	—	.25	.43	.06	—	—	.03	I
2	.02	.55	.34	.38	—	.04	.35	.69	—	.06	—	—	2
3	.90	.03	.07	.41	—	—	.28	.02	—	.02	—	.46	3
4	.12	.45	—	—	.12	.06	.48	—	—	—	—	.64	4
5	.23	.18	.50	—	.25	—	—	.05	—	—	—	1.36	5
6	.33	.03	—	.70	—	—	.63	.06	—	—	.05	.55	6
7	.90	.96	—	.23	1.02	—	.42	.90	—	—	—	.32	7
8	.61	.13	—	.33	—	—	—	.11	—	.11	1.03	—	8
9	.02	.05	—	.15	—	—	.04	.10	—	—	.24	.50	9
10	.73	—	.18	—	—	—	.08	.52	—	.04	—	.45	10
11	.32	—	.02	—	1.10	—	.20	.95	—	—	.22	.30	11
12	.28	—	—	.11	—	—	.08	.17	—	.36	.72	—	12
13	~~.46~~	.63	—	.02	—	—	.12	—	.03	.02	—	.21	13
14	.38	—	—	.10	—	—	.32	.48	.08	—	—	.45	14
15	1.50	—	—	—	—	—	—	.06	.06	—	.34	.42	15
16	—	.66	—	—	.26	—	.90	.63	—	—	—	.03	16
17	—	.71	.03	—	—	—	.04	—	—	—	—	.02	17
18	.03	.52	.22	—	—	—	—	—	.02	.03	—	—	18
19	.04	.28	.23	.20	.24	—	.52	—	—	—	—	—	19
20	.60	—	—	—	.16	—	.13	—	—	—	—	.48	20
21	.20	.12	—	.05	—	—	.25	—	—	—	—	.18	21
22	.02	—	—	—	—	.02	.05	—	—	—	.04	.48	22
23	—	—	.25	.02	—	—	.30	—	.03	.30	—	.22	23
24	—	—	—	.06	—	—	—	—	.41	.03	—	.42	24
25	—	—	.16	—	—	.32	—	—	.10	—	—	.30	25
26	.02	.85	—	—	—	.22	.25	—	—	—	—	.84	26
27	—	.25	—	—	—	—	.06	—	—	.88	—	.45	27
28	—	.44	—	—	.08	.10	—	.53	—	.15	—	.02	28
29	—	X	—	—	.08	.28	—	—	—	—	.34	.34	29
30	.20	X	—	.10	—	.15	—	.02	—	—	.02	~~.54~~	30
31	.21	X	—	X	—	X	.02	.35	X	.20	X	.53	31
Totals	8.33	7.42	2.06	2.86	3.54	1.19	5.77	6.04	.79	2.20	3.00	10.04	
Totals from Jan. 1.		15.75	17.81	20.67	24.21	25.40	31.17	37.21	38.00	40.20	43.20	53.24	178

23 18 11 14 10 8 22 17 8 12 9 26

3339

REGISTER OF RAINFALL IN 1916

Kept at Lourhall Hospital, Todmorden.
in the County of York
by WR

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Todmorden.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1020 ft.

FORM A.
BRITISH RAINFALL
9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.53	.05	.15	-	-	.30	.56	-	-	-	.23	-	1
2	.23	.25	.20	-	-	.17	-	-	.32	.18	.04	-	2
3	-	.23	-	.04	-	.08	.28	-	.95	.38	.13	-	3
4	.12	.34	-	.03	.80	1.30	-	-	.03	.76	.31	-	4
5	.26	.68	-	-	.10	.18	-	-	-	1.28	.38	-	5
6	1.42	.58	.12	-	.52	.13	.20	-	-	.30	.70	.08	6
7	.28	.40	.28	-	.32	.12	.11	-	-	.46	.10	.34	7
8	.02	.16	.32	.02	-	.05	.12	-	-	.04	.60	-	8
9	.12	-	.03	-	.37	.12	.03	-	-	-	.34	.14	9
10	.10	.10	.12	.20	-	.44	.13	-	-	.46	.02	.05	10
11	.07	.28	.14	.66	-	.10	.10	-	.15	-	.02	.06	11
12	.33	.36	.20	.25	.32	.02	.55	.10	.05	.33	-	-	12
13	-	.16	.18	.57	-	-	.04	.58	-	1.34	-	.12	13
14	.06	.23	.03	.22	.75	-	-	.25	.10	.43	-	.02	14
15	.06	.65	.58	.06	-	-	.11	.34	.17	.06	-	-	15
16	-	.21	.68	.38	-	-	.26	1.16	-	.04	-	-	16
17	.20	.45	-	1.04	-	-	.14	.10	1.02	.20	-	-	17
18	-	.92	.02	.25	-	-	-	.25	.43	.30	.33	.12	18
19	.37	-	.32	.28	-	-	-	.20	.05	-	.22	-	19
20	.48	-	.15	.20	-	-	.02	.03	-	-	.12	.10	20
21	.45	-	-	.02	.05	-	.08	-	-	-	-	-	21
22	-	.02	-	-	-	.08	-	-	-	.30	.02	.06	22
23	.10	-	.08	.30	-	.12	-	.03	-	.06	.46	.18	23
24	-	.12	-	-	-	.02	-	.30	-	.02	-	.06	24
25	.30	.20	.40	-	.08	.02	-	.28	-	-	.47	.03	25
26	.11	.18	.16	-	-	-	-	.08	-	.10	.08	-	26
27	-	.30	.06	-	.02	-	-	.16	.03	.52	-	-	27
28	-	.22	-	-	-	.03	-	-	-	1.00	.13	.75	28
29	.02	.12	-	-	-	.15	-	-	-	.56	.02	.48	29
30	.03	X	-	X	-	.03	.03	-	X	.98	.03	.20	30
31	-	X	-	X	.11	X	-	.10	X	.10	X	.81	31
Total	5.66	7.21	4.17	4.52	3.44	3.52	2.76	3.96	3.30	10.20	4.75	3.60	YEAR'S TOTAL 57.09
Rain Days.	22	12.87 24	17.04 20	21.56 10	25.00 11	28.52 19	31.28 16	35.24 15	38.54 11	48.74 24	53.49 21	57.09 17	216

REGISTER OF RAINFALL IN 1917

Kept at Sourhall Hospital, Todmorden
in the County of York
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Todmorden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1020 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	-	-	-	-	.16	-	.08	.50	-	.23	-	1
2	1.02	-	-	-	-	.22	-	.05	.02	.05	.02	-	2
3	.28	.20	-	-	-	.36	-	-	-	.54	.17	-	3
4	.02	-	-	-	-	-	-	-	-	.47	-	-	4
5	.23	-	.04	.15	-	-	-	.06	.04	.23	.58	.43	5
6	-	-	.08	-	-	.13	-	-	-	.64	.68	.20	6
7	.60	-	.03	-	-	-	-	-	-	.95	.18	.21	7
8	.33	-	-	.30	-	-	-	.52	.06	1.12	.32	.20	8
9	-	-	.04	.11	-	-	-	.22	-	.24	.68	-	9
10	.32	-	1.42	.10	.32	-	-	.15	-	.26	-	-	10
11	.12	-	-	.09	-	-	-	.02	-	.68	.02	.20	11
12	.02	-	.02	.03	.48	.38	-	.25	.02	.45	-	.21	12
13	.18	-	-	.30	.03	-	-	.04	.53	.10	.06	.74	13
14	.22	-	-	.22	-	-	-	.42	-	.05	-	.23	14
15	-	-	-	.04	-	-	.60	.03	.20	.28	.02	.18	15
16	-	-	-	-	-	-	.10	.35	-	.02	.02	.25	16
17	-	.20	.25	.32	.35	.02	.16	1.53	-	.40	.03	.15	17
18	.11	-	.15	.05	.04	-	.98	.23	.23	.21	-	-	18
19	-	.25	.57	-	.34	.15	-	.04	-	-	.07	-	19
20	.02	.42	-	.02	.25	.62	-	.04	.08	-	.46	-	20
21	-	.02	.16	-	.08	.02	-	.12	-	.10	.04	-	21
22	-	-	-	-	-	-	-	.20	.32	.44	.25	-	22
23	-	.07	.06	-	.33	.30	-	.12	.06	.20	.07	.12	23
24	.30	.02	-	-	-	.03	-	.42	-	1.08	.50	.08	24
25	-	.15	-	-	-	-	.12	.14	-	.44	.05	-	25
26	-	-	.10	-	-	.05	-	.56	.40	.22	1.40	-	26
27	-	-	.03	.02	.14	.21	.55	.55	-	.28	.42	.07	27
28	-	.10	.55	-	-	-	-	.45	-	.10	.28	.03	28
29	-	-	.23	-	.06	-	.04	.30	-	.63	.40	.14	29
30	.02	X	.36	-	-	-	-	.22	-	-	-	.04	30
31	.03	X	.23	X	.05	X	-	.32	X	-	X	.03	31
Total	3.99	1.43	4.32	1.75	2.47	2.55	2.55	7.43	2.46	10.18	6.95	3.51	49.59
Rain Days.	17	9	17	13	12	13	7	27	12	26	24	18	195.

REGISTER OF RAINFALL IN 1918.

Kept at Sourhall Hospital,
in the County of YORK. Todmorden.
by _____

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Todmorden.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1020 ft.

FORM A.
BRITISH RAINFALL
11.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.25	.03	.24	.02	-	-	-	.20	-	-	.35	1
2	-	.27	-	.11	-	-	-	-	1.00	.20	.20	.60	2
3	-	.06	.02	-	.60	-	-	.06	.40	.10	.01	.10	3
4	.05	.03	.08	-	.03	-	-	.48	.02	.65	.02	.45	4
5	-	.05	-	.10	.23	-	-	.78	.30	.30	.90	.03	5
6	-	1.85	.06	.52	-	.23	-	.22	.10	.70	.07	.05	6
7	-	.28	-	.47	-	-	-	.04	-	.30	-	-	7
8	-	.35	-	-	-	-	.13	.05	.40	.43	.29	.10	8
9	.75	1.10	-	.07	-	.36	-	.02	1.00	.15	.17	.06	9
10	-	1.00	-	-	-	-	.03	-	1.10	.52	.08	.05	10
11	.52	.18	.20	.10	.12	-	.15	.02	.90	.14	.46	.17	11
12	.14	.52	-	.03	-	.02	.16	-	.50	-	-	.52	12
13	.23	-	-	.07	.25	.07	.20	-	.31	.02	-	-	13
14	.42	-	-	-	.02	.23	-	-	.30	.12	.02	.27	14
15	.12	-	-	.04	-	.10	.78	-	2.80	.23	-	.75	15
16	.02	-	-	-	-	.22	.12	.14	2.80	-	-	.56	16
17	.32	-	-	-	.15	.06	.26	.24	.30	.05	-	.45	17
18	.60	-	.14	-	-	.13	.54	-	.11	.20	-	.48	18
19	.30	.10	.15	.12	-	-	.35	.50	.50	-	-	-	19
20	.20	.62	-	.11	-	.21	1.12	-	1.01	.10	-	-	20
21	.36	1.02	-	-	.40	.22	-	-	.50	.02	-	-	21
22	.16	.05	-	-	.42	.23	.37	-	.70	-	-	1.24	22
23	-	-	-	-	.33	.02	.21	-	.10	.02	-	.10	23
24	.05	.20	-	-	-	-	.22	-	.10	-	.08	.15	24
25	-	-	-	-	.03	.22	.23	.07	.30	.05	.04	-	25
26	-	.27	-	-	-	-	.05	.82	.20	-	.02	.33	26
27	-	.22	.52	-	-	.11	.02	.10	.71	.08	.35	.90	27
28	-	.11	.64	-	-	-	-	.40	.70	.04	.20	.80	28
29	-	-	-	-	-	-	-	.40	.21	-	.10	.70	29
30	-	X	.45	-	-	-	-	.20	.10	.01	-	.45	30
31	-	X	.50	X	-	X	-	.30	X	.05	X	-	31
Total	4.24	8.53	2.79	1.98	2.60	2.43	4.94	4.42	14.87	4.48	3.01	9.66	63.95
Rain Days.	15	20	11	12	12	15	17	18	29	23	16	24	212

REGISTER OF RAINFALL IN 1919.

Kept at Sawhall Hospital, Todmorden
in the County of York
by _____

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Todmorden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1020 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.20	-	.05	.02	.16	-	.15	.37	.02	-	.02	.80	1
2	.20	-	.50	-	.72	-	.40	.22	.36	.46	.03	.30	2
3	-	-	.02	-	.20	-	.30	.17	.11	.08	.07	.25	3
4	.02	-	.43	-	.08	.02	.44	-	.12	-	.14	.38	4
5	-	-	-	.04	.02	.10	.13	.16	.03	-	.11	.35	5
6	-	-	.78	-	.02	-	-	-	.01	.01	.04	.44	6
7	.10	-	.36	.02	.80	-	-	-	-	-	.05	.16	7
8	.16	-	.03	.02	.11	-	-	-	.05	-	.13	-	8
9	.85	-	.10	.01	.03	.07	-	.04	-	-	.01	-	9
10	-	-	1.06	.18	-	-	-	-	-	-	.03	-	10
11	.05	-	.60	.13	.16	-	-	-	.01	-	.03	.75	11
12	.03	-	.90	.21	.11	-	.12	-	-	.02	-	.03	12
13	.46	-	.02	.44	.02	.25	.23	-	.02	.09	.18	-	13
14	.37	-	-	.47	-	.02	.10	.05	-	.48	.03	.12	14
15	.43	-	.07	.01	-	-	-	.06	-	-	-	-	15
16	.23	.10	-	-	-	-	-	.04	-	-	-	.70	16
17	.05	.30	-	.15	-	.03	.01	-	-	-	.15	.02	17
18	-	.08	-	-	-	.07	-	.43	-	-	1.10	.05	18
19	.10	-	.45	-	.01	-	.05	.34	.27	-	.04	.87	19
20	.75	.40	.80	-	-	.27	.40	.08	.08	-	.35	.09	20
21	-	.08	.05	-	-	.45	.14	.11	-	-	.28	1.25	21
22	.05	.46	.04	-	-	.32	.23	-	.05	-	.05	.37	22
23	-	.15	.02	-	-	.13	-	.24	.40	-	.18	.81	23
24	-	.02	-	-	-	.15	-	-	-	.95	.15	.42	24
25	.20	-	-	.20	.09	.02	-	.02	.52	.23	.30	1.10	25
26	-	.03	-	.25	.02	.15	-	.86	.06	-	.38	-	26
27	-	-	.75	.10	-	.05	.04	1.12	.31	-	.14	.95	27
28	-	-	.02	.20	-	.01	-	.10	-	-	.02	.11	28
29	-	-	-	.12	-	.04	-	.61	-	.13	-	.52	29
30	-	X	.13	.01	-	-	-	.12	-	.81	.02	.21	30
31	-	X	.03	X	-	X	-	-	X	.09	X	.50	31
Total	5.25	1.62	7.21	2.58	2.55	2.15	2.74	3.11	2.42	3.35	4.03	11.25	50.26
Rain Days.	17	9	22	18	15	17	14	19	16	11	26	25	209

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Kept at Souhall Hospital, Todmorden.in the County of York.

by

Lat. Long.

Time of Observation 9.0 a.m.Nearest Railway Station Todmorden.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. - in." " " " Sea Level 1020 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	26	-	03	06	22	12	03	-	20	47	20	1
2	-	01	10	16	85	03	151	02	17	05	-	64	2
3	-	-	03	15	04	-	44	08	31	-	-	35	3
4	03	05	04	07	12	05	86	17	24	19	-	04	4
5	04	01	-	19	04	-	22	183	12	80	-	05	5
6	-	-	13	-	48	-	28	34	35	45	08	20	6
7	-	06	57	42	24	-	04	01	02	01	03	-	7
8	40	-	20	10	18	-	47	-	01	-	-	-	8
9	14	09	-	20	17	-	05	15	-	01	10	01	9
10	21	102	01	62	-	-	12	08	04	02	-	-	10
11	102	115	12	36	-	-	47	02	-	-	-	05	11
12	52	10	13	17	33	19	01	01	-	-	25	08	12
13	29	38	40	45	11	18	22	01	-	-	38	-	13
14	33	11	30	43	06	71	13	-	-	-	87	-	14
15	06	28	25	45	-	62	11	-	33	04	06	-	15
16	02	34	04	82	-	-	01	-	01	20	26	-	16
17	-	01	30	13	10	-	85	-	28	-	-	-	17
18	15	-	03	-	36	-	01	33	38	03	-	-	18
19	21	-	-	35	85	10	02	-	08	-	-	-	19
20	11	80	-	20	53	04	03	18	01	-	-	15	20
21	25	02	-	34	-	-	29	-	06	-	-	34	21
22	05	-	-	01	-	05	65	03	-	-	01	-	22
23	15	-	-	53	-	-	50	07	-	-	-	62	23
24	-	-	03	09	-	-	65	-	-	-	-	27	24
25	08	-	102	08	-	06	14	-	-	-	-	-	25
26	-	10	19	36	-	-	102	-	01	-	11	14	26
27	17	26	60	55	12	61	06	01	-	-	26	02	27
28	18	02	07	14	61	12	03	-	-	-	03	28	28
29	25	03	40	38	15	03	14	-	01	-	40	97	29
30	13	~~XX~~	40	26	80	-	31	-	-	-	17	62	30
31	35	~~XX~~	02	~~XX~~	05	~~XX~~	-	-	~~XX~~	50	~~XX~~	11	31
TOTAL	518	540	538	804	625	801	978	337	248	250	348	514	5960
Days with 01 in. or more	540	484	541	807	641	801	967	334	263	230	15	19	5964
	24	19	23	28	21	14	30	16	18	11	15	19	240
													239

RE

TORMORDEN

Kept at

Walsden

in the County of

Le

by

Eric W

IMPORTANT

previous day. If an

requested to add the

for it at the end of this paragraph.

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

1912 - 19

BRITISH RAINFALL FORM A. 7 - JAN 1913

Walsden

in.

ound 1 ft. 1/2 in.

a Level 5.50 ft.

e result entered to the al rule, he is earnestly in the space provided

at of rain,

Jan. 1, following.

07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	-	.27	-	-	-	.06	-	.35	-	-	1.00	1
2	-	.02	.33	.05	.09	.09	.26	-	.05	-	-	.13	2
3	.50	.06	.27	-	-	.53	-	.62	.96	-	.01	.20	3
4	.50	-	.64	.59	.09	.60	-	.76	.03	-	.55	-	4
5	.31	-	.12	-	.45	.18	-	.21	.39	-	.02	.05	5
6	1.13	.32	-	.02	.09	-	-	.40	-	.02	-	.02	6
7	-	.10	.03	-	.16	.07	-	.10	.39	-	.06	-	7
8	.48	.25	.14	.23	-	.05	-	.03	.17	-	.10	-	8
9	.29	.10	.20	.43	-	.27	.01	.01	-	-	.06	.34	9
10	.13	.01	-	.12	-	.22	-	.12	-	-	1.05	-	10
11	.37	.02	-	.03	-	-	.15	.11	-	-	.01	.80	11
12	.10	.24	.45	-	-	.27	-	-	-	-	.07	.20	12
13	.02	-	.02	-	-	-	-	.40	-	.35	-	1.04	13
14	.42	-	1.00	-	-	.23	-	.17	-	-	-	.51	14
15	.16	-	.43	-	.56	.31	-	.03	-	.35	-	.36	15
16	1.33	-	.50	-	.15	.16	-	.30	-	.25	-	.17	16
17	.22	.09	.28	-	.07	.81	-	.52	-	-	.09	.68	17
18	-	-	.02	-	-	-	-	.06	-	.42	.02	.25	18
19	.10	.07	.43	-	-	-	.11	.24	-	-	.20	.04	19
20	.34	-	.13	-	.43	.13	.03	.39	-	.44	-	.05	20
21	-	-	.27	-	.19	-	.02	.10	-	.19	-	.20	21
22	-	.33	-	-	.33	.36	.12	.49	-	-	.01	.09	22
23	-	.01	.24	-	-	.01	.35	.90	-	-	.41	.12	23
24	.14	.04	.04	-	-	.41	-	.16	-	-	.03	.13	24
25	-	.06	.10	-	-	.75	.02	.01	-	.01	.95	.25	25
26	-	.28	.19	-	-	.01	.41	.38	-	2.24	.47	.28	26
27	-	.17	.63	-	-	.57	.27	-	-	1.05	.02	.17	27
28	-	.05	.02	-	-	.20	.71	1.00	.06	.57	.47	.43	28
29	-	.11	.06	-	-	.06	.72	.01	.54	.25	.13	.28	29
30	.05	-	.39	-	.05	.06	.04	.02	.01	.07	1.20	-	30
31	-	-	.30	-	.88	-	1.51	.39	-	.05	-	.07	31
Total	6.60	2.33	7.50	1.47	4.04	6.35	4.79	7.93	2.95	6.21	4.73	7.91	62.81
Rain Days.	19	19	27	7	13	23	16	27	10	13	20	26	220

YEAR'S TOTAL

Kept at

Walsden

in the County of

Lancashire York

by

Eric W. Lockcroft

Time of Observation 8 a.m.

Nearest Railway Station

Walsden

Diameter of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. 1/2 in.

" " " "

Sea Level

550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	-	.27	-	-	-	.06	-	.35	-	-	1.00	1
2	-	.02	.33	.05	.09	.09	.26	-	.05	-	-	.13	2
3	.50	.06	.27	-	-	.53	-	.62	.96	-	.01	.20	3
4	.50	-	.64	.59	.09	.60	-	.76	.03	-	.55	-	4
5	.31	-	.12	-	.45	.18	-	.21	.39	-	.02	.05	5
6	1.13	.32	-	.02	.09	-	-	.40	-	.02	-	.02	6
7	-	.10	.03	-	.16	.07	-	.10	.39	-	.06	-	7
8	.48	.25	.14	.23	-	.05	-	.03	.17	-	.10	-	8
9	.29	.10	.20	.43	-	.27	.01	.01	-	-	.06	.34	9
10	.13	.01	-	.12	-	.22	-	.12	-	-	1.05	-	10
11	.37	.02	-	.03	-	-	.15	.11	-	-	.01	.80	11
12	.10	.24	.45	-	-	.27	-	-	-	-	.07	.20	12
13	.02	-	.02	-	-	-	-	.40	-	.35	-	1.04	13
14	.42	-	1.00	-	-	.23	-	.17	-	-	-	.51	14
15	.16	-	.43	-	.56	.31	-	.03	-	.35	-	.36	15
16	1.33	-	.50	-	.15	.16	-	.30	-	.25	-	.17	16
17	.22	.09	.28	-	.07	.81	-	.52	-	-	.09	.68	17
18	-	-	.02	-	-	-	-	.06	-	.42	.02	.25	18
19	.10	.07	.43	-	-	-	.11	.24	-	-	.20	.04	19
20	.34	-	.13	-	.43	.13	.03	.39	-	.44	-	.05	20
21	-	-	.27	-	.19	-	.02	.10	-	.19	-	.20	21
22	-	.33	-	-	.83	.36	.12	.49	-	-	.01	.09	22
23	-	.01	.24	-	-	.01	.35	.90	-	-	.41	.12	23
24	.14	.04	.04	-	-	.41	-	.16	-	-	.03	.13	24
25	-	.06	.10	-	-	.75	.02	.01	-	.01	.95	.25	25
26	-	.28	.19	-	-	.01	.41	.38	-	2.24	.47	.28	26
27	-	.17	.63	-	-	.57	.27	-	-	1.05	.02	.17	27
28	-	.05	.02	-	-	.20	.71	1.00	.06	.57	.47	.43	28
29	-	.11	.06	-	-	.06	.72	.01	.54	.25	.13	.28	29
30	.05	-	.39	-	.05	.06	.04	.02	.01	.07	1.20	-	30
31	-	-	.30	-	.82	-	1.51	.39	-	.03	-	.07	31
Total	6.60	2.33	7.50	1.47	4.04	6.35	4.79	7.93	2.95	6.21	4.73	7.91	62.81
Rain Days.	19	19	27	7	13	28	16	27	10	13	20	26	220

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

Kept at WALSDEN.

in the County of LANCASHIRE.

by Eric William Cockcroft.

Lat. 53° 41' 30" Long. 2° 6' W.

Time of Observation 8 a.m.

Nearest Railway Station WALSDEN.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1/2 in.

Sea Level 550 (app) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07"	0.09"	0.56"	0.12"	-	0.12"	-	-	0.06"	-	0.05"	-	1
2	0.01"	0.35"	0.77"	0.04"	-	0.04"	-	-	-	-	0.43"	0.21"	2
3	0.06"	0.33"	0.30"	-	0.76"	-	-	-	-	0.17"	0.12"	0.75"	3
4	0.83"	0.15"	0.05"	-	-	-	0.09"	-	-	0.04"	0.28"	0.80"	4
5	0.23"	0.14"	0.19"	-	0.03"	0.20"	0.09"	-	-	0.08"	-	-	5
6	0.19"	0.36"	0.28"	-	0.72"	0.31"	0.18"	-	0.09"	-	0.01"	-	6
7	-	0.46"	0.06"	-	0.50"	0.21"	-	-	-	0.25"	-	0.08"	7
8	-	0.45"	0.07"	-	0.07"	-	-	0.08"	-	0.11"	0.15"	0.01"	8
9	-	0.25"	-	0.02"	0.10"	1.21"	-	0.41"	-	-	0.09"	-	9
10	0.07"	0.02"	0.68"	0.11"	0.05"	0.01"	0.10"	-	-	-	0.15"	0.10"	10
11	0.27"	0.01"	-	0.47"	0.07"	0.15"	-	-	-	0.05"	0.15"	0.15"	11
12	0.02"	-	-	-	-	-	-	-	-	-	0.23"	-	12
13	-	-	-	0.11"	-	-	-	0.08"	-	-	0.27"	-	13
14	-	-	0.88"	0.42"	-	-	-	-	-	0.21"	0.17"	-	14
15	0.21"	0.02"	0.37"	0.91"	-	-	0.01"	0.28"	0.02"	0.05"	0.80"	-	15
16	0.01"	-	0.48"	0.03"	-	-	-	-	-	-	0.40"	0.23"	16
17	-	0.02"	-	0.25"	0.15"	0.56"	0.12"	-	0.34"	-	0.20"	-	17
18	0.19"	-	0.41"	0.59"	0.20"	0.05"	0.06"	-	-	-	0.55"	-	18
19	0.10"	-	0.02"	0.12"	0.15"	-	-	-	0.05"	0.17"	0.46"	-	19
20	0.27"	-	0.16"	0.04"	-	-	-	-	0.07"	0.22"	1.35"	-	20
21	0.03"	0.01"	0.23"	-	-	-	0.16"	0.22"	-	-	0.10"	-	21
22	0.50"	-	0.76"	-	-	-	-	0.60"	0.16"	-	0.04"	-	22
23	0.31"	-	0.04"	0.01"	0.50"	0.42"	-	0.50"	0.16"	-	0.20"	0.17"	23
24	0.73"	0.11"	-	0.26"	0.03"	0.37"	-	-	-	-	0.05"	0.07"	24
25	-	-	-	0.10"	-	-	-	-	0.34"	0.05"	0.10"	0.22"	25
26	-	0.05"	-	0.76"	-	-	-	-	0.14"	-	-	0.97"	26
27	-	-	0.10"	0.08"	0.04"	-	-	-	-	0.26"	-	0.22"	27
28	0.31"	-	0.23"	0.60"	0.20"	-	-	0.21"	-	0.05"	0.01"	-	28
29	0.01"	-	0.32"	0.67"	0.32"	-	-	-	-	0.01"	0.11"	0.03"	29
30	0.90"	-	0.01"	-	0.01"	-	-	-	-	0.22"	0.15"	-	30
31	0.13"	-	0.08"	-	0.08"	-	-	-	-	-	-	-	31
Total	5.45"	2.82"	7.05"	5.71"	3.98"	3.65"	0.81"	2.38"	1.43"	1.94"	6.62"	4.01"	YEARS TOTAL 45.85
Rain Days.	22	16	23	20	18	12	8	8	10	15	26	14	192.

REGISTER OF RAINFALL IN 1914.

Kept at WALSDEAN.

in the County of LANCASHIRE Jorks W.R. 8

by Eric William Cockcroft.

Lat. 53° 41' 30" Long. 2° 6'.

Time of Observation 8 a.m.

Nearest Railway Station Walsden.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1/2 in.

" " " " Sea Level 550 (app) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.01"	-	-	0.02"	0.50"	0.25"	-	-	0.04"	0.32"	1
2	0.01"	-	-	-	-	-	0.25"	0.60"	-	-	0.17"	0.02"	2
3	0.20"	-	0.10"	-	0.87"	-	-	0.65"	-	0.15"	0.03"	0.82"	3
4	0.83"	-	0.45"	-	0.21"	-	-	0.01"	-	-	0.13"	0.25"	4
5	-	-	0.55"	0.38"	0.012	0.26"	-	0.01"	-	-	0.31"	0.55"	5
6	-	-	-	0.30"	0.26"	-	-	0.47"	-	-	0.20"	0.03"	6
7	0.12"	0.01"	0.23"	-	0.29"	-	-	0.02"	-	-	0.02"	0.22"	7
8	1.07"	0.02"	0.05"	-	-	0.26"	-	0.72"	0.07"	-	0.04"	0.07"	8
9	-	0.23"	-	-	0.03"	0.78"	-	0.37"	0.04"	-	0.27"	0.01"	9
10	0.05"	0.07"	-	0.23"	0.06"	-	-	-	0.09"	-	0.12"	0.01"	10
11	-	0.37"	0.64"	0.05"	-	0.01"	-	-	0.38"	-	1.71"	0.35"	11
12	-	0.20"	0.09"	-	0.18"	-	-	-	0.88"	0.02"	0.66"	0.47"	12
13	-	0.14"	-	-	-	-	-	-	0.25"	-	0.62"	0.15"	13
14	0.03"	0.90"	0.44"	-	-	-	-	-	0.40"	-	0.37"	0.30"	14
15	-	0.10"	0.43"	-	-	-	0.43"	-	0.22"	0.01"	0.17"	0.59"	15
16	-	0.02"	0.09"	-	-	-	0.32"	-	0.90"	-	-	0.02"	16
17	0.05"	1.25"	0.09"	-	-	-	0.66"	-	0.85"	-	-	1.61"	17
18	-	0.18"	0.11"	-	-	0.29"	-	-	0.03"	-	0.02"	0.18"	18
19	-	-	0.04"	-	-	-	0.08"	-	0.06"	-	0.03"	0.28"	19
20	0.01"	0.26"	0.11"	-	-	-	-	-	0.01"	0.02"	0.03"	0.01"	20
21	-	0.33"	0.01"	-	-	0.09"	-	0.21"	0.00"	0.06"	0.01"	0.01"	21
22	-	-	0.05"	0.02"	0.05"	0.50"	-	-	-	-	-	0.03"	22
23	-	0.66"	0.16"	0.17"	0.16"	-	0.08"	-	-	0.01"	0.02"	0.05"	23
24	0.15"	-	0.80"	0.11"	0.43"	-	0.80"	0.72"	-	0.05"	0.20"	0.03"	24
25	0.15"	0.01"	-	-	-	-	0.52"	0.52"	-	1.18"	0.21"	0.16"	25
26	0.04"	0.26"	0.012	-	-	-	0.02"	0.03"	-	0.45"	0.39"	0.35"	26
27	0.08"	-	-	-	-	-	-	-	-	0.59"	0.48"	1.27"	27
28	0.07"	-	-	-	-	-	0.04"	-	-	0.05"	0.48"	-	28
29	0.23"	0.10"	0.33"	-	-	-	-	-	-	0.14"	0.29"	0.07"	29
30	-	-	0.86"	-	-	-	-	0.09"	0.05"	0.26"	0.32"	0.24"	30
31	0.96"	-	0.37"	-	-	-	0.70"	-	-	0.11"	-	0.04"	31
Total	4.05	5.01	5.92	1.26	2.55	2.21	4.402	4.07	4.23	3.10	8.34	7.92	52.08
Rain Days.	16.	17.	22.	7	11.	8.	12	14	14	14	27	30	192

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915.

Kept at WALSDEN.

in the County of LANCASHIRE.

by J.P.Cockcroft.

Lat. 53° 41' 30" Long. 2° 6'.

Time of Observation 8 a.m.

Nearest Railway Station Walsden.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 1/2 in.

Sea Level 550 (app). ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00"

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17"	0.96"	0.02"	—	0.28"	—	~~0.07"~~	0.32"	0.09"	0.01"	—	—	1
2	0.07"	0.21"	0.46"	0.44"	—	0.04"	0.65"	0.56"	—	0.06"	—	0.62"	2
3	~~0.61"~~	0.48"	0.23"	0.34"	—	—	0.16"	0.03"	—	0.03"	—	0.68"	3
4	0.02"	0.22"	0.01"	0.01"	—	—	0.50"	0.04"	—	—	0.02"	1.05"	4
5	0.32"	0.02"	0.22"	0.01"	—	—	—	0.04"	—	0.01"	—	0.68"	5
6	0.49"	0.27"	0.03"	0.51"	—	0.03"	0.65"	0.03"	—	—	0.01"	0.87"	6
7	0.61"	0.75"	—	0.15"	—	—	0.35"	0.31"	—	—	0.01"	0.34"	7
8	0.64"	0.11"	—	0.28"	1.71"	—	—	0.40"	—	—	0.57"	—	8
9	0.19"	0.04"	—	0.01"	—	—	0.07"	—	—	—	0.47"	0.85"	9
10	0.94"	0.01"	0.08"	—	—	—	0.13"	1.13"	—	0.01"	—	0.03"	10
11	0.19"	0.00"	0.03"	—	1.05"	—	0.24"	0.30"	—	—	0.33"	0.06"	11
12	0.32"	0.15"	—	0.15"	0.14"	—	0.12"	0.29"	—	0.58"	—	—	12
13	0.21"	0.86"	—	—	—	—	0.23"	0.13"	0.01"	0.01"	—	0.34"	13
14	0.22"	—	—	—	—	—	0.27"	0.60"	0.02"	—	—	0.01"	14
15	1.76"	0.05"	—	—	—	—	0.56"	0.03"	—	—	0.73"	0.14"	15
16	—	0.66"	—	0.08"	0.19"	—	0.17"	0.50"	0.21"	—	—	0.11"	16
17	—	0.96"	0.02"	—	—	—	0.31"	0.01"	—	—	0.55"	0.06"	17
18	0.01"	0.32"	0.15"	—	—	—	0.15"	0.00"	0.01"	0.03"	—	0.06"	18
19	0.03"	0.30"	0.32"	0.02"	0.18"	—	0.41"	—	—	—	—	—	19
20	0.58"	0.02"	—	0.01"	—	—	0.24"	0.01"	—	0.01"	—	0.31"	20
21	0.13"	0.02"	—	0.01"	—	—	0.05"	0.03"	—	—	—	0.03"	21
22	0.03"	0.03"	0.07"	—	—	—	0.08"	—	—	—	—	0.02"	22
23	0.01"	0.03"	0.08"	0.01"	—	—	0.03"	—	0.31"	0.01"	—	0.23"	23
24	—	—	0.17"	0.01"	—	—	0.01"	0.06"	0.04"	0.53"	—	0.66"	24
25	0.01"	—	—	—	—	0.01"	—	—	0.06"	0.07"	—	0.15"	25
26	0.04"	1.26"	—	—	—	0.04"	0.56"	0.01"	—	—	—	0.68"	26
27	—	0.26"	—	—	—	0.37"	0.01"	—	—	1.39"	—	0.37"	27
28	—	0.33"	—	—	—	0.11"	0.02"	0.03"	—	—	—	0.02"	28
29	0.01"	X	—	—	0.06"	0.30"	0.10"	0.18"	—	—	0.01"	0.01"	29
30	0.35"	X	—	0.11"	—	0.13"	0.01"	0.42"	—	—	—	0.42"	30
31	0.01"	X	—	X	—	X	0.03"	0.48"	X	0.28"	X	0.55"	31
Total	7.97	8.31"	1.89"	2.15"	3.61"	1.03"	6.11"	5.94	0.75	3.03"	2.71"	9.35"	YEAR'S TOTAL 52.85"
Rain Days.	26	25	14	16	7	8	28	25	8	14	9	27	185

REGISTER OF RAINFALL IN 1916

Kept at Birks House, Walsden.

in the County of Yorkshire.

by James Philip Cockcroft.

Lat. 53.41330 Long. 2.6.

Time of Observation 8 a.m.

Nearest Railway Station Walsden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1/2 in.

" " " " Sea Level 550 (app) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.00"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.82"	0.14"	0.21"	-	-	0.47	0.56"	-	-	-	0.27	0.01	1
2	0.23"	0.38"	0.01"	-	-	0.70	0.01	-	0.21	0.08	0.04	-	2
3	0.02"	0.22"	0.10"	0.01"	-	0.12	0.13	-	0.71	0.27	0.16	-	3
4	0.15"	0.38"	-	0.01"	0.44"	0.64	-	-	0.05	0.94	0.05	-	4
5	0.29"	0.66"	-	-	0.62	0.52	0.16	-	0.05	1.71	0.55	-	5
6	0.43"	0.64"	0.07"	-	0.13	0.45	0.07	-	-	0.25	0.46	0.05	6
7	0.17"	0.20"	0.03"	-	0.56	0.13	0.02	-	-	0.28	0.07	0.27	7
8	0.01"	0.20"	0.12"	-	-	0.01	0.15	-	-	0.07	0.37	0.30	8
9	0.07"	0.01"	0.15"	-	0.18	-	0.04	-	0.01	-	0.25	0.01	9
10	0.02"	0.60"	0.09"	0.01	-	-	0.15	-	-	0.46	0.04	0.01	10
11	0.01"	0.49"	0.18"	0.82	0.01	-	0.04	-	0.14	0.01	0.04	0.16	11
12	0.07"	0.40"	0.42"	0.27	0.31	0.01	0.71	0.07	0.01	0.22	0.01	-	12
13	0.08"	0.31"	-	-	-	-	0.06	0.45	0.04	1.20	0.01	0.08	13
14	0.07"	0.87"	0.01"	0.48	0.43	-	-	0.25	0.07	1.31	0.01	0.01	14
15	0.02"	0.78"	0.21"	0.26	-	-	0.12	0.22	0.11	0.04	-	0.01	15
16	0.01"	0.26"	0.66"	0.43	-	-	0.13	0.84	0.02	0.05	-	-	16
17	0.25"	0.27"	0.23"	0.76	-	-	-	0.54	0.63	0.19	-	0.02	17
18	0.00"	0.63"	0.01"	0.11	-	-	-	0.22	0.49	0.18	0.10	0.27	18
19	0.38"	0.15"	0.22"	0.28	-	-	-	0.22	0.06	-	0.30	0.15	19
20	0.82"	-	0.21"	0.20	-	-	-	0.04	0.01	-	0.13	-	20
21	0.30"	-	0.02"	-	-	-	-	-	-	-	0.01	0.01	21
22	-	0.03"	-	0.01	-	0.10	-	-	-	0.18	-	0.05	22
23	0.06"	0.02"	0.02"	0.24	-	0.18	-	0.05	0.01	0.04	0.46	0.06	23
24	-	0.33"	0.11"	-	-	0.05	-	0.10	-	-	-	0.14	24
25	0.24"	0.08"	0.40"	-	0.14	0.04	0.02	0.27	-	0.05	0.36	-	25
26	0.15"	0.15"	0.14"	-	-	-	-	-	-	0.06	0.10	0.04	26
27	-	-	0.06"	-	-	0.01	-	0.18	0.03	0.15	-	0.72	27
28	0.03"	0.25"	-	-	0.01	0.12	0.12	0.01	-	1.53	0.21	0.69	28
29	0.02"	0.16"	-	-	-	0.05	-	-	-	0.39	0.02	0.14	29
30	0.01"	~~0.16"~~	-	-	-	~~0.21~~	-	-	-	1.01	0.04	0.42	30
31	0.00"	~~0.16"~~	-	~~0.16"~~	0.07	~~0.16"~~	0.11	0.11	~~0.16"~~	0.16	~~0.16"~~	-	31
Total	5.33"	8.41"	3.68"	3.89"	2.90"	3.60	2.59"	3.57	2.65"	10.83	4.06	3.62"	55.03
Rain Days.	24	26	23.	14.	11	17	17	15	17.	25.	24	22	237

REGISTER OF RAINFALL IN 1917

Kept at Birko House, Wiloden
in the County of Yorkshire
by James Philip Lockcroft

Lat. 53°41'33" Long. 2°6'10"
Time of Observation 8 a.m.
Nearest Railway Station Wiloden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0.2 in.
" " " " Sea Level 550 (alt) ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13"	—	.03"	.32"	—	.32"	—	.05"	.97"	—	.05"	—	1
2	.62"	—	—	.21"	—	.11"	—	.04"	.01"	—	.22"	.08"	2
3	—	.22"	—	—	—	.40"	—	—	—	.80"	—	.29"	3
4	.16"	—	.05"	—	—	.01"	—	.01"	—	—	—	.26"	4
5	.35"	—	.05"	.18"	—	—	—	.08"	—	—	.28"	.18"	5
6	.03"	—	—	—	—	.09"	—	~~.01"~~	.02"	.63"	.24"	.28"	6
7	.25"	—	.01"	.04"	—	.07"	—	.01"	.01"	1.12"	.25"	.34"	7
8	.88"	—	—	.34"	—	—	—	.45"	—	1.41"	.58"	—	8
9	—	—	.18"	.08"	—	—	—	.38"	.02"	.21"	—	.16"	9
10	.57"	—	1.72"	.27"	.31"	—	—	.07"	.01"	.03"	.08"	.27"	10
11	.14"	.06"	.04"	.10"	.03"	—	—	.06"	—	.62"	.01"	.01"	11
12	.13"	—	.01"	.01"	.29"	—	—	.06"	.02"	.32"	.02"	—	12
13	—	—	.01"	.36"	.16"	—	—	.06"	.70"	.10"	.02"	—	13
14	.09"	.01"	—	.21"	.01"	—	—	.32"	.01"	—	.02"	.21"	14
15	.05"	—	.01"	.04"	.03"	—	.38"	.35"	—	.19"	—	.21"	15
16	.02"	.09"	.02"	.50"	—	—	.16"	0.16"	.02"	.02"	.01"	.51"	16
17	—	.04"	.02"	.27"	.38"	—	.41"	1.40"	.09"	—	—	.32"	17
18	.06"	.01"	.03"	.07"	.06"	—	1.49"	.38"	.02"	—	.03"	.01"	18
19	.06"	.05"	.40"	—	.22"	.10"	.33"	.04"	—	.19"	—	—	19
20	.06"	.66"	.13"	—	.10"	.41"	—	.10"	.01"	—	.08"	—	20
21	—	.03"	.08"	—	.09"	.02"	—	.12"	.04"	.02"	.12"	.01"	21
22	.01"	.11"	.04"	—	.01"	.01"	—	~~.12"~~	.01"	.36"	.10"	.03"	22
23	.01"	.01"	.01"	—	.25"	.16"	—	.42"	.03"	.20"	.17"	.06"	23
24	—	.12"	—	—	—	.06"	—	.34"	—	1.09"	.18"	.08"	24
25	—	—	.10"	—	—	.01"	—	.20"	.02"	.52"	.91"	.12"	25
26	—	—	.08"	—	.03"	.04"	.01"	.52"	.42"	.25"	1.28"	.16"	26
27	—	—	.03"	—	.10"	.17"	.28"	.65"	—	.17"	.21"	—	27
28	—	.02"	.53"	—	—	.02"	—	.33"	—	—	.09"	.04"	28
29	.01"	X	.18"	—	.41"	.01"	.06"	.24"	.01"	.21"	.01"	.24"	29
30	.06"	X	.02"	—	—	.01"	—	.16"	.01"	.14"	—	—	30
31	.01"	X	.32"	X	.09"	X	—	.21"	X	.43"	X	.03"	31
Total	3.70	2.43	4.10	3.00	2.57	2.02	3.12	6.92	2.45	9.08	4.96	3.90	YEAR'S TOTAL 48.25
Rain Days.	21	13	25	15	17	18	8	28	20	22	23	23	233

REGISTER OF RAINFALL IN 1918

Kept at Walston, Birks House
in the County of Lancashire WR
by P. J. Walston

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
1.31

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	0.01												
1	—	0.27	0.01	0.07	—	—	0.2		0.25	0.2	0.01	0.08	1
2	—	0.3	—	0.05	—	—			0.01	0.11	0.04	0.40	2
3	0.02	0.04	0.02	—	—	—			0.55	0.67	0.18	—	3
4	0.01	0.02	0.02	—	0.63	—			0.8	0.66	1.15	0.64	4
5	0.01	0.02	—	0.11	0.16	—			0.38	0.48	0.22	0.31	5
6	0.05	1.01	0.01	0.38	—	—			0.62	0.45	—	0.06	6
7	0.06	0.36	—	0.42	—	0.3			0.08	0.23	—	0.91	7
8	0.44	0.31	0.05	—	—	—			0.15	0.65	0.05	0.08	8
9	0.04	1.29	—	0.06	—	—			0.27	—	0.31	0.09	9
10	0.33	0.48	0.01	0.01	—	0.25			0.06	—	0.30	—	10
11	0.01	0.2	0.05	0.15	0.07	0.23			1.21	—	—	—	11
12	0.14	0.43	—	0.03	—	0.02			0.93	0.28	—	—	12
13	0.77	0.02	0.01	—	—	—			0.27	0.24	0.01	0.01	13
14	0.16	—	0.05	—	—	—			0.15	—	0.01	0.32	14
15	0.02	—	—	—	—	—			0.02	0.1	—	0.11	15
16	0.4	—	—	—	—	0.01			0.41	—	—	0.47	16
17	0.41	—	—	—	0.3	—			0.1	—	—	1.12	17
18	0.26	—	0.78	—	—	0.05			0.06	—	—	0.68	18
19	0.13	0.09	—	0.04	—	—			0.09	0.09	—	0.28	19
20	0.21	0.57	—	0.16	—	0.34			1.23	—	—	0.88	20
21	0.17	0.82	—	—	0.35	—			1.04	0.43	—	1.2	21
22	0.15	0.06	—	—	0.67	—			0.63	—	0.03	0.09	22
23	0.02	0.01	—	—	0.18	—			0.20	—	0.04	0.32	23
24	0.01	0.07	—	—	—	—			0.38	—	0.34	0.64	24
25	—	—	—	—	—	0.01			0.49	0.01	0.37	0.04	25
26	—	—	—	—	—	—			0.6	—	0.94	0.45	26
27	—	0.22	0.41	—	—	—			1.93	0.06	0.05	0.21	27
28	—	0.03	0.46	—	—	—			0.01	—	—	0.08	28
29	—	—	0.04	—	—	—			—	—	—	0.04	29
30	—	X	0.44	—	—	—			—	—	—	0.03	30
31	—	X	0.03	X	—	X			X	—	X	—	31
Total	3.83	6.92	7.87	1.48	2.36	0.98	11.21	12.42	24.66	4.15	4.85	62.25	
Rain Days.	23	21	15	11	7	8		28	15	16	26		

I regret to say that I was unable to measure the
rainfall daily during July and August.

I F. Walrden

Birch House

Walrden

REGISTER OF RAINFALL IN 1919.

Kept at Walsden
in the County of Yorkshire
by L. Bockcroft

Lat. 53° 41' 30" Long. 2° 6' West
Time of Observation 8 a.m.
Nearest Railway Station Walsden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1' ft. 2 in.
Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.14	no available records for this month	24	00	74	00	27	12	11	47	02	25	1
2	07		16	00	52	00	19	03	05	00	05	10	2
3	(37)		224	00	09	07	38	00	02	01	26	34	3
4	27		07	00	04	00	15	22	05	01	06	39	4
5	62		00	01	00	00	00	00	00	00	03	63	5
6	27		31	02	75	00	00	00	01	00	06	14	6
7	08		61	18	09	00	00	00	06	00	14	00	7
8	16		37	02	01	00	01	00	01	00	06	00	8
9	35		12	02	00	00	00	00	00	00	02	00	9
10	03		120	15	22	00	00	00	00	00	01	38	10
11	04	Daily Records for this month	31	12	09	00	03	00	04	00	00	03	11
12	63		62	15	02	00	09	00	06	00	31	07	12
13	49		19	15	00	00	15	05	00	01	01	48	13
14	56		115	49	00	00	00	00	00	00	02	00	14
15	11		46	12	00	00	00	22	00	04	00	41	15
16	00		65	00	00	01	00	00	00	00	00	00	16
17	00		14	06	00	00	00	34	00	00	92	83	17
18	10		23	00	00	00	00	04	37	00	14	81	18
19	30		00	00	00	22	60	25	07	15	00	16	(05)
20	03		00	00	00	22	03	00	25	00	00	53	20
21	00	no available records for this month	15	00	00	24	17	44	00	00	31	59	21
22	00		00	00	00	19	00	02	17	40	00	25	22
23	00		15	00	00	31	00	02	02	00	40	12	23
24	77		00	25	00	14	00	71	01	46	31	34	24
25	00		19	30	19	01	00	00	71	41	00	85	25
26	03		105	06	00	01	03	80	80	00	00	11	26
27	00		00	06	00	00	00	07	01	48	00	03	27
28	09		00	04	00	01	00	71	01	03	27	43	28
29	09		00	05	00	00	00	20	20	00	65	01	29
30	31		00	09	00	09	00	25	25	00	68	19	30
31	00		05	00	00	28	18	18	15	00	00	00	31
TOTAL	6.81	2.23	10.66	234	2.76	1.57	2.38	5.05	2.41	3.31	4.75	9.96	54.23
Days with .01 in. or more	23	(11)	22	19	11	12	13	19	16	11	26	24	(207)

WAKEFIELD
STANLEY GRANGE
YORKSHIRE

Kept at 8/10
in the County of W
by H S / m

1911

FORM A2.
BRITISH RAINFALL
19 JAN 1912
5 in.
Ground 1 ft. in.
Sea Level 240 ft.
Name Walsgate Wakefield
Distance 1 1/2 miles Direction SW.
the result entered to the

IMPORTANT
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.18	-	-	-	.01	-	-	-	-	-	.05	.03	2
3	-	-	-	.01	.13	-	-	-	-	.01	.06	-	3
4	-	-	.06	.06	-	.02	-	.03	.07	.08	.12	.06	4
5	-	-	.02	.05	-	-	-	.19	-	.17	.16	-	5
6	.07	-	.06	.04	-	-	-	.10	-	.11	.31	.21	6
7	.01	-	-	-	-	-	-	-	-	-	.02	-	7
8	.04	-	.07	-	-	-	-	-	.01	-	-	.21	8
9	-	-	-	.01	-	.04	-	-	-	-	-	-	9
10	-	.04	-	-	-	-	-	-	-	-	-	.35	10
11	.11	-	-	-	-	-	-	.01	.03	-	.37	.14	11
12	.05	-	.03	-	.05	-	-	-	.65	-	.14	.01	12
13	-	-	.06	-	-	.01	-	-	.01	-	.01	.40	13
14	-	.03	.01	-	.13	-	-	-	-	-	-	.48	14
15	-	.02	.10	.05	-	-	-	-	-	.07	-	.16	15
16	-	.08	.05	.02	-	.06	.03	-	-	.04	.05	.04	16
17	-	-	.05	-	-	.12	-	-	-	-	.15	.09	17
18	-	.17	.04	.03	-	.33	-	-	-	.01	.17	.04	18
19	-	-	.03	-	-	.31	.01	-	.19	.15	.46	.02	19
20	-	.02	-	.06	-	-	.03	.55	.17	-	-	.17	20
21	-	.21	.02	-	-	-	-	.27	-	.15	.01	.03	21
22	.02	.08	-	-	-	-	-	.04	-	.10	.03	.01	22
23	-	.20	.01	-	-	.41	-	.03	.14	.02	-	.14	23
24	.03	.11	.03	-	-	1.84	-	.02	-	.09	-	.13	24
25	.02	.21	-	.04	-	.10	.04	-	.67	.10	-	.16	25
26	-	.01	-	.06	.05	-	-	-	-	.38	.26	.32	26
27	-	.08	.06	.16	-	-	-	.36	.15	-	.02	.01	27
28	-	.04	.04	.10	-	.02	-	.05	.04	-	.04	.12	28
29	-	X	.01	.05	-	.06	.06	-	.24	.08	.01	.03	29
30	-	X	-	-	.08	.27	-	-	-	.18	-	-	30
31	-	X	.04	X	.08	X	-	-	X	.12	X	-	31
Total	53	1.30	.84	.74	.53	.59	.20	1.69	2.37	1.86	2.46	3.36	TOTAL for year 19.47
No. of Rain Days	9	14	20	14	7	13	6	12	12	17	20	24	168

Kept at *Stamley Grange h^r Wakefield*
in the County of *WR York 8*
by *H Stanley Hawthorth*

Pattern *Symons Standard*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *-* in.
" " " Sea Level *240* ft.
Time of Observation *8 AM*
Nearest Railway Station { Name *Wakefield*
Distance *1 1/2* miles Direction *SW*.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.05	—	—	—	.03	.04	—	—	.02	—	1
2	.18	—	—	—	.01	—	—	—	—	—	.05	.03	2
3	—	—	—	.01	.13	—	—	—	—	.01	.06	—	3
4	—	—	.06	.06	—	.02	—	.03	.07	.08	.12	.06	4
5	—	—	.02	.05	—	—	—	.19	—	.17	.16	—	5
6	.07	—	.06	.04	—	—	—	.10	—	.11	.31	.21	6
7	.01	—	—	—	—	—	—	—	—	—	.02	—	7
8	.04	—	.07	—	—	—	—	—	.01	—	—	.31	8
9	—	—	—	.01	—	.04	—	—	—	—	—	—	9
10	—	.04	—	—	—	—	—	—	—	—	—	.35	10
11	.11	—	—	—	—	—	—	.01	.03	—	.37	.14	11
12	.05	—	.03	—	.05	—	—	—	.65	—	.14	.01	12
13	—	—	.06	—	—	.01	—	—	.01	—	.01	.40	13
14	—	.03	.01	—	.13	—	—	—	—	—	—	.48	14
15	—	.02	.10	.05	—	—	—	—	—	.07	—	.16	15
16	—	.08	.05	.02	—	.06	.03	—	—	.04	.05	.04	16
17	—	—	.05	—	—	.12	—	—	—	—	.15	.09	17
18	—	.17	.04	.03	—	.33	—	—	—	.01	.17	.04	18
19	—	—	.03	—	—	.31	.01	—	.19	.15	.46	.02	19
20	—	.02	—	.06	—	—	.03	.55	.17	—	—	.17	20
21	—	.21	.02	—	—	—	—	.27	—	.15	.01	.03	21
22	.02	.08	—	—	—	—	—	.04	—	.10	.03	.01	22
23	—	.20	.01	—	—	.41	—	.03	.14	.02	—	.14	23
24	.03	.11	.03	—	—	1.84	—	.02	—	.09	—	.13	24
25	.02	.21	—	.04	—	.10	.04	—	.67	.10	—	.16	25
26	—	.01	—	.06	.05	—	—	—	—	.38	.26	.32	26
27	—	.08	.06	.16	—	—	—	.36	.15	—	.02	.01	27
28	—	.04	.04	.10	—	.02	—	.05	.04	—	.04	.12	28
29	—	~~X~~	.01	.05	—	.06	.06	—	.24	.08	.01	.03	29
30	—	~~X~~	—	—	.08	.27	—	—	—	.18	—	—	30
31	—	~~X~~	.04	~~X~~	.08	~~X~~	—	—	~~X~~	.12	~~X~~	—	31
Total	.53	1.30	.84	.74	.53	.59	.20	1.69	2.37	1.86	2.46	3.36	TOTAL for year 1911 1947
No. of Rain Days	9	14	20	14	7	13	6	12	12	17	20	24	168

REGI

Kept at

Wakefield

in the County of

York

by

H. Madam Wils

WAKEFIELD S.W.

IMPORTANT NOT previous day. If an Ob requested to add the reac for it at the end of thi the selection and placing Organization are given in Dr. H. R. MILL, 62, Car

1913 - 1920

10 30' W.

a.m.

Wakefield (Westgate)





8 in.

e Ground 1 ft. 0 in.

Sea Level 174 ft.

the result entered to the versal rule, he is earnestly ar in the space provided ment of rain, ritish Rainfall application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.04	0.13	0.04	—	—	—	0.01	—	0.02	—	1
2	—	0.03	0.05	0.01	—	—	—	—	—	—	0.07	0.01	2
3	0.04	0.02	0.12	—	0.32	—	0.06	—	—	0.56	—	0.64	3
4	0.45	0.03	0.01	—	0.01	—	0.04	—	0.07	0.01	0.11	0.17	4
5	0.02	0.01	0.12	—	—	0.08	0.04	—	0.06	0.26	—	—	5
6	—	0.04	0.07	0.01	0.54	0.01	0.45	—	—	0.34	0.01	—	6
7	—	0.16	—	—	0.06	0.13	—	—	—	0.57	0.01	—	7
8	—	0.01	—	—	0.80	—	—	0.03	—	0.16	0.07	—	8
9	—	0.14	0.02	0.02	0.20	0.05	0.01	—	—	—	0.12	0.01	9
10	0.03	0.03	—	0.07	0.02	—	0.05	—	—	0.04	0.17	—	10
11	0.85	0.01	—	0.43	0.01	—	—	—	—	0.02	0.06	—	11
12	—	0.01	—	—	—	0.02	—	0.02	—	0.01	0.18	—	12
13	0.05	—	0.04	0.02	—	—	—	0.01	0.17	—	0.05	—	13
14	0.03	0.03	0.10	0.02	—	—	—	—	—	0.06	0.12	—	14
15	0.07	0.02	0.19	0.47	—	—	—	—	0.02	—	0.31	—	15
16	—	—	0.13	0.06	—	—	—	0.18	0.01	—	0.08	—	16
17	0.04	0.02	0.07	0.10	—	0.10	0.01	—	0.96	—	0.02	—	17
18	0.03	—	0.18	0.09	—	—	0.05	—	—	—	0.08	0.01	18
19	0.09	—	0.11	0.13	—	—	—	—	0.01	—	—	—	19
20	0.13	—	0.05	0.10	—	—	—	—	0.04	0.07	0.04	—	20
21	0.02	0.01	0.01	—	0.11	—	0.19	0.12	—	—	0.05	—	21
22	0.12	—	0.41	—	—	—	—	0.41	0.11	—	—	—	22
23	0.06	—	0.01	—	0.04	0.13	—	0.12	0.15	0.04	0.02	—	23
24	0.15	—	—	0.01	—	0.04	—	0.05	—	—	—	—	24
25	—	—	—	0.01	—	—	—	—	0.09	—	0.01	0.08	25
26	—	—	0.14	0.08	—	—	—	—	—	0.13	—	0.25	26
27	—	—	0.01	0.16	—	0.04	—	—	—	—	—	0.07	27
28	0.28	—	0.16	0.30	—	—	—	—	0.01	—	—	0.10	28
29	0.01		0.34	0.39	0.02	—	—	0.36	—	—	0.01	0.11	29
30	0.27		—	—	—	—	—	—	—	0.61	0.02	0.01	30
31	0.02		0.04		0.03		0.01	—		—		—	31
Total	2.76	0.57	2.42	2.61	2.20	0.60	0.91	1.30	1.71	2.88	1.63	1.46	YEAR'S TOTAL 21.05
Rain Days.	20	15	23	20	13	9	10	9	13	14	22	11	179

REGI

Kept at

Wakefield

in the County of

York (West Riding)

by H. Maclean Wilson Esq., B.Sc.

Lat. 53° 41' N. Long. 1° 30' W.

Time of Observation 9.0 a.m.

Nearest Railway Station Wakefield (Westgate)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 174 ft.

FORM A.
BRITISH RAINFALL
3-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.04	0.13	0.04	—	—	—	0.01	—	0.02	—	1
2	—	0.03	0.05	0.01	—	—	—	—	—	—	0.07	0.01	2
3	0.04	0.02	0.12	—	0.32	—	0.06	—	—	0.56	—	0.64	3
4	0.45	0.03	0.01	—	0.01	—	0.04	—	0.07	0.01	0.11	0.17	4
5	0.02	0.01	0.12	—	—	0.08	0.04	—	0.06	0.26	—	—	5
6	—	0.04	0.07	0.01	0.54	0.01	0.45	—	—	0.34	0.01	—	6
7	—	0.16	—	—	0.06	0.13	—	—	—	0.57	0.01	—	7
8	—	0.01	—	—	0.80	—	—	0.03	—	0.16	0.07	—	8
9	—	0.14	0.02	0.02	0.20	0.05	0.01	—	—	—	0.12	0.01	9
10	0.03	0.03	—	0.07	0.02	—	0.05	—	—	0.04	0.17	—	10
11	0.85	0.01	—	0.43	0.01	—	—	—	—	0.02	0.06	—	11
12	—	0.01	—	—	—	0.02	—	0.02	—	0.01	0.18	—	12
13	0.05	—	0.04	0.02	—	—	—	0.01	0.17	—	0.05	—	13
14	0.03	0.03	0.10	0.02	—	—	—	—	—	0.06	0.12	—	14
15	0.07	0.02	0.19	0.47	—	—	—	—	0.02	—	0.31	—	15
16	—	—	0.13	0.06	—	—	—	0.18	0.01	—	0.08	—	16
17	0.04	0.02	0.07	0.10	—	0.10	0.01	—	0.96	—	0.02	—	17
18	0.03	—	0.18	0.09	—	—	0.05	—	—	—	0.08	0.01	18
19	0.09	—	0.11	0.13	—	—	—	—	0.01	—	—	—	19
20	0.13	—	0.05	0.10	—	—	—	—	0.04	0.07	0.04	—	20
21	0.02	0.01	0.01	—	0.11	—	0.19	0.12	—	—	0.05	—	21
22	0.12	—	0.41	—	—	—	—	0.41	0.11	—	—	—	22
23	0.06	—	0.01	—	0.04	0.13	—	0.12	0.15	0.04	0.02	—	23
24	0.15	—	—	0.01	—	0.04	—	0.05	—	—	—	—	24
25	—	—	—	0.01	—	—	—	—	0.09	—	0.01	0.08	25
26	—	—	0.14	0.08	—	—	—	—	—	0.13	—	0.25	26
27	—	—	0.01	0.16	—	0.04	—	—	—	—	—	0.07	27
28	0.28	—	0.16	0.30	—	—	—	—	0.01	—	—	0.10	28
29	0.01		0.34	0.39	0.02	—	—	0.36	—	—	0.01	0.11	29
30	0.27		—	—	—	—	—	—	—	0.61	0.02	0.01	30
31	0.02		0.04		0.03		0.01	—		—		—	31
Total	2.76	0.57	2.42	2.61	2.20	0.60	0.91	1.30	1.71	2.88	1.63	1.46	YEAR'S TOTAL 21.05
Rain Days.	20	15	23	20	13	9	10	9	13	14	22	11	179

REGISTER OF RAINFALL IN 1914

Kept at Wakefield
 in the County of York (West Riding)
 by H. Maclean Wilson Esq. M.D., B.Sc.

Lat. 53°41' N. Long. 1°30' W.
 Time of Observation 9.0 a.m.
 Nearest Railway Station Wakefield (Westgate)
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 174 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	1.36	0.34	—	0.02	—	0.23	1
2	—	—	0.01	—	—	0.01	0.37	0.33	—	0.01	0.24	0.09	2
3	0.03	—	0.02	—	0.09	—	—	0.01	—	—	0.06	0.34	3
4	0.22	—	0.10	0.18	0.04	0.01	—	—	—	—	0.29	0.31	4
5	0.16	—	0.27	0.10	0.04	0.07	—	—	—	—	0.10	0.29	5
6	—	—	0.03	0.26	0.12	—	0.03	—	—	—	0.06	0.02	6
7	—	—	0.21	—	0.05	—	—	0.05	—	—	0.04	0.08	7
8	0.17	—	0.01	—	0.05	0.45	0.09	0.02	0.03	—	—	—	8
9	0.30	0.01	—	0.05	0.02	1.07	—	0.06	0.01	—	0.01	0.01	9
10	0.16	0.07	0.02	0.05	—	—	—	—	0.09	—	0.19	—	10
11	—	0.39	0.17	—	0.02	0.04	—	—	0.02	—	0.44	0.37	11
12	—	0.02	0.09	—	0.02	—	—	—	0.21	—	0.02	0.36	12
13	0.01	0.06	0.14	—	—	—	0.02	—	0.03	0.01	0.31	0.15	13
14	0.02	0.08	0.01	—	—	—	0.04	—	0.02	0.05	0.36	0.37	14
15	0.01	0.03	0.12	—	—	—	—	—	0.01	0.03	0.01	0.02	15
16	—	—	0.02	—	—	—	0.52	—	0.20	—	—	—	16
17	0.01	0.07	0.09	—	—	—	0.04	—	0.17	—	—	0.11	17
18	0.01	—	0.01	—	—	0.07	—	—	—	—	—	0.13	18
19	—	—	—	—	—	—	0.02	—	—	—	0.04	0.12	19
20	—	0.13	0.03	—	—	—	—	0.09	0.03	0.06	—	—	20
21	—	0.36	—	—	—	0.20	0.02	0.01	—	0.07	—	0.03	21
22	—	—	—	—	0.30	0.04	—	—	—	0.04	0.01	0.02	22
23	—	—	0.03	0.02	0.22	0.04	—	0.05	—	0.01	—	0.02	23
24	—	—	0.40	0.01	0.09	—	0.14	0.13	—	—	0.11	—	24
25	0.02	—	—	—	—	—	—	0.25	—	0.58	0.01	0.38	25
26	—	—	0.10	—	—	—	—	0.11	—	0.27	0.02	0.11	26
27	0.07	—	—	—	—	—	—	—	—	0.04	0.17	0.82	27
28	—	0.04	0.05	—	—	—	—	—	—	0.22	0.05	0.07	28
29	—	~~X~~	0.14	0.01	—	—	—	0.02	—	0.37	0.04	—	29
30	—	~~X~~	0.01	—	—	—	—	—	—	0.08	0.04	0.09	30
31	0.03	~~X~~	0.02	~~X~~	—	~~X~~	0.26	—	~~X~~	0.19	~~X~~	—	31
Total	1.22	1.26	2.10	0.68	1.06	2.00	2.91	1.47	0.82	2.05	2.62	4.54	YEAR'S TOTAL 22.73
Rain Days.	14	11	24	8	12	10	12	13	11	16	22	24	177

REGISTER OF RAINFALL IN 1915.

Kept at Wakefield
 in the County of York (West Riding)
 by H. Maclean Wilson Esq. M.D., B.Sc.

Lat. 53° 41' N. Long. 1° 30' W.
 Time of Observation 9.0 a.m.
 Nearest Railway Station Wakefield (Westgate) R.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.15	0.09	—	—	0.21	—	0.11	0.05	0.01	—	—	0.02	1
2	0.02	0.07	0.10	0.09	—	0.02	0.10	0.29	—	0.02	—	—	2
3	0.76	—	—	0.07	—	—	0.21	0.14	—	—	0.02	0.65	3
4	0.10	0.02	—	—	0.08	—	0.42	—	—	—	—	1.06	4
5	0.08	0.27	0.03	—	—	—	—	0.02	—	—	0.02	0.47	5
6	0.02	0.24	0.17	0.14	—	—	0.44	0.04	—	—	—	0.07	6
7	0.32	0.26	0.02	0.05	0.62	—	0.14	0.71	—	—	—	0.11	7
8	0.02	0.08	0.01	0.03	—	—	0.11	0.04	—	—	0.05	—	8
9	0.02	0.01	—	—	—	—	—	0.11	0.01	0.01	0.08	0.53	9
10	0.18	—	0.04	—	—	—	—	0.02	—	0.01	—	0.01	10
11	0.03	—	0.01	0.02	0.67	—	0.02	0.02	—	—	0.29	0.48	11
12	0.03	—	—	0.17	0.18	—	0.05	—	—	0.07	0.98	—	12
13	0.05	0.62	—	—	—	—	—	0.02	—	—	—	—	13
14	0.02	0.01	—	—	—	—	0.07	0.05	—	—	—	0.11	14
15	0.46	—	—	—	—	—	0.01	0.69	—	0.01	0.23	0.11	15
16	—	0.17	—	—	0.17	—	1.00	0.08	—	—	—	—	16
17	—	0.06	—	—	—	—	0.07	—	—	—	—	—	17
18	—	0.07	0.21	—	—	—	—	—	—	—	0.01	—	18
19	—	—	—	—	—	—	0.02	0.01	—	—	—	—	19
20	0.01	—	—	—	—	—	—	—	—	0.01	—	0.35	20
21	0.05	0.01	—	0.04	—	—	0.14	—	—	—	—	0.13	21
22	—	—	0.12	—	—	—	0.04	—	—	—	—	0.02	22
23	0.05	0.04	0.12	—	—	—	0.27	—	0.01	0.11	—	0.02	23
24	—	—	0.13	0.03	—	—	—	—	0.51	—	—	0.14	24
25	—	—	—	—	—	0.07	—	—	—	0.01	—	0.27	25
26	0.01	0.15	—	—	—	0.13	0.22	—	0.02	—	—	0.52	26
27	—	0.22	—	—	—	—	0.23	—	—	0.47	—	0.08	27
28	—	0.20	0.03	—	0.02	0.37	—	0.33	—	0.04	—	0.02	28
29	—	~~X~~	—	—	0.15	0.61	—	—	—	0.01	0.08	0.49	29
30	0.08	~~X~~	—	0.02	—	0.19	—	—	—	—	—	—	30
31	0.07	~~X~~	—	~~X~~	—	~~X~~	0.01	0.22	~~X~~	0.15	~~X~~	0.11	31
Total	2.53	2.59	0.99	0.66	2.10	1.39	3.68	2.84	0.56	0.92	1.76	5.77	25.79
Rain Days.	21	18	12	10	8	6	20	17	5	12	9	22	160

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Wakefield
in the County of York (West. Riding).
by West Riding Rivers. Board

Lat. 53°41'N Long. 1°30'W
Time of Observation 9.0 am.
Nearest Railway Station Wakefield (Westgate, GNR)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 174 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.24	—	0.15	—	—	0.07	0.25	—	—	0.06	0.13	—	1
2	0.09	0.02	0.23	—	—	—	—	—	—	0.09	—	—	2
3	—	0.11	—	0.02	—	—	—	—	0.17	0.13	0.06	—	3
4	0.05	0.20	—	0.01	0.74	0.18	—	—	0.84	0.14	0.28	—	4
5	0.04	0.02	—	—	0.09	0.11	—	—	0.47	0.21	0.25	—	5
6	0.10	0.40	0.11	0.05	0.29	—	0.20	—	—	0.01	0.28	0.03	6
7	0.02	0.07	0.07	—	0.07	—	0.12	—	—	0.10	—	0.25	7
8	—	0.02	0.37	—	—	0.01	—	—	—	0.01	0.05	0.10	8
9	0.01	—	0.03	—	0.43	0.02	—	—	—	—	0.07	0.19	9
10	0.01	0.03	0.02	0.08	—	0.47	—	—	0.23	0.01	—	0.14	10
11	—	0.44	0.41	0.13	0.02	0.06	—	—	—	—	—	0.05	11
12	0.02	—	0.55	0.08	0.31	—	0.37	0.15	0.02	—	—	—	12
13	—	0.07	0.19	0.02	0.01	—	0.01	0.35	—	0.54	0.01	0.03	13
14	—	0.14	0.03	0.06	0.12	—	—	0.16	—	0.19	0.01	0.04	14
15	—	0.24	0.65	0.01	—	—	0.09	0.24	—	0.01	—	—	15
16	—	0.16	0.29	0.03	—	—	0.03	0.02	—	0.01	—	—	16
17	0.02	0.09	—	0.14	—	—	0.04	0.03	0.13	0.15	—	0.01	17
18	—	0.38	0.01	0.03	—	0.02	—	0.03	0.19	0.06	1.04	0.06	18
19	0.09	—	0.24	0.25	—	—	—	0.08	0.02	—	0.38	0.09	19
20	0.05	—	0.34	0.02	—	—	0.05	—	—	—	0.01	0.02	20
21	0.10	—	0.01	0.07	—	—	—	—	—	—	—	0.01	21
22	—	0.07	0.01	—	—	0.07	—	—	—	0.09	—	0.13	22
23	0.01	0.02	0.05	0.02	—	—	—	0.03	—	—	0.11	0.23	23
24	—	0.44	0.14	0.01	—	—	—	0.15	—	0.03	—	0.13	24
25	—	0.09	0.02	—	0.06	—	—	0.17	—	0.08	0.12	—	25
26	—	0.06	—	—	—	—	—	—	—	0.08	0.01	—	26
27	0.01	0.31	0.02	—	0.03	—	—	0.01	—	0.24	—	0.01	27
28	—	0.25	—	—	0.06	0.03	—	—	—	0.14	—	0.03	28
29	—	0.22	—	—	—	0.17	—	—	—	0.22	—	0.16	29
30	—	X	—	—	0.13	0.01	—	0.02	—	0.26	—	—	30
31	—	X	—	X	—	X	—	—	X	0.19	X	0.06	31
Total	0.86	3.85	3.94	1.03	2.36	1.22	1.16	1.44	2.07	3.05	2.81	1.77	25.56
Rain Days.	15	23	22	17	13	12	9	13	8	24	15	20	191

REGISTER OF RAINFALL IN 1917

Kept at West Riding Rivers Board, Wakefield
in the County of York (West Riding)
by West Riding Rivers Board

Lat. 53° 41' N Long. 1° 30' W

Time of Observation 9.0 am

Nearest Railway Station Wakefield (Westgate)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 174 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	—	—	0.22	—	0.02	—	0.07	0.12	—	0.15	0.10	1
2	0.05	—	—	0.03	—	0.04	—	0.04	—	—	—	—	2
3	0.01	—	—	—	—	0.02	0.01	0.04	—	0.04	0.04	—	3
4	—	0.01	0.09	—	—	—	—	—	—	0.15	—	—	4
5	0.30	—	0.12	0.17	—	—	—	0.03	—	0.14	0.01	—	5
6	—	—	—	—	—	0.01	—	0.01	—	0.41	0.08	—	6
7	0.34	—	—	0.13	—	0.19	—	—	—	0.33	—	—	7
8	0.64	—	—	0.03	—	—	—	1.06	—	0.57	0.07	0.09	8
9	0.05	—	0.02	—	—	—	—	0.07	—	0.09	0.27	—	9
10	0.17	—	0.65	0.16	0.12	—	—	0.10	—	0.03	0.01	—	10
11	0.02	—	—	0.38	—	—	—	—	—	0.24	—	—	11
12	0.05	—	—	0.01	0.36	—	—	0.20	—	0.31	—	0.06	12
13	0.12	—	—	0.03	0.44	—	—	0.26	0.07	0.03	—	0.03	13
14	0.16	—	—	0.07	—	—	—	0.27	—	—	—	0.11	14
15	0.04	—	—	0.02	—	—	0.18	—	0.01	—	—	0.07	15
16	—	0.10	—	0.08	—	0.02	0.01	0.06	—	—	—	0.46	16
17	0.02	0.09	—	0.13	0.68	—	0.06	0.30	—	—	—	0.13	17
18	0.05	—	0.07	0.03	0.03	—	0.27	0.13	0.14	0.01	—	—	18
19	0.05	0.08	0.26	—	0.42	0.30	—	—	—	—	0.01	—	19
20	0.05	0.17	0.02	—	0.29	0.51	—	0.11	—	—	—	—	20
21	0.01	0.05	0.04	—	—	0.01	—	0.06	—	0.01	—	—	21
22	—	—	0.05	—	—	0.01	—	0.10	0.02	0.02	—	—	22
23	—	0.06	—	—	0.09	0.04	0.02	0.05	—	0.03	0.03	—	23
24	—	—	—	—	—	0.03	—	0.15	—	0.43	0.16	0.02	24
25	—	—	0.06	—	—	—	—	0.07	—	0.32	0.03	—	25
26	—	—	—	—	—	0.06	—	0.62	0.03	0.12	0.01	—	26
27	—	—	0.06	—	—	0.29	0.06	0.49	—	—	0.04	0.05	27
28	—	—	0.17	—	—	0.02	0.14	0.09	—	0.04	—	0.13	28
29	—	—	0.01	—	—	—	0.09	—	—	0.16	0.02	0.14	29
30	0.01	X	0.13	—	—	—	—	0.01	—	0.01	0.03	0.02	30
31	—	X	0.28	X	—	X	—	0.03	X	0.01	X	0.08	31
Total	2.15	0.56	1.97	1.49	2.43	1.57	0.84	4.42	0.39	3.50	0.96	1.49	YEAR'S TOTAL 21.77
Rain Days.	19	7	15	14	8	15	9	25	6	22	15	14	169

REGISTER OF RAINFALL IN 1918.

Kept at Wakefield
in the County of Yorkshire (West Riding)
by Dr. H. Maclean Wilson

Lat. 53°41' N. Long. 1°30' W.
Time of Observation 9.0 a.m.
Nearest Railway Station Wakefield (Westgate) G.N.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.



Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.11	0.01	0.01	0.01	—	—	—	0.12	0.07	0.17	0.06	1
2	—	0.15	—	—	—	—	—	0.01	0.02	0.01	—	0.10	2
3	—	0.01	0.04	—	0.64	—	—	0.22	—	0.02	0.11	0.01	3
4	—	—	0.01	—	0.12	—	—	—	0.25	—	0.20	0.39	4
5	—	—	0.01	0.06	0.35	—	—	0.37	0.04	0.11	—	—	5
6	0.03	0.54	0.02	0.24	—	0.29	—	0.01	0.02	0.12	—	0.01	6
7	0.10	0.01	—	0.37	—	—	—	—	0.29	0.17	0.13	—	7
8	—	0.03	0.16	0.01	—	—	0.19	—	0.27	0.14	0.01	—	8
9	0.06	0.47	—	0.20	—	0.06	0.05	—	0.70	0.26	0.02	0.04	9
10	0.12	0.02	—	—	—	—	0.13	—	0.48	—	0.03	0.04	10
11	0.16	0.08	0.10	0.05	0.17	—	0.06	—	0.24	—	—	0.03	11
12	—	0.10	0.09	0.01	—	—	0.19	0.11	0.02	—	—	0.09	12
13	0.03	—	—	0.04	0.30	—	—	—	0.24	0.13	—	—	13
14	0.08	—	—	0.01	0.01	0.01	0.17	—	0.72	0.03	—	0.23	14
15	0.10	—	—	0.01	—	—	0.47	—	1.03	—	—	0.24	15
16	—	—	—	—	—	0.04	0.06	—	0.22	0.04	—	0.30	16
17	0.23	—	—	—	0.02	0.05	0.22	—	0.01	0.18	—	0.13	17
18	0.34	—	0.01	—	—	0.04	0.15	—	0.35	—	—	0.08	18
19	0.07	—	0.07	0.05	—	0.01	0.22	—	0.18	0.10	—	1.00	19
20	0.11	0.53	—	0.03	—	0.09	0.26	—	0.05	0.04	—	—	20
21	0.10	0.07	—	—	0.62	0.04	—	—	0.09	0.23	—	—	21
22	0.02	0.01	—	—	0.09	0.07	0.33	—	0.06	—	—	0.38	22
23	—	—	—	—	0.34	—	0.23	—	—	—	—	0.02	23
24	—	0.01	—	—	—	0.06	0.01	0.03	0.08	—	0.05	—	24
25	—	—	—	—	—	0.84	0.03	0.12	0.03	—	—	—	25
26	—	—	—	—	—	—	0.34	0.04	0.18	—	0.09	0.03	26
27	—	0.04	0.02	—	—	0.01	—	0.46	0.39	—	0.06	0.09	27
28	—	0.14	0.21	—	—	—	—	0.28	0.03	—	0.07	0.62	28
29	—	X	0.01	—	—	—	—	—	0.08	—	—	0.12	29
30	—	X	0.29	—	—	—	—	0.03	—	—	—	0.08	30
31	—	X	0.07	X	—	X	—	0.02	X	—	X	—	31
Total	1.57	2.32	1.12	1.09	2.67	1.61	3.11	1.70	6.19	1.65	0.94	4.09	28.06
Rain Days.	15	16	15	13	11	13	17	12	27	15	11	22	187

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Wakefield (West Riding Rivers Board)
in the County of York (West Riding)
by H. Macdonald Wilson Esq. M.D., B.Sc.

Lat. 53° 41' N. Long. 1° 30' W.
Time of Observation 9.0 a.m.
Nearest Railway Station Wakefield (Westgate) G.N.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.36	—	—	0.02	0.28	—	0.20	—	0.20	0.13	0.02	0.05	1
2	0.23	0.01	0.08	—	—	—	0.14	—	—	—	0.04	—	2
3	0.86	—	—	—	0.03	0.15	0.84	—	0.03	—	0.28	0.19	3
4	0.30	—	0.30	—	—	0.06	0.02	0.14	0.05	—	0.03	0.25	4
5	0.07	—	—	—	0.03	—	—	—	0.03	0.01	0.03	0.09	5
6	—	—	0.07	—	0.53	—	0.08	—	—	—	0.02	0.05	6
7	0.02	—	0.30	—	0.06	—	—	—	—	—	—	—	7
8	0.12	—	—	0.03	—	0.02	—	0.01	—	—	—	—	8
9	0.07	—	0.04	—	—	—	—	—	—	—	0.05	—	9
10	—	—	0.11	0.05	0.11	—	—	—	—	—	0.04	0.07	10
11	—	—	1.06	0.03	0.10	—	0.13	—	—	—	—	—	11
12	—	—	0.50	—	—	0.01	0.20	—	0.08	0.01	—	—	12
13	0.09	—	—	0.14	—	—	—	—	—	0.19	—	—	13
14	0.16	—	—	0.48	—	—	0.01	0.04	0.22	—	0.07	—	14
15	0.03	0.16	—	0.11	—	—	—	0.01	—	—	0.04	0.38	15
16	0.12	0.76	0.04	0.07	—	—	—	—	—	—	0.15	—	16
17	0.02	0.14	—	0.04	—	0.05	—	0.01	—	—	0.18	—	17
18	~~0.03~~	—	0.13	—	0.02	—	0.04	0.46	0.04	—	—	0.19	18
19	~~0.03~~	0.25	0.86	—	—	—	1.35	0.20	0.04	—	0.16	—	19
20	~~0.04~~	0.11	0.03	—	—	0.03	0.48	0.10	0.05	—	0.08	0.15	20
21	0.44	0.26	—	—	—	0.08	0.18	—	—	—	—	0.22	21
22	—	0.15	—	—	—	0.02	—	0.04	0.12	—	0.03	0.33	22
23	—	—	—	0.03	—	0.01	—	—	—	0.69	—	0.09	23
24	—	—	0.02	0.10	0.04	0.06	—	0.01	—	0.37	0.02	0.34	24
25	0.02	—	—	0.18	—	0.03	—	0.50	—	0.01	0.06	0.02	25
26	—	—	0.17	0.11	—	0.02	—	0.36	—	0.01	0.04	0.33	26
27	0.05	—	—	0.28	—	—	—	—	—	0.02	—	0.15	27
28	—	—	—	0.04	—	—	—	0.66	—	0.08	—	0.32	28
29	0.07	~~X~~	—	0.02	—	0.05	—	0.01	—	0.81	—	0.11	29
30	0.01	~~X~~	0.01	0.10	—	0.10	—	—	—	0.10	0.13	0.10	30
31	—	~~X~~	—	~~X~~	—	~~X~~	0.04	—	~~X~~	0.07	~~X~~	—	31
TOTAL	3.17	1.84	3.72	1.83	1.20	0.69	3.71	2.55	0.86	2.50	1.47	3.43	YEAR'S TOTAL
Days with "01 in. or more	20	8	15	17	9	14	13	14	10	13	19	19	171

REGISTER OF RAINFALL IN 1920.

Kept at Wakefield (W.R. Rivers Board)
in the County of Yorkshire
by Rivers Board

Lat. 53° 41' N Long. 1° 30' W
Time of Observation 9.0 AM.
Nearest Railway Station Wakefield (Worsak 9N)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.03	0.19	0.28	0.04	0.22	0.01	0.01	0.10	0.13	0.05	1
2	—	—	0.03	0.14	—	—	0.40	—	0.19	0.19	—	0.15	2
3	0.01	0.03	—	0.06	0.08	0.04	0.91	—	0.04	0.11	—	0.17	3
4	—	—	—	0.02	0.07	—	0.30	0.59	—	0.50	—	0.05	4
5	—	—	—	—	0.02	—	0.04	0.10	0.02	0.04	—	—	5
6	—	—	0.15	0.04	0.15	—	0.03	—	—	—	—	0.06	6
7	0.08	—	0.10 ⁵	—	0.07	—	0.69	—	—	—	—	—	7
8	0.08	0.04	—	0.35	0.01	—	0.10	0.06	—	—	0.03	—	8
9	0.18	0.17	—	0.54	—	—	0.04	0.05	—	0.03	—	—	9
10	0.16	0.51	—	0.20	—	—	0.36	0.34	—	—	—	—	10
11	0.43	—	0.02	0.19	0.14	0.11	—	—	—	—	—	0.02 ^{R.S.}	11
12	0.09	—	0.13	0.26	—	0.05	—	0.07	—	—	0.02	0.15 ⁵	12
13	0.06	0.03	0.10	0.02	—	0.55	—	—	—	—	—	0.11	13
14	—	—	0.39	0.10	—	0.25	—	—	0.39	0.15	0.22	0.01	14
15	—	0.08	0.06	0.06	—	—	0.01	—	0.02	0.21	0.09	—	15
16	—	—	—	—	0.03	—	0.61	—	0.05	—	0.09	—	16
17	—	—	—	~~0.05~~	0.05	—	—	~~0.05~~	0.21	—	—	—	17
18	0.09	—	—	0.06	0.03	0.04	—	0.04	—	—	—	—	18
19	0.02	^{R.S.} 1.11	—	—	0.05	0.18	—	0.15	0.04	—	—	—	19
20	—	—	—	0.10	—	0.07	0.09	—	—	—	—	—	20
21	—	—	—	0.21	—	—	0.58	0.10	—	—	—	0.04	21
22	—	—	—	0.31	—	—	0.60	—	—	—	0.01	0.06	22
23	—	—	—	0.01	—	—	0.30	—	—	—	—	0.32	23
24	0.04	—	0.18	0.01	—	—	—	—	—	—	—	—	24
25	—	0.04	0.08	—	—	—	0.80	—	—	—	—	0.12	25
26	0.05	0.05	0.10	0.04	0.06	—	0.01	—	—	—	—	0.08	26
27	0.10	—	—	0.05	0.50	0.51	—	—	—	0.03	—	0.01	27
* Drifting Snow. 28	^{R.S.} 1.15	—	0.05	0.05	0.09	—	—	—	0.02	—	0.24	0.07	28
29	0.05	—	0.23	—	1.03	0.09	0.02	—	—	—	0.12	0.61	29
30	0.16	~~X~~	0.02	0.05	—	0.04	—	—	0.13	—	0.10	0.25	30
31	0.14	~~X~~	0.06	~~X~~	—	~~X~~	—	—	~~X~~	0.31	~~X~~	0.05	31
TOTAL	2.89	2.06	1.73	3.06	2.66	1.97	6.11	1.51	1.12	1.69	1.05	2.38	YEAR'S TOTAL 28.21
Days with .01 in. or more	17	9	16	23	16	12	19	10	11	10	10	19	172
Days with .04 in. or more	15	7	12	19	12	12	15	9	7	8	7	16	139

3233

Kept at *Wakefield, Clarence Park*

in the County of

by *H. Maclean*

1911 - 90

11.

laishers

8 in.

ve Ground 1 ft. in.

Sea Level 174 ft.

0.0 a.m.

Name *Wakefield, Westgate.*Distance *4 miles* Direction *S.W.*

and the result entered to the

IMPORTANT NOTE: If an observer does not conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

NIL.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	0.08	—	—	—	—	0.03	—	—	0.02	—	1
2	0.21	—	—	—	0.01	—	—	—	—	—	0.03	0.03	2
3	—	—	—	—	0.13	—	—	0.01	0.04	0.01	0.07	0.01	3
4	0.01	—	0.06	0.11	—	0.08	—	0.02	0.06	0.05	0.18	0.04	4
5	0.01	—	0.03	0.01	—	—	—	0.17	—	0.17	0.24	—	5
6	0.08	—	0.04	0.03	—	—	—	0.08	—	0.07	0.32	0.23	6
7	—	—	—	—	—	—	—	—	—	—	0.02	—	7
8	0.04	—	0.05	—	—	0.02	—	—	0.01	—	—	0.23	8
9	—	—	—	0.01	—	—	—	—	—	—	—	0.01	9
10	—	0.01	—	—	—	—	—	—	—	—	—	0.44	10
11	0.16	—	—	—	0.01	—	—	0.03	0.04	—	0.50	0.15	11
12	0.06	—	0.03	—	0.05	—	—	—	0.65	0.01	0.08	—	12
13	—	0.01	0.07	—	—	0.02	—	—	—	—	0.01	0.37	13
14	—	—	0.01	—	0.10	—	—	—	—	—	—	0.50	14
15	—	0.02	0.08	0.05	—	—	—	—	—	0.07	—	0.12	15
16	—	0.13	0.07	—	—	0.07	0.03	—	—	0.04	0.13	0.04	16
17	—	—	0.05	—	—	0.12	—	—	—	—	0.06	0.09	17
18	—	0.25	0.04	0.02	—	0.33	—	—	—	0.02	0.17	0.05	18
19	—	0.01	0.02	—	—	0.38	—	—	0.17	0.13	0.43	0.02	19
20	—	0.05	—	0.06	—	—	0.02	0.61	0.13	—	—	0.19	20
21	—	0.30	0.02	—	—	—	0.01	0.28	—	0.14	0.01	0.03	21
22	0.01	0.01	—	—	—	—	—	0.03	—	0.08	0.02	0.01	22
23	—	0.26	0.01	—	—	0.73	—	0.02	0.14	—	—	0.21	23
24	0.01	0.15	0.03	—	—	1.67	—	0.01	—	0.09	—	0.08	24
25	0.01	0.24	—	0.02	—	0.01	0.02	—	0.65	0.07	0.01	0.21	25
26	—	0.01	—	0.06	0.05	—	—	—	—	0.38	0.30	0.32	26
27	—	0.06	0.08	0.18	—	—	—	0.39	0.14	—	—	—	27
28	—	0.03	0.04	0.09	—	0.01	0.02	—	0.06	—	0.05	0.11	28
29	—	—	0.01	0.03	—	0.05	0.04	—	0.20	0.07	0.01	0.04	29
30	—	—	—	—	0.07	0.21	—	—	—	0.19	—	—	30
31	—	—	0.05	—	0.02	—	—	—	—	0.07	—	—	31
99 Total	0.60	1.57	0.87	0.67	0.44	3.70	0.14	1.68	2.29	1.66	2.66	3.53	TOTAL for year 19.81.
No. of Rain Days.	10.	15.	20.	12.	8.	13.	6.	12.	12.	17.	20.	24.	169.

Kept at Wakefield
in the County of York (West Riding)
by H. Maclean Wilson. M.D., B.Sc.

11. Glaishers
RAIN GAUGE { Pattern Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 174 ft.
Time of Observation 10.0 a.m.
Nearest Railway Station { Name Wakefield, Westgate.
Distance 1/2 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

NIL.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	0.08	—	—	—	—	0.03	—	—	0.02	—	1
2	0.21	—	—	—	0.01	—	—	—	—	—	0.03	0.03	2
3	—	—	—	—	0.13	—	—	0.01	0.04	0.01	0.07	0.01	3
4	0.01	—	0.06	0.11	—	0.08	—	0.02	0.06	0.05	0.18	0.04	4
5	0.01	—	0.03	0.01	—	—	—	0.17	—	0.17	0.24	—	5
6	0.08	—	0.04	0.03	—	—	—	0.08	—	0.07	0.32	0.23	6
7	—	—	—	—	—	—	—	—	—	—	0.02	—	7
8	0.04	—	0.05	—	—	0.02	—	—	0.01	—	—	0.23	8
9	—	—	—	0.01	—	—	—	—	—	—	—	0.01	9
10	—	0.01	—	—	—	—	—	—	—	—	—	0.44	10
11	0.16	—	—	—	0.01	—	—	0.03	0.04	—	0.50	0.15	11
12	0.06	—	0.03	—	0.05	—	—	—	0.65	0.01	0.08	—	12
13	—	0.01	0.07	—	—	0.02	—	—	—	—	0.01	0.37	13
14	—	—	0.01	—	0.10	—	—	—	—	—	—	0.50	14
15	—	0.02	0.08	0.05	—	—	—	—	—	0.07	—	0.12	15
16	—	0.13	0.07	—	—	0.07	0.03	—	—	0.04	0.13	0.04	16
17	—	—	0.05	—	—	0.12	—	—	—	—	0.06	0.09	17
18	—	0.28	0.04	0.02	—	0.33	—	—	—	0.02	0.17	0.05	18
19	—	0.01	0.02	—	—	0.38	—	—	0.17	0.13	0.43	0.02	19
20	—	0.05	—	0.06	—	—	0.02	0.61	0.13	—	—	0.19	20
21	—	0.30	0.02	—	—	—	0.01	0.28	—	0.14	0.01	0.03	21
22	0.01	0.01	—	—	—	—	—	0.03	—	0.08	0.02	0.01	22
23	—	0.26	0.01	—	—	0.73	—	0.02	0.14	—	—	0.21	23
24	0.01	0.15	0.03	—	—	1.67	—	0.01	—	0.09	—	0.08	24
25	0.01	0.24	—	0.02	—	0.01	0.02	—	0.65	0.07	0.01	0.21	25
26	—	0.01	—	0.06	0.05	—	—	—	—	0.38	0.30	0.32	26
27	—	0.06	0.08	0.18	—	—	—	0.39	0.14	—	—	—	27
28	—	0.03	0.04	0.09	—	0.01	0.02	—	0.06	—	0.05	0.11	28
29	—	—	0.01	0.03	—	0.05	0.04	—	0.20	0.07	0.01	0.04	29
30	—	—	—	—	0.07	0.21	—	—	—	0.19	—	—	30
31	—	—	0.05	—	0.02	—	—	—	—	0.07	—	—	31
99 Total	0.60	1.57	0.87	0.67	0.44	3.70	0.14	1.68	2.29	1.66	2.66	3.53	TOTAL for year 19.81.
No. of Rain Days.	10.	15.	20.	12.	8.	13.	6.	12.	12.	17.	20.	24.	169.

REGISTER OF RAINFALL IN 1912.

Kept at Wakefield
in the County of York (W. Riding)
by H. Maclean Wilson Insd., B.Sc.

Lat. 53° 41' N Long. 1° 30' W
Time of Observation 9.0 a.m.
Nearest Railway Station Wakefield Westgate G. N.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.20 ⁸	0.03	-	-	0.45	0.07	0.01	0.12	-	-	0.17 ⁸	1
2	-	0.03 ⁸	0.03	-	-	0.08	0.35	-	0.01	-	-	0.06	2
3	0.08	0.02 ⁸	-	-	0.03	0.41	-	0.61	0.24	-	-	0.02	3
4	0.12	-	0.33	0.08	0.06	0.39	-	0.39	-	-	0.06	-	4
5	0.15	0.03 ⁸	0.01	-	0.19	0.27	-	0.04	-	-	0.01	-	5
6	0.73 ^{8+R}	0.14	0.13	-	0.01	-	-	0.43	-	-	-	-	6
7	-	0.02	0.01	-	0.01	0.04	-	0.35	0.03	-	-	-	7
8	0.32 ⁸	0.17	0.04	0.04	-	-	-	0.01	0.11	-	-	-	8
9	0.06	0.20	0.03	0.21	-	0.04	-	0.02	-	-	0.02	0.02	9
10	0.03	0.01	-	-	-	0.49	-	0.41	-	0.01	0.23	-	10
11	0.10	0.07	0.01	-	-	-	-	-	-	-	0.19	0.37	11
12	0.03	0.33	-	-	-	0.16	0.83	-	-	-	0.04	-	12
13	0.01	0.01	-	-	-	-	-	0.08	-	0.09	0.11	0.02	13
14	0.10	-	0.52	0.01	-	0.07	-	0.03	-	-	-	0.05	14
15	0.05	0.06	0.11	-	0.57	0.01	-	-	-	-	-	0.13	15
16	0.80 ^{8+R}	-	0.18	-	0.05	0.18	-	0.02	-	0.04	-	0.08	16
17	0.10 ⁸	0.01	0.06	-	-	0.28	0.03	0.18	-	-	-	0.26	17
18	0.18 ⁸	-	0.04	-	-	-	0.01	0.02	-	0.02	-	0.02	18
19	0.28	0.15	0.05 ^{8+R}	-	-	-	0.22	0.37	-	0.28	0.05	-	19
20	0.17	-	0.03	-	0.23	0.02	0.17	0.01	-	0.22	-	-	20
21	0.01	-	0.29 ^{8+R}	-	0.42	-	0.07	-	-	-	-	-	21
22	0.01	0.05	0.03	-	1.09	0.06	0.28	0.53	-	-	-	0.03	22
23	-	-	0.21	-	0.02	-	0.57	0.37	-	-	0.04	0.01	23
24	0.36 ^{8+R}	-	-	-	0.03	0.02	0.23	0.18	-	-	0.01	0.09	24
25	-	-	0.01	-	-	0.22	-	-	-	0.01	0.41	0.03	25
26	-	0.10	0.02	-	-	-	0.37	0.85	-	1.15	0.20	0.23	26
27	-	-	0.03	-	0.01	0.21	0.22	0.04	-	0.51	0.02	0.07	27
28	-	0.02	-	-	-	-	0.07	0.34	0.01	0.12	0.30 ^{R+8}	0.02	28
29	-	0.01	0.07	-	-	0.16	-	-	0.37	0.08	0.01 ⁸	0.03	29
30	0.07	~~X~~	0.07	-	0.49	-	-	-	0.21	0.03	-	-	30
31	-	~~X~~	0.01	~~X~~	0.20	~~X~~	0.33	0.18	~~X~~	-	~~X~~	-	31
Total	3.76	1.63	2.35	0.34	3.41	3.56	3.82	5.47	1.10	2.56	1.70	1.71	31.41
Rain Days.	21	19	25	4	15	19	15	23	8	12	15	19	195

YEARS TOTAL

REGISTER OF RAINFALL IN 19/3.

FORM A.
BRITISH RAINFALL
20 JAN 1914

Kept at Wakefield Public Park
in the County of York W 8 4 R
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13													
1	—	—	06	10	03	—	—	—	02	—	03	—	1
2	—	03	05	01	—	—	—	—	—	—	08	—	2
3	04	02	12	—	33	—	07	—	01	80	—	64	3
4	47	03	—	—	02	—	05	—	06	01	11	18	4
5	02	01	17	—	—	12	07	—	05	28	—	—	5
6	—	05	07	01	57	01	47	—	—	34	01	—	6
7	—	16	—	—	08	12	—	—	—	59	02	—	7
8	—	01	01	—	68	02	—	04	—	21	08	—	8
9	—	14	—	02	22	05	02	02	—	—	13	02	9
10	06	04	01	06	—	—	06	—	—	06	18	—	10
11	15	—	—	45	01	—	—	—	—	03	07	—	11
12	—	—	—	—	—	02	—	02	—	—	16	—	12
13	—	—	04	02	—	—	—	02	15	—	05	—	13
14	04	05	09	02	—	—	—	—	—	07	13	—	14
15	10	01	17	46	—	—	—	—	03	—	27	—	15
16	—	—	18	05	—	—	—	07	03	—	11	—	16
17	03	02	06	10	—	06	02	—	107	—	03	—	17
18	02	—	20	08	01	—	05	—	—	—	07	—	18
19	10	—	08	09	—	—	—	—	02	—	—	—	19
20	13	—	04	10	—	—	—	—	05	07	04	—	20
21	01	—	01	—	10	—	21	06	—	—	05	—	21
22	15	—	42	—	—	—	—	46	11	—	—	—	22
23	05	—	01	—	04	13	—	13	19	05	03	—	23
24	17	—	—	01	—	07	—	14	—	—	—	—	24
25	—	—	—	02	—	—	—	—	09	01	01	02	25
26	—	—	14	09	—	—	—	—	—	13	—	31	26
27	—	—	01	16	—	06	—	—	—	—	—	09	27
28	30	—	17	27	—	—	—	—	02	—	—	29	28
29	02	X	36	40	03	—	—	44	—	—	02	10	29
30	30	X	—	—	01	—	—	—	—	64	02	03	30
31	03	X	05	X	04	X	01	—	X	—	X	—	31
Total	3.19	.57	2.52	2.52	2.17	.66	1.03	1.40	1.90	3.29	1.70	1.68	22.63
Rain Days.	19	12	23	20	14	10	10		14	14	22	9	177

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
27 JAN 1915

Kept at Wakefield, Clarence Park
in the County of York. WR 84
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wakefield (Westgate)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14													
1	—	—	—	—	—	—	1.33	.37	—	.03	.01	.28	1
2	—	—	.01	—	—	—	.33	.37	—	—	.25	.11	2
3	.02	—	.01	—	.08	—	—	.02	—	—	.06	.36	3
4	.22	—	.08	.20	.05	.01	—	—	—	—	.36	.30	4
5	.14	—	.25	.13	.09	.05	—	.01	—	—	.06	.30	5
6	—	—	.02	.26	.12	—	.03	—	—	—	.05	.03	6
7	—	—	.22	—	.05	—	—	.06	—	—	.04	.08	7
8	.18	—	.02	—	.08	.46	.09	.02	.07	—	—	—	8
9	.31	.01	—	.05	.02	1.11	—	.07	.02	—	.01	—	9
10	.15	.07	.02	.01	.01	—	—	—	.10	—	.16	.01	10
11	—	.41	.19	.04	.02	.07	—	—	.09	—	.47	.37	11
12	.01	.03	.10	—	.01	.01	—	—	.24	—	.03	.34	12
13	.02	.06	.16	—	—	—	—	—	.04	—	.29	.16	13
14	.03	.11	.02	—	—	—	.06	—	.03	.08	.51	.39	14
15	—	.02	.13	—	—	—	—	—	.02	.03	.03	—	15
16	—	—	.02	—	—	—	.53	—	.21	—	—	—	16
17	.02	.09	.11	—	—	—	.06	—	.16	—	—	.13	17
18	.01	—	.01	—	—	.13	—	—	—	—	—	.14	18
19	—	—	.03	—	—	—	.04	—	—	—	.05	.13	19
20	—	.14	.03	—	—	—	—	.07	.03	.06	—	—	20
21	—	.37	—	—	—	.32	—	.01	—	.07	.02	—	21
22	—	—	—	—	.30	.05	.06	.06	—	.06	—	.08	22
23	—	—	.03	.02	.21	.03	.05	—	—	—	—	.02	23
24	—	—	.42	—	.12	—	.04	.12	—	—	.12	—	24
25	.03	—	—	—	—	—	.01	.24	—	.59	—	.34	25
26	—	—	.10	—	—	—	—	.15	—	.28	.04	.17	26
27	.08	—	—	—	—	—	—	—	—	.04	.19	.86	27
28	—	.03	.01	—	—	—	—	—	—	.15	.05	.07	28
29	—	X	.20	—	—	—	—	.02	—	.42	.06	—	29
30	—	X	.02	—	.02	—	—	.01	—	.09	.06	.12	30
31	.03	X	—	X	—	X	.26	—	X	.20	X	—	31
99													
Total	1.25	1.34	2.21	.71	1.18	2.24	2.89	1.60	1.01	2.10	2.92	4.79	24.24
Rain Days.	14	11	24	7	14	10	13	15	11	13	22	22	176

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

3404
FORM A.
BRITISH RAINFALL
29 JAN 1916

Kept at Clarence Park Wakefield

in the County of York

by Wakefield Corporation

Lat. _____ Long. _____

Time of Observation 9.4.71

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	21	10	—	—	23	—	13	03	01	—	—	05	1
2	—	07	11	10	—	03	11	25	—	03	—	—	2
3	84	—	01	07	—	—	17	29	—	—	04	69	3
4	10	03	—	—	08	—	51	—	—	—	—	1.10	4
5	09	27	03	02	—	—	—	02	—	—	02	47	5
6	04	28	19	16	—	—	47	05	—	—	—	11	6
7	36	26	03	08	84	—	14	76	—	—	—	13	7
8	03	10	02	03	—	—	15	05	—	—	05	—	8
9	03	03	—	—	—	—	—	10	—	02	08	67	9
10	19	—	04	—	—	—	—	03	—	02	—	02	10
11	04	—	02	02	76	—	03	04	—	—	29	56	11
12	03	—	—	15	16	—	14	01	—	07	1.12	—	12
13	04	63	—	—	—	—	—	03	—	—	—	—	13
14	03	02	—	—	02	—	06	08	—	—	—	11	14
15	48	—	—	—	—	—	03	74	01	—	26	15	15
16	—	18	—	—	16	—	1.06	11	—	—	—	—	16
17	—	08	—	—	—	—	04	—	—	—	—	—	17
18	—	09	28	—	—	—	—	—	—	—	—	—	18
19	—	01	—	—	—	—	02	02	—	—	—	—	19
20	02	—	—	—	—	—	—	—	—	—	—	35	20
21	05	02	—	05	—	—	14	—	—	—	—	12	21
22	—	—	13	—	—	—	03	—	—	—	—	03	22
23	06	06	13	—	—	—	25	—	01	1.5	—	03	23
24	—	—	12	03	—	—	—	—	55	—	—	17	24
25	—	—	—	—	—	07	—	—	—	01	—	20	25
26	01	20	—	—	—	14	23	—	03	—	—	52	26
27	—	17	—	—	—	—	22	—	—	53	—	08	27
28	—	20	05	—	02	27	—	32	—	04	—	03	28
29	—	~~X~~	—	—	16	28	—	—	—	—	09	52	29
30	09	~~X~~	—	02	—	19	—	—	—	—	—	—	30
31	07	~~X~~	—	~~X~~	—	~~X~~	01	21	~~X~~	17	~~X~~	12	31
99 Total	2.81	2.80	1.16	.73	2.43	.98	3.94	3.14	.61	1.04	1.95	6.23	27.82
Rain Days.	20	19	13	11	9	6	20	18	5	9	18	22	160

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Clarence Park, Wakefield
in the County of York WR
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 124 ft.

FORM A.
BRITISH RAINFALL
FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	—	.18	—	—	.11	.27	—	—	—	.13	—	1
2	.12	.03	.25	—	—	—	—	—	.15	.11	—	—	2
3	—	.11	.01	.02	—	—	—	—	.60	.20	.10	—	3
4	.05	.25	—	.02	.78	.18	—	—	.27	.13	.30	—	4
5	.06	—	—	—	.09	.12	—	—	—	.23	.33	—	5
6	.12	.42	.14	.05	.31	.02	.22	—	—	.02	.34	—	6
7	.02	.06	.06	—	.08	—	.14	—	—	.07	.01	.20	7
8	—	.03	.33	—	—	.04	—	—	—	.03	.05	.04	8
9	.01	—	.12	—	.43	.03	.01	—	.30	—	.07	.28	9
10	—	—	.04	.09	—	.42	—	—	—	.02	—	.14	10
11	—	.47	.44	.13	.04	.06	.01	—	.03	—	—	.01	11
12	.01	—	.60	.07	.33	.01	.37	.15	—	—	—	.09	12
13	—	.07	.20	.03	—	—	.02	.34	—	.52	.02	.05	13
14	—	.12	.05	.07	.14	—	—	.15	—	.15	.02	.06	14
15	—	.23	.68	—	—	—	.09	.27	—	.01	—	—	15
16	—	.11	.33	.05	—	—	.04	.06	—	.04	—	—	16
17	.04	.10	—	.15	—	—	.05	.03	.15	.16	—	—	17
18	—	.35	.02	.03	—	.02	—	.06	.18	.09	.12	.11	18
19	.12	.02	.24	.25	—	—	—	.17	.03	—	.43	.12	19
20	.04	—	.37	.04	—	—	.08	—	—	—	.01	.03	20
21	.10	—	.02	.05	—	—	—	—	—	—	—	—	21
22	—	.08	—	.01	—	.07	—	—	—	.10	—	.15	22
23	.01	.02	.04	—	—	—	—	.04	—	.01	.13	.25	23
24	—	.55	—	.04	—	—	—	.17	—	.06	—	.15	24
25	—	.08	.14	—	.07	—	—	.18	—	.08	.12	—	25
26	.01	.12	.03	—	—	—	—	—	—	.09	.02	—	26
27	—	.35	—	—	.04	—	—	.01	—	.30	—	—	27
28	—	.30	.02	—	.08	.04	—	—	—	.12	—	.05	28
29	—	.22	—	—	—	.17	—	—	—	.26	—	.16	29
30	—	X	—	—	.17	.02	—	.04	—	.28	.01	.02	30
31	—	X	—	X	—	X	—	—	X	.20	X	.05	31
99 Total	.954	.094	4.31	1.10	2.56	1.31	1.30	1.67	1.80	3.28	3.21	2.05	27.63
Rain Days.	14	22	22	16	12	14	11	13	8	24	17	18	191

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917.

Kept at Clarence Park, Wakefield.
 in the County of York
 by Wakefield Corporation.

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 124 ft.

FORM A.
 BRITISH RAINFALL
 5 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	—	—	40	—	—	—	09	15	—	15	11	1
2	06	—	—	18	—	04	—	04	—	—	—	—	2
3	01	02	—	02	—	03	—	06	—	03	04	—	3
4	—	—	10	—	—	—	01	01	—	20	01	—	4
5	32	—	14	21	—	—	—	02	—	12	02	—	5
6	—	—	—	—	—	16	—	—	—	35	08	—	6
7	39	—	—	—	—	08	—	—	—	44	—	—	7
8	69	—	—	16	—	—	—	1.21	—	66	06	10	8
9	06	—	04	05	—	—	—	05	—	10	27	—	9
10	18	—	69	21	12	—	—	10	—	04	—	—	10
11	03	—	—	48	—	—	—	02	—	25	—	—	11
12	06	—	—	03	36	—	—	25	—	32	—	06	12
13	12	—	—	03	46	—	—	25	07	03	01	03	13
14	19	—	—	09	—	—	—	26	—	—	—	10	14
15	03	—	—	02	—	—	17	01	02	—	—	04	15
16	—	11	—	08	—	03	02	08	—	01	—	48	16
17	02	10	02	13	69	01	14	28	02	—	—	25	17
18	06	01	01	04	04	—	19	13	16	—	—	—	18
19	06	11	24	—	37	33	—	—	—	—	01	—	19
20	04	18	02	—	29	38	—	10	02	—	—	02	20
21	02	06	07	—	01	01	—	08	—	02	—	—	21
22	—	—	07	—	—	—	—	11	—	03	—	—	22
23	03	06	—	—	10	05	03	07	—	03	—	01	23
24	—	—	—	—	—	05	—	12	—	43	20	02	24
25	—	01	07	—	—	—	—	06	—	31	03	—	25
26	—	—	01	—	—	06	—	61	04	13	01	—	26
27	—	—	07	—	—	31	06	45	—	—	02	05	27
28	—	—	18	—	—	02	17	09	—	—	—	10	28
29	—	X	02	—	—	—	13	—	—	17	01	21	29
30	02	X	13	—	—	—	—	02	—	—	03	03	30
31	—	X	32	X	—	X	—	05	X	02	X	08	31
Total	2.41	.66	2.20	2.13	2.44	1.56	.92	4.62	.48	3.69	.95	1.69	23.75
Rain Days.	20	9	17	15	9	14	9	27	7	20	15	16	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918.

Kept at Clarence Park, Wakefield
 in the County of York W
 by Wakefield Corporation

Lat. _____ Long. _____
 Time of Observation 9 am.
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 124 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	.13	—	.02	.02	—	—	—	.13	.08	.20	.02	1
2	—	.15	—	—	—	—	—	.02	.04	.01	—	.11	2
3	—	.01	.05	—	.70	—	—	.21	.02	.02	.14	—	3
4	—	—	.02	—	.03	—	—	.10	.24	.05	.22	.41	4
5	—	—	.02	.05	.38	—	—	.29	.08	.11	—	—	5
6	—	.57	.02	.22	.01	.26	—	.03	.02	.12	—	.01	6
7	.05	.02	—	.26	—	—	—	.05	.28	.20	.15	—	7
8	—	.05	.16	.02	—	—	.20	—	.36	.13	.02	—	8
9	.06	.54	—	.20	—	.06	.07	—	.70	.27	.03	.05	9
10	.09	.02	—	.01	—	—	.09	—	.56	—	.04	.06	10
11	.14	.09	.10	.06	.16	—	.04	.01	.23	—	—	.03	11
12	.03	.10	.14	.02	.01	—	.18	.24	.07	—	—	.09	12
13	—	—	—	.04	.31	—	—	—	.29	.14	—	—	13
14	.13	—	—	.02	.01	.01	.16	—	.52	.03	—	.16	14
15	.22	—	—	.02	—	.07	.47	—	1.32	—	—	.31	15
16	.01	—	—	—	—	.03	.06	—	.23	.04	—	.38	16
17	.26	—	—	—	.04	.06	.23	—	.05	.19	—	.15	17
18	.33	—	.02	—	—	.05	.20	.05	.36	.05	—	.09	18
19	.16	—	.09	.05	—	.03	.23	.05	.19	.12	—	.88	19
20	.04	.55	—	.03	—	.09	.14	—	.07	.05	—	—	20
21	.11	.09	—	—	.60	.07	.05	—	.11	.18	—	—	21
22	.02	.01	—	—	.12	.03	.35	—	.04	.05	—	.44	22
23	—	—	—	—	.30	—	.25	—	—	—	—	.04	23
24	—	.02	—	—	—	.05	.02	.03	.06	—	.04	—	24
25	—	—	—	—	—	.82	.04	.10	.07	—	—	—	25
26	—	—	—	—	—	—	.35	.08	.15	—	.08	.04	26
27	—	.04	.03	—	—	—	.05	.48	.40	—	.07	.09	27
28	—	.17	.20	—	—	—	—	.38	.05	—	.09	.60	28
29	—	~~X~~	—	—	—	—	—	.05	.09	—	.05	.15	29
30	—	~~X~~	.30	—	—	—	—	.04	.05	—	.05	.10	30
31	—	~~X~~	.07	~~X~~	—	~~X~~	—	.04	~~X~~	—	~~X~~	—	31
99													
Total	1.65	2.56	1.22	1.02	2.69	1.63	3.18	2.25	6.78	1.84	1.18	4.21	30.21
Rain Days	14	16	13	14	13	13	19	18	29	18	13	21	201

REGISTER OF RAINFALL IN 1919.

Kept at Clarence Park Wakefield.
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1919													
1	.35	.02	.01	.02	.38	—	.24	—	.19	.15	.03	.07	1
2	.21	—	.08	—	—	—	.15	—	—	—	.04	—	2
3	1.18	—	—	—	.02	.18	.84	—	.04	—	.27	.20	3
4	.31	—	.33	—	—	—	—	.11	.06	—	.03	.30	4
5	.07	—	—	—	.05	—	—	—	.04	—	.03	.09	5
6	.01	—	.07	—	.45	—	.03	—	—	—	—	.04	6
7	.03	—	.32	—	.05	—	—	—	—	—	—	—	7
8	.13	—	—	—	—	.02	—	—	—	—	—	—	8
9	.11	—	.05	—	—	—	—	—	—	—	—	—	9
10	—	—	.12	.08	.24	—	—	—	—	—	.05	.06	10
11	—	—	1.12	.03	.10	—	.12	—	—	—	—	—	11
12	—	—	.49	.02	—	—	.26	—	.11	—	—	—	12
13	.08	—	—	.04	—	—	—	—	.25	.20	—	—	13
14	.17	—	—	.55	—	—	—	.05	—	—	.04	—	14
15	.04	.16	.05	.10	—	—	—	.01	—	—	.10	.40	15
16	.16	.82	—	.07	—	—	—	—	—	—	.16	—	16
17	—	.17	—	.05	—	.06	—	.01	—	—	.21	—	17
18	—	—	.14	—	.05	—	.05	.43	.04	—	—	.22	18
19	.07	—	1.08	—	—	.01	1.50	.29	.07	—	.20	—	19
20	.45	.14	.05	—	—	.08	.50	—	.04	—	.10	.16	20
21	.14	.27	.01	—	—	.08	.19	—	—	—	—	.17	21
22	—	.15	—	—	—	.01	—	—	.13	—	—	.35	22
23	—	—	—	—	—	.01	—	—	—	.84	—	.11	23
24	—	—	—	.14	—	.07	—	.03	—	.33	—	.37	24
25	.02	—	—	.19	.03	.05	—	.53	—	—	.08	—	25
26	—	—	.21	—	—	.03	—	.34	—	.03	.04	.43	26
27	.07	—	—	.43	—	—	—	—	.02	.01	.11	—	27
28	—	—	—	.06	—	—	—	.73	—	.07	—	.35	28
29	.10	—	—	.03	—	.02	—	.02	—	.89	—	.11	29
30	—	—	—	.10	—	.11	—	—	—	.11	.15	.14	30
31	.02	—	—	—	—	—	.04	—	—	.10	—	—	31
99													
TOTAL	3.72	1.73	4.13	1.91	1.37	.73	3.92	2.55	.97	2.74	1.54	3.68	28.99
Days with ".01 in. or more	20	4	15	15	9	13	11	11	10	10	16	18	155

REGISTER OF RAINFALL IN 1920.

Kept at Wakefield
in the County of Yorkshire
by The Waterworks Engineer

Lat. 53°40' N Long. 1°30' W
Time of Observation 9h G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>20</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.02	0.21	0.28	0.05	0.21	0.03	0.02	0.12	0.16	0.05	1
2	-	-	0.03	0.16	-	-	0.26	-	0.21	0.18	-	0.15	2
3	-	0.02	-	0.12	0.05	0.05	0.87	-	0.06	0.13	-	0.13	3
4	-	-	-	0.03	0.08	-	0.31	0.59	0.02	0.51	0.02	0.07	4
5	-	-	0.01	-	0.03	-	0.06	0.11	0.01	0.04	-	-	5
6	-	-	0.17	0.06	0.10	-	0.03	-	-	-	-	0.08	6
7	-	-	0.10	-	0.05	-	0.72	-	-	-	-	-	7
8	0.13	0.05	-	0.37	0.02	-	0.14	0.08	-	0.02	0.02	-	8
9	0.19	0.17	-	0.57	-	-	0.07	0.07	-	0.02	-	-	9
10	0.19	0.50	-	0.21	-	-	0.38	0.32	-	-	-	-	10
11	0.44	-	0.03	0.21	0.15	0.12	-	-	0.01	-	-	0.13	11
12	-	-	0.13	0.28	-	0.02	0.01	0.09	-	-	0.03	0.08	12
13	0.14	0.03	0.11	0.03	-	0.50	-	-	-	-	-	0.12	13
14	-	0.01	0.50	0.11	-	0.18	-	-	0.47	0.19	0.21	-	14
15	-	0.09	0.07	0.09	-	-	0.01	-	-	0.21	0.14	-	15
16	-	-	-	-	0.03	-	0.63	-	0.06	-	0.10	-	16
17	-	-	-	-	0.06	-	-	-	0.22	0.01	-	-	17
18	0.11	0.02	-	0.07	0.04	-	-	0.02	0.01	-	-	-	18
19	0.03	1.19	-	0.01	0.05	0.23	-	0.15	0.04	-	-	-	19
20	0.07	0.02	-	0.11	-	0.05	0.10	-	-	-	-	-	20
21	-	-	-	0.15	-	-	0.61	0.09	-	-	-	0.05	21
22	-	-	-	0.34	-	-	0.10	-	-	-	-	0.09	22
23	-	-	-	-	-	-	0.22	-	-	-	-	0.37	23
24	0.04	-	0.19	0.02	-	-	0.01	-	-	-	-	0.09	24
25	-	0.05	0.08	-	-	-	0.81	-	-	-	-	-	25
26	0.06	0.03	0.11	0.05	-	-	0.03	-	-	-	-	-	26
27	0.12	0.01	-	0.06	0.53	0.51	-	-	-	-	0.24	0.12	27
28	1.45	-	0.07	0.06	0.16	-	-	-	0.02	-	0.04	0.10	28
29	0.09	-	0.23	-	1.15	0.17	0.03	-	-	-	0.14	0.63	29
30	0.14	~~X~~	0.01	0.14	-	0.06	-	-	0.15	-	0.12	0.29	30
31	0.15	~~X~~	0.08	~~X~~	0.02	~~X~~	-	-	~~X~~	0.38	~~X~~	0.05	31
99 TOTAL	3.35	2.19	1.94	3.46	2.80	1.94	5.61	1.55	1.30	1.81	1.22	2.60	YEAR'S TOTAL 29.77
Days with "or more	15	13	17	23	16	11	21	10	13	11	11	17	178

REGISTER OF RAINFALL IN 1920.

Kept at Clarence Fork
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 am daily
Nearest Railway Station Wd (Westgate) GNR.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.21	.28	.05	.21	.03	.02	.12	.16	.05	1
2			.03	.16			.26		.21	.18		.15	2
3		.02		.12	.05	.05	.84		.06	.13		.13	3
4				.03	.08		.31	.59	.02	.51	.02	.04	4
5			.01		.03		.06	.11	.01	.04			5
6			.14	.06	.10		.03					.08	6
7			.10		.05		.42						7
8	.13	.05		.34	.02		.14	.08		.02	.02		8
9	.19	.14		.54			.04	.04		.02			9
10	.19	.50		.21			.38	.32					10
11	.44		.03	.21	.15	.12			.01			.13	11
12			.13	.28		.02	.01	.09			.03	.08	12
13	.14	.03	.11	.03		.50						.12	13
14		.01	.50	.11		.18			.47	.19	.21		14
15		.09	.04	.09			.01			.21	.14		15
16					.03		.63		.06		.10		16
17					.06				.12	.01			17
18	.11	.02		.04	.04			.02	.01				18
19	.03	.19		.01	.05	.23		.15	.04				19
20	.04	.02		.11		.05	.10						20
21				.15			.61	.09				.05	21
22				.34			.10					.09	22
23							.22					.34	23
24	.04		.19	.02			.01					.09	24
25		.05	.08				.81						25
26	.06	.03	.11	.05			.03						26
27	.12	.01		.06	.53	.51					.24	.12	27
28	1.45		.04	.06	.16				.02		.04	.10	28
29	.09		.23		1.15	.14	.03				.14	.63	29
30	.14		.01	.14		.06			.15		.12	.29	30
31	.15		.08		.02					.38		.05	31
TOTAL	3.35	2.19	1.94	3.46	2.80	1.94	5.61	1.55	1.30	1.81	1.22	2.60	YEAR'S TOTAL
Days with ".01 in. or more	15	13	17	23	16	11	21	10	13	11	11	14	148
Days with ".04 in. or more	4	6	12	19	12	10	15	8	4	8	8	14	136

REGI

WAKEFIELD

FIELDHEAD RES
YORKSHIR

Kept at Fieldhead
in the County of WR York
by Wakefield

FORM A2.
BRITISH RAINFALL
JAN 1919
den
in.
and / ft. 0 in.
Level 250 T ft.
ie
ance Direction

IMPORTANT NOTE.—
previous day. If an Observer
requested to add the reading
for it at the end of this pa
the selection and placing of
Organization are given in "R
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1916, ~~1920~~
1919 - 1920

result entered to the
rule, he is earnestly
in the space provided
of rain,
Rainfall

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	13					03			03		1
2	14				02						05	03	2
3					14						06		3
4			06	06		01		04	08	04	18	06	4
5			02					19		18	22		5
6	07		04	05				09		12	33	20	6
7													7
8	05		08			03						21	8
9													9
10												41	10
11	11								02		41	14	11
12	03	01	03		06				63		08	01	12
13			04								01	40	13
14		03			15							50	14
15		02		04							01	14	15
16		13	14			06	04			10	10	05	16
17		01	05			12					10	09	17
18	01	27	04	02		36				02	15	04	18
19			02			31	01		19	15	36	02	19
20		02		07			03	60	19			16	20
21		34						25		16		03	21
22	02	01						03		12	02		22
23		28	01			42		02	15			18	23
24	04	12				1.89		01		08		13	24
25	04	22	01	04		06	03		69	11	01	17	25
26				05	05					38	26	32	26
27		08	07	16				35	14				27
28			04	11		02			03		05	12	28
29				05		07	06		22	08	01	04	29
30					08	32				21			30
31			04		08					12			31
Total	51	1.55	82	65	58	3.67	17	1.61	2.34	1.87	2.44	3.45	TOTAL for year
No. of Rain Days.	9	14	16	10	7	12	5	10	10	14	19	22	148

REGI

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Kent at Fieldhead (new)

in the County of WR York 8

by Wakefield Corporation

Pattern Snowden
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft. 0 in.
" " " Sea Level 250 T ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	13					03			03		1
2	14				02						05	03	2
3					14						06		3
4			06	06		01		04	08	04	18	06	4
5			02					19		18	22		5
6	07		04	05				09		12	33	20	6
7													7
8	05		08			03						21	8
9													9
10												41	10
11	11								02		41	14	11
12	03	01	03		06				63		08	01	12
13			04								01	40	13
14		03			15							50	14
15		02		04							01	14	15
16		13	14			06	04			10	10	05	16
17		01	05			12					10	09	17
18	01	27	04	02		36				02	15	04	18
19			02			31	01		19	15	36	02	19
20		02		07			03	60	19			16	20
21		34						25		16		03	21
22	02	01						03		12	02		22
23		28	01			42		02	15			18	23
24	04	12				1.89		01		08		13	24
25	04	22	01	04		06	03		69	11	01	17	25
26				05	05					38	26	32	26
27		08	07	16				35	14				27
28			04	11		02			03		05	12	28
29				05		07	06		22	08	01	04	29
30					08	32				21			30
31			04		08					12			31
Total	51	1.55	82	65	58	3.67	17	1.61	2.34	1.87	2.44	3.45	TOTAL for year 14.66
No. of Rain Days.	9	14	16	10	7	12	5	10	10	14	19	22	148

Dec 11 1912
REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
25 JAN 1913

Kept at Fieldhead Reservoir
in the County of York W.8
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		02	03			39	07		14			* (17)	1
2			04	01		09	32					08	2
3	09					41		68	29			01	3
4	14		28	07	08	35		39			08		4
5	15	03			22	22		05					5
6	60		09					55					6
7		19	02			04		45					7
8	32	25	03		02			02	14				8
9	06	12	03	22		07		05			01	02	9
10	04	01				40		35			18		10
11	09	06									15	41	11
12		29				11	1 05				02		12
13	04							12		13	07	03	13
14	11		57	01		06		07				05	14
15	07		08		61	01						11	15
16	76	07	22			18		04		05		05	16
17	07	01	07			29	03	21				30	17
18	14		04					02				02	18
19	28	15	06			02	16	42		32	03		19
20	17		03		28	03	19	01					20
21			29		46		10			* 25			21
22		07	01		92	06	27	58				04	22
23			19		02		44	34			04	01	23
24	31				03		24	21			04	09	24
25						26		01			37	05	25
26		12					37	89		1 20	28	20	26
27			07			24	21	02		59	01	08	27
28		04					06	40		13	13	06	28
29		01	04			19			42	09		04	29
30			11		46				21	03			30
31	* 06				20		32	19					31
Total	3 50	1 44	2 30	31	3 30	3 42	3 83	6 07	1 20	2 79	1 41	(1 82)	31 39
Rain Days.	18	15	20	4	11	19	14	23	5	9	13	19	170

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
26 JAN 1914

Kept at Fieldhead Reservoir

in the County of York

by Wakefield Corporation

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station _____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 250 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04	.12	.03						.01		1
2	.01	.07	.04	.02							.08		2
3	.06	.04	.09		.32		.06			.64		.60	3
4	.46	.03			.01	.03	.05		.07	.03	.13	.18	4
5	.02		.14			.08	.06		.05	.20			5
6		.05	.10		.53		.51			.35			6
7		.18			.06	.10				.51	.03		7
8		.01			.74	.03		.04		.46	.09		8
9		.15		.02	.17	.06					.16		9
10		.03	.01	.05			.07			.03	.14		10
11	.72	.01		.47	.02					.02	.06		11
12						.02		.02			.16		12
13			.03	.03				.01	.13	.01	.06		13
14	.08	.03	.12							.06	.09		14
15	.07	.01	.19	.48					.04		.26		15
16			.12	.04				.21			.17		16
17	.03		.01	.08		.27			.88		.01		17
18	.04		.18	.08							.09	.02	18
19	.10	.01		.07					.02				19
20	.08		.09	.09					.04	.10	.05		20
21	.02		.03		.09		.24	.13			.07		21
22	.13		.42					.40	.12				22
23	.06	.02			.04	.13		.11	.15	.03	.03		23
24	.12			.01		.04							24
25									.09	.01		.25	25
26			.15	.08						.13		.29	26
27				.19		.05						.07	27
28	.33		.16	.32					.01			.02	28
29	.02		.34	.39	.03			.27				.05	29
30	.25									.34	.04		30
31			.05										31
Total	2.60	.64	2.31	2.54	2.04	.81	.99	1.19	1.60	2.92	1.73	1.48	20.85
Rain Days.	18	13	19	17	11	10	6	8	11	15	19	8	155

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL
27 JAN 1915

Kept at Fieldhead Reservoir
in the County of York WRS
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wakefield (Rinkgate)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.74	34				24	1
2	.03						37	34			26	12	2
3	.03		.03		.09			.01	.01		.05	.37	3
4	.23		.09	.18	.05						.24	.33	4
5	.11		.26	.12		.05					.13	.27	5
6				.28	.16						.08	.02	6
7			.24		.06			.06			.04	.13	7
8	.16		.03		.05	.41	.13						8
9	.39	.09		.05	.01	.97		.07					9
10	.11								.13		.21		10
11		.37	.19	.05		.04			.04		.44	.38	11
12		.07	.13						.17		.03	.34	12
13			.11						.02	.01	.21	.15	13
14	.03	.09					.06			.05	.30	.40	14
15		.03	.16		.01				.03			.02	15
16							.55		.20				16
17	.03	.06	.12				.03		.26			.13	17
18												.10	18
19						.04						.11	19
20	.02	.15	.03										20
21		.37				.30	.05	.07		.04		.05	21
22					.42	.06	.05	.05		.11	.04	.03	22
23			.04	.02	.20	.03	.05					.01	23
24			.40		.04		.05	.15			.13		24
25	.01							.30		.59	.03	.39	25
26	.07		.10					.06		.24	.02	.13	26
27										.04	.14	.81	27
28	.01	.03								.29	.05		28
29			.19							.36	.04		29
30		X	.03							.07	.04	.11	30
31	.02	X		X		X	.29		X	.19	X		31
Total	1.25	1.26	2.15	.70	1.09	1.90	3.37	1.45	.86	1.99	2.48	4.64	23.14
Rain Days.	14	9	16	6	10	8	11	10	8	11	19	22	144

YEAR'S TOTAL

REGISTER OF RAINFALL IN 19 15.

3405
FORM A.
BRITISH RAINFALL
29 JAN 1916

Kept at Fieldhead Reservoir

in the County of York W8

by Wakefield Corporation

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.10							.01			.02	1
2	.01	.08					.19			.03			2
3	.79											.60	3
4	.11	.02				.02					.01	.91	4
5	.13	.26	.11									.47	5
6	.02	.19						.65				.15	6
7	.36	.23			.87							.11	7
8	.02	.07									.06		8
9	.02	*			34 (9 days)		.97			.01	.06	.52	9
10	.22									.05		.08	10
11											.22	.47	11
12		---	.20							.11	.44		12
13	.13							.89					13
14	.02				.73							.11	14
15	.45										.19	.10	15
16							.93						16
17													17
18													18
19		.87	.01										19
20	.02							.45		.01		.36	20
21	.04				.15							.14	21
22												.02	22
23	.04			20 (4 days)			.44			.12		.03	23
24									.47			.14	24
25						.14			.02	.03		.22	25
26		.16	.27									.52	26
27									.01	.32		.10	27
28		.29			.04			.36		.03			28
29		~~X~~									.09	.51	29
30	.11	~~X~~		.01		1.78	.39						30
31	.06	~~X~~	.01	~~X~~	.09	~~X~~	.02	*.23	~~X~~	.10	~~X~~	.17	31
Total	2.68	2.27	.60	.55	1.88	1.94	2.94	2.58	.51	.81	1.07	5.75	YEAR'S TOTAL 23.58
Rain Days.	18								4	10	7	21	✓

REGISTER OF RAINFALL IN 1916

3330

FORM A.
BRITISH RAINFALL

Kept at Fieldhead Reservoir

in the County of York W.R.

by Wakefield Corporation

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25		.11			.09	.18				.15		1
2	.07		.10						.17		.01		2
3		.15							.90	.17	.06		3
4	.03	.15		.02	.73	.20			.57	.19	.24		4
5		.02			.05	.12				.13	.24		5
6	.10	.35	.03	.05	.28		.20			.24	.20	.04	6
7		.04	.06		.09		.12			.01	.01	.26	7
8		.02	.25			.03				.13	.09	.16	8
9			.04		.35				.14	.01	.06	.11	9
10		.07	.01	.06		.41						.12	10
11		.27	.33	.13	.02	.06			.03			.06	11
12	.04	.01	.43	.06	.31		.61	.15					12
13		.06	.18					.29		.58	.02	.04	13
14		.08	.03		.13			.23		.09		.03	14
15		.27	.72	.03			.09	.23		.01			15
16		.14	.20	.05			.02	.01					16
17	.01	.12		.12			.02	.04	.17	.18			17
18		.37		.01		.01		.09	.12	.04	.89	.16	18
19		.01	.24	.23				.07			.26	.09	19
20	.06		.29				.05				.02	.04	20
21	.04			.06							.01	.01	21
22	.08		.01			.06				.08		.15	22
23		.05	.05	.02				.03			.09	.27	23
24		.32		.01				.18				.15	24
25			.17		.05			.17		.09	.10		25
26		.06								.09			26
27		.31						.02		.12		.01	27
28		.18			.06	.03			.01	.16		.06	28
29		.20				.15				.17		.14	29
30		X			.28	.01				.23			30
31		X		X			.02		X	.18	X	.11	31
Total	.68	3.25	3.25	.85	2.35	1.17	1.31	1.51	2.11	2.90	2.45	2.01	YEAR'S TOTAL 23.84
Rain Days.	9	22	18	13	11	11	9	12	8	20	16	19	168

REGISTER OF RAINFALL IN 1919.

Kept at Fieldhead Reservoir
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.01			.25		.15		.22	.12	.03	.04	1
2	.14		.06		.01		.04				.01		2
3	.84				.03	.15	.42		.04		.22	.16	3
4	.10		.22					.10	.04		.03	.21	4
5	.04				.03				.03		.01	.04	5
6			.09		.30		.08				.03	.03	6
7	.02		.23		.04								7
8	.08							.01			.01		8
9	.05		.03	.01							.04		9
10			.06	.02	.13						.01	.06	10
11			.46		.08		.10						11
12			.25	.04			.15		.03		.08	.01	12
13	.08			.09					.15	.24			13
14	.15			.24				.03					14
15	.02	.18	.03	.08								.30	15
16	.08	.64		.03							.19	.01	16
17		.02		.03		.04					.16		17
18			.31		.02		.04	.50	.04			.04	18
19	.03	.26	.66				1.45	.15	.04		.12		19
20	.40	.10	.02			.02	.18	.06	.02		.06	.13	20
21	.04	.23	.01			.04	.15					.13	21
22		.11							.10		.02	.28	22
23				.03		.01		.02		.62	.01	.06	23
24				.06		.02	.01	.05		.14	.02	.33	24
25	.02			.16	.03	.01		.35			.04		25
26			.11	.13				.36		.01	.03	.28	26
27	.02			.08				.01				.04	27
28				.02				.44		.08		.24	28
29	.04			.01		.08				.49		.12	29
30		~~X~~		.06		.06				.04	.09	.09	30
31	.01	~~X~~		~~X~~		~~X~~	.03		~~X~~	.03	~~X~~		31
TOTAL	2.52	1.58	2.84	1.12	.95	.46	3.13	2.08	.41	1.80	1.24	2.66	21.09
Days with ".01 in. or more	19	8	14	16	10	9	12	12	10	9	20	20	159

REGISTER OF RAINFALL IN 1920.

Kept at Fieldhead Reservoir
in the County of York
by Wakefield Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04	.16	.23	.02	.18	.01		.10	.08	.05	1
2				.14	.01				.21	.14		.14	2
3		.02		.07	.02	.02	1.23		.08	.19		.09	3
4				.01	.08		.27	.54	.01	.39	.01	.03	4
5			.01		.03		.04	.11		.03			5
6			.10	.02	.10		.03					.04	6
7	.07		.02		.01		.65						7
8	.03	.04	.02	.26	.01		.20	.09			.04		8
9	.19	.20		.46			.08	.04		.03			9
10	.28	.37	.01	.14			.28	.25					10
11	.16		.01	.13	.14	.08		.01				.10	11
12	.04		.08	.21			.01	.04			.03		12
13		.01	.08	.03		.40						.18	13
14	.05		.14	.04		.18			.31	.18	.20		14
15		.08	.03	.04						.21	.02		15
16					.04		.58		.04		.04		16
17			.02		.04			.02	.19	.01			17
18	.05			.04	.04	.01							18
19		.96		.01	.01	.17		.15	.01				19
20		.01		.06		.03	.09					.05	20
21				.24			.50	.08				.08	21
22	.01			.24			.20					.01	22
23				.01			.14			.01	.02	.24	23
24			.14	.02								.09	24
25		.02	.08				.74						25
26	.03	.03	.11	.03	.11		.01					.01	26
27	.06			.01	.40	.53					.26	.10	27
28	.67		.05	.03	.11				.02			.08	28
29	.04		.22	.02	.89	.04	.03				.09	.56	29
30	.19	X	.01	.04		.11			.13		.08	.22	30
31	.08	X	.04	X		X		X	X	.33	X	.02	31
TOTAL	1.98	1.74	1.24	2.52	2.27	1.59	5.26	1.37	1.00	1.62	.87	2.09	YEAR'S TOTAL
Days with ".01 in. or more	18	10	19	28	17	11	18	11	9	11	11	18	24.03
Days with ".04 in. or more	12	5	11	15	11	7	14	8	4	7	7	14	23.55

made

Jan. 1st. from old g.

REG 3237

WALSDEN

Kept at Ramsden
Administrative
in the County of York
by Rochdale Corporat

RAMSDEN HILL

1913-30

FORM A.
BRITISH RAINFALL.
25 APR 1914

ex, weekly and
as the month
5 in.
round 1 ft. 0 in.
Sea Level 1346 ft.
The result entered to the
sal rule, he is earnestly
in the space provided

Jan. 1, following.
-0

IMPORTANT NOT
previous day. If an Ob
requested to add the read
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4	.23									0		~~.50~~	4
5				.20			.10					~~.12~~	5
6									.10			1.20	6
7						1.10							7
8		1.55	2.00								1.00		8
9								.20					9
10					2.20								10
11	1.09									.30			11
12	.38			.40			.30						12
13	.08								.50			.70	13
14						1.40							14
15		.75	1.82								1.50		15
16								.30					16
17					.10								17
18	.18									1.20			18
19				2.10			.30						19
20									.50			.20	20
21						.10							21
22		0	.90								4.20		22
23								.80					23
24					1.30							~~.12~~	24
25	1.09									.40			25
26				.40			.20						26
27									1.10			1.20	27
28		.20										~~.04~~	28
29													29
30						.70						~~.04~~	30
31	.95		.80	2.80	.40		.0	.70		.80	.60	.20	31
Total	5.00	2.50	5.52	5.90	4.00	3.30	.90	2.00	2.20	2.80	7.30	3.50	44.12
Rain Days	46											82	128

The figures in red are the snow gauges (melted) observed at the gauge adjoining Ramsden
Reservoir, vide my letter of the 21st Feb. last + Mr. Saller's letter of the 1st Feb.

Jan. 1st. from old g.

REGISTER OF RAINFALL

25 APR 1914
FORM A.
BRITISH RAINFALL

Kept at Ramsden Hill
Administrative
in the County of York (West Riding)
by Rochdale Corporation Water Works
Committee

Lat. _____ Long. _____
Time of Observation 9 a.m. weekly and at the month end
Nearest Railway Station Walsden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1346 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1				New gauge in use										1
2													2	
3													3	
4	.23									0		~~.50~~	4	
5				.20			.10					~~.12~~	5	
6									.10			1.20	6	
7						1.10							7	
8		1.55	2.00								1.00		8	
9								.20					9	
10					2.20								10	
11	1.09									.30			11	
12	.38			.40			.30						12	
13	.08								.50			.70	13	
14						1.40							14	
15		.75	1.82								1.50		15	
16								.30					16	
17					.10								17	
18	.18									1.30			18	
19				2.10			.30						19	
20									.50			.20	20	
21						.10							21	
22		0	.90								4.20		22	
23								.80					23	
24					1.30							~~.12~~	24	
25	1.09									.40			25	
26				.40			.20						26	
27									1.10			1.20	27	
28		.20										~~.04~~	28	
29													29	
30						.70						~~.04~~	30	
31	.95		.80	2.80	.40		0	.70		.80	.60	.20	31	
Total	5.00	2.50	5.52	5.90	4.00	3.30	.90	2.00	2.20	2.80	7.30	3.50	44.92	
Rain Days	446	—	—	—	—	—	—	—	—	—	—	82	128	

Note: The figures in red are the snow gauges (melted) observed at the gauge adjoining Ramsden Reservoir, vide my letter of the 21st Feb. last + Mr. Saller's letter of the 1st Feb.

REGISTER OF RAINFALL IN 19/3

25 APR 1934
BRITISH RAINFALL FORM A.

Kept at Ramsden Bill. (old gauge)
administrative
in the County of York. (West Riding)
by Rochdale Corporation Water Works Committee

Lat. Long.
Time of Observation 9 am weekly and 9 am the month end
Nearest Railway Station Walsden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 1326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4	23									0		50	4
5				17			10					12	5
6									08			48	6
7						60							7
8		116	156								95		8
9								15					9
10					210								10
11	109						26			22			11
12	(38)			38									12
13	(08)								31			70	13
14						109							14
15		63	74								130		15
16								31					16
17					209								17
18	18									74			18
19				144			25						19
20									24			14	20
21						11							21
22			81								257		22
23								30					23
24					79							12	24
25	109									24			25
26				23			13						26
27									87			97	27
28		14											28
29												04	29
30				216		60					57	04	30
31	95		63		28		0	54		46		12	31
Total	400 354	193	374	438	326	240	74	130	150	166	539	323 241	3353 3225
Rain Days.	46											82	128

copy by own station
- W.D. REG

3238

WALSDEN

BRITISH RAINFALL
FORM A.
1 FEB 1913

Kept at Ramsden
Administrative
in the County of Yorkshire
by Roddale Corporation

RAMSDEN RES

1912-20

in
alsden
8 in.
Ground 1 ft. 0 in.
Sea Level 980 ft.
The result entered to the
normal rule, he is earnestly
in the space provided
of rain,
Jan. 1, following.

08

IMPORTANT NOTE
previous day. If an Observer
requested to add the result
for it at the end of the
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	08	.	08	11	.	65	(16) 14	147	44	.	.	.	1
2	.	.	26	.	.	11	05	07	31	.	.	98	2
3	04	.	39	07	10	15	26	.	10	.	.	24	3
4	57	.	13	.	.	64	.	59	06	.	05	14	4
5	56	.	66	56	07	71	.	84	09	.	51	.	5
6	34	.	10	.	46	11	.	10	30	.	05	06	6
7	32	37	.	03	11	.	.	33	.	.	.	.	7
8	.	12	.	.	19	08	05	10	42	.	07	.	8
9	39	43	15	25	.	06	.	06	15	.	13	.	9
10	24	04	21	37	.	05	.	.	.	.	06	36	10
11	39	07	.	.	.	22	16	07	.	.	113	.	11
12	.	05	.	.	.	.	.	04	.	.	04	83	12
13	13	24	46	.	.	(10)	.	.	.	.	.	14	13
14	05	.	.	.	.	.	.	43	.	40	08	89	14
15	44	.	96	.	.	(21)	.	23	.	.	.	54	15
16	15	15	43	.	55	29	.	07	.	05	.	32	16
17	73	04	58	.	19	34	.	34	.	24	64 40	15	17
18	03	11	28	.	07	91	.	54	.	.	60	59	18
19	07	03	03	.	.	24	.	04	.	45	05	24	19
20	16	08	10	.	.	10	13	27	.	78	15	.	20
21	24	.	08	.	36	07	.	53	.	42	.	09	21
22	.	.	15	.	23	.	.	27	.	14	.	25	22
23	.	38	.	.	63	45	12	28	.	.	05	06	23
24	.	.	25	.	.	07	57	71	.	.	42	11	24
25	12	07	05	.	.	49	14	62	.	.	14	15	25
26	.	04	09	.	.	62	08	17	.	.	87	19	26
27	.	27	21	.	.	03	10	37	.	213	53	19	27
28	.	17	69	.	.	69	59	.	.	69	04	24	28
29	.	08	.	.	.	12	66	119	9	64	30	.	29
30	.	.	05	.	.	08	71	06	29	19	.	26	30
31	05	.	41	.	10	.	05	.	.	07	.	.	31
Total	506	274	682	139	306	759	383	929	315	620	477	702	614
Rain Days.	20	18	24	7	12	26	16	26	10	12	20	22	22
	19	19		6	13				9			23	212

made by our state for W.D. REG

BRITISH RAINFALL FORM A. 1 FEB 1913

Kept at Ramsden Reservoir.
Administrative
in the County of Yorkshire (West Riding) W8
by Roddale Corporation (Waterworks Dept)

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Walsden
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	08	.	08	11	.	65	⁽¹⁶⁾ 146	147	44	.	.	.	1
2	.	.	26	.	.	11	05	07	31	.	.	98	2
3	04	.	39	07	10	15	26	.	10	.	.	24	3
4	57	.	13	.	.	64	.	59	96	.	05	14	4
5	56	.	66	56	07	71	.	84	09	.	51	.	5
6	34	.	10	.	46	11	.	10	30	.	05	06	6
7	32	37	.	03	11	.	.	33	.	.	.	.	7
8	.	12	.	.	19	08	05	10	42	.	07	.	8
9	39	43	15	25	.	06	.	06	15	.	13	.	9
10	24	04	21	37	.	05	.	.	.	.	06	36	10
11	39	07	.	.	.	22	16	07	.	.	113	.	11
12	.	05	.	.	.	.	.	04	.	.	04	83	12
13	13	24	46	.	.	⁽¹⁰⁾	.	.	.	.	.	14	13
14	05	.	.	.	.	.	.	43	.	40	08	89	14
15	44	.	96	.	.	⁽²¹⁾	.	23	.	.	.	54	15
16	15	15	45	.	55	29	.	07	.	05	.	32	16
17	73	04	58	.	19	34	.	34	.	24	⁵⁴ 40	15	17
18	03	11	28	.	07	91	.	54	.	.	⁰⁶ 60	59	18
19	07	03	03	.	.	24	.	04	.	45	05	24	19
20	16	08	10	.	.	10	13	27	.	78	15	.	20
21	24	.	08	.	36	07	.	53	.	42	.	09	21
22	.	.	15	.	23	.	.	27	.	14	.	25	22
23	.	38	.	.	63	45	12	28	.	.	05	06	23
24	.	.	25	.	.	07	57	71	.	.	42	11	24
25	12	07	05	.	.	49	14	62	.	.	14	15	25
26	.	04	09	.	.	62	08	17	.	.	87	19	26
27	.	27	21	.	.	03	10	37	.	213	53	19	27
28	.	17	69	.	.	69	59	.	.	69	04	24	28
29	.	08	.	.	.	12	66	119	9	64	30	.	29
30	.	.	05	.	.	08	71	06	29	19	.	26	30
31	05	.	41	.	10	.	05	.	.	07	.	.	31
Total	505	274	682	139	306	759	383	979	315	620	477	702	61.41
Rain Days.	5.02	2.82	6.85	1.28	3.71	7.10	5.14	8.76	2.71	6.20	4.77	7.10	61.46
	20	18	24	7	12	26	16	26	10	12	20	22	223
	19	19		6	13				9			23	212

REGISTER OF RAINFALL IN 1913

Kept at Ramaden Reservoir
Administrative
in the County of York (West Riding) W.8
by Rochdale Corp. Waterworks Committee

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Walsden
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 992.77 ft.

FORM A.
BRITISH RAINFALL.
25 APR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.07	.0	.16	.0	.20	.0	.0	.0	.0	.0	.16	1
2	.09	.06	.41	.18	.0	.0	.0	.0	.12	.0	.08	.0	2
3	.0	.23	.78	.07	.0	.29	.0	.0	.0	.0	.36	.21	3
4	.11	.26	.26	.0	.67	.0	.0	.0	.0	.0	.08	.76	4
5	.71	.21	.06	.0	.0	.0	.09	.0	.0	.0	.34	.61	5
6	.33	.13	.16	.0	.05	.12	.10	.0	.06	.11	.0	.0	6
7	.18	.34	.23	.0	.78	.28	.19	.0	.0	.21	.0	.07	7
8	.0	.39	.05	.0	.45	.12	.0	.0	.0	.31	.0	.04	8
9	.0	.42	.08	.0	.07	.15	.0	.19	.0	.08	.19	.04	9
10	.0	.38	.61	.0	.09	1.24	.05	.37	.0	.0	.16	.22	10
11	.0	.04	.39	.19	.04	.0	.06	.0	.05	.0	.15	.0	11
12	.38	.0	.0	.20	.0	.18	.0	.0	.0	.0	.17	.14	12
13	.08	.0	.0	.0	.06	.0	.0	.0	.35	.04	.29	.0	13
14	.0	.0	.78	.09	.0	.0	.0	.03	.24	.06	.28	.0	14
15	.11	.0	.26	.41	.0	.0	.0	.0	.0	.42	.26	.07	15
16	.16	.0	.57	.91	.0	.0	.03	.16	.0	.0	.64	.0	16
17	.0	.0	.0	.05	.0	.0	.05	.0	.0	.0	.47	.13	17
18	.0	.0	.0	.22	.25	.04	.17	.0	.29	.0	.27	.0	18
19	.14	.0	.32	.53	.21	.03	.05	.0	.0	.0	.44	.0	19
20	.05	.0	.0	.21	.11	.11	.0	.0	.05	.17	.42	.0	20
21	.13	.0	.11	.09	.07	.0	.0	.0	.06	.19	1.34	.0	21
22	.0	.0	.18	.0	.25	.0	.19	.22	.0	.0	.05	.0	22
23	.69	.0	.58	.0	.11	.0	.0	.62	.17	.0	.0	.0	23
24	.37	.0	.04	.0	.61	.51	.0	.41	.22	.0	.16	.12	24
25	.74	.14	.0	.16	.11	.29	.0	.0	.0	.0	.05	.24	25
26	.0	.0	.0	.11	.0	.0	.0	.0	.33	.04	.09	.12	26
27	.0	.07	.0	.67	.0	.0	.0	.0	.17	.06	.0	.87	27
28	.0	.0	.05	.47	.0	.04	.0	.0	.0	.24	.0	.18	28
29	.33	—	.18	.55	.0	.0	.0	.0	.0	.0	.06	.04	29
30	.03	—	.31	.84	.07	.0	.0	.18	.0	.0	.13	.04	30
31	.81	—	.0	—	.21	—	.0	.0	—	.29	—	.0	31
Total	5.46	2.74	6.41	6.11	4.21	3.60	.98	2.12	2.11	2.22	6.48	4.06	46.50
Rain Days.	19	13	21	19	20	13	10	8	12	13	23	17	187

REGISTER OF RAINFALL IN 1917.

Kept at Ramsden Reservoir.
No. 1.
 in the County of the West Riding of Yorkshire
 by the Rochdale Corp. Waterworks Committee

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Walsden
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 993 ft.

FORM A.
 BRITISH RAINFALL
 16 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	09	0	0	0	42	21	0	0	0	24	1
2	0	0	06	0	0	0	22	71	0	16	15	25	2
3	21	0	34	0	93	0	0	08	0	07	04	81	3
4	78	0	45	41	26	0	0	0	0	0	10	46	4
5	08	0	54	47	12	45	09	0	0	0	30	47	5
6	0	11	0	26	31	04	0	55	0	0	23	06	6
7	12	0	23	09	24	03	0	03	0	0	0	23	7
8	114	0	06	06	32	22	03	84	10	07	07	05	8
9	58	19	0	38	08	81	0	46	05	0	28	0	9
10	07	13	0	15	04	0	0	0	12	0	22	0	10
11	0	27	57	0	0	0	11	0	32	0	164	19	11
12	0	17	08	0	15	0	37	0	93	0	91	25	12
13	0	47	25	06	04	0	05	0	38	0	42	27	13
14	0	41	24	0	0	0	05	0	43	0	35	32	14
15	0	15	42	0	0	0	0	0	21	0	14	0	15
16	0	03	07	0	0	0	45	0	104	0	0	0	16
17	09	101	11	0	0	0	11	0	72	0	0	169	17
18	0	13	06	0	0	63	0	0	0	0	0	10	18
19	0	07	07	0	0	0	07	0	0	0	0	23	19
20	0	19	08	0	0	0	0	0	0	0	0	0	20
21	0	18	04	0	0	07	0	03	0	07	0	0	21
22	0	48	08	04	10	32	0	06	0	04	0	0	22
23	0	08	23	16	17	09	18	0	0	0	0	10	23
24	12	0	105	15	40	06	69	57	0	0	29	0	24
25	15	0	0	0	0	0	55	65	0	126	24	68	25
26	04	0	11	0	0	0	06	05	0	31	47	62	26
27	10	0	0	0	0	0	0	0	0	62	44	110	27
28	08	29	12	0	0	03	07	0	05	06	45	06	28
29	21		19	0	05	0	0	05	0	23	31	05	29
30	0	X	75	0	0	0	0	11	0	10	25	24	30
31	91	X	33	X	0	X	87	0	X	13	X	0	31
Total	4.68	4.36	6.62	2.23	3.21	2.75	4.39	4.40	4.35	3.12	7.30	8.47	55.88
Rain Days.	15	17	26	11	14	11	17	14	11	12	20	22	190

YEAR'S TOTAL

REGISTER OF RAINFALL IN 19¹⁵.

3411
FORM A.
BRITISH RAINFALL
14 FEB 1916

Kept at Ramsden Reservoir, Todmorden
in the County of (Lancaster) York W.R. 8
Administrative County of York. W.R.
by Rochdale Corporation

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Walden
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.83	—	—	.41	—	.12	.48	.16	—	—	.04	1
2	—	.42	.40	.26	—	.05	.48	.46	—	.13	—	—	2
3	.69	.33	.23	.35	—	—	.34	—	—	.02	—	.44	3
4	.08	.45	—	—	.12	.03	.45	—	—	—	—	.64	4
5	.28	.10	.30	—	.04	.04	—	.04	—	—	—	.93	5
6	.43	.04	.08	.52	—	—	.61	—	—	.02	—	.81	6
7	.71	.83	—	.17	1.58	—	.39	.63	—	—	—	.28	7
8	.60	.10	—	.32	—	—	—	.12	—	—	.72	—	8
9	.06	.06	—	.18	—	—	.04	.06	—	.05	.39	.64	9
10	1.02	—	.08	—	—	—	—	.76	—	.02	—	.46	10
11	.43	—	—	—	1.04	—	.31	.42	—	—	.10	.42	11
12	.39	—	.03	.10	.10	—	.09	.29	—	.37	.70	—	12
13	.25	.35	—	—	—	—	.05	—	—	—	—	.10	13
14	.29	—	—	.08	—	—	.15	.50	.13	—	—	.48	14
15	1.58	—	—	—	—	—	.31	.09	.04	—	.26	.45	15
16	—	.58	—	.05	.21	—	.91	.71	—	—	—	.05	16
17	—	.70	.04	—	—	—	.05	—	—	—	.03	.04	17
18	—	.51	.16	—	—	—	—	—	—	.04	.01	—	18
19	.08	.33	.15	.25	.19	—	.80	—	—	—	—	—	19
20	.53	—	.04	—	.14	—	.08	.08	—	—	—	.46	20
21	.18	.06	—	.05	—	—	.27	—	—	—	—	.14	21
22	.06	—	.04	—	—	—	.10	—	—	—	—	.30	22
23	—	—	.16	—	—	—	.16	—	.03	.22	—	.36	23
24	—	—	.14	.05	—	.04	—	—	.36	.02	—	.80	24
25	—	—	—	—	—	.19	—	—	.04	—	—	.36	25
26	—	.73	—	—	—	.38	.35	—	—	—	—	.75	26
27	—	.26	—	—	—	—	.04	—	—	.84	—	.45	27
28	—	.24	—	—	.04	.05	—	.46	—	.16	—	—	28
29	—	—	—	—	.05	.22	—	—	—	—	.28	.18	29
30	.14	X	—	.08	—	.12	—	—	—	—	—	—	30
31	.18	X	—	X	—	X	—	.46	X	.27	X	.42	31
Total	8.15	6.94	1.88	2.46	3.92	1.12	6.13	5.59	.82	2.16	2.49	10.00	51.66
Rain Days.	20	18	13	13	11	9	21	15	6	12	8	24	170

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Ramsden Reservoir
 Administrative York. W.R.
 in the County of York. W.R.
 by Rochdale Corp.ⁿ Waterworks Committee

Lat. _____ Long. _____
 Time of Observation 9 am
 Nearest Railway Station Walsden
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 993 ft.

FORM A.
 BRITISH RAINFALL.
 22 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.10	.11	.0	.0	.40	.55	.03	.0	.0	.25	.0	1
2	.29	.32	.02	.0	.0	.10	.0	.0	.30	.17	.05	.0	2
3	.0	.21	.04	.0	.0	.10	.35	.0	.78	.35	.14	.02	3
4	.15	.36	.0	.0	.62	1.54	.0	.0	.10	.85	.27	.0	4
5	.25	.59	.0	.0	.12	.32	.0	.0	.0	1.95	.35	.02	5
6	1.10	.62	.08	.0	.60	.13	.22	.0	.0	.25	.46	.05	6
7	.09	.16	.04	.0	.30	.07	.10	.0	.0	.30	.09	.42	7
8	.0	.14	.13	.04	.0	.05	.09	.0	.0	.10	.40	.08	8
9	.11	.0	.0	.0	.22	.13	.0	.0	.0	.0	.25	.08	9
10	.06	.08	.0	.15	.0	.25	.10	.0	.0	.42	.04	.12	10
11	.08	.53	.10	.60	.02	.10	.08	.0	.20	.0	.0	.14	11
12	.18	.35	.15	.30	.34	.0	.74	.13	.02	.30	.04	.0	12
13	.0	.27	.05	.30	.04	.0	.03	.55	.04	1.30	.0	.07	13
14	.03	.20	.02	.23	.50	.0	.0	.26	.10	.37	.0	.0	14
15	.04	.58	.45	.06	.0	.0	.0	.22	.17	.04	.0	.0	15
16	.02	.21	.75	.62	.0	.0	.40	1.42	.0	.04	.0	.0	16
17	.25	.32	.0	.85	.0	.0	.15	.18	.84	.23	.0	.0	17
18	.0	.58	.0	.24	.0	.0	.0	.10	.37	.13	.34	.30	18
19	.40	.04	.31	.38	.0	.0	.0	.20	.06	.0	.20	.0	19
20	.44	.0	.20	.18	.0	.0	.0	.08	.0	.0	.15	.04	20
21	.31	.0	.0	.0	.04	.0	.06	.0	.0	.0	.0	.0	21
22	.0	.04	.0	.02	.02	.10	.0	.0	.0	.20	.0	.0	22
23	.10	.0	.04	.25	.0	.05	.0	.05	.0	.06	.46	.23	23
24	.0	.05	.04	.08	.0	.0	.0	.30	.0	.0	.0	.08	24
25	.20	.04	.22	.0	.06	.04	.0	.20	.0	.04	.55	.0	25
26	.18	.0	.08	.0	.0	.0	.0	.02	.0	.04	.04	.0	26
27	.0	.25	.06	.0	.0	.0	.0	.24	.0	.50	.0	.0	27
28	.06	.04	.04	.06	.0	.02	.0	.0	.06	.95	.23	.70	28
29	.0	.16	.0	.0	.0	.17	.0	.0	.0	.39	.0	.75	29
30	.02	X	.0	.0	.0	.05	.0	.0	.0	.92	.0	.12	30
31	.0	X	.0	X	.10	X	.0	.15	X	.15	X	.54	31
Total	4.79	6.24	2.93	4.36	2.98	3.62	2.87	4.13	3.04	10.05	4.31	3.76	YEARS TOTAL 53.08
Rain Days.	22	24	20	16	13	17	12	16	12	24	18	17	211

REGISTER OF RAINFALL IN 1917

Kept at Ramsden Reservoir, Todmorden
 Administrative
 in the County of Yorkshire (W.R.)
 by Rochdale Corporation Waterworks Committee

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Walsden
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 993 ft.

3185
 FORM A.
 BRITISH RAINFALL
 21 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10					.24		.05	1.16		.10	.23	1
2	.74			.02		.10		.03		.04	.22		2
3	.22	.05				.44				.75	.15	.02	3
4	.08	.03	.06							.77			4
5	.31		.06	.18				.09		.25	.66	.02	5
6	.08					.16				.70	.42	.23	6
7	.90					.36				.95	.12	.12	7
8	.20			.27				.47		1.43	.40	.22	8
9			.03	.07				.36		.16	.50		9
10	.29		.59	.13	.23			.06		.02			10
11	.23			.04						.48			11
12					.44			.15	.02	.49		.05	12
13	.06			.31	.05			.02	.63	.07	.05	.47	13
14	.05			.06	.04			.37				.15	14
15	.06			.14			1.08		.13	.23	.02	.39	15
16		.02	.02	.39			.10	.40			.02	.08	16
17		.15	.22	.23	.28		.20	1.40	.13	.39		.05	17
18			.07	.04	.04		.96	.17	.22	.33			18
19	.02	.33	.30		.39	.15			.02		.04		19
20		.42			.10	.46		.10	.11		.43		20
21		.04	.13		.10			.15		.09	.04		21
22			.03					.05	.31	.52	.18		22
23		10			.17	.25		.50	.02	.17	.03	.08	23
24			.03		.02	.02		.31		1.24	.53	.07	24
25		12	.06					.20	.02	.50	.02		25
26						.52		.65	.42	.16	1.32		26
27			.02		.23	.16	.38	.50		.12	.39		27
28		.05	.48			.02		.35		.08	.13		28
29		X	.11		.03		.05	.25		.53	.37	.19	29
30	.02	X	.17					.20		.16	.15		30
31		X	.32	X	.07	X		.15	X		X	.04	31
Total	3.36	1.31	2.70	1.88	2.19	2.88	2.77	6.98	3.19	10.63	6.29	2.41	46.59
Rain Days.	15	10	17	12	14	12	6	24	12	25	23	16	186

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Ramsden Reservoir, Walsden
in the County of Lancaster (administered in County of York, West Riding)
by Rochdale Corporation

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Walsden
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 993 ft.

FORM A.
BRITISH RAINFALL
25. 1 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0	.20	.0	.06	.0	.0	.0	.0	1.03	.21	.17	.32	1
2	.0	.45	.0	.12	.0	.0	.0	.0	.38	.15	.0	.98	2
3	.0	.04	.02	.0	.50	.0	.0	.08	.0	.73	.02	.05	3
4	.04	.06	.02	.0	.06	.0	.0	.38	.23	.48	.81	.53	4
5	.02	.0	.04	.10	.24	.0	.0	.66	.15	.75	.06	.02	5
6	.0	1.85	.02	.45	.0	.27	.0	.24	.08	.21	.0	.05	6
7	.02	.27	.0	.58	.0	.0	.0	.04	.54	.42	.18	.0	7
8	.08	.28	.12	.0	.0	.04	.10	.0	1.28	.26	.10	.12	8
9	.34	1.47	.0	.02	.0	.29	.0	.0	1.12	.15	.11	.12	9
10	.0	.85	.0	.02	.0	.0	.02	.0	.71	.15	.61	.04	10
11	.36	.20	.06	.11	.08	.0	.20	.02	.31	.0	.0	.30	11
12	.08	.61	.0	.02	.02	.0	.23	.0	.47	.0	.0	.54	12
13	.06	.0	.0	.02	.28	.08	.0	.0	.37	.19	.0	.0	13
14	.80	.0	.0	.0	.02	.06	.10	.0	.79	.29	.0	.47	14
15	.16	.0	.10	.0	.02	.10	.74	.0	2.09	.0	.02	.98	15
16	.02	.0	.0	.0	.0	.08	.06	.10	.38	.02	.0	.23	16
17	.29	.0	.0	.0	.02	.12	.27	.24	.23	.10	.0	.55	17
18	.49	.0	.08	.0	.0	.13	.69	.02	.45	.0	.0	.83	18
19	.40	.09	.22	.10	.0	.0	.31	.32	1.22	.10	.0	.68	19
20	.16	.61	.0	.10	.0	.12	1.36	.0	.42	.0	.0	.06	20
21	.28	.94	.0	.02	.50	.23	.0	.0	.72	.02	.0	.0	21
22	.21	.10	.0	.0	.36	.15	.76	.02	.11	.0	.0	1.17	22
23	.17	.0	.0	.0	.27	.0	.16	.0	.19	.0	.09	.15	23
24	.04	.10	.0	.0	.0	.0	.36	.12	.32	.02	.11	.15	24
25	.02	.02	.0	.0	.0	.11	.18	.42	.04	.02	.02	.0	25
26	.0	.22	.0	.0	.0	.0	.14	.19	1.32	.04	.38	.47	26
27	.0	.20	.46	.0	.0	.10	.0	.49	.59	.05	.16	.92	27
28	.0	.02	.78	.0	.0	.0	.0	.31	.13	.0	.13	.75	28
29	.0	X	.0	.0	.0	.0	.0	.0	.10	.02	.02	.34	29
30	.0	X	.47	.0	.0	.0	.0	.19	.0	.0	.20	.42	30
31	.0	X	.45	X	.0	X	.0	.36	X	.04	X	.00	31
Total	4.04	8.58	2.84	1.72	2.37	1.88	5.68	4.20	15.77	4.42	3.19	11.24	65.93
Rain Days.	20	20	13	13	12	14	16	18	28	22	17	26	219

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Ramsden Reservoir
in the County of York
by Rochdale Corporation Waterworks Dep.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Walsden. Lry R. Co.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 993 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.15	0	06	0	78	0	34	18	59	55	03	21	1
2	26	0	43	0	07	0	30	18	08	06	03	25	2
3	(Snow) 82	0	0	0	14	10	34	0	04	0	12	55	3
4	(S) 46	0	(S) 26	0	03	0	08	26	04	0	06	25	4
5	04	(S) 04	0	02	16	0	0	0	0	0	02	69	5
6	02	0	75	0	56	0	0	0	0	0	0	13	6
7	06	0	32	05	07	0	0	0	0	0	24	0	7
8	14	0	06	02	02	05	0	0	0	0	0	0	8
9	80	0	14	0	0	0	0	0	0	0	04	0	9
10	0	0	1.17	18	11	0	0	0	0	0	02	35	10
11	0	0	58	06	05	0	13	0	0	02	0	0	11
12	0	0	(S. 27 inches) 27	14	02	30	19	0	06	10	28	(S) 0	12
13	82	0	0	34	0	0	07	06	0	41	0	02	13
14	47	0	08	39	0	0	0	0	0	0	02	0	14
15	47	06	0	07	0	0	0	03	0	0	0	61	15
16	24	26	0	02	0	02	0	0	0	0	47	04	16
17	07	0	0	09	0	21	0	73	0	0	88	08	17
18	0	0	(Snow) 36	0	0	0	06	36	22	0	05	68	18
19	04	36	(Snow) 55	0	0	31	55	10	03	0	29	06	19
20	89	02	04	0	0	30	11	18	0	0	39	97	20
21	0	54	0	0	0	14	22	0	15	0	05	21	21
22	0	09	0	0	0	14	0	17	41	0	19	85	22
23	0	0	0	0	02	24	0	0	0	1.06	10	35	23
24	04	0	0	21	08	0	0	02	62	24	30	22.60 (S)	24
25	16	0	0	32	02	16	0	81	32	0	48	0	25
26	(S) 40	0	85	06	0	02	04	98	18	0	10	93	26
27	06	0	02	14	0	0	0	06	0	0	02	09	27
28	0	04	0	05	0	05	0	64	0	06	0	62	28
29	02	X	0	0	0	02	0	06	0	58	0	17	29
30	02	X	10	16	0	09	0	02	0	06	55	42	30
31	04	X	03	X	0	X	34	0	X	02	X	02	31
TOTAL	7.49	1.41	6.07	2.32	2.13	2.15	2.77	4.84	2.74	3.16	4.73	9.37	YEAR'S TOTAL 49.18
Days with .01 in. or more	23	8	18	17	14	15	13	17	12	11	23	24	195

REGISTER OF RAINFALL IN 1920.

Kept at Ramsden Reservoir.
in the County of York.
by Rochdale Corporation Waterworks Dept.

Lat. 53° 42' N. Long. 2° 7' W
Time of Observation 9 AM.
Nearest Railway Station Walsden L.y.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " " Sea Level 99.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	09	10	56	02	143	09	23	06	25	18	1
2	0	0	0	12	04	0	76	19	32	14	0	66	2
3	0	04	04	08	17	05	91	01	32	20	0	36	3
4	0	0	0	14	03	0	21	210	04	62	0	0	4
5	0	0	16	0	74	0	25	45	47	39	0	02	5
6	0	0	61	42	21	0	04	0	04	0	0	24	6
7	67	09	12	10	09	0	84	0	0	0	02	0	7
8	Snow 14	04	0	18	13	0	13	18	0	0	0	0	8
9	61	121	0	36	0	0	27	0	0	0	10	0	9
10	114	106	21	33	0	0	68	0	02	0	0	0	10
11	35	13	0	13	29	24	02	0	0	0	0	02	11
12	39	61	37	31	12	11	32	0	0	0	30	08	12
13	0	11	33	42	04	58	09	0	0	0	54	02	13
14	29	26	11	58	0	41	19	02	68	02	110	0	14
15	0	33	05	73	0	0	0	0	0	25	06	0	15
16	02	0	22	21	02	0	94	0	22	0	26	0	16
17	14	0	06	0	31	0	05	42	45	02	0	0	17
18	19	0	0	37	50	0	04	0	06	0	0	0	18
19	08	Snow 20 33	0	16	100	16	08	20	0	0	0	0	19
20	19	0	0	23	0	10	24	0	02	0	0	18	20
21	02	0	0	0	0	0	70	0	0	0	0	35	21
22	26	0	0	66	0	02	79	0	0	0	0	0	22
23	0	02	0	06	0	0	46	0	0	0	0	46	23
24	06	0	96	05	0	0	08	0	0	0	0	42	24
25	04	09	12	30	0	03	113	0	0	0	0	0	25
26	13	19	58	45	04	0	08	0	0	0	10	15	26
27	06	0	14	23	56	75	07	0	0	0	23	0	27
28	Snow 47	04	28	44	48	18	17	0	0	0	0	42	28
29	09	0	50	24	75	04	31	0	0	0	56	92	29
30	28	X	02	09	05	12	0	0	22	0	15	68	30
31	32	X	02	X	24	X	0	0	X	50	X	14	31
TOTAL	594	475	499	749	637	281	1128	366 286	309	220	367	530	YEAR'S TOTAL 6155 ✓
Days with "01 in. or more	22	15	20	27	21	14	28	9	13	9	12	17	207
Days with "04 in. or more	20	14	18	27	19	11	27	7	11	7	11	14	186

WALTON
WILLINGTON LODGE

Kept at Willington
in the County of West
by Edward S.

1911-13

FORM A2.
BRITISH RAINFALL
4 JAN 1912
in 1 ft. — in.
Level 200 ft.
Sandalt Walton
nce 5 Direction NW
result entered to the

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.05	—	—	—	.01	.04	—	—	—	—	1
2	.21	—	—	—	.04	—	—	—	—	—	—	—	2
3	—	—	—	—	.09	—	—	—	—	—	.09	—	3
4	—	—	.06	.06	—	.07	—	—	.08	.06	.18	.07	4
5	—	—	.02	.01	—	—	—	.13	—	.17	.16	—	5
6	.05	—	.02	.02	—	—	—	.08	—	.15	.28	.17	6
7	—	—	—	—	—	—	—	—	—	—	.02	—	7
8	.05	—	.05	—	—	—	—	—	.03	—	—	.27	8
9	—	—	—	—	—	.03	—	—	—	—	—	.08	9
10	—	—	—	—	—	—	—	—	—	.2	—	.36	10
11	.13	—	—	—	.03	—	—	.04	—	—	.58	.08	11
12	.10	—	.05	—	.03	—	—	—	.72	—	.10	—	12
13	—	—	.03	—	—	—	—	—	—	—	—	.45	13
14	—	.02	—	—	.09	—	—	—	—	—	—	.54	14
15	—	.02	.15	.02	—	—	—	—	—	.09	—	.15	15
16	—	.09	.09	.01	—	.06	.02	—	—	.06	.07	.04	16
17	—	—	.02	—	—	.19	—	—	—	—	.14	.07	17
18	—	.21	.05	.02	—	.03	—	—	—	.02	.16	—	18
19	—	—	.02	—	—	.08	.01	.78	.24	.15	.35	.04	19
20	—	.03	—	.04	—	—	.03	.15	.30	—	—	.18	20
21	—	.12	—	—	—	—	—	.03	—	.19	—	.03	21
22	.02	.05	—	—	—	—	—	.02	—	.10	.05	—	22
23	—	.17	—	—	—	.61	—	.01	.21	—	.02	.20	23
24	—	.08	.03	—	—	1.96	.02	—	—	.11	—	.09	24
25	.01	.24	—	.05	—	—	—	.01	.49	.15	—	.19	25
26	—	—	—	.04	.07	—	.05	—	—	.43	.28	.33	26
27	—	.07	.09	.20	—	—	—	.47	.16	—	—	—	27
28	.01	.04	.03	.09	—	.03	.01	—	.04	—	.08	.09	28
29	—	—	.01	.03	—	.05	.10	—	.13	—	—	—	29
30	—	—	—	—	.06	.16	—	—	—	.23	—	—	30
31	—	—	.05	—	.05	—	—	—	—	.09	—	—	31
Total	.64	1.14	.82	.59	.46	3.27	.25	1.76	2.40	2.00	2.56	3.43	TOTAL for year 1911-12 14.32
No. of Rain Days.	9	12	17	12	8	11	8	11	10	14	15	19	146

Kept at Willington Lodge, Walton
in the County of West Riding of York
by Edward Simpson

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

Pattern _____
RAIN Diameter of top 2.5 in.
GAUGE Height of top above Ground 1 ft. — in.
" " " Sea Level 200 ft.
Time of Observation 8.30 a.m.
Nearest Railway Station { Name Sandale Walton
Distance 2 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.05	—	—	—	.01	.04	—	—	—	—	1
2	.21	—	—	—	.04	—	—	—	—	—	—	—	2
3	—	—	—	—	.09	—	—	—	—	—	.09	—	3
4	—	—	.06	.06	—	.07	—	—	.08	.06	.18	.07	4
5	—	—	.02	.01	—	—	—	.13	—	.17	.16	—	5
6	.05	—	.02	.02	—	—	—	.08	—	.15	.28	.17	6
7	—	—	—	—	—	—	—	—	—	—	.02	—	7
8	.05	—	.05	—	—	—	—	—	.03	—	—	.27	8
9	—	—	—	—	—	.03	—	—	—	—	—	.08	9
10	—	—	—	—	—	—	—	—	—	.2	—	.36	10
11	.13	—	—	—	.03	—	—	.04	—	—	.58	.08	11
12	.10	—	.05	—	.03	—	—	—	.72	—	.10	—	12
13	—	—	.03	—	—	—	—	—	—	—	—	.45	13
14	—	.02	—	—	.09	—	—	—	—	—	—	.54	14
15	—	.02	.15	.02	—	—	—	—	—	.09	—	.15	15
16	—	.09	.09	.01	—	.06	.02	—	—	.06	.07	.04	16
17	—	—	.02	—	—	.19	—	—	—	—	.14	.07	17
18	—	.21	.05	.02	—	.03	—	—	—	.02	.16	—	18
19	—	—	.02	—	—	.08	.01	.78	.24	.15	.35	.04	19
20	—	.03	—	.04	—	—	.03	.15	.30	—	—	.18	20
21	—	.12	—	—	—	—	—	.03	—	.19	—	.03	21
22	.02	.05	—	—	—	—	—	.02	—	.10	.05	—	22
23	—	.17	—	—	—	.61	—	.01	.21	—	.02	.20	23
24	—	.08	.03	—	—	1.96	.02	—	—	.11	—	.09	24
25	.01	.24	—	.05	—	—	—	.01	.49	.15	—	.19	25
26	—	—	—	.04	.07	—	.05	—	—	.43	.28	.33	26
27	—	.07	.09	.20	—	—	—	.47	.16	—	—	—	27
28	.01	.04	.03	.09	—	.03	.01	—	.04	—	.08	.09	28
29	—	—	.01	.03	—	.05	.10	—	.13	—	—	—	29
30	—	—	—	—	.06	.16	—	—	—	.23	—	—	30
31	—	—	.05	—	.05	—	—	—	—	.09	—	—	31
Total	.64	1.14	.82	.59	.46	3.27	.25	1.76	2.40	2.00	2.56	3.43	TOTAL for year 19.32
No. of Rain Days.	9	12	17	12	8	11	8	11	10	14	15	19	146

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Wadon

in the County of York

by Edward S. S. S.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 200 ft.
Time of Observation 8.30 am.
Nearest Railway Station { Name Sandall & Walton
Distance 3/4 mile Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	—	.19	.08	.03	.12	—	—	—	1
2	—	—	—	—	—	.08	.45	—	.04	—	—	—	2
3	.09	—	—	—	.05	.45	—	.61	.23	—	—	.02	3
4	.11	—	.40	.08	.06	.43	—	.51	—	—	.04	—	4
5	.10	—	—	—	.18	.35	—	.02	—	—	—	—	5
6	.90	.23	.10	—	.02	.07	—	.24	—	—	—	—	6
7	—	.13	—	—	—	.04	—	.34	—	—	—	—	7
8	.35	.31	.05	—	—	—	—	—	.14	—	—	.02	8
9	.21	.27	.08	.19	—	—	—	.03	—	—	.04	—	9
10	.02	—	—	—	—	.83	—	.23	—	—	.22	.02	10
11	.12	.07	—	—	—	—	—	—	—	—	.10	.40	11
12	.04	.35	—	—	—	.21	.50	—	—	—	.03	—	12
13	—	—	—	—	—	—	—	—	—	.06	.12	—	13
14	.08	—	.41	—	—	.03	—	.09	—	—	—	.03	14
15	.09	.07	.14	—	.68	—	—	—	—	—	—	.15	15
16	.70	—	.19	—	.12	.18	—	—	—	.03	—	.07	16
17	.16	—	.09	—	—	.24	.06	.26	—	—	—	.18	17
18	.16	—	.10	—	—	—	.02	—	—	—	—	.02	18
19	.48	.15	.04	—	—	—	.30	.45	—	.27	.05	—	19
20	.21	—	.07	—	.27	.02	.20	.03	—	.22	—	—	20
21	—	—	.34	—	.40	—	.14	—	—	—	—	—	21
22	—	.05	—	—	.03	.08	.19	.41	—	—	—	.03	22
23	.04	—	.28	—	.04	.01	.41	.40	—	—	.09	.02	23
24	.32	—	—	—	.04	.03	.40	.19	—	.03	—	.08	24
25	—	—	—	—	—	.19	—	.01	—	—	.33	.04	25
26	—	.11	—	—	—	—	.28	.87	—	.11	.10	.24	26
27	—	—	.04	—	.03	.23	.23	.04	—	.53	.03	.04	27
28	—	—	—	—	—	.01	.14	.33	.01	.19	.11	—	28
29	—	—	.15	—	—	.09	—	—	.41	.09	—	.10	29
30	—	—	.01	—	.54	—	—	—	.21	.07	.55	—	30
31	—	—	—	—	.29	—	.29	.19	—	—	—	—	31
Total	4.18	1.74	2.54	.27	3.75	4.06	3.69	5.28	1.16	2.60	1.81	1.46	TOTAL 32.54
No. of Rain Days.	18	10	17	2	14	20	15	20	7	10	13	16	162

REGISTER OF RAINFALL IN 1913

Kept at *Willington Lodge, Walton*
in the County of *York*
by *Edward Sumpson*

Lat. _____ Long. _____
Time of Observation *8.30*
Nearest Railway Station *Willington, Sandalton*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *200* ft.

BRITISH RAINFALL FORM A
9-JAN-1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.06	.11	—	—	—	—	.09	—	—	—	1
2	.01	.04	.04	.07	—	—	—	—	—	—	.04	—	2
3	.02	.01	.11	—	.33	—	.05	—	.02	.67	—	.28	3
4	.51	—	.04	—	.05	—	.09	—	.02	—	—	.16	4
5	.03	.01	.16	—	—	.18	.07	—	.04	.28	—	—	5
6	—	—	.05	—	.56	—	.41	—	—	.45	—	—	6
7	—	.21	.02	—	.06	.14	—	—	—	.61	—	—	7
8	—	—	—	—	.71	—	—	—	—	.20	.16	.01	8
9	—	.12	—	.02	.24	.03	.01	—	—	—	.11	—	9
10	—	.03	—	.08	.08	—	.06	—	—	.02	.20	—	10
11	.84	—	—	.26	.02	—	—	—	—	.03	.10	—	11
12	—	—	—	.07	—	.04	—	—	—	—	.19	—	12
13	—	—	.03	.03	—	—	—	.08	.18	—	.07	—	13
14	.19	.04	.12	—	—	—	—	—	—	.06	.15	—	14
15	—	—	.16	.27	—	—	—	—	.03	—	.32	—	15
16	.09	—	.14	.06	—	—	—	.14	—	—	—	.01	16
17	.02	.04	.10	.03	—	.08	—	—	1.76	—	.03	—	17
18	—	—	.11	.10	—	—	.06	—	—	—	.11	—	18
19	.13	—	.11	.10	—	—	—	—	.02	—	—	—	19
20	.12	—	.08	.07	—	—	—	—	—	.03	.03	—	20
21	—	—	—	—	.04	—	.20	.02	—	—	.02	—	21
22	.12	—	.45	—	—	—	—	.50	.10	—	—	—	22
23	.07	—	—	—	.04	.11	—	.11	.20	.01	—	—	23
24	.14	—	—	.03	—	.05	—	.03	—	—	—	—	24
25	—	—	—	—	—	—	—	—	.08	—	—	.01	25
26	—	—	.12	.03	—	—	—	—	—	.14	—	.34	26
27	—	—	.03	.20	—	.05	—	—	—	—	—	.10	27
28	.30	—	.19	.25	—	—	—	—	—	—	—	.08	28
29	.02	—	.32	.40	.04	—	—	.22	—	—	.03	.05	29
30	.24	—	—	~~.25~~	—	—	—	—	—	.54	.02	.03	30
31	.03	—	.03	—	.16	—	—	—	—	—	—	—	31
Total	2.88	.50	2.47	2.18	2.33	.68	.95	1.10	2.54	3.04	1.58	1.07	21.32
Rain Days.	17	8	21	18	12	8	8	7	11	12	15	10	147

Partial draught from 6 Aug. to 12 August 37 days 33 rain

YEAR'S TOTAL

R

Kept at Warter

in the County of York

by J A Cooper

WARTER

1911-1920

FORM A2.
BRITISH RAINFALL
17 JAN 1912

1 ft. 10 in.
vel 230 ft.

Reckington
Direction, S.W.

result entered to the
rule, he is earnestly

IMPORTANT NOT
previous day. If an O

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 78	in. "	in. "	in. "	in. "	in. "	in. "	in. 43	in. "	in. 02	in. "	in. "	1
2	25	"	"	"	12	"	40	"	"	02	06	14	2
3	08	"	"	03	19	"	"	11	"	23	02	"	3
4	03	01	14	14	"	"	"	16	22	12	15	22	4
5	"	"	"	"	06	"	"	15	"	22	02	"	5
6	26	"	03	02	"	"	"	25	"	02	05	29	6
7	04	"	"	04	"	"	"	"	"	"	02	"	7
8	04	"	03	"	"	05	"	"	09	04	04	22	8
9	"	"	12	"	"	02	"	"	"	"	"	04	9
10	03	02	"	"	"	"	"	"	"	"	11	43	10
11	25	"	23	"	02	"	"	"	"	"	45	"	11
12	20	"	"	"	24	"	"	"	65	"	23	"	12
13	"	"	40	"	"	05	"	"	"	"	06	47	13
14	"	14	13	"	06	"	"	"	"	06	05	40	14
15	"	07	27	"	"	"	"	"	02	"	08	17	15
16	"	"	18	"	"	"	07	"	"	"	13	13	16
17	"	"	04	"	"	02	02	"	"	"	22	17	17
18	"	01	07	10	"	02	"	"	"	18	37	10	18
19	"	"	"	"	"	30	05	21	20	"	49	10	19
20	"	07	"	"	"	"	13	40	10	"	"	44	20
21	"	30	"	17	"	"	"	20	07	13	25	05	21
22	27	12	"	"	"	"	"	40	"	63	09	"	22
23	02	07	"	"	"	58	"	"	61	06	"	06	23
24	02	04	11	09	"	1.03	07	"	"	"	"	30	24
25	"	"	"	22	"	47	"	"	36	50	07	11	25
26	"	"	"	05	"	"	"	"	"	"	58	12	26
27	"	12	09	12	"	"	14	54	27	04	"	02	27
28	"	07	"	27	"	"	"	05	"	02	04	14	28
29	"	"	02	05	"	02	24	"	55	32	"	"	29
30	"	"	"	"	10	04	"	"	17	14	09	07	30
31	"	"	"	"	10	"	"	"	"	04	"	"	31
Total	1.67	1.04	1.86	1.30	0.89	2.60	1.12	2.90	3.31	2.79	3.67	4.19	TOTAL for year 27.34
No. of Rain Days	13	12	14	12	8	11	8	11	12	18	23	22	164

R

Kept at *Warter*in the County of *York E.B. 2*by *J A Cooper*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *10* in.
" " " Sea Level *230* ft.
Time of Observation *9 am*
Nearest Railway Station { Name *Beckington*
Distance *4* Direction *S.W.*

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <i>18</i>	in. "	in. "	in. "	in. "	in. "	in. "	in. <i>43</i>	in. "	in. <i>02</i>	in. "	in. "	1
2	<i>25</i>	" "	" "	" "	<i>12</i>	" "	<i>40</i>	" "	" "	<i>02</i>	<i>06</i>	<i>14</i>	2
3	<i>08</i>	" "	" "	<i>03</i>	<i>19</i>	" "	" "	<i>11</i>	" "	<i>23</i>	<i>02</i>	" "	3
4	<i>03</i>	<i>01</i>	<i>14</i>	<i>14</i>	" "	" "	" "	<i>16</i>	<i>22</i>	<i>12</i>	<i>15</i>	<i>22</i>	4
5	" "	" "	" "	" "	<i>06</i>	" "	" "	<i>15</i>	" "	<i>22</i>	<i>02</i>	" "	5
6	<i>26</i>	" "	<i>03</i>	<i>02</i>	" "	" "	" "	<i>25</i>	" "	<i>02</i>	<i>05</i>	<i>29</i>	6
7	<i>04</i>	" "	" "	<i>04</i>	" "	" "	" "	" "	" "	" "	<i>02</i>	" "	7
8	<i>04</i>	" "	<i>03</i>	" "	" "	<i>05</i>	" "	" "	<i>09</i>	<i>04</i>	<i>04</i>	<i>22</i>	8
9	" "	" "	<i>12</i>	" "	" "	<i>02</i>	" "	" "	" "	" "	" "	<i>04</i>	9
10	<i>03</i>	<i>02</i>	" "	" "	" "	" "	" "	" "	" "	" "	<i>11</i>	<i>43</i>	10
11	<i>25</i>	" "	<i>23</i>	" "	<i>02</i>	" "	" "	" "	" "	" "	<i>45</i>	" "	11
12	<i>20</i>	" "	" "	" "	<i>24</i>	" "	" "	" "	<i>65</i>	" "	<i>23</i>	" "	12
13	" "	" "	<i>40</i>	" "	" "	<i>05</i>	" "	" "	" "	" "	<i>06</i>	<i>47</i>	13
14	" "	<i>14</i>	<i>13</i>	" "	<i>06</i>	" "	" "	" "	" "	<i>06</i>	<i>05</i>	<i>40</i>	14
15	" "	<i>07</i>	<i>27</i>	" "	" "	" "	" "	" "	<i>02</i>	" "	<i>08</i>	<i>17</i>	15
16	" "	" "	<i>18</i>	" "	" "	" "	<i>07</i>	" "	" "	" "	<i>13</i>	<i>13</i>	16
17	" "	" "	<i>04</i>	" "	" "	<i>02</i>	<i>02</i>	" "	" "	" "	<i>22</i>	<i>17</i>	17
18	" "	<i>01</i>	<i>07</i>	<i>10</i>	" "	<i>02</i>	" "	" "	" "	<i>18</i>	<i>37</i>	<i>10</i>	18
19	" "	" "	" "	" "	" "	<i>30</i>	<i>05</i>	<i>21</i>	<i>20</i>	" "	<i>49</i>	<i>10</i>	19
20	" "	<i>07</i>	" "	" "	" "	" "	<i>13</i>	<i>40</i>	<i>10</i>	" "	" "	<i>44</i>	20
21	" "	<i>30</i>	" "	<i>17</i>	" "	" "	" "	<i>20</i>	<i>07</i>	<i>13</i>	<i>25</i>	<i>05</i>	21
22	<i>27</i>	<i>12</i>	" "	" "	" "	" "	" "	<i>40</i>	" "	<i>63</i>	<i>09</i>	" "	22
23	<i>02</i>	<i>07</i>	" "	" "	" "	<i>58</i>	" "	" "	<i>61</i>	<i>06</i>	" "	<i>06</i>	23
24	<i>02</i>	<i>04</i>	<i>11</i>	<i>09</i>	" "	<i>1.03</i>	<i>07</i>	" "	" "	" "	" "	<i>30</i>	24
25	" "	" "	" "	<i>22</i>	" "	<i>47</i>	" "	" "	<i>36</i>	<i>50</i>	<i>07</i>	<i>11</i>	25
26	" "	" "	" "	<i>05</i>	" "	" "	" "	" "	" "	" "	<i>58</i>	<i>12</i>	26
27	" "	<i>12</i>	<i>09</i>	<i>12</i>	" "	" "	<i>14</i>	<i>54</i>	<i>27</i>	<i>04</i>	" "	<i>02</i>	27
28	" "	<i>07</i>	" "	<i>27</i>	" "	" "	" "	<i>05</i>	" "	<i>02</i>	<i>04</i>	<i>14</i>	28
29	" "	" "	<i>02</i>	<i>05</i>	" "	<i>02</i>	<i>24</i>	" "	<i>55</i>	<i>32</i>	" "	" "	29
30	" "	" "	" "	" "	<i>10</i>	<i>04</i>	" "	" "	<i>17</i>	<i>14</i>	<i>09</i>	<i>07</i>	30
31	" "	" "	" "	" "	<i>10</i>	" "	" "	" "	" "	<i>04</i>	" "	" "	31
Total	<i>1.67</i>	<i>1.04</i>	<i>1.86</i>	<i>1.30</i>	<i>0.89</i>	<i>2.60</i>	<i>1.12</i>	<i>2.90</i>	<i>3.31</i>	<i>2.79</i>	<i>3.67</i>	<i>4.19</i>	TOTAL for year <i>27.34</i>
No. of Rain Days	<i>13</i>	<i>12</i>	<i>14</i>	<i>12</i>	<i>8</i>	<i>11</i>	<i>8</i>	<i>11</i>	<i>12</i>	<i>18</i>	<i>23</i>	<i>22</i>	<i>164</i>

REGISTER OF RAINFALL IN 1912

Kept at Walter
in the County of York. E.B. 2
by (Mrs) S A Cosson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Picklington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 230 ft.

BRITISH RAINFALL
FORM A.
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	05	13	"	02	24	33	09	25	06	"	20	1
2	"	17	03	04	"	23	49	"	01	04	01	"	2
3	16	40	"	"	05	57	"	39	10	"	"	14	3
4	28	"	28	"	"	47	"	40	"	03	55	"	4
5	04	02	"	"	22	85	"	02	"	"	02	"	5
6	1.20	06	"	"	"	"	01	19	12	02	"	"	6
7	04	01	04	"	05	"	02	13	19	"	"	"	7
8	35	20	19	"	"	02	"	"	22	02	10	"	8
9	02	05	10	12	"	20	"	"	20	"	"	03	9
10	"	"	"	"	"	72	"	"	04	02	12	"	10
11	25	04	"	"	"	04	"	04	"	"	32	53	11
12	10	09	05	"	"	28	1.03	"	"	"	1.53	"	12
13	"	05	"	"	"	04	"	08	"	22	38	03	13
14	13	"	45	"	"	20	"	08	03	"	"	02	14
15	02	"	56	"	60	04	"	"	"	"	"	"	15
16	19	03	21	"	14	07	"	09	"	06	"	02	16
17	02	"	20	03	"	40	"	25	"	"	"	21	17
18	27	"	"	"	"	04	09	"	"	"	02	"	18
19	25	22	"	"	"	"	56	23	"	12	"	"	19
20	10	06	02	"	37	04	79	02	"	31	"	"	20
21	"	"	42	"	17	"	03	"	"	06	01	"	21
22	"	16	02	"	1.07	35	"	19	"	"	"	05	22
23	"	"	14	"	03	"	07	46	"	"	17	02	23
24	29	"	"	"	"	06	19	02	"	"	"	18	24
25	05	"	"	"	"	30	04	07	"	"	14	08	25
26	07	04	02	"	"	06	41	85	"	84	12	25	26
27	"	"	03	"	"	31	38	"	"	57	02	14	27
28	"	"	"	01	17	07	15	46	"	31	50	02	28
29	"	"	02	"	"	"	05	"	70	06	02	08	29
30	05		03	"	"	"	"	"	"	18	"	01	30
31	"		15		20		43	35	"	08		"	31
Total	3.88	1.68	3.09	0.20	3.09	5.63	5.07	4.41	1.89	3.03	4.03	2.01	YEAR TOTAL 38.01
Rain Days.	20	16	20	4	12	23	17	20	10	17	16	17	192

REGISTER OF RAINFALL IN 1913

Kept at *Warton*
in the County of *York, E. R.*
by *J. A. Cochrane*

Lat. _____ Long. _____
Time of Observation *9.2m*
Nearest Railway Station *Beckington*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *10* in.
" " " " Sea Level *230* ft.

FORM A.
BRITISH RAINFALL
12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	17	15	"	"	"	"	"	"	07	"	1
2	"	08	07	"	"	05	"	"	"	"	05	01	2
3	"	"	04	"	12	"	"	"	"	50	"	03	3
4	51	01	05	"	"	"	"	"	07	76	34	55	4
5	05	03	05	"	"	11	02	03	07	10	02	"	5
6	03	16	05	"	49	02	10	01	"	03	"	"	6
7	"	01	"	"	06	09	02	"	"	67	"	"	7
8	"	02	"	"	46	10	"	"	04	10	08	"	8
9	"	13	"	02	25	"	"	05	"	"	15	02	9
10	"	08	"	"	01	"	02	"	"	16	50	"	10
11	97	"	"	20	"	11	"	"	"	"	15	"	11
12	"	"	"	16	"	05	"	"	"	"	07	"	12
13	"	"	01	"	"	"	03	04	07	"	12	"	13
14	"	03	20	02	"	"	"	"	"	14	"	"	14
15	35	"	14	25	"	"	"	"	11	"	30	03	15
16	01	"	04	"	"	02	"	"	"	"	08	"	16
17	02	03	08	03	"	"	"	"	44	"	05	02	17
18	03	"	29	04	03	04	"	"	"	02	30	02	18
19	06	"	02	04	03	"	"	"	"	"	"	"	19
20	10	"	06	03	04	"	"	"	04	13	06	"	20
21	04	"	"	"	42	"	04	09	09	"	09	01	21
22	10	"	17	"	02	"	"	32	09	"	02	"	22
23	23	"	03	"	"	"	"	15	06	02	"	"	23
24	15	"	"	02	"	22	"	04	"	01	01	01	24
25	"	01	"	"	"	"	"	"	13	01	"	03	25
26	"	07	02	03	"	"	"	"	"	40	10	24	26
27	"	10	"	47	"	12	"	"	"	"	12	04	27
28	43	"	13	21	"	"	"	"	"	"	"	16	28
29	20	"	32	25	06	"	"	04	"	03	02	"	29
30	30	"	"	"	"	"	"	"	"	32	"	65	30
31	"	"	"	"	25	"	"	"	"	"	"	"	31
Total	3.58	0.76	1.94	1.92	2.24	0.93	0.23	0.77	1.21	3.40	2.70	1.82	YEAR'S TOTAL 21.50
Rain Days.	17	13	19	15	13	11	6	9	11	16	21	14	165

REGISTER OF RAINFALL IN 1914

Kept at Warton
 in the County of York E.R.
 by S. A. Coscon

Lat. _____ Long. _____
 Time of Observation 9.2.14
 Nearest Railway Station Rockingham
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 10 in.
 " " " " Sea Level 230 ft.

FORM A.
 BRITISH RAINFALL
 7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	"	"	"	94	26	"	"	02	32	1
2	02	"	"	"	"	"	95	27	"	"	38	03	2
3	"	"	14	"	22	"	06	03	"	"	03	29	3
4	09	"	03	21	15	"	"	"	"	"	35	37	4
5	"	"	15	07	02	"	03	02	"	"	12	01	5
6	"	02	"	"	14	"	05	02	"	"	08	05	6
7	"	"	22	"	06	52	02	"	"	"	02	12	7
8	45	"	04	01	14	31	"	09	"	"	02	"	8
9	40	03	"	02	02	64	"	47	34	"	01	05	9
10	35	09	"	"	"	"	"	"	06	"	03	"	10
11	"	05	32	04	08	"	"	"	06	"	26	27	11
12	04	"	02	"	07	"	"	"	42	"	01	76	12
13	03	07	28	"	"	"	"	"	"	03	11	40	13
14	03	05	22	"	"	"	05	"	"	08	35	20	14
15	12	01	27	"	"	"	14	"	"	"	17	15	15
16	12	"	07	"	"	"	1.23	"	40	"	08	"	16
17	10	13	01	"	"	"	"	"	88	"	01	24	17
18	04	01	14	"	"	06	"	"	03	"	01	54	18
19	"	"	10	"	"	"	05	"	12	"	02	16	19
20	02	03	27	"	"	01	"	"	"	12	"	03	20
21	"	52	05	"	"	01	"	"	"	03	18	20	21
22	01	"	05	04	36	03	03	10	"	10	03	15	22
23	"	02	02	02	45	22	"	"	"	"	"	12	23
24	"	"	04	"	"	"	"	1.07	"	"	27	03	24
25	"	10	06	"	04	"	22	12	"	66	08	50	25
26	"	"	03	"	"	"	15	16	"	33	18	23	26
27	03	"	"	"	"	"	04	"	"	"	04	72	27
28	"	03	"	"	"	"	"	"	"	"	16	26	28
29	"		18	"	02	"	"	05	"	68	03	01	29
30	"	X	"	"	02	"	"	10	"	04	05	19	30
31	04	X	04	X	"	X	42	"	X	37	X	03	31
Total	1.89	1.16	2.78	0.41	1.82	1.80	4.38	2.76	2.31	2.44	3.20	6.43	YEAR'S TOTAL 31.38
Rain Days.	16	14	23	7	14	8	15	13	8	10	28	28	184

3589
FORM A.
BRITISH RAINFALL
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Warton
in the County of York E. B. 2
by S. A. Conon

Lat. _____ Long. _____
Time of Observation 9.2 a.m.
Nearest Railway Station Beckington
Diameter of Funnel of Rain Gauge 1 1/2 in. 5
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	18	50	02	"	24	6	"	59	21	"	09	10	1
2	01	08	29	13	"	02	04	28	"	"	05	02	2
3	84	01	04	14	"	"	10	20	"	"	10	53	3
4	22	"	"	"	01	"	1.12	20	"	"	05	1.00	4
5	19	04	04	"	21	"	"	02	"	10	05	66	5
6	05	41	11	26	"	"	93	15	05	"	"	15	6
7	55	66	05	06	"	"	26	13	"	"	05	02	7
8	04	03	"	"	"	"	06	04	"	06	03	"	8
9	"	02	"	"	"	"	"	10	"	06	01	40	9
10	38	"	03	"	"	"	"	06	"	"	"	04	10
11	03	34	"	02	41	"	"	24	"	"	16	06	11
12	19	"	"	19	06	"	21	01	"	"	1.10	02	12
13	"	70	"	"	"	"	02	"	"	"	"	06	13
14	"	23	"	"	"	"	06	"	"	"	"	12	14
15	22	03	"	"	"	"	"	05	"	02	36	12	15
16	03	35	"	"	05	"	1.08	01	"	21	05	10	16
17	50	10	02	"	"	"	18	03	"	"	"	03	17
18	"	19	30	"	"	"	"	"	01	"	05	"	18
19	"	"	06	"	"	"	09	"	"	02	"	"	19
20	22	"	03	"	"	"	01	"	"	11	"	60	20
21	15	"	"	12	"	"	05	"	"	01	"	04	21
22	02	"	06	"	"	"	28	02	"	"	"	28	22
23	03	"	08	04	"	"	11	"	10	"	04	04	23
24	"	08	13	"	"	"	"	"	49	03	"	26	24
25	"	"	"	"	"	06	"	"	"	05	08	03	25
26	03	25	02	"	"	14	02	"	10	03	"	56	26
27	05	06	02	"	"	"	12	"	"	47	"	04	27
28	"	02	05	"	15	32	02	18	"	21	"	"	28
29	"		02	"	22	04	"	"	07	"	25	36	29
30	13	X	"	08	"	"	18	03	02	"	01	01	30
31	10	X	"	X	"	X	"	34	X	04	X	20	31
Total	4.16	4.10	1.40	1.04	1.38	0.58	4.94	2.68	1.05	1.42	2.53	5.88	YEAR'S TOTAL 31.16
Rain Days.	22	19	18	9	8	5	20	19	8	14	17	24	186

REGISTER OF RAINFALL IN 1916

Kept at Warter
in the County of York, E. R.
by S. A. Cason

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Beckington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 230 ft.

3574
FORM A.
BRITISH RAINFALL.
16 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	"	20	"	"	12	19	"	"	04	14	"	1
2	05	14	27	"	06	"	"	"	20	07	"	"	2
3	"	26	08	04	"	"	"	"	43	11	16	"	3
4	02	08	04	02	75	64	"	"	03	80	32	05	4
5	05	04	20	01	03	36	"	"	"	33	18	"	5
6	01	26	15	04	25	"	16	"	"	02	35	01	6
7	"	"	15	"	28	07	08	"	"	07	04	20	7
8	"	"	30	"	05	"	"	"	"	"	06	20	8
9	"	"	05	"	54	11	"	"	12	29	03	23	9
10	06	12	06	08	"	11	05	"	03	09	"	04	10
11	04	50	62	20	"	20	21	"	10	03	"	35	11
12	15	"	26	02	1.00	28	94	"	"	07	"	05	12
13	"	07	15	"	21	"	"	35	"	63	"	05	13
14	"	05	02	04	15	"	"	49	"	11	"	"	14
15	06	21	34	"	"	"	03	21	03	04	"	01	15
16	"	09	07	16	"	"	12	24	"	"	"	13	16
17	05	"	"	40	"	"	05	64	20	11	01	"	17
18	01	34	"	37	03	"	"	08	29	13	1.80	"	18
19	12	"	05	03	"	"	"	01	"	03	40	34	19
20	06	"	30	35	"	01	15	21	"	"	05	01	20
21	03	35	10	02	"	"	02	"	"	"	02	25	21
22	"	11	02	"	"	05	"	"	"	11	"	17	22
23	"	"	01	06	"	10	"	01	"	05	"	33	23
24	"	18	07	14	"	"	"	10	"	10	15	14	24
25	"	15	13	"	01	"	"	29	"	25	"	04	25
26	"	02	04	"	"	05	"	09	"	08	22	"	26
27	"	38	03	"	"	"	52	10	"	09	"	01	27
28	"	37	05	"	42	"	"	02	"	07	03	21	28
29	"	07	"	"	05	15	"	"	"	25	"	11	29
30	01	X	"	"	01	"	"	"	"	05	01	"	30
31	"	X	"	X	03	X	"	"	X	01	X	"	31
Total	0.78	3.79	3.76	1.98	3.87	2.25	2.52	2.84	1.43	4.93	3.97	2.93	34.15
Rain Days.	15	20	26	16	16	13	12	14	9	27	17	21	206

REGISTER OF RAINFALL IN 1914

Kept at Walter
 in the County of York & E. Riding
 by J. A. Cochrane

Lat. _____ Long. _____
 Time of Observation 9.2.14
 Nearest Railway Station Beckington
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 10 in.
 " " " " Sea Level 230 ft.

3372
 FORM A.
 BRITISH RAINFALL
 12 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	16	"	"	"	50	23	"	16	"	1
2	07	"	"	15	04	06	"	36	06	"	"	"	2
3	"	"	"	"	"	"	"	15	"	10	"	"	3
4	"	26	08	"	"	05	"	"	"	23	02	"	4
5	"	"	12	28	"	"	"	"	"	02	09	"	5
6	02	"	"	"	"	"	"	"	"	04	09	"	6
7	70	"	"	"	"	11	"	"	01	75	"	02	7
8	"	"	"	16	"	"	"	1.65	"	27	07	"	8
9	1.15	"	02	11	"	"	"	04	"	04	18	05	9
10	70	"	65	15	10	"	"	46	"	14	58	"	10
11	"	"	"	18	"	"	"	34	"	46	01	01	11
12	52	"	"	14	38	"	"	05	"	18	"	01	12
13	30	"	03	06	"	"	"	22	17	04	"	05	13
14	22	"	02	05	02	"	05	"	"	01	"	"	14
15	12	"	02	01	"	"	24	04	01	"	01	20	15
16	14	"	"	28	"	"	03	"	"	"	"	50	16
17	12	10	02	18	60	05	16	11	02	"	"	24	17
18	11	"	"	04	05	"	63	02	19	"	"	"	18
19	01	22	19	"	10	15	02	"	"	"	"	"	19
20	"	50	10	"	"	13	02	07	"	"	35	"	20
21	02	10	15	02	"	"	"	02	02	04	03	"	21
22	"	"	06	"	"	04	"	09	03	09	"	"	22
23	02	"	10	"	13	18	"	15	"	04	"	"	23
24	"	"	"	"	"	"	08	05	"	46	26	03	24
25	02	05	13	"	"	"	"	02	"	24	"	30	25
26	"	"	10	"	"	04	"	80	05	24	44	10	26
27	02	"	02	"	"	20	11	36	"	01	"	03	27
28	"	"	15	"	"	11	06	46	"	07	"	05	28
29	"	"	"	"	"	"	06	"	"	25	"	11	29
30	04	X	09	04	"	"	13	02	"	02	06	"	30
31	05	X	10	X	02	X	"	07	X	"	X	"	31
Total	4.35	1.23	2.15	2.01	1.44	1.12	1.59	6.05	0.79	3.74	2.35	1.70	YEAR'S TOTAL 28.52
Rain Days.	19	6	19	16	9	11	12	23	10	22	14	14	175

REGISTER OF RAINFALL IN 1918

Kept at Warter
in the County of York E. B.
by S. A. Cosson

Lat. _____ Long. _____
Time of Observation 9.9.18
Nearest Railway Station Beckington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 230 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	08	02	05	"	"	"	"	10	02	21	14	1
2	06	42	"	12	"	"	"	"	25	03	"	35	2
3	08	05	05	02	22	"	"	47	"	"	38	"	3
4	"	02	06	"	02	"	"	13	63	"	27	52	4
5	"	"	02	"	22	"	"	88	"	03	"	"	5
6	"	33	"	60	"	18	"	"	01	08	"	02	6
7	10	05	"	01	"	10	"	02	"	03	12	"	7
8	14	"	07	"	"	08	53	"	11	"	"	02	8
9	"	24	"	02	"	"	"	"	74	56	06	09	9
10	01	05	"	01	"	"	04	"	09	"	"	04	10
11	13	06	"	01	36	"	06	"	06	"	"	16	11
12	"	10	03	04	07	"	50	"	16	05	"	03	12
13	"	01	"	04	18	"	"	01	08	02	"	"	13
14	15	"	02	04	"	"	33	"	40	06	"	02	14
15	06	"	"	"	03	03	27	"	1.00	"	"	50	15
16	02	"	"	01	81	05	"	03	28	"	"	15	16
17	32	"	03	"	"	24	2.01	07	23	05	"	33	17
18	26	"	"	27	"	05	36	"	52	"	"	05	18
19	19	"	04	03	"	"	07	13	01	12	"	"	19
20	06	56	"	03	"	03	58	"	10	10	"	04	20
21	08	"	"	"	06	"	"	"	12	29	"	"	21
22	06	"	"	"	05	02	03	"	03	"	"	50	22
23	20	"	"	"	37	"	45	"	12	05	08	"	23
24	"	05	"	"	"	"	18	"	17	03	11	"	24
25	"	"	"	"	"	"	12	36	08	"	"	06	25
26	"	06	"	"	"	"	07	02	44	03	17	05	26
27	"	"	04	"	"	03	"	42	31	"	17	"	27
28	"	31	"	"	"	"	"	"	"	"	08	35	28
29	"		01	"	"	"	"	"	18	"	"	18	29
30	02	X	56	"	"	"	"	"	16	"	13	"	30
31	"	X	20	X	"	X	"	12	X	"	X	02	31
Total	1.94	2.39	1.15	1.30	2.39	0.81	5.60	2.66	6.38	1.55	1.78	3.62	YEAR'S TOTAL 31.57
Rain Days	17	15	13	15	11	10	15	12	26	16	11	21	182

REGISTER OF RAINFALL IN 1919.

Kept at Warter
in the County of York E. B.
by J. A. Croan

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Beckington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37	01	02	05	29	"	13	"	16	02	08	08	1
2	12	01	09	"	"	"	60	"	10	"	06	"	2
3	76	"	"	"	"	"	28	"	04	"	50	20	3
4	06	01	47	"	"	05	"	07	06	"	18	03	4
5	26	02	01	"	"	"	"	"	25	"	09	04	5
6	02	02	14	"	"	"	"	"	"	"	10	12	6
7	"	"	30	01	30	"	"	"	"	"	"	32	7
8	06	"	"	03	"	01	"	"	"	"	06	03	8
9	"	"	07	05	"	"	"	"	"	06	12	"	9
10	"	"	12	01	19	"	"	"	"	03	01	13	10
11	02	"	91	02	05	"	17	"	"	05	03	"	11
12	"	"	52	"	"	22	"	"	04	33	06	"	12
13	29	"	01	06	"	06	10	05	78	17	06	"	13
14	36	"	"	29	"	"	05	"	02	02	02	"	14
15	13	08	06	06	"	"	"	"	"	"	03	70	15
16	01	73	"	03	"	"	"	"	"	01	06	01	16
17	"	09	"	"	04	08	"	"	"	"	52	01	17
18	"	"	"	"	"	"	"	27	02	"	"	07	18
19	01	27	71	"	"	"	64	16	02	"	05	03	19
20	52	10	02	"	"	"	05	11	14	"	"	40	20
21	30	21	05	"	"	02	06	"	10	"	"	15	21
22	"	10	03	"	"	"	02	"	18	"	"	28	22
23	"	"	03	"	"	08	"	"	"	56	34	02	23
24	"	"	"	24	03	06	"	"	"	25	04	06	24
25	05	02	"	"	"	04	"	58	"	02	"	"	25
26	01	02	14	06	"	"	"	85	"	28	17	53	26
27	05	02	"	42	"	"	"	"	"	86	07	"	27
28	09	"	"	09	"	"	01	58	03	50	10	28	28
29	16		02	03	"	07	"	"	"	1.14	"	10	29
30	02	~~X~~	"	27	"	10	"	"	"	21	17	22	30
31	08	~~X~~	03	~~X~~	"	~~X~~	"	"	~~X~~	14	~~X~~	11	31
TOTAL	3.75	1.71	3.75	1.72	0.90	0.79	2.11	2.67	1.94	4.65	2.92	3.92	YEAR'S TOTAL 30.83
Days with "01 in. or more	22	15	20	16	6	11	11	8	14	17	23	23	186

REGISTER OF RAINFALL IN 1920.....

Kept at Wester
in the County of York E R
by S. A. Coon

Lat. _____ Long. _____
Time of Observation 9.22
Nearest Railway Station Beckington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	06	40	31	"	38	"	"	24	"	02	1
2	"	"	04	10	"	03	04	"	05	15	"	02	2
3	"	"	"	06	"	"	28	05	15	13	"	11	3
4	"	"	"	"	19	"	42	93	02	"	"	09	4
5	03	"	05	02	31	"	10	02	"	"	"	03	5
6	"	"	07	13	02	"	10	02	"	"	"	11	6
7	"	"	03	"	"	"	23	"	"	"	"	01	7
8	"	06	"	29	02	"	07	06	04	"	"	03	8
9	25	03	02	36	"	"	10	25	"	01	"	"	9
10	46	04	05	12	03	"	16	"	"	"	"	01	10
11	14	"	05	23	"	"	06	"	"	"	"	"	11
12	07	"	"	22	"	"	06	01	"	"	04	20	12
13	"	"	05	12	"	02	"	"	50	"	05	15	13
14	05	03	42	08	"	"	"	"	32	"	11	11	14
15	"	06	37	"	"	"	11	"	"	"	"	"	15
16	"	06	"	"	"	"	119	"	11	"	04	"	16
17	"	"	"	"	16	"	14	05	33	12	"	"	17
18	16	"	"	05	17	13	10	"	04	"	"	"	18
19	22	70	"	19	"	"	"	"	01	"	"	"	19
20	"	04	"	40	"	42	"	"	01	"	"	03	20
21	"	"	"	11	"	"	50	27	"	"	"	"	21
22	02	01	"	13	"	"	03	"	"	"	"	"	22
23	05	"	"	06	"	"	22	"	"	"	"	23	23
24	"	"	31	06	"	"	"	"	01	"	52	06	24
25	"	11	03	01	"	"	45	"	"	"	03	"	25
26	03	11	03	08	04	"	14	"	02	"	"	01	26
27	13	"	"	20	47	44	"	"	"	"	23	10	27
28	1.00	"	20	08	10	02	12	"	"	"	23	17	28
29	09	"	07	"	43	"	02	"	01	"	08	40	29
30	10	~~X~~	"	02	02	"	"	"	20	"	15	22	30
31	12	~~X~~	01	~~X~~	"	~~X~~	02	"	~~X~~	01	~~X~~	40	31
TOTAL	2.92	1.25	1.86	3.52	2.27	1.06	5.54	1.66	1.82	0.66	0.98	2.51	YEAR'S TOTAL 26.05
Days with "01 in. or more	16	11	17	24	13	6	24	9	15	6	10	21	172
Days with "04 in. or more	13	8	12	21	9	3	21	6	9	4	8	13	128

REGI

WATH UPON DEARNE
CHAPEL ST

Kept at Wath-upon-
in the County of W. Rie
by J. F. J. Burns

IMPORTANT NOTE.
previous day. If an Obser
requested to add the readin
for it at the end of this
the selection and placing
Organization are given in "Notes
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

in.
und ft. in.
Level ft.

ance Direction
e result entered to the
sal rule, he is earnestly
in the space provided
t of rain,
h Rainfall
lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	27				06			10				03	2
3					15	01			03	02	10		3
4	01		03	13				04	12	12	30	17	4
5	01		01	03				04		26	01		5
6	25		01					03		10	20	42	6
7											17		7
8	10		07						10	02	07	21	8
9						05						01	9
10	01											35	10
11	20							05			48		11
12	06		05		01				69		12		12
13			08							01	01	42	13
14			06		06		04					53	14
15		05	07		01					08		09	15
16		02	09			07	01			05	15	04	16
17		01	05			25					15	13	17
18		16	04	01		20				01	21	06	18
19		08		02		02			14	10	39	02	19
20		04		09			02	58	07			15	20
21		22	03			01		09	02	22	04		21
22		01					05	09		26		15	22
23		25	03			50			21			10	23
24	01	09	02			130		04		04		13	24
25		14		01		01	01		18		02	11	25
26				02	15			01		29	34	30	26
27		03	10	19				73	31		01	01	27
28		06	02	15				02			02	07	28
29			02	03		01	09	06	11	17		01	29
30					17	13				21			30
31			08							17			31
Total	92	116	86	68	61	256	22	188	198	213	279	351	TOTAL for year 1930
No. of Rain Days	9	13	18	10	7	12	6	13	11	17	18	22	156

REG

428
26 JAN 1912
FORM A2
BRITISH RAINFALL

Kept at *Wath-upon*

in.

in the County of *W. Riding York Southern*

GAUGE

Height of top above Ground

ft.

in.

by *J. F. Burman*

Time of Observation

Nearest Railway Station

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	27				06			10				03	2
3					15	01			03	02	10		3
4	01		03	13				04	12	12	30	17	4
5	01		01	03				04		26	01		5
6	25		01					03		10	20	42	6
7											17		7
8	10		07						10	02	07	21	8
9						05						01	9
10	01											35	10
11	20							05			48		11
12	06		05		01				69		12		12
13			08							01	01	42	13
14			06		06		04					53	14
15		05	07		01					08		09	15
16		02	09			07	01			05	15	04	16
17		01	05			25					15	13	17
18		16	04	01		20				01	21	06	18
19		08		02		02			14	10	39	02	19
20		04		09			02	58	07			15	20
21		22	03			01		09	02	22	04		21
22		01					05	09		26		15	22
23		25	03			50			21			10	23
24	01	09	02			1.30		04		04		13	24
25		14		01		01	01		18		02	11	25
26				02	15			01		29	34	30	26
27		03	10	19				73	31		01	01	27
28		06	02	15				02			02	07	28
29			02	03		01	09	06	11	17		01	29
30					17	13				21			30
31			08							17			31
Total	92	1.16	86	68	61	2.56	22	1.88	1.98	2.13	2.79	3.51	19.30
No. of Rain Days	9	13	18	10	7	12	6	13	11	17	18	22	156

REGISTER OF RAINFALL IN 1912

425
FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at *Wath-upon-Deane*
in the County of *West Riding, York* W7
by *Lt F. J. Burman*

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02	05			38	01	01	07			29	1
2			04			31	54		01			11	2
3	06	04			05	37		65	21			05	3
4	07		42		10	84		35	03		15		4
5	10	05	02		08	18		05					5
6	84	06			02	02	01	30			01		6
7		04			01	08		40				02	7
8	30	37	07				01	01	15				8
9	03	15	21	13		09		07			05	04	9
10		01	01			80		07			38		10
11	11	03				01					06	41	11
12	05	30				10	69				03		12
13		05						03	01	03	10		13
14	07		31			02		05				01	14
15	07	03	12		48	01		03				05	15
16	80		10		18	14		04		02		12	16
17	12	02	15			25	06	22				16	17
18	18		08				05	55		01			18
19	34	16	05				64	55		06	03	01	19
20	13		04		33	03	08	08		14			20
21			36		77		73	01					21
22	02	05	01		105	60	10	58		01		04	22
23	02	02	25		01		24	25			03		23
24	25				01	10	51	13				16	24
25	01		01			36		25			19	05	25
26	08	12	02				36	80		100	20	24	26
27			01			26	35			61	01	08	27
28						02	19	29	01	12	58	01	28
29			09			06	02		46	06	01	03	29
30	20		02		70				18	05			30
31			05		34		43	26					31
Total	3.85	1.52	2.49	13	4.13	5.03	5.02	6.03	1.13	2.11	1.83	1.88	TOTAL for year 35.75
No. of Rain Days.	21	14	23	1	14	22	18	25	9	11	14	18	193

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 437
31 JAN 1914

Kept at Kath-upon-Deane
in the County of W. B. York W. 7
by Dr F. J. Burman

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	07					20	01	08		1
2		06	06	01		01			01			02	2
3	03		11		33		08		01	54		23	3
4	53	01	01		06		07		05	01	13	20	4
5		02	03			01	24		03	126			5
6		03	11		57		74		01	72			6
7		15			13	16				46	02		7
8		02	01		48	09		11	01	07	12		8
9		14		02	15	02	05	01			12		9
10	01			15	09		03			02	15		10
11	119	01		45						01	16		11
12					01	02					20		12
13	05		01	06				03	13		05		13
14	07	10	27							03	13		14
15	06	02	20	24					04		23		15
16		01	16	01				51	25		01		16
17	05	01		06					237		02		17
18			22	07			06				04		18
19	09		06	04					08				19
20	16		10	05					01	08	07		20
21		02	02		17		21				18		21
22	16		45		01			60	19				22
23	09					05		14	11	03			23
24	11			04									24
25			02						08			01	25
26		01	15	05						15		28	26
27			02	28		05						19	27
28	24		16	54								06	28
29	01		26	40	03			25			02	23	29
30	23				02			01		41	02	02	30
31	01		01		06								31
Total	309	61	249	254	211	41	148	166	358	380	175	124	2476
Rain Days.	17	14	22	17	13	8	8	8	16	14	18	9	164

5X 910
REGISTER OF RAINFALL IN 1914

Kept at Waltham-upon-Arden
in the County of H. R. York
by F. J. Burman

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

28 JAN 1915
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.60	.13		.02		.26	1
2							.75	.12			.35	.04	2
3					.06		.05	.05			.03	.54	3
4	.11		.05	.10	.02						.35	.21	4
5	.10		.09	.12	.02	.02	.02				.06	.15	5
6				.11	.15		.45	.01			.03	.04	6
7		.01	.19	.07	.04	.01		.02			.05	.08	7
8	.02				.04	.52	.01	.03	.20			.05	8
9	.34			.05		.86		.14	.03				9
10	.20	.09	.05	.06					.05		.01		10
11		.09	.24	.04	.01	.48			.03		.42	.37	11
12		.03	.07			.01	.01		.05		.01	.39	12
13		.03	.11				.01		.05	.02	.15	.13	13
14	.02	.10	.02				.02		.01	.24	.33	.26	14
15	.02	.08	.06								.10	.01	15
16	.03		.01				.28		.20				16
17	.03	.20	.08				.02		.11			.18	17
18												.22	18
19			.07				.01				.06	.14	19
20		.12	.09						.02	.11			20
21		.40	.01			.20		.39		.11	.04	.09	21
22					.22	.07	.02	.05		.13			22
23		.01	.03		.28	.01	.03					.01	23
24			.25		.33			.26			.22		24
25							.09	.14		.53	.01	.21	25
26			.06					.19		.15	.03	.17	26
27	.04										.07	.63	27
28	.04	.03								.09	.01	.24	28
29			.11							.58	.02		29
30					.02			.06		.11	.08	.08	30
31	.07						.23			.12			31
Total	1.02	1.19	1.59	.55	1.19	2.18	3.60	1.59	.75	2.21	2.43	4.50	YEAR'S TOTAL 22.80
Rain Days.	12	12	18	7	11	9	17	13	10	12	21	23	165

REGISTER OF RAINFALL IN 1915

Kept at Waltham-upon-Avon
 in the County of W. B. York
 by F. J. Burman

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

3334
404
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.08			.21		.03	.03	.15		.04	.04	1
2	.02	.07	.13	.13		.04	.04	.09	.01	.10	.02		2
3	.58			.05			.31	.83			.03	.52	3
4	.13				.01		.75	.10				.94	4
5	.04	.25			.06			.02		.01	.03	.51	5
6	.03	.18	.11	.05			.45	.02				.08	6
7	.25	.20	.01	.07			.08	.48			.01	.05	7
8	.16	.18		.06			.06	.06			.06		8
9	.01							.12		.01	.06	.70	9
10	.32		.07						.01			.02	10
11	.12				.52		.06	.03			.39	.34	11
12	.02			.12	.15			.11		.11	1.35		12
13		.71											13
14					.05		.02	.03				.21	14
15	.40						.02				.24	.07	15
16		.15			.18		1.33	.04		.02		.01	16
17		.15					.08						17
18		.11	.20								.01		18
19							.04			.01			19
20							.03					.24	20
21	.05			.09			.15					.10	21
22			.17				.22					.01	22
23	.01	.02	.06				.19		.02	.17		.02	23
24			.14	.05					.73			.20	24
25				.01		.13						.09	25
26	.01	.27				.05	.05		.01			.47	26
27		.17					.03			.49		.27	27
28		.20	.01			.15		.35		.08		.03	28
29					.12	.20				.02	.15	.51	29
30	.05	X		.01		.56			X		X		30
31	.03	X		X		X			X	.32	X	.20	31
Total	2.33	2.74	.90	.64	1.30	1.13	3.94	2.31	.93	1.34	2.39	5.63	25.58
Rain Days.	18	14	9	10	8	6	19	13	6	11	12	23	150
YEAR'S TOTAL													150

REGISTER OF RAINFALL IN 1916

Kept at *Wath upon Dearne*
in the County of *W. R. Yorkshire*
by *F. J. Burman*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3260
365
3158
FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30		15			07	14				12		1
2	15	03	23				01		10	09			2
3		24	01	04			07		30	19	08		3
4		14			76	17		01	18	08	30		4
5	01				11	08			01	19	20		5
6		34	14	03	32		13			02	23	01	6
7	06		09		07		07			03	02	27	7
8			30								01	12	8
9			10		50				20		02	12	9
10		06	03	03		08	01		01			11	10
11		41	28	10	01	05			05			01	11
12	01	01	59		59	04	12	01	01			02	12
13		02	22				22	21		07	01	01	13
14		11	03	13	04			17		02	02	01	14
15		16	67				13	06					15
16		17	27	07			01	07		01			16
17	01	17		06			05	01	10	15			17
18		26	01	02		05		12	16	09	1.13	03	18
19	02		22	13				06	04		42	10	19
20	10		20	11	02		03					05	20
21	01	04	07	06			29					23	21
22		07	01		01	03				10		24	22
23		50		06				03			13	22	23
24		05		02		37		20		06		11	24
25		06	17		02			12		04	13	02	25
26		07	04			01		05		08			26
27		27						02		15			27
28		29	06		25	10			02			02	28
29		25				42		02		31		14	29
30		X				02		01		14			30
31		X		X		X			X	11	X	09	31
Total	67	3.72	3.89	86	2.70	1.49	1.28	1.17	1.18	1.93	2.82	1.93	23.64
Rain Days.	9	22	22	13	12	13	13	16	12	19	14	20	185

REGISTER OF RAINFALL IN 1917

Kept at *Wath-upon-Deane*
in the County of *W. R. Yorkshire*
by *F. J. Burman*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3111
352
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.41		.01		.30	.12		.11	.06	1
2	.01			.08		.07		.10					2
3		.01		.01		.01		.12		.09	.08		3
4		.02	.13					.03		.21	.01		4
5	.24		.07	.15				.02		.11	.03		5
6						.02				.19	.05		6
7	.25			.05		.18				.40		.02	7
8	.57			.18				.98		.46	.05	.07	8
9	.18		.04	.10				.01		.11	.19		9
10	.22		.54	.15	.15			.12		.01	.01		10
11	.02			.40				.13		.38		.01	11
12	.06				.36			.26		.13		.01	12
13	.09			.06	.07			.18	.02	.04		.01	13
14	.21	.01		.05				.12				.17	14
15	.02						.29					.04	15
16	.06	.07		.05		.07	.04	.15				.62	16
17		.07	.01	.12	.65		.07	.15	.08	.01		.21	17
18	.02			.03	.05		.30	.05	.28				18
19	.03	.14	.06		.30	.37		.02					19
20	.04	.16			.27	.28		.01	.06				20
21	.02	.07	.03		.01	.01		.05		.02			21
22	.01		.09					.07		.03			22
23		.03			.14			.08	.03				23
24						.09		.07		.30	.19		24
25		.01	.05					.02		.10	.05		25
26			.02			.15	.01	.30	.09	.11			26
27			.07			.25	.10	.41				.07	27
28			.08			.10	.01	.15		.03		.09	28
29	.01		.02		.33		.02			.16		.17	29
30	.01	X	.07				.05	.07		.01	.02		30
31	.01	X	.25	X		X	.01	.04	X		X	.02	31
Total	2.09	.59	1.53	1.84	2.33	1.61	.90	4.01	.68	2.90	.79	1.57	20.84
Rain Days.	21	10	15	14	10	13	10	27	7	20	11	14	172

REGISTER OF RAINFALL IN 1918

Kept at Waltham-upon-Avon
in the County of N. B. York
by F. J. Burman

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM 358

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.01						.11	.05	.19		1
2		.07	.02	.02				.09	.04	.01		.17	2
3			.04		.62			.15	.02		.16		3
4			.03		.01			.02	.25	.16	.15	.30	4
5			.02	.01	.23			.20	.15	.11			5
6		.28	.01	.32		.12		.02	.07	.09		.01	6
7	.12			.33					.13	.11	.11		7
8		.01	.18	.05			.06		.42	.03	.03		8
9	.03	.57		.29		.04	.10		.47	.11		.01	9
10	.01			.01			.12		.03		.01	.04	10
11	.08	.03			.18		.08		.06			.02	11
12		.12	.02	.11	.03		.56		.03			.02	12
13	.02			.07	.25				.28	.07			13
14	.47			.03			.06		.53	.03		.19	14
15	.19					.03	.28		.88		.02	.09	15
16			.01				.21		.19	.02		.09	16
17	.23		.01		.02	.05	1.14	.05	.44	.09		.18	17
18	.30		.02			.05	.11		.60			.02	18
19	.07		.19	.05			.08	.02	.13	.10		.37	19
20	.04	.17				.13	.33		.04	.23			20
21	.14	.06		.01	.35	.07	.02			.07		.01	21
22	.02				.18		.06		.06			.31	22
23					.48		.16						23
24		.03				.02	.04		.15	.01	.07		24
25						.68	.07	.35	.01		.02		25
26							.30	.03	.11	.01	.06	.07	26
27								.30	.20		.03	.03	27
28		.12	.19					.35			.11	.24	28
29									.03			.06	29
30		X	.32					.01	.02		.15	.28	30
31		X	.03	X		X		.02	X		X		31
Total	1.72	1.53	1.10	1.30	2.35	1.19	3.78	1.61	5.45	1.30	1.11	2.51	24.95
Rain Days.	13	11	15	12	10	9	18	13	27	17	13	20	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Waltham-upon-Avon
in the County of W. R. York
by F. J. Purman

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

3158
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	37	02	01		12		29		07	09	09	12	1
2	17						28		24		08		2
3	1.00				02	11	37		10		34	07	3
4			30			05	01	20	08		04	11	4
5	10	02			02				12		02	09	5
6			01		23					02		05	6
7	01		16		06								7
8	08			01							05		8
9	01		02								05		9
10			08	03	03					01	03	05	10
11			94	01	05		18			01			11
12			68	02		03	18		15		01		12
13	12			05					1.16	10	02	05	13
14	17			19				11	04	02	16		14
15	15	16	03	06						01		53	15
16	08	90		03		03					13		16
17		40		03		06	01	02			07		17
18			11		01		01	20				08	18
19	03	23	94			04	1.90	45	04		16	01	19
20	38	09	04			02	20	11	05		07	06	20
21	17	38	02			26	25					13	21
22		16							15			30	22
23				03		01				91	01	04	23
24				11	10	07	02	02		36	03	17	24
25	03	01		13	05	03		41		01	02		25
26		03	18	04	01			33	01	01	03	38	26
27	10			32						03	03	04	27
28	06			15				78		03		31	28
29	10			03						1.20		09	29
30	03	X	01	07		07				08	08	12	30
31	02	X	01	X		X	11		X	06	X	09	31
Total	3.18	2.40	3.54	1.31	70	78	3.81	2.63	2.21	2.95	1.52	2.89	27.92
Rain Days.	20	11	16	17	11	12	13	12	10	12	16	21	180

YEAR'S TOTAL

Kept at Wath upon Dearne
in the County of W.R. Yorks
by F. J. B. ...

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(5)			23	18	01	22		09	12	22	04	1
2			02	43			19		16	15		12	2
3		01		10	06	08	1.08		11	22		12	3
4				10	01		16	35	02	55		07	4
5			01				06	15		01			5
6			13	03	03		07	01				02	6
7		01	12		02		42	01					7
8	05	02		43			09	05		02			8
9	19	04		49			10	06		01			9
10	29	20		18			09	15					10
11	50		05	11	18	19						11	11
12	04		01	25		08		17			01	07	12
13	04	05	01	25		1.27						08	13
14			44	07		32	02		32	06	20	02	14
15		05	26	08					07	11	01	01	15
16							48		03				16
17					05		01		18	04		01	17
18	02			06	05								18
19	01	1.39		16	02	25		05	01				19
20		05		12		15	07						20
21				07			44	12				05	21
22	01			25			09						22
23			01	02			17			01	01	32	23
24	04		13	01								03	24
25		06	05	05			1.09		01				25
26	06	01	05	03	05		01						26
27	24			08	28	25				01	23	20	27
28	1.09		15	10	25	02	05		01		03	09	28
29	06		06		1.85	01	04				11	50	29
30	11	~~X~~		14		01			15		13	28	30
31	04	~~X~~	13	~~X~~	03	~~X~~	02		~~X~~	34	~~X~~	08	31
TOTAL	2.79	1.89	1.63	3.84	3.06	2.64	4.97	1.12	1.16	1.65	.95	2.22	YEAR'S TOTAL 27.92
Days with 0.1 in. or more	16	11	16	25	14	12	22	10	12	13	9	19	189
	04	13	11	21	9	8	18	8	9	8	15	14	129

RE

WATTON ABBEY

25 W
5 FEB 1918
FORM A
BRITISH RAINFALL OBSERVATION

Kept at Wotton
in the County of Leicestershire
by L. A. Co

YORKSHIRE

1917 - 20

5 in.
and 1 ft. 6 in.
Level 40 ft.

result entered to the rule, he is earnestly

IMPORTANT NOTE
previous day. If an observer is requested to add the result for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.25	-	-	-	.36	.26	-	.10	.16	1
2	.05	-	-	.06	-	.02	-	.20	.02	-	-	-	2
3	-	.12	-	.10	-	.04	.4	.17	-	-	-	-	3
4	-	.08	.06	-	-	-	-	-	-	.27	-	-	4
5	.17	-	-	.22	-	-	-	.01	-	.02	.05	-	5
6	-	-	.03	-	-	.24	-	-	.05	-	.05	-	6
7	.82	-	-	-	-	-	-	-	-	.43	-	.01	7
8	.60	-	.01	.09	-	-	-	1.37	-	.34	.03	-	8
9	-	-	-	.05	-	-	-	.07	-	-	.12	-	9
10	.18	-	.01	.07	.25	-	-	.37	-	.12	.16	-	10
11	.29	-	.52	.02	-	-	-	.01	-	.31	.01	-	11
12	.19	-	-	.07	.46	-	-	.87	-	.18	.01	.04	12
13	.20	-	.02	.05	.04	-	-	.13	.09	.10	-	.02	13
14	.20	-	-	.04	.01	-	-	.04	-	.01	-	.03	14
15	.22	-	.02	.02	.01	-	.12	.01	-	.01	-	.07	15
16	.06	.07	-	.02	-	-	.13	.11	-	-	-	.52	16
17	.03	.02	-	.28	.38	.04	-	.09	.15	.04	-	.03	17
18	.07	-	-	.12	.02	-	.28	.01	.16	-	-	-	18
19	.10	.13	-	.01	.06	.02	-	-	.01	-	-	-	19
20	.02	.29	.13	-	-	.38	-	.06	.01	-	.23	.06	20
21	-	.14	.07	.02	-	-	-	.03	-	.01	.01	-	21
22	-	-	.15	-	-	.03	-	.14	-	.05	-	-	22
23	.02	-	.01	-	.21	-	-	.09	-	.03	-	-	23
24	-	-	-	-	-	.29	.05	.08	-	.39	.21	.07	24
25	-	-	.05	-	-	.01	-	-	-	.28	.10	-	25
26	-	-	.05	-	-	.13	-	.91	.03	.16	.26	.17	26
27	-	-	.04	-	-	.12	.14	.33	-	.01	-	.05	27
28	-	-	.01	-	-	.21	.01	.22	-	.05	-	-	28
29	-	-	.06	-	-	-	.18	.04	-	.15	-	.14	29
30	-	X	-	.06	-	-	.09	.01	-	.02	.04	-	30
31	-	X	.08	X	-	X	-	-	X	-	X	-	31
Total	3.22	.85	1.32	1.55	1.44	1.53	1.00	5.73	.78	2.98	1.38	1.37	23.15
Rain Days.	16	7	17	18	9	12	8	25	9	21	14	13	169

RE

Kept at

Watton Abbey

in the County of

Yorks. GR

by

J R Coulson

Lat. 54° 45' N Long. 0° 25' W

Time of Observation 9 a.m.

Nearest Railway Station Watton Cranswick

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.25	-	-	-	.36	.26	-	.10	.16	1
2	.05	-	-	.06	-	.02	-	.20	.02	-	-	-	2
3	-	.12	-	.10	-	.04	.02	.17	-	-	-	-	3
4	-	.08	.06	-	-	-	-	-	-	.27	-	-	4
5	.17	-	-	.22	-	-	-	.01	-	.02	.05	-	5
6	-	-	.03	-	-	.24	-	-	.05	-	.05	-	6
7	.82	-	-	-	-	-	-	-	-	.43	-	.01	7
8	.60	-	.01	.09	-	-	-	1.37	-	.34	.03	-	8
9	-	-	-	.05	-	-	-	.07	-	-	.12	-	9
10	.18	-	.01	.07	.25	-	-	.37	-	.12	.16	-	10
11	.29	-	.52	.02	-	-	-	.01	-	.31	.01	-	11
12	.19	-	-	.07	.46	-	-	.87	-	.18	.01	.04	12
13	.20	-	.02	.05	.04	-	-	.13	.09	.10	-	.02	13
14	.20	-	-	.04	.01	-	-	.04	-	.01	-	.03	14
15	.22	-	.02	.02	.01	-	.12	.01	-	.01	-	.07	15
16	.06	.07	-	.02	-	-	.13	.11	-	-	-	.52	16
17	.03	.02	-	.28	.38	.04	-	.09	.15	.04	-	.03	17
18	.07	-	-	.12	.02	-	.28	.01	.16	-	-	-	18
19	.10	.13	-	.01	.06	.02	-	-	.01	-	-	-	19
20	.02	.29	.13	-	-	.38	-	.06	.01	-	.23	.06	20
21	-	.14	.07	.02	-	-	-	.03	-	.01	.01	-	21
22	-	-	.15	-	-	.03	-	.14	-	.05	-	-	22
23	.02	-	.01	-	.21	-	-	.09	-	.03	-	-	23
24	-	-	-	-	-	.29	.05	.08	-	.39	.21	.07	24
25	-	-	.05	-	-	.01	-	-	-	.28	.10	-	25
26	-	-	.05	-	-	.13	-	.91	.03	.16	.26	.17	26
27	-	-	.04	-	-	.12	.14	.33	-	.01	-	.05	27
28	-	-	.01	-	-	.21	.01	.22	-	.05	-	-	28
29	-	-	.06	-	-	-	.18	.04	-	.15	-	.14	29
30	-	X	-	.06	-	-	.09	.01	-	.02	.04	-	30
31	-	X	.08	X	-	X	-	-	X	-	X	-	31
Total	3.22	.85	1.32	1.55	1.44	1.53	1.00	5.73	.78	2.98	1.38	1.37	23.15
Rain Days	16	7	17	18	9	12	8	25	9	21	14	13	169

REGISTER OF RAINFALL IN 1918

Kept at Wratton Abbey
in the County of Yorks E
by J. A. Coulson

Lat. 54° 45' N Long. 0° 25' W
Time of Observation 9 a.m.
Nearest Railway Station Hutton Cranswick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 40 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

33

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	-	.08	-	-	-	-	.12	.03	.16	.10	1
2	.04	-	-	.13	-	-	-	.06	.16	-	-	.23	2
3	-	.17	.03	-	.12	-	-	.48	-	-	.38	.01	3
4	-	.04	.03	-	.13	-	-	.39	.47	.01	.23	.22	4
5	-	-	-	-	.25	-	-	.83	-	.05	-	-	5
6	-	-	-	.65	-	.03	-	.02	-	.08	-	.03	6
7	-	.39	.01	.24	-	.08	-	-	.01	-	.14	-	7
8	-	-	.09	-	-	-	.67	-	.03	-	-	.02	8
9	-	.30	.02	.03	-	.02	-	-	.43	.26	.06	.13	9
10	-	.06	-	.01	-	-	.04	-	.03	-	-	.09	10
11	.24	.03	-	.01	.51	-	.12	-	.01	.02	-	.13	11
12	-	.13	.02	.02	.08	-	1.30	.03	.11	.04	-	.02	12
13	-	.02	-	.03	.08	-	-	-	.15	.03	-	-	13
14	.14	-	-	.03	-	-	.11	-	.31	.02	-	.20	14
15	-	-	-	.01	.01	.02	.18	-	1.22	-	.02	.25	15
16	-	-	.06	.01	-	.02	.02	.01	.49	.01	-	.06	16
17	.23	-	-	-	.31	.04	1.23	.03	.03	.07	-	.27	17
18	.18	-	-	.10	-	-	.12	-	.45	.02	-	.05	18
19	.22	-	-	.25	-	-	.05	.10	.02	.10	-	.12	19
20	-	.37	-	.02	-	.01	.04	-	.07	.04	-	-	20
21	.13	-	-	-	.06	.01	.01	-	.20	.13	-	-	21
22	-	-	-	.01	.02	.13	.04	-	.02	.04	-	.36	22
23	.12	-	-	-	.39	-	.26	-	.06	.01	.03	-	23
24	-	.02	-	-	-	-	.12	-	.07	.04	.07	-	24
25	-	-	-	-	-	-	.19	.27	-	-	.01	.04	25
26	-	-	-	-	-	-	.05	.25	.36	.02	(.42)	.07	26
27	-	.09	.04	-	-	-	.02	.38	.34	-	.10	.05	27
28	-	.13	.28	-	-	-	-	.02	.01	-	.04	.07	28
29	-	-	-	-	-	-	-	-	.10	-	.04	.43	29
30	-	~~X~~	.34	-	-	-	-	-	.07	-	.06	.45	30
31	-	~~X~~	.10	~~X~~	-	~~X~~	-	.07	~~X~~	-	~~X~~	.09	31
Total	1.30	1.75	1.02	1.63	1.96	.36	4.57	2.94	5.34	1.02	1.46	3.49	YEAR'S TOTAL 26.84
Rain Days.	8	12	11	16	11	9	18	14	26	19	14	24	182

REGISTER OF RAINFALL IN 1919.

Kept at Watton Abbey
in the County of Yorkshire
by Jacobson

Lat. 54°-45' N Long. 0°-25' W
Time of Observation 9 a.m.
Nearest Railway Station Hutton Cranswick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.04	-	.02	.32	-	.20	-	.06	.03	.16	.08	1
2	.14	-	.03	-	-	-	.30	-	.05	-	.12	.01	2
3	.51	-	-	-	.03	-	.11	-	.01	-	.42	.20	3
4	.10	-	.35	-	.03	.10	-	.14	.06	-	.21	.06	4
5	.15	.06	-	-	-	-	-	-	.11	-	.04	.06	5
6	.01	-	.13	-	-	-	-	-	-	-	.06	.12	6
7	-	-	.28	.02	.23	-	-	-	-	-	-	.21	7
8	.12	-	-	.06	.01	-	-	-	-	.02	.11	.20	8
9	.02	-	.01	.01	-	-	-	-	-	.08	.08	-	9
10	-	-	.12	.01	-	-	-	-	-	.02	.09	.15	10
11	-	-	.70	.01	.13	-	.17	-	-	.01	.10	-	11
12	-	-	.46	.05	-	.07	-	-	.05	.18	.03	-	12
13	.19	-	.01	.05	-	.02	.13	-	.55	.25	-	.02	13
14	.27	-	-	.26	-	-	-	.05	.05	.03	.12	-	14
15	.11	.11	.02	.25	-	-	-	-	-	.01	-	.37	15
16	.04	.56	-	.04	-	.06	-	-	-	.01	.20	-	16
17	-	.13	-	-	.04	-	.01	.05	-	-	.15	.01	17
18	-	-	-	-	-	-	-	.08	-	-	-	.08	18
19	.01	.01	.32	-	-	-	.48	.44	.01	-	.06	.03	19
20	.25	.12	~~.25~~	-	-	.02	.19	.15	.07	-	-	.05	20
21	.20	.19	.02	-	-	-	.03	-	.03	-	.01	.20	21
22	-	.20	~~.20~~	-	-	-	.09	-	.17	-	-	.08	22
23	-	.11	-	-	-	.06	.03	.11	-	.60	.18	.25	23
24	.04	-	.02	-	.03	.03	-	-	.01	.18	.02	.06	24
25	-	.01	-	.07	-	-	-	.55	-	-	-	-	25
26	-	.02	.15	.04	-	-	-	.34	.01	.53	.23	.44	26
27	.12	-	-	.55	-	-	-	-	-	.46	.14	-	27
28	.10	.06	.01	-	-	-	-	.65	-	.36	.05	.34	28
29	.02	~~X~~	.01	-	-	.15	-	.03	-	.98	-	.13	29
30	.08	~~X~~	.02	.14	-	.09	-	.02	-	.73	.18	.12	30
31	-	~~X~~	.03	~~X~~	-	~~X~~	.02	-	~~X~~	.19	~~X~~	.02	31
TOTAL	~~2.83~~ 2.81	1.62	~~2.69~~ 2.42	1.58	.82	.60	1.76	~~2.61~~ 2.53	~~1.24~~ 1.24	4.07	2.76	~~3.29~~ 3.26	25.87 26.07
Days with ".01 in. or more	20	16	18	15	8	9	12	12	14	18	22	24	185

REGISTER OF RAINFALL IN 1920

Kept at
in the County of
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
TOTAL													YEARS TOTAL
Days with .01 in. or more													193
Days with .04 in. or more													123

120.

ng. 55

9 am

on Castle Howard

Rain Gauge. 5 in.

above Ground 1 ft. in.

„ Sea Level ft.

ult entered to the previous day.

requested to add

it at the end of

Jan. 1, following.

Kept at.....

in the County of.....

by John

WELBURN

1920 - 20

IMPORTANT

If an Observer prefers

the reading at 9 a.m. on 1st January of the following year, this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.09	.40	.29	.03	.33	.01	.19	.19		.02	1
2	.05	—	—	.20	.02	.08	.16	—	.12	.19		.44	2
3	—	—	.06	.02		.02	.54	.35	.24	.20		.13	3
4	.05	—	—	.01	.22	—	.53	—	.02	1.00		.20	4
5	—	—	.05	—	.20	—	.18	.70	—	—		.03	5
6	—	—	.08	.16	.09	—	.10	.03	—	—		.12	6
7	.06	—	—	—	—	—	.29	—	—	—		.01	7
8	—	—	—	.25	.04	—	.15	—	—	.01		—	8
9	.22	.06	.02	.41	.05	—	.04	.20	.01	—		—	9
10	.50	.04	.04	.16	.01	—	.25	.35	—	—		.04	10
11	.31	.02	.03	.11	—	—	—	—	—	—		+	11
12	.11	.01	.02	.15	—	—	.01	—	—	—	.04	+	12
13	—	.05	.12	.10	—	.01	—	—	.09	—	.06	.46	13
14	.06	.08	.48	.20	—	—	.04	—	.24	.06	.14	—	14
15	—	.18	.16	.16	—	—	.04	—	.02	.06	.04	.04	15
16	—	—	.01	.01	—	—	1.05	—	.14	—	—	—	16
17	—	—	—	—	.16	—	.02	—	.21	.04	.18	.04	17
18	.15	—	—	.02	.21	.08	.01	.16	.04	—	—	—	18
19	—	—	—	.36	—	.04	.02	.03	.02	—	—	—	19
20	.13	.24	—	.18	—	.08	.04	—	—	—	.01	.06	20
21	—	.34	—	.16	—	—	.46	.23	—	—	—	—	21
22	—	.05	—	.14	—	—	.10	—	—	—	—	—	22
23	.04	—	—	.12	—	—	.51	—	—	.02	—	.15	23
24	.01	—	.41	.05	—	—	.03	—	.02	—	—	.06	24
25	—	.04	.10	.06	—	—	.59	—	—	—	.02	—	25
26	.06	.03	.16	.03	—	—	.03	—	—	—	—	—	26
27	—	.01	.08	.05	.38	.80	—	—	.02	—	.36	.08	27
28	.16	—	.08	.06	—	.01	.08	—	—	—	.04	—	28
29	.90	—	—	.03	—	.12	.04	—	.01	—	.04	.52	29
30	.15	~~—~~	~~—~~	—	.58	—	—	—	.15	—	.21	.14	30
31	.21	~~—~~	~~—~~	~~—~~	—	~~—~~	.06	—	~~—~~	.02	~~—~~	—	31
TOTAL	32.0	1.29	1.49	3.60	2.28	1.24	5.49	2.06	1.54	1.49	1.14	2.93	28.94
Days with ".01 in. or more	14	14	14	26	12	10	24	9	16	10	11	19	158
Days with ".04 in. or more	16	10	13	20	10	6	22	6	9	4	9	16	144
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1920.

Kept at Welbarn
in the County of Yorkshire
by John D. Atkin

Lat. 54.6 Long. 5.5
Time of Observation 9 am
Nearest Railway Station Castle Howard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.09	.40	.29	.03	.33	.01	.19	.19		.02	1
2	.05	—	—	.20	.02	.08	.16	—	.12	.19		.44	2
3	—	—	.06	.02		.02	.54	.35	.24	.20		.13	3
4	.05	—	—	.01	.22	—	.53	—	.02	1.00		.20	4
5	—	—	.05	—	.20	—	.18	.70	—	—		.03	5
6	—	—	.08	.16	.09	—	.10	.03	—	—		.12	6
7	.06	—	—	—	—	—	.29	—	—	—		.01	7
8	—	—	—	.25	.04	—	.15	—	—	.01		—	8
9	.22	.06	.02	.41	.05	—	.04	.20	.01	—		—	9
10	.50	.04	.04	.16	.01	—	.25	.35	—	—		.04	10
11	.31	.02	.03	.11	—	—	—	—	—	—		+	11
12	.11	.01	.02	.15	—	—	.01	—	—	—		+	12
13	—	.05	.12	.10	—	.01	—	—	.09	—	.04	+	13
14	.06	.08	.48	.20	—	—	.04	—	.24	.06	.06	.14	14
15	—	.18	.16	.16	—	—	.04	—	.02	.06	.04	.04	15
16	—	—	.01	.01	—	—	1.05	—	.14	.04	—	—	16
17	—	—	—	—	.16	—	.02	—	.21	.04	.18	.04	17
18	.15	—	—	.02	.21	.08	.01	.16	.04	—	—	—	18
19	—	—	—	.36	—	.04	.02	.03	.02	—	—	—	19
20	.13	.24	—	.18	—	.08	.04	—	—	—	.01	.06	20
21	—	.34	—	.16	—	—	.46	.23	—	—	—	—	21
22	—	.05	—	.14	—	—	.10	—	—	—	—	—	22
23	.04	—	—	.12	—	—	.51	—	—	.02	—	.15	23
24	.01	—	.41	.05	—	—	.03	—	.02	—	—	.06	24
25	—	.04	.10	.06	—	—	.59	—	—	—	.02	—	25
26	.06	.03	.16	.03	—	—	.03	—	—	—	—	—	26
27	—	.01	.08	.05	.38	.80	—	—	.02	—	.36	.08	27
28	.16	—	.08	.06	—	.01	.08	—	—	—	.04	—	28
29	.90	—	—	.03	—	.12	.04	—	.01	—	.04	.52	29
30	.15	~~X~~	—	—	.58	—	—	—	.15	—	.21	.14	30
31	.21	~~X~~	—	~~X~~	—	~~X~~	.06	—	~~X~~	.02	~~X~~	—	31
TOTAL	3.20	1.29	1.99	3.60	2.28	1.24	5.49	2.06	1.54	1.49	1.14	2.93	YEAR'S TOTAL
Days with ".01 in. or more	14	14	14	26	12	10	24	9	16	10	11	19	28.94
Days with ".04 in. or more	16	10	13	20	10	6	22	6	9	4	9	16	188

REGIS

WENTWORTH
WOODHOUSE
YORKSHIRE

Kept at Wentworth Woodhouse
in the County of Yorkshire
by Alexander H.

IMPORTANT NOTE.—Read the previous day. If an Observer requested to add the reading at for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

11
London
5 in.
e Ground ft. 10
Sea Level 360 ft.
4 M. Wentworth and
Name Hoyland Common
Distance 2 Direction West
the result entered to the
versal rule, he is earnestly
year in the space provided
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03				.02	.05			.01		1
2	.32				.08							.05	2
3	.02				.26								3
4	.05			.11							.45	.16	4
5			.02	.04				.08			.01		5
6	.17		.02						.06	.04	.30	.01	6
7										.14	.09	.45	7
8	.14		.05							.32	.05	.30	8
9												.03	9
10	.02							.13				.50	10
11	.24		.09								.55	.03	11
12	.02										.18	.45	12
13			.05		.10						.03	.62	13
14	.02		.05		.09		.04			.02	.01	.10	14
15			.15		.08					.01		.07	15
16		.16	.13			.08						.16	16
17		.05	.04			.25				.11	.15	.07	17
18		.31	.04	.06		.16				.08	.24	.03	18
19		.07		.04		.06		.48	.15		.42	.15	19
20		.04	.02	.14				.31	.05	.01			20
21		.21						.15					21
22	.03	.08								.10	.05	.02	22
23		.29	.03							.16			23
24		.13	.02			.42			.24				24
25	.02	.21	.01			1.25		.78			.04		25
26		.03		.05	.12				.20		.40	.20	26
27		.08	.04	.19							.01	.02	27
28		.11	.03	.11				.03	.70		.04	.08	28
29			.01			.01	.07	.09		.29		.03	29
30			.14	.07	.34	.10				.23			30
31										.08			31
Total	1.05	1.77	.97	.81	1.07	2.33	.13	2.10	1.40	1.59	3.03	3.53	TOTAL 19.78
No. of Rain Days.	11	13	19	9	7	8	3	9	6	13	18	21	137

REGIS

FORM A2.
BRITISH RAINFALL

Kept at Wentworth Woodhouse

in the County of Yorkshire

by Alvanar Shind

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 360 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Wentworth and
Distance 2 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03				.02	.05			.01		1
2	.32				.08							.05	2
3	.02				.26								3
4	.05			.11							.45	.16	4
5			.02	.04				.08			.01		5
6	.17		.02						.06	.04	.30	.01	6
7										.14	.09	.45	7
8	.14		.05							.32	.05	.30	8
9												.03	9
10	.02							.13				.50	10
11	.24		.09								.55	.03	11
12	.02										.18	.45	12
13			.05		.10						.03	.62	13
14	.02		.05		.09		.04			.02	.01	.10	14
15			.15		.08					.01		.07	15
16		.16	.13			.08						.16	16
17		.05	.04			.25				.11	.15	.07	17
18		.31	.04	.06		.16				.08	.24	.03	18
19		.07		.04		.06		.48	.15		.42	.15	19
20		.04	.02	.14				.31	.05	.01			20
21		.21						.15					21
22	.03	.08								.10	.05	.02	22
23		.29	.03							.16			23
24		.13	.02			.42			.24				24
25	.02	.21	.01			1.25		.78			.04		25
26		.03		.05	.12				.20		.40	.20	26
27		.08	.04	.19							.01	.02	27
28		.11	.03	.11				.03	.70		.04	.08	28
29			.01			.01	.07	.09		.29		.03	29
30			.14	.07	.34	.10				.23			30
31										.08			31
Total	1.05	1.77	.97	.81	1.07	2.33	.13	2.10	1.40	1.59	3.03	3.53	19.78
No. of Rain Days.	11	13	19	9	7	8	3	9	6	13	18	21	137

REGISTER OF RAINFALL IN 19 12

Kept at Ewentworth-lodg-house
in the County of Yorkshire W7
by Alexander G. Lind

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Ewentworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 360 ft.

BRITISH RAINFALL FORM A.
8-JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.01			.44			.10	.27		.50	1
2					.11	.27	.55		.05			.10	2
3	.06	.02			.09	.38		.80	.25	.02		.06	3
4	.09		.02			.61	.09	.34	.02				4
5	.17								.01		.15	.01	5
6	1.32	.29	.02								.02	.01	6
7		.35	.10			.28		.65				.03	7
8	.35	.16	.14			.05		.16	.27	.02		.08	8
9	.06	.02	.01					.02			.05		9
10	.03	.04		.14		.23		.07			.51	.43	10
11		.37		(.02) .02				.08			.14	.01	11
12	.06	.05	.03					.01		.04	.04	.04	12
13	.08		.36							.01		.06	13
14	.07	.06		.02		.17	.14					.10	14
15	.13				.44			.07		.04		.14	15
16	.83		.13			.08		.06		.05		.07	16
17	.15	.03	.11		.03	.03		.22	.02	.20			17
18	.05	.01	.07			.25	.05	.05		.02			18
19	.30	.22	.13			.22		1.10		.01			19
20	.22	.01			.32	.01	1.20	.09					20
21			.15		1.24		.15				.04	.05	21
22	.06	.07	.06		1.60	.39	.68	.58		.02			22
23	.02	.02	.30		.05	.08	.35	.35		1.20	.05		23
24	.35		.22				.36	.02		.72		.40	24
25	.02	.02				.37				.14	.35		25
26		.14	.07				.28	1.31		.12	.20		26
27						.03	.15	.02				.16	27
28						.29		.33			.04	.14	28
29		.16					.50					.02	29
30					.71		.05		.45	.02		.13	30
31	.01				.24		.24	.24		.04			31
Total	4.43	2.06	1.93	1.84	.83	4.18	4.79	6.57	1.17	2.94	1.59	2.54	37.21
Rain Days.	21	19	17	3	10	18	14	21	8	17	11	20	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at

Wentworth-Woodhouse

in the County of

Yorkshire

by

Alfred A. Bird

Lat.

Long.

Time of Observation

9 A.M.

Nearest Railway Station

Wentworth & Hoyland Common

Diameter of Rain Gauge

5 in.

Height of top of Gauge above Ground

ft. 10 in.

Sea Level

360 ft.

BRITISH RAINFALL FORM A. 1- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09	.11		.02			.28	.06	.10		1
2		.19	.14	.01						.03	.03		2
3		.05	.18						.03	.35		.32	3
4	.08	.06	.14		.13	.18	.21		.08	.18	.14	.20	4
5	.02	.03	.08				.18		.05	.50			5
6	.01	.07	.15		.55		.72			.88		.01	6
7		.28	.01		.15					.57	.05		7
8		.05			.48		.15	.12		.12	.12		8
9		.18		.04	.31	.02		.02	.02		.24	.02	9
10	.02	.02		.09	.15		.04			.10	.20		10
11	.22	.01		.60				.02		.03	.2		11
12										.01	.28		12
13			.08	.05				.03	.15		.14		13
14	.15	.07	.28	.01						.06	.16		14
15	.14	.07	.23	.02					.06		.20		15
16	.03		.09	.33				.08	.30	.01	.04		16
17	.04		.52	.05					2.65		.05		17
18		.03		.05			.10				.08	.03	18
19		.03	.05	.18					.14	.01			19
20	.16		.10	.11					.02	.05	.14		20
21	.20		.04	.09		.01	.20				.20		21
22	.20		.51		.05			.65	.23				22
23	.06							.17	.15				23
24	.35										.03	.03	24
25	.06	.01		.33				.02	.10			.44	25
26			.18						.02	.25		.22	26
27			.02	.63	.02							.05	27
28	.35	.01	.22						.02	.02	.03	.48	28
29	.06		.36	.06				.32					29
30	.32		.04					.02		.50	.04		30
31	.07		.05										31
Total	3.54	1.16	3.56	2.76	1.84	.23	1.60	1.45	4.30	4.73	2.48	1.80	29.45
Rain Days.	19	16	22	17	8	4	7	10	16	18	20	10	167

REGISTER OF RAINFALL IN 1914

Kept at Wentworth-Woodhouse Gardens
in the County of Yorkshire
by Alexander F. Hird

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Wentworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 360 ft.

FORM A.
BRITISH RAINFALL
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.84	.38			.38	.26	1
2							1.25	.10				.10	2
3					.06		.07				.08	.72	3
4			.12	.16	.08	.02					.42	.22	4
5	.42		.10	.25	.08		.05	.03			.06	.22	5
6			.24	.20	.15	.03	.25				.04	.09	6
7				.06				.03				.12	7
8	.03				.03	.68	.03		.72			.09	8
9	.37		.03	.07	.05	1.00		.23					9
10		.18		.09					.07		.05		10
11		.15	.32	.03		.65			.10		.82	.45	11
12		.08	.10			.03			.25		.05	.52	12
13	.01	.08	.15				.05		.06	.02	.25	.24	13
14	.04	.20	.06						.07	.34	.36	.32	14
15	.05	.08	.11				.34		.02	.02	.08	.06	15
16	.07		.05						.29				16
17	.04	.30	.10						.15			.36	17
18			.04						.03			.22	18
19			.15				.05				.07	.15	19
20	.02	.20	.09					.12	.02	.14			20
21		.46	.02					.03		.15		.13	21
22			.03	.02	.25	.15				.16	.03	.03	22
23			.07		.30	.13	.08	.22				.03	23
24			.52		.28		.09	.18			.21		24
25							.03	.22		.72		.30	25
26			.13							.14	.08	.26	26
27	.07										.07	.72	27
28	.06	.06								.08	.10	.23	28
29	.02		.18					.06		.58	.05		29
30		X	.02							.28	.13	.14	30
31	.11	X		X		X	.05		X		X		31
Total	1.31	1.79	2.63	.88	1.28	2.69	4.18	1.60	1.78	2.63	3.33	5.98	30.08
Rain Days.	13	10	21	8	9	8	13	11	11	11	19	24	158

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at *Wentworth Woodhouse*
in the County of *Yorkshire*
by *Alfred V. Bird*

Lat. _____ Long. _____
Time of Observation *9 AM*
Nearest Railway Station *Wentworth Woodhouse*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *10* in.
" " " " Sea Level *360* ft.

FORM A.
BRITISH RAINFALL
3 JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.18			.26		.08	.01	.14			.07	1
2	.06	.12	.12	.18				.35	.01	.15			2
3	.85			.08			.48	.37			.03	.57	3
4	.15						.56					1.13	4
5	.07	.30		.08	.05		.48	.04			.03	.61	5
6	.03	.15		.15			.08					.14	6
7	.25	.30	.06	.15				.50				.07	7
8	.29	.24						.16			.05		8
9		.03						.14		.05	.14	.88	9
10	.50		.10					.13				.07	10
11	.18		.04	.16	.60		.18	.05			.30	.42	11
12	.03				.24			.03		.09	1.54		12
13	.60	.88						.02					13
14					.02			.07	.01			.36	14
15								.02			.37	.10	15
16		.26	.03		.16		1.50	.03				.04	16
17		.18	.05				.10	.01					17
18		.16											18
19		.06								.05			19
20	.06											.25	20
21				.12			.40					.10	21
22			.28									.05	22
23	.05	.03	.23				.24			.20			23
24				.07					.68	.02		.16	24
25			.03	.01		.12						.17	25
26		.40				.10	.08					.54	26
27		.03					.05			.62		.36	27
28		.35				.19		.44		.12		.03	28
29					.09	.28	.02				.18	.47	29
30	.08	X					.01					.02	30
31	.06	X		X		X	.01	.10	X	.35	X	.23	31
Total	3.48	3.67	.94	1.00	1.42	.69	4.27	2.47	.84	1.65	2.64	6.84	29.91
Rain Days.	16	16	9	9	7	4	15	17	4	9	8	23	137

3242
FORM A.
BRITISH RAINFALL.
5 JAN 1917

3242
REGISTER OF RAINFALL IN 1916

Kept at *Leathworth Woodhouse Gardens*

in the County of *Yorkshire*

by *Alexander Girdle*

Lat. _____ Long. _____
Time of Observation *9 AM*
Nearest Railway Station *Leathworth*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *10* in.
" " " " Sea Level *360* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.29</i>		<i>.38</i>	<i>.03</i>			<i>.05</i>			<i>.05</i>	<i>.12</i>		1
2	<i>.27</i>	<i>.08</i>	<i>.13</i>			<i>.50</i>	<i>.10</i>		<i>.11</i>	<i>.15</i>			2
3	<i>.01</i>	<i>.08</i>			<i>.70</i>	<i>.14</i>	<i>.02</i>		<i>.41</i>	<i>.23</i>	<i>.23</i>		3
4	<i>.03</i>	<i>.45</i>	<i>.05</i>		<i>.13</i>				<i>.28</i>	<i>.05</i>	<i>.62</i>		4
5			<i>.01</i>		<i>.20</i>					<i>.33</i>	<i>.32</i>		5
6	<i>.06</i>	<i>.40</i>	<i>.18</i>		<i>.36</i>		<i>.18</i>			<i>.01</i>	<i>.37</i>		6
7	<i>.06</i>		<i>.36</i>		<i>.17</i>		<i>.11</i>			<i>.16</i>	<i>.02</i>		7
8			<i>.40</i>						<i>.10</i>		<i>.01</i>	<i>.10</i>	8
9			<i>.02</i>		<i>.55</i>				<i>.08</i>		<i>.05</i>	<i>.50</i>	9
10			<i>.03</i>			<i>.34</i>						<i>.16</i>	10
11		<i>.51</i>	<i>.40</i>		<i>.11</i>	<i>.08</i>			<i>.05</i>			<i>.06</i>	11
12			<i>.83</i>		<i>.30</i>	<i>.01</i>							12
13		<i>.17</i>	<i>.35</i>		<i>.12</i>					<i>.15</i>			13
14		<i>.08</i>	<i>.05</i>		<i>.04</i>			<i>.40</i>			<i>.02</i>		14
15		<i>.32</i>	<i>.72</i>				<i>.36</i>	<i>.10</i>		<i>.03</i>			15
16		<i>.21</i>	<i>.44</i>	<i>.37</i>			<i>.15</i>	<i>.01</i>					16
17		<i>.20</i>	<i>.01</i>	<i>.07</i>				<i>.08</i>	<i>.16</i>	<i>.23</i>			17
18	<i>.04</i>	<i>.22</i>	<i>.03</i>	<i>.13</i>				<i>.10</i>	<i>.04</i>	<i>.10</i>	<i>1.02</i>	<i>.36</i>	18
19	<i>.12</i>	<i>.02</i>	<i>.30</i>	<i>.10</i>				<i>.21</i>		<i>.01</i>	<i>1.50</i>		19
20	<i>.13</i>		<i>.24</i>					<i>.01</i>					20
21	<i>.06</i>		<i>.10</i>				<i>.25</i>					<i>.25</i>	21
22			<i>.02</i>			<i>.07</i>				<i>.12</i>		<i>.10</i>	22
23			<i>.01</i>	<i>.19</i>						<i>.02</i>	<i>.18</i>	<i>.15</i>	23
24		<i>.71</i>	<i>.15</i>					<i>.12</i>				<i>.10</i>	24
25		<i>.11</i>	<i>.10</i>					<i>.21</i>		<i>.19</i>	<i>.22</i>		25
26		<i>.18</i>	<i>.05</i>					<i>.01</i>		<i>.11</i>			26
27		<i>.14</i>	<i>.04</i>			<i>.01</i>		<i>.05</i>		<i>.32</i>		<i>1.01</i>	27
28		<i>.38</i>						<i>.02</i>		<i>.08</i>		<i>.15</i>	28
29		<i>.32</i>				<i>.50</i>		<i>.02</i>		<i>.30</i>		<i>.10</i>	29
30		<i>X</i>				<i>.10</i>				<i>.25</i>		<i>.01</i>	30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>	<i>.15</i>	<i>X</i>	<i>.15</i>	31
Total	<i>1.07</i>	<i>4.58</i>	<i>5.40</i>	<i>.89</i>	<i>2.68</i>	<i>1.75</i>	<i>1.22</i>	<i>1.34</i>	<i>1.23</i>	<i>3.04</i>	<i>4.68</i>	<i>3.20</i>	<i>31.08</i>
Rain Days.	<i>10</i>	<i>18</i>	<i>26</i>	<i>6</i>	<i>10</i>	<i>9</i>	<i>8</i>	<i>13</i>	<i>8</i>	<i>21</i>	<i>13</i>	<i>14</i>	<i>156</i>

REGISTER OF RAINFALL IN 1914

Kept at Twentworth Woodhouse Gardens
in the County of Yorkshire
by Alvanor Third

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Twentworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 360 ft.

FORM A.
BRITISH RAINFALL
1914
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.34				.37	.12		.06		1
2	.05							.10			.16		2
3								.18					3
4								.04		.34			4
5	.27			.23							.06		5
6				.02						.10	.01		6
7	.10		.34			.30				.70	.02		7
8	.70			.18				1.32		.50	.08	.15	8
9	.44			.10						.15	.20	.01	9
10	.32		.70	.26				.18		.02			10
11	.12			.41				.10	.05	.38			11
12				.12	.44			.30		.10			12
13	.10							.25		.10		.06	13
14	.35						.37					.04	14
15	.05						.06					.38	15
16	.06			.10			.01	.21				.50	16
17		.10		.12	.57		.04	.17	.04	.04		.15	17
18	.05		.05	.05	.06		.45	.01	.35				18
19			.03			.71		.01					19
20	.05	.34	.07		.50	.78					.01		20
21	.04	.43	.08		.07			.02		.03			21
22	.03	.05	.03						.22				22
23	.03				.11					.10			23
24		.04				.10		.01		.66	.38		24
25			.07			.02		.02					25
26			.04			.19		.56	.02	.11			26
27			.09			.20		.50					27
28			.05			.19	.02	.23		.02			28
29			.09				.16	.03		.22		.45	29
30	.03	X	.08				.02	.02			.08		30
31		X	.25	X		X		.08	X	.10	X	.05	31
Total	2.79	.96	1.97	1.93	1.75	2.49	1.13	4.71	.80	3.67	1.06	1.79	25.05
Rain Days.	17	5	14	11	6	8	8	22	6	17	10	9	133

REGISTER OF RAINFALL IN 1918

Kept at The Gardens Southworth Woodhouse
in the County of York
by Alfredus I. Lind.

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Southworth & Hayland Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 360 ft.

11 6. FORM A. BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02					^{9.14} oh. 2.08	.04			1
2		.20		.01							.32		2
3		.05	.09		.35			.28	.34		.12	.41	3
4			.02		.35			.05	.20		.24		4
5			.04	.08	.25			.20		.34		.36	5
6		.40		.25				.02	.34	.05			6
7				.30					.39	.23			7
8		.66	.25	.01			.10		.54		.18		8
9	.09	.01		.34					.08	.10			9
10		.02		.10			.19		.06		.04	.04	10
11		.12	.01	.03	.16		.08		.03				11
12		.01		.01	.06		.44		.43			.04	12
13	.10	.01		.03	.14		.02		.42				13
14	.50	.10	.01	.02			.16		.48	.14			14
15	.32		.04	.05			.53		.22			.39	15
16			.02	.04			.25		.19	.03			16
17	.30		.01	.01			1.00		.54	.04		.09	17
18	.38		.20	.01			.22		.14	.08		.22	18
19	.04						.05		.08				19
20	.05	.02				.35	.50		.20	.45			20
21	.16	.35			.42				.10	.11		.41	21
22					.10		.11						22
23					.33		.11		.10			.44	23
24							.09				.12		24
25						.34	.01	.30	.15				25
26							.62		.26			.14	26
27								.32	.04		.14		27
28		.11	.25					.26	.04	.03	.14	.28	28
29		.10							.10			.28	29
30		X	.40					.03					30
31		X	.08	X		X			X		X		31
Total	1.94	2.16	1.48	1.34	2.19	.69	4.48	1.46	6.29	1.64	1.30	3.10	28.10
Rain Days.	9	14	13	16	9	2	14	8	26	12	8	12	146

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at *Le Gardens Huntworth Woodhouse*
in the County of *Yorkshire*
by *Alexander I. Laid*

Lat. _____ Long. _____
Time of Observation *9 AM*
Nearest Railway Station *Huntworth & Flogston Common*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *18* ft.
" " " " Sea Level *368* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.51</i>	<i>.02</i>			<i>.10</i>		<i>.34</i>		<i>.10</i>	<i>.10</i>	<i>.10</i>	<i>.15</i>	1
2					<i>.07</i>		<i>.50</i>		<i>.15</i>		<i>.20</i>		2
3	<i>.17</i>				<i>.05</i>	<i>.13</i>	<i>.64</i>		<i>.02</i>		<i>.25</i>	<i>.02</i>	3
4			<i>.10</i>				<i>.02</i>		<i>.13</i>		<i>.08</i>	<i>.30</i>	4
5			<i>.12</i>		<i>.30</i>		<i>.01</i>	<i>.23</i>	<i>.16</i>			<i>.16</i>	5
6			<i>.10</i>		<i>.12</i>					<i>.07</i>		<i>.06</i>	6
7	<i>.80</i>		<i>.45</i>		<i>.02</i>							<i>.01</i>	7
8			<i>.01</i>	<i>.03</i>	<i>.01</i>	<i>.01</i>					<i>.04</i>		8
9	<i>.08</i>		<i>.01</i>								<i>.10</i>		9
10			<i>.35</i>		<i>.02</i>						<i>.03</i>	<i>.08</i>	10
11			<i>1.01</i>		<i>.04</i>		<i>.14</i>				<i>.05</i>		11
12			<i>.78</i>			<i>.06</i>	<i>.11</i>		<i>.15</i>			<i>.02</i>	12
13			<i>.04</i>	<i>.02</i>					<i>1.40</i>				13
14	<i>.42</i>		<i>.03</i>	<i>.10</i>				<i>.07</i>	<i>.08</i>	<i>.11</i>	<i>.07</i>	<i>.02</i>	14
15				<i>.30</i>							<i>.05</i>	<i>.60</i>	15
16	<i>.27</i>	<i>.80</i>		<i>.10</i>							<i>.18</i>		16
17		<i>.87</i>									<i>.10</i>		17
18		<i>.40</i>	<i>.36</i>		<i>.03</i>	<i>.03</i>		<i>.12</i>				<i>.18</i>	18
19		<i>.06</i>	<i>.99</i>			<i>.04</i>	<i>2.50</i>	<i>.71</i>	<i>.10</i>		<i>.22</i>		19
20	<i>.09</i>	<i>.36</i>	<i>.08</i>				<i>.87</i>	<i>.10</i>	<i>.02</i>		<i>.07</i>		20
21	<i>.50</i>	<i>.20</i>				<i>.32</i>	<i>.24</i>				<i>.04</i>		21
22		<i>.10</i>							<i>.17</i>				22
23		<i>.10</i>								<i>1.12</i>		<i>.05</i>	23
24						<i>.06</i>	<i>.05</i>			<i>.39</i>	<i>.05</i>	<i>.25</i>	24
25				<i>.25</i>	<i>.12</i>			<i>.63</i>			<i>.10</i>		25
26			<i>.30</i>	<i>.30</i>		<i>.02</i>		<i>.23</i>			<i>.03</i>	<i>.80</i>	26
27	<i>.10</i>		<i>.05</i>	<i>.25</i>						<i>.06</i>	<i>.02</i>		27
28	<i>.11</i>			<i>.07</i>				<i>1.26</i>				<i>.47</i>	28
29	<i>.09</i>		<i>.02</i>							<i>1.10</i>		<i>.11</i>	29
30	<i>.08</i>	~~X~~	<i>.05</i>	<i>.07</i>						<i>.08</i>	<i>.15</i>	<i>.20</i>	30
31	<i>.05</i>	~~X~~	<i>.02</i>	~~X~~		~~X~~	<i>.04</i>		~~X~~	<i>.09</i>	~~X~~		31
TOTAL	<i>3.27</i>	<i>2.91</i>	<i>4.87</i>	<i>1.49</i>	<i>.88</i>	<i>.67</i>	<i>5.46</i>	<i>3.35</i>	<i>2.48</i>	<i>3.12</i>	<i>1.93</i>	<i>3.48</i>	YEAR'S TOTAL <i>33.91</i>
Days with 0.1 in. or more	<i>13</i>	<i>9</i>	<i>19</i>	<i>10</i>	<i>11</i>	<i>8</i>	<i>12</i>	<i>8</i>	<i>11</i>	<i>9</i>	<i>20</i>	<i>17</i>	<i>147</i>

REGISTER OF RAINFALL IN 1920.

Kept at St. Pauls Churchyard - Ipswich
in the County of Suffolk
by Alfred Hird

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Ipswich & Suffolk Comm.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.26	.23		.24	.01	.03	.14	.16	.10	1
2			.03	.25	.01		.60		.21	.28		.28	2
3				.28	.05	.11	.41		.13	.30		.08	3
4				.05	.01		.15	.38	.03	.58		.02	4
5					.01		.06	.09		.03		.01	5
6			.25	.15	.05		.04					.03	6
7			.05	.03	.01		.34						7
8	.28		.05	.50	.02		.15	.10					8
9	.19			.59			.06	.06		.05			9
10	.34	.55	.03	.24			.13	.03					10
11	.50	.05	.04	.12	.22	.36			.01			.05	11
12			.10	.13	.01	.24	.02	.15				.28	12
13			.25	.30		.45					.25	.10	13
14			.50	.12		.42	.02		.35	.12	.16		14
15		.10	.24	.13					.03	.26			15
16				.05			.48		.03			.05	16
17					.09		.02		.22	.08		.04	17
18				.04	.04				.01				18
19	.16	.42		.04	.08	.24		.08	.03				19
20		.45		.23		.21						.03	20
21				.03			.50	.14					21
22	.06			.28			.19						22
23				.03			.14					.35	23
24			.05	.02								.10	24
25			.25	.01			.63						25
26	.15	.03	.08	.05	.01		.09						26
27	.35	.15	.05	.03	.20	.30					.24	.45	27
28	.03		.04	.10	.16	.02	.04		.04		.05	.05	28
29	.13		.09	.04	.12		.03		.01		.12		29
30	.19	X	.08	.18					.15		.05	.45	30
31	.05	X	.16	X	.04	X			X	.48	X	.03	31
TOTAL	3.43	2.35	2.40	4.40	3.39	2.68	5.46	1.04	1.28	2.35	1.06	2.53	YEAR'S TOTAL 32.34
Days with .01 in. or more	12	4	18	28	18	9	21	9	14	10	4	18	171
Days with .04 in. or more	11	6	16	22	11	8	14	4	6	9	4	13	133

RI

WENTWORTH

Kept at High
in the County of
by

HIGH HOYLAND
YORKSHIRE

6 N
4 M.
Wentworth
ge 5 in.
bund 1 ft. 4 in.
Level 610 ft.

result entered to the
rule, he is earnestly
the space provided

1915.

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of t
the selection and placin
of rain gauges, and partic
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.12	-	-	.28	-	.05	-	.02	-	.01	.05	1
2	.03	.11	.06	.10	-	-	.10	.02	-	-	-	.01	2
3	.85	.12	-	.05	-	-	.07	.45	-	.04	.05	.65	3
4	.07	-	-	-	.11	-	.11	.33	-	-	-	1.03	4
5	.06	.04	.02	-	-	-	.53	-	-	.05	-	.47	5
6	.06	.28	.04	.18	-	-	-	.03	-	-	.02	.19	6
7	.33	.17	.01	.09	-	-	.10	.02	-	-	-	.14	7
8	.17	.30	.01	.11	-	-	.09	.82	-	-	.05	-	8
9	-	.13	-	-	-	-	.03	.14	-	-	.10	.75	9
10	.35	.03	.03	-	-	-	-	.09	-	.07	-	.02	10
11	.03	-	.02	-	.77	-	-	.10	-	.01	.36	-	11
12	.03	-	-	.16	.17	-	.03	.02	-	-	1.18	.32	12
13	.01	.64	-	-	-	-	.03	.02	-	.05	-	-	13
14	.06	-	-	-	.02	-	-	-	.01	-	-	.19	14
15	.90	-	-	-	-	-	.06	.68	-	-	-	.02	15
16	-	.23	-	-	.22	-	.01	.15	-	.02	.32	-	16
17	-	.09	-	-	-	-	1.23	.12	-	-	-	.01	17
18	-	.09	.24	-	-	-	.03	-	-	-	-	-	18
19	-	.03	-	.02	-	-	-	.01	-	.02	-	-	19
20	-	-	-	-	-	-	.06	-	-	-	-	.26	20
21	.03	.01	-	.10	-	-	.02	-	-	.01	.01	.08	21
22	.04	-	.13	-	-	-	.17	-	-	-	-	.03	22
23	-	.02	.09	-	-	-	.09	-	-	.26	-	.07	23
24	.06	-	.20	.07	-	-	.34	-	.57	-	-	.16	24
25	-	-	-	-	-	-	-	-	.02	.01	-	.48	25
26	.01	.32	-	-	-	.23	-	-	-	-	-	.58	26
27	.03	.33	-	-	-	-	.45	-	-	.35	-	.27	27
28	-	.35	-	-	-	.51	.13	.48	-	.05	-	.04	28
29	-	-	.05	-	.19	.09	-	.01	-	-	.09	.85	29
30	-	X	-	-	-	.09	-	-	-	.01	-	.02	30
31	-	X	-	X	-	X	.02	.16	X	.26	X	.23	31
Total	3.34	3.41	.90	.88	1.76	.92	3.75	3.65	.62	1.21	2.28	6.92	29.64
Rain Days.	19	19	12	9	7	4	22	18	4	14	10	25	163

RI

RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
25 JAN 1916

Kept at High Ayland

in the County of York

by Isabel Wintour

Lat. 53-35' N Long. 1-36' N

Time of Observation 9.30 A.M.

Nearest Railway Station Aughton West

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.12	-	-	.28	-	.05	-	.02	-	.01	.05	1
2	.03	.11	.06	.10	-	-	.10	.02	-	-	-	.01	2
3	.85	.12	-	.05	-	-	.07	.45	-	.04	.05	.65	3
4	.07	-	-	-	.11	-	.11	.33	-	-	-	1.03	4
5	.06	.04	.02	-	-	-	.53	-	-	.05	-	.47	5
6	.06	.28	.04	.18	-	-	-	.03	-	-	.02	.19	6
7	.33	.17	.01	.09	-	-	.10	.02	-	-	-	.14	7
8	.17	.30	.01	.11	-	-	.09	.82	-	-	.05	-	8
9	-	.13	-	-	-	-	.03	.14	-	-	.10	.75	9
10	.35	.03	.03	-	-	-	-	.09	-	.07	-	.02	10
11	.03	-	.02	-	.77	-	-	.10	-	.01	.36	-	11
12	.03	-	-	.16	.17	-	.03	.02	-	-	1.18	.32	12
13	.01	.64	-	-	-	-	.03	.02	-	.05	-	-	13
14	.06	-	-	-	.02	-	-	-	.01	-	-	.19	14
15	.90	-	-	-	-	-	.06	.68	-	-	-	.02	15
16	-	.23	-	-	.22	-	.01	.15	-	.02	.32	-	16
17	-	.09	-	-	-	-	1.23	.12	-	-	-	.01	17
18	-	.09	.24	-	-	-	.03	-	-	-	-	-	18
19	-	.03	-	.02	-	-	-	.01	-	.02	-	-	19
20	-	-	-	-	-	-	.06	-	-	-	-	.26	20
21	.03	.01	-	.10	-	-	.02	-	-	.01	.01	.08	21
22	.04	-	.13	-	-	-	.17	-	-	-	-	.03	22
23	-	.02	.09	-	-	-	.09	-	-	.26	-	.07	23
24	.06	-	.20	.07	-	-	.34	-	.57	-	-	.16	24
25	-	-	-	-	-	-	-	-	.02	.01	-	.48	25
26	.01	.32	-	-	-	.23	-	-	-	-	-	.58	26
27	.03	.33	-	-	-	-	.45	-	-	.35	-	.27	27
28	-	.35	-	-	-	.51	.13	.48	-	.05	-	.04	28
29	-	-	.05	-	.19	.09	-	.01	-	-	.09	.85	29
30	-	X	-	-	-	.09	-	-	-	.01	-	.02	30
31	-	X	-	X	-	X	.02	.16	X	.26	X	.23	31
Total	3.34	3.41	.90	.88	1.76	.92	3.75	3.65	.62	1.21	2.28	6.92	29.64
Rain Days.	19	19	12	9	7	4	22	18	4	14	10	25	163

YEAR'S TOTAL

Reg

WEST ROUNTON RECTORY

Kept at *W Rounton*

in the County of *York*

1918-20

9.21

IMPORTANT NO
entered to the previous

ble, and the result

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1				.05	-	-	-	-	.37	.09	-	.06	1
2				.07	-	-	-	-	.18	.30	-	.06	2
3				-	.02	-	-	.04	-	.01	.23	.04	3
4				-	.02	-	-	.12	.01	.06	.19	.09	4
5				.02	.18	-	.02	.52	-	.33	-	.01	5
6				.37	-	.15	-	1.02	.02	.06	-	-	6
7				-	-	.03	.04	-	.07	.27	.18	-	7
8				.02	-	-	.29	-	.02	.15	.02	-	8
9				-	-	-	-	-	.55	.14	-	-	9
10				.08	-	-	.22	-	.09	.07	-	-	10
11				.10	-	-	.09	.03	.01	-	-	.05	11
12				.01	.11	-	.11	-	.20	.06	-	-	12
13				.01	.20	-	.02	-	.20	-	-	-	13
14				.10	-	-	.03	-	.50	.21	-	-	14
15				-	-	.05	.36	-	.50	-	-	.70	15
16				.02	-	-	.17	.06	.43	.05	-	.36	16
17			-	-	.15	-	.34	.02	-	.20	-	-	17
18			.06	-	.22	-	.11	-	.47	.25	-	.05	18
19			.11	.18	-	.01	.45	.12	-	.41	-	-	19
20			-	.25	-	.10	.77	-	.03	.02	-	-	20
21			-	-	.12	.06	.07	-	.10	.10	-	-	21
22			-	-	-	.04	.04	-	.05	-	-	.33	22
23			-	.03	.12	-	.50	-	.14	-	.04	.05	23
24			-	.03	.25	-	.02	.06	.15	.01	-	-	24
25			-	-	.03	-	.02	.16	.02	-	-	-	25
26			-	-	-	-	.18	.07	.35	-	-	.01	26
27			.04	-	-	-	.02	.43	.03	-	.07	.05	27
28			.25	-	-	.02	-	.02	.01	-	.06	.49	28
29			.02	-	-	-	-	.03	.06	-	.08	.08	29
30			.05	-	-	-	-	-	.02	-	-	.49	30
31			-	-	-	-	-	-	-	-	.02	.17	31
Total			~~55~~	1.34	1.58	.46	3.87	2.70	4.58	2.79	.89	3.09	TOTAL for year 21.83
No. of Rain Days			6	15	11	8	21	14	26	19	9	17	146

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE TWOPENCE.

Bentham.

Register of Rainfall in 1918

Kept at *N Rounton Rectory* by *Rev Geo Bird*

in the County of *York* *N* Time of Observation *9.0 a.m.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1				.05	-	-	-	-	.37	.09	-	.06	1
2				.07	-	-	-	-	.18	.30	-	.06	2
3				-	.02	-	-	.04	-	.01	.23	.04	3
4				-	.08	-	-	.12	.01	.06	.19	.09	4
5				.02	.18	-	.02	.52	-	.33	-	.01	5
6				.37	-	.15	-	1.02	.02	.06	-	-	6
7				-	-	.03	.04	-	.07	.27	.18	-	7
8				.02	-	-	.29	-	.02	.15	.02	-	8
9				-	-	-	-	-	.55	.14	-	-	9
10				.08	-	-	.22	-	.09	.07	-	-	10
11				.10	-	-	.09	.03	.01	-	-	.05	11
12				.01	.11	-	.11	-	.20	.06	-	-	12
13				.01	.20	-	.02	-	.20	-	-	-	13
14				.10	-	-	.03	-	.50	.21	-	-	14
15				-	-	.05	.36	-	.50	-	-	.70	15
16				.02	-	-	.17	.06	.43	.05	-	.36	16
17			-	-	.15	-	.34	.02	-	.20	-	-	17
18			.06	-	.22	-	.11	-	.47	.25	-	.05	18
19			.11	.18	-	.01	.45	.12	-	.41	-	-	19
20			-	.25	-	.10	.77	-	.03	.02	-	-	20
21			-	-	.12	.06	.07	-	.10	.10	-	-	21
22			-	-	-	.04	.04	-	.05	-	-	.33	22
23			-	.03	.12	-	.50	-	.14	-	.04	.05	23
24			-	.03	.25	-	.02	.06	.15	.01	-	-	24
25			-	-	.03	-	.02	.16	.02	-	-	-	25
26			-	-	-	-	.18	.07	.35	-	-	.01	26
27			.04	-	-	-	.02	.43	.03	-	.07	.05	27
28			.25	-	-	.02	-	.02	.01	-	.06	.49	28
29			.02	-	-	-	-	.03	.06	-	.08	.08	29
30			.05	-	-	-	-	-	.02	-	-	.49	30
31			-	-	-	-	-	-	-	-	.02	.17	31
Total			~~.53~~	1.34	1.58	.46	3.87	2.70	4.58	2.79	.89	3.09	TOTAL for year 21.83
No. of Rain Days			6	15	11	8	21	14	26	19	9	17	146

REGISTER OF RAINFALL IN 1919

Kept at W Rounton Rectory
in the County of York
by Rev George Bird

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Welbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 11 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
5 FEB 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.03	-	-	-	-	.46	.07	.25	-	.12	-	1
2	-	-	-	-	.20	-	.33	-	.05	-	.09	.01	2
3	.48	.02	-	-	.23	.08	.12	-	-	-	.10	-	3
4	.30	.08	.07	-	.12	.12	.20	.08	.09	-	.05	.13	4
5	.14	-	-	-	-	-	.01	-	-	-	.08	.20	5
6	-	-	-	-	.03	-	-	-	-	.06	.05	-	6
7	-	-	.57	-	.11	-	-	-	-	-	-	.13	7
8	.13	-	-	.07	-	-	-	-	-	.02	.10	-	8
9	-	-	.05	.03	-	-	-	-	-	.03	.09	-	9
10	-	-	.06	.02	-	-	-	-	-	.04	.04	.09	10
11	-	-	-	-	.17	-	-	-	-	.09	.20	-	11
12	-	-	.33	.05	-	-	.24	-	.07	.20	.07	-	12
13	.06	-	.50	.03	-	-	.04	.12	.01	.30	.04	.05	13
14	.19	-	.02	.37	-	-	.08	.07	-	.02	.13	.04	14
15	.03	.07	.10	.22	-	-	-	.07	-	-	.04	.54	15
16	-	.10	-	.08	-	-	-	-	-	-	.06	.02	16
17	-	-	-	-	-	.11	-	.02	-	.01	.11	-	17
18	-	-	-	-	-	-	-	-	-	-	-	.06	18
19	-	.07	-	.05	-	-	-	.37	-	-	.15	.02	19
20	.21	.14	.08	-	-	.04	.39	.07	.07	-	-	.09	20
21	.08	-	.06	-	-	.09	.09	.04	.08	-	.04	.06	21
22	-	-	.04	-	-	.01	-	-	-	.01	-	.07	22
23	-	-	.05	-	-	.24	-	-	-	.72	.02	-	23
24	-	-	.03	.12	.05	.11	-	-	-	.48	.11	-	24
25	.06	-	-	-	.03	-	-	.36	-	.02	-	-	25
26	-	.11	-	.02	-	.01	-	.44	.17	.20	.50	.44	26
27	.13	.30	.19	.10	-	.02	-	.94	-	1.04	.20	.02	27
28	-	-	-	.10	-	-	-	-	.01	.52	-	.20	28
29	.13	-	-	-	-	-	-	-	-	1.31	-	.15	29
30	-	X	-	.08	-	.30	-	-	-	.12	.04	.19	30
31	.04	X	-	X	-	X	-	-	X	.25	X	.07	31
Total	2.05	.92	2.15	1.34	.94	1.13	1.96	2.65	.80	5.44	2.43	2.58	24.29
Rain Days	14	9	14	14	8	11	10	12	9	19	2.43	20	16.3

REGISTER OF RAINFALL IN 1920.

Kept at W Rounton Rectory
in the County of York
by Rev George Bird

Lat. 54.30 Long. 1.20
Time of Observation 9.0 a.m.
Nearest Railway Station Rielbury
Diameter of Funnel of Rain Gauge 15 in.
Height of top of Gauge above Ground 11 ft.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.05	.27	.30	—	.21	—	.04	.25	—	.15	1
2	—	.01	.14	.28	.04	—	.00	—	.18	.05	—	.30	2
3	—	.02	—	.11	.03	.06	.79	.03	.11	.35	-.02	—	3
4	.06	—	—	.05	.09	—	.42	.55	.02	.80	—	.44	4
5	.02	—	.04	.19	.10	—	.22	.08	.01	-.01	—	.02	5
6	—	—	.40	—	.02	—	.09	.06	—	—	—	—	6
7	.02	—	—	—	—	—	.23	—	—	—	—	—	7
8	—	.05	—	.21	.10	—	.02	—	—	—	.06	—	8
9	.09	—	—	.21	—	—	.28	.16	—	—	—	—	9
10	.79	.18	—	.14	.13	—	.15	.06	—	—	—	—	10
11	.23	—	—	.02	—	—	—	.09	—	—	—	.15	11
12	.16	—	.04	.09	—	.09	.02	.01	—	—	.05	.23	12
13	.13	—	.03	.06	—	—	—	.05	—	—	.03	—	13
14	.01	—	.35	.09	—	—	.12	—	.08	—	.11	—	14
15	—	.15	.10	.21	—	—	.04	—	.10	.01	—	—	15
16	—	—	—	.07	.02	—	.40	—	.02	—	—	—	16
17	—	—	—	.21	.15	—	—	.09	.28	—	—	—	17
18	.05	—	—	—	.16	.33	.16	.09	.40	—	—	—	18
19	.01	.18	—	.04	—	—	.02	—	—	—	—	—	19
20	.10	.04	—	.20	—	.06	—	—	—	—	—	—	20
21	—	.02	—	.16	—	—	.34	.38	.10	—	—	—	21
22	.09	—	—	.12	—	—	.06	—	—	—	—	—	22
23	—	—	.07	.09	—	—	.29	—	—	—	.07	.21	23
24	.10	—	.36	—	—	—	.02	—	—	—	—	—	24
25	.01	.10	.04	—	—	.08	.49	—	—	—	—	—	25
26	.03	.04	.40	—	—	—	.01	—	—	—	—	—	26
27	.27	—	.02	.10	.32	.35	—	—	—	—	.35	.04	27
28	.48	—	.20	.06	.02	.01	—	—	—	—	.03	.12	28
29	.14	—	.10	—	.80	.06	.09	—	—	—	.02	—	29
30	.07	—	—	.06	—	.02	—	—	.06	—	.15	.12	30
31	.11	—	—	—	.08	—	.04	.65	—	—	—	—	31
TOTAL	2.97	.79	2.34	2.83	2.36	1.06	4.63	1.40	1.47	.89	1.78	2.41	
Days with .01 in. or more	23	10	15	22	15	9	24	12	12	6	10	10	13

82 ✓

3421

1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at West WEST WITTON, IVY HOUSE
YORKS
in the County of YORKS
by J. B. E.
1911-20

of top 5 in.
top above Ground 1 ft. in.
Sea Level 606 ft.

Name _____
Distance _____ Direction _____

IMPORTANT 1923

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	45		01		19		05			06	11	22	2
3	01		07	01	42		02	20		08	25	05	3
4	03		10	24	03			32		11	52	39	4
5	22		01	14	05			40		04	23	05	5
6	50		05	07				25			22	63	6
7	01			01	01			02		01	23		7
8			31						02	01	37	62	8
9	01										01	40	9
10	26	07	03									72	10
11	22							02	22		41	08	11
12	17		01		10	28			1.07		38	02	12
13			13		42	05					15	44	13
14		03	14		18				01		05	42	14
15		10	18				01			12	43	16	15
16		32	16	07		13	01			11	08	17	16
17		01	05			51	01				18	24	17
18		49	38	04		04				01	14	59	18
19		05	03	16		04		02	12	20	1.10	18	19
20		06		09			03	19	01	01		15	20
21		49		04			03	36	01	21	02	05	21
22	19	07		02		01		05		01	15		22
23	02	68			01	60	01		07	16		16	23
24	06	03	05	08		1.03		01		17		27	24
25	01	34	01	04		04			59	09		36	25
26				03	02			04	05	92	52	26	26
27	01	20	02	09				13	09	03	02	01	27
28		27	02	28		04			01	01		15	28
29			03	09		04	11	05	60	88		07	29
30			01		06				09	27			30
31			01		07					10			31
Total	2.17	3.21	2.07	1.50	1.57	2.81	32	2.12	2.96	3.61	5.64	6.87	TOTAL for year 34.85
No. of Rain Days	15	15	23	17	13	12	10	15	14	22	22	27	205

REGISTER OF RAINFALL IN 1911

Kept at West Wiltton, Ivy House
 in the County of N. D. York
 by J. B. Espiner

Pattern
 RAIN Diameter of top 5 in.
 GAUGE Height of top above Ground 1 ft. in.
 " " " Sea Level 606 ft.

Time of Observation

Nearest Railway Station { Name
 Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	45		01		01		04	06		06	07	01	2
3	01		07	01	42		02	20		08	25	05	3
4	03		10	24	03			32		11	52	39	4
5	22		01	14	05			40		04	23	05	5
6	50		05	07				25			22	63	6
7	01			01	01			02		01	23		7
8			31						02	01	37	62	8
9	01										01	40	9
10	26	07	03									72	10
11	22							02	22		41	08	11
12	17		01		10	28			1.07		38	02	12
13			13		42	05					15	44	13
14		03	14		18				01		05	42	14
15		10	18				01			12	43	16	15
16		32	16	07		13	01			11	08	17	16
17		01	05			51	01				18	24	17
18		49	38	04		04				01	14	59	18
19		05	03	16		04		02	12	20	1.10	18	19
20		06		09			03	19	01	01		15	20
21		49		04			03	36	01	21	02	05	21
22	19	07		02		01		05		01	15		22
23	02	68			01	60	01		07	16		16	23
24	06	03	05	08		1.03		01		17		27	24
25	01	34	01	04		04			59	09		36	25
26				03	02			04	05	92	52	26	26
27	01	20	02	09				13	09	03	02	01	27
28		27	02	28		04			01	01		15	28
29			03	09		04	11	05	60	88		07	29
30			01		06				09	27			30
31			01		07					10			31
Total	2.17	3.21	2.07	1.50	1.57	2.81	32	2.12	2.96	3.61	5.64	6.87	TOTAL for year 34.85
No. of Rain Days	15	15	23	17	13	12	10	15	14	22	22	27	205

REGISTER OF RAINFALL IN 1912

25 JAN 1913
FORM A2.
BRITISH RAINFALL.

Kept at West Wilton

in the County of North Riding York

by J. B. Espiner

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
Sea Level ft.
Time of Observation
Nearest Railway Station Name Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12	24		01	60		15	05	05		17	1
2	01	12	37		02	37	31	05	01				2
3	14	09	02			1.03	17	86	30			07	3
4	25		62	08	04	73		85	10		05	01	4
5	06				27	07		02			01		5
6	93	33				02		50					6
7		12	01		04		02	11	13		06	01	7
8	62	18	15	07		16	01		23		17		8
9	05	16	19	15		26					01	08	9
10	09	04	01	01		27	01		01		19	02	10
11	07	16			01	06		06			07	16	11
12	12	28				07	36				05	35	12
13	03	08				07			02	11	20	56	13
14	15	01	12		02	13						30	14
15	23	01	13		45	15						19	15
16	86		04			08				04		01	16
17	01	11	30			30	02	16			02	35	17
18	19	05				03	01	03		09		06	18
19	09	33	15		02	09	13	06		11	04		19
20	20		01		74	08	07	05		48			20
21			40		02		02	01					21
22	03	15			64	20		38					22
23	01		14		04	08	17	41		02	08	01	23
24	18		01		03	17	41	28		02	26	27	24
25	03		05			28	25	39			36	05	25
26	01	31	04			03	23	26		1.40	45	39	26
27		04	04		02	31	46	01		16		63	27
28		07	04			09	45	38	06	26	18	01	28
29		03	36				21	13	97	17		27	29
30	12		16		06		06		09	06		02	30
31			09		10		86	20				04	31
Total	4.48	2.79	3.69	31	2.53	5.73	4.23	5.34	1.97	2.97	2.20	4.03	TOTAL for year 40.27
No. of Rain Days.	24	21	24	4	17	26	20	22	11	13	16	23	221

REGISTER OF RAINFALL IN 1913

Kept at *West Wilton*
in the County of *N. York*
by *J. B. Espiner*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A. 448
31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11		31	10							09		1
2		20	98	09		12				15	16	01	2
3	13	13	18		47		01				01	08	3
4	25	07	11		01	13	03		01	32	04	44	4
5	44	08	12		02	07	02	02		07			5
6	02	44	56		51	05	85			12	03		6
7		68	07	01	27	13	01			1.07	01		7
8	02	08	01		86	05		03		18	15	01	8
9	01	07	09		25	33		15			12	05	9
10	03		18	05	04						15		10
11	1.15			46						04	11	02	11
12	06						01	01	43		09		12
13			12	01					26	03	04		13
14	27	01	56	15				01		10	08		14
15	15	02	74	55				08			25	03	15
16			09				01	06			05		16
17		02	06	07		03	01		01		16		17
18	05		78	32	05	09	04				31	01	18
19	16		46	06	06	01			03	07	20		19
20	57		17	02				01	09	14	85		20
21	05		15		05		10	21	01		01		21
22	09		73		01	01		22	08				22
23	21		02		01	08		10	03		07	01	23
24	37			05		21					01		24
25				11					49		01	22	25
26			12	1.16		01			30	08		55	26
27		01	02	57		01				23		26	27
28	61		38	33						04		14	28
29	01		60	30	02			13		15	03	14	29
30	54		01		03	01				20			30
31	26		05		09								31
Total	5.56	1.81	7.67	4.41	2.75	1.34	1.09	1.03	1.74	2.99	3.03	1.97	35.39
Rain Days.	23	12	27	18	16	16	10	12	11	16	24	14	199

REGISTER OF RAINFALL IN 1914

Kept at West Wilton
in the County of R. R. York
by J. B. Espiner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

432
28 JAN 1915
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05				.01	.76	.05		.05		.58	1
2		.01	.03				.28	.48			.63	.30	2
3	.02	.02	.14		.27			.02			.07	1.07	3
4	.35		.04	.11	.12						.17	1.06	4
5	.05		.14	.25	.02	.03				.01	.49	.20	5
6			.01	.29	.09			.02				.27	6
7		.23	.21	.03	.12	.25					.01	.46	7
8	.17	.01	.07	.01	.07	.53	.08	.26			.02	.09	8
9	.42	.05	.03	.21		1.83				.05	.13	.05	9
10	.05	.27	.01	.02						.06	.01	.24	10
11		.13	.10		.13					.04	.28	.55	11
12		.29	.07			.01	.16			.06	.15	1.09	12
13	.01	.22	.17	.02			.01			.01	.03	.28	13
14	.09	.85	.02				.07			.07		.35	14
15	.02	.10	.29							.32		.40	15
16	.06		.03				.67			.87	.01	.04	16
17	.08	.50	.10				.07			.44		.56	17
18	.01	.26	.02			1.07				.04	.02	.06	18
19	.01	.01			.03		.05			.02		.05	19
20		.30	.02					.02		.02		.01	20
21		.69				.02				.16	.06	.05	21
22		.49			.51	.12		.10		.13	.03	.05	22
23		.08	.01	.01	.23	.02	.03					.08	23
24	.08		.22	.07	.27		.01	.16			.05		24
25	.05		.02				.01	.08		.64	.01	.41	25
26	.01		.17				.01			.11	.35	.46	26
27	.01									.06	.38	.76	27
28	.02	.05	.07		.01			.03		.06	.29	.02	28
29	.07		.08		.01			.20		.53	.46		29
30	.28		.41	.02				.10		.15	.55	.47	30
31	.46		.01		.04		.37			.56			31
Total	2.32	4.61	2.49	1.04	1.92	3.89	2.58	1.52	1.98	2.54	5.46	9.97	4032
Rain Days.	21	20	26	11	14	10	14	12	11	15	24	27	205

REGISTER OF RAINFALL IN 1915-

Kept at West. Hilton
in the County of N. York
by J. B. Espiner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3634
415
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct. m.m	Nov. m.m	Dec. m.m	Date.
1	.80	.45	.01		.08		.02	.31	.07		1.7	4.7	1
2	.01	.24	.11	.23		.04	.06	.65		.1		1.2	2
3	.80	.03	.01	.06			.19	.22			.9	13.1	3
4	.02	.10	.05	.01	.01	.03		.04			.1	18.8	4
5	.26	.42	.02		.12			.01		.3	.7	17.9	5
6	.53	.30	.07	.30			1.63	.01		.5		.3	6
7	.26	.81	.03	.08			.62	.29				6.8	7
8	.22	.54	.04	.08			.06	.07			8.3		8
9		.05					.06	.01		.9	1.2	28.4	9
10	.48	.01	.02	.02	.01			.02		2.4		4.1	10
11	.11	.05			.72			.09		.2	1.2	2.5	11
12	.15	.01		.04	.06		.12	.01		2.7	31.4		12
13	.05	.35		.01			.04	.01		.1	.1	.7	13
14	.13	.07		.02	.07		.03	.04		.2		4.1	14
15	.51						.01	.12			7.9	5.8	15
16		.71			.02		.87	.25	.02	.3		.2	16
17		.54	.02									.6	17
18		.64	.40					.08	.07	1.2	.6	.2	18
19		.04	.03	.12			.26			1.3			19
20	.06	.02	.01		.02		.08			.6		7.5	20
21	.11	.07		.01			.05					3.0	21
22	.02	.02	.07				.02			.4		4.2	22
23	.04	.10	.05				.20			1.9		7.7	23
24			.18	.10			.01		.44	1.3		13.3	24
25						.02			.09	.5		.1	25
26	.02	.78				.12	.09					12.2	26
27	.02	.28	.03				.06			4.0		8.5	27
28		.16	.08		.13	.01		.34		.3		.6	28
29			.01		.14	.13	.02	.02			4.0	16.7	29
30	.03	X		.01		.33	.01		X	.1	.3	1.7	30
31	.11	X		X		X	.01	.41	X	.8	X	11.8	31
Total	4.74	6.79	1.24	1.09	1.38	.68	4.52	3.00	.69	20.1	58.4	196.7	YEAR'S TOTAL
Rain Days.	22	25	19	14	11	7	23	20	5	79	230	774	34.96
										18	11	27	202

REGISTER OF RAINFALL IN 1916

Kept at West Witley
in the County of H. B. Yorkshire
by J. B. Espiner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	90	02	17			12	28	08			02		1
2	10	12	16			12	01		34	10	07	03	2
3	12	35	07	01		04	11	01	1.47	10	57		3
4	20	15		01	72	31	05		29	38	41		4
5	01	33	01		27	11			01	1.01	59		5
6	18	34	27	06	58		11			19	34		6
7	02	18	29		33	07	86			21	07	18	7
8		04	32		01	04				02	10	06	8
9	01		20		07	10	03		01		03	59	9
10	24		02	02		21	02			44	08	01	10
11	01	24	49	10	03	09	01		02	12	01	09	11
12	04	09	30	03	32	04	32	03		02		15	12
13		34	22	02	01		08	27		67	02	12	13
14	07	34	12	05				29		32	01	07	14
15	01	42	78	02			06	1.10		01		02	15
16		21	42	16			04	05				02	16
17	07	05		11			02		02	13		02	17
18		25	01	08			03	06	05	05	91	1.2	18
19	47		16	22				01	20		69		19
20	33		26	07			17	02	03		13	17	20
21	26		05	02	02							01	21
22	04	08	01	07		02				14	04		22
23	07	13	38	10						12	25	17	23
24		01	03	04		29		14		05	16	08	24
25	01	15	41		22	01		41		20	10	05	25
26	05	10	21			01		04		05	03		26
27		25	06					05		67			27
28	02	24	12		01			02	01	11		76	28
29	01	61	01			08		02		22	02	12	29
30		X			02	02	04	05		95		03	30
31		X		X	07	X			X	75	X	01	31
Total	3.24	5.04	5.55	1.19	2.68	1.68	2.24	2.65	2.45	7.03	4.65	2.88	41.28
Rain Days.	23	24	27	18	14	17	17	17	11	25	22	22	237

82
REGISTER OF RAINFALL IN 1917

3414
361
FORM A.
BRITISH RAINFALL.

Kept at *West Witton*
in the County of *N. D. Yorkshire*
by *J. B. Espiner*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01			10		06		09	24		15	10	1
2	08			40		19		11	01	02	03		2
3	04	02		26		06		01	01	20	04		3
4			16	01									4
5	15		20	25				01	01		26	01	5
6				01		01				11	45	04	6
7	39		05			20		03		13	01	10	7
8	88			16		01		1.31	02	23	12	17	8
9	02		02	10				55		04	03	07	9
10	18		95	30	12			07					10
11	06	02		05	05			03		34	01		11
12	01	04			22			01		75		01	12
13	31			32		02		24	27	03	01	06	13
14	63			10	11			55				06	14
15	03			01			25	05		05		16	15
16	04	01	01	28		22		27	08			85	16
17	03	15	01	16	57		04	51	06	03		35	17
18	02	01	01	02	20		36	11	04				18
19	03	17	17		46	09	07	03			02		19
20	21	19	07		04	42			35		07	14	20
21	03	10	03	01				05		02			21
22			08			08		05	04	04			22
23					17	28		36	01	06	11		23
24		02				03	03	20		85	39	02	24
25		01	04				01	01		22			25
26			01			04		64	12	21	09		26
27			01			20	65	76		03	04	05	27
28			27			01	01	05			05	07	28
29			10		19		09	01	01	60	06	01	29
30	02	X	10					05		14	07	05	30
31	01	X	23	X	05	X		12	X		X	13	31
Total	3.18	74	2.52	2.54	2.18	1.92	1.51	6.28	1.27	4.10	2.01	2.45	30.70
Rain Days.	21	11	19	17	11	16	9	25	14	20	19	19	204

REGISTER OF RAINFALL IN 1918

Kept at West Wilton, Ivy House
in the County of N. D. Yorks
by J. D. Espinel

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

356
12
BRITISH RAINFALL
FORM A.
22-119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.05	.09	.02	.09				.36	.02	.51	.04	1
2	.01	.04		.03					.29	.02		.09	2
3		.03	.02		.23					.11			3
4		.04	.04		.18			.13	.26	.25	.53	.07	4
5		.01	.08	.11	.65			1.38		.41	.04		5
6	.03	.63	.07	.15	.02	.03		.26		.20		.04	6
7	.10	.01		.07					.13	.45	.45		7
8	.05	.33	.28				.21	.03	.19	.04	.15		8
9	.12	.79		.04		.06			.57	.24	.15	.07	9
10	.05	.79	.01	.04			.04		.26	.04	.12		10
11	.11	.03		.01	.13		.03	.01	.07	.01		.04	11
12		.02			.04		1.19		.10	.01		.02	12
13		.02		.14	.15	.01			.28	.18		.05	13
14	.55			.01		.05	.16	.01	.72	.01		.08	14
15	.04		.01	.04		.03	.72		1.18			1.04	15
16	.03		.02			.07	.13	.01	.36	.01		.21	16
17	.29				.15	.08	.75	.04	.21	.21		.37	17
18	1.02		.17			.03	.16		.28	.05		.27	18
19	.42	.01	.07	.04			.43	.13	.23	.37		.38	19
20	.31	.55		.15	.04	.02	1.19		.08	.02		.02	20
21	.36	.27				.05	.03		.42	.22			21
22	.04	.01		.04	.43	.07	.03	.01	.03			.36	22
23	.10			.02	.34		.21		.03		.02	.04	23
24	.02	.02				.04	.03		.07		.03	.02	24
25					.07	.05	.13	.46	.03		.02		25
26		.03					.06	.01	.35		.01	.10	26
27		.05	.11		.01		.01	.53	.22		.03	.09	27
28		.19	.51					.01	.03		.03	.56	28
29									.08			.31	29
30	.01	X	.05					.01	X		.01	.30	30
31		X	.17	X		X		.01	X		X	.05	31
Total	3.69	3.92	1.70	.91	2.53	.59	5.51	3.04	6.83	2.87	2.10	4.62	38.31
Rain Days.	20	21	15	15	14	13	18	16	26	20	14	24	216

82
3239
REGISTER OF RAINFALL IN 1919

Kept at West Wilton
in the County of N. D. Yorkshire
by J. D. Espiner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	51	02	04		14		62		13	14	08	11	1
2	35		08		09		35		05		15	03	2
3	73				31	15	33		03		10	14	3
4	15	05	50		02		02	08	02		13	18	4
5	03	01			14				02		07	09	5
6	07		18		49					03	04	12	6
7	07		18	02	21						04		7
8	14		02	04	10	02		03			07		8
9	112		07	01		07					15		9
10	01		60	03	01					02	18	36	10
11			65	01	05		02		11	03	02	03	11
12			52	05		02	05		10	05	23		12
13	21		07	43			23	14		08	01	08	13
14	15			20			10	01			04	01	14
15	22	28	01	22				04			03	54	15
16	17	67		01							17		16
17		09		01				12			25		17
18			15				03	38			02	18	18
19		23	113			04	06	08	03		43		19
20	44	25	03			10	27	04			01	06	20
21	05	20	03				01	10				25	21
22		18	03			01		10	03			18	22
23	02		02	07		01				109	15	19	23
24			05	05	01	10		01	09	39	44	08	24
25	07	02		15	02	07		69	19		24		25
26	03	16	44	02		05		10	03		18	48	26
27	18	01	01	29						01	20	08	27
28				23				84	07	60		43	28
29	11					13				212		13	29
30		X	06	02		08				15	26	40	30
31	01	X		X		X	06		X	14	X		31
Total	484	217	487	186	159	85	215	276	90	485	369	415	3468
Rain Days	22	13	22	18	12	13	13	15	13	13	26	22	202

REGISTER OF RAINFALL IN 1920.

Kept at West Witton

in the County of Yorkshire

by J. B. Espiner

Lat. 54° 17' N Long. 1° 54' W

Time of Observation 9h GMT.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground 1 ft. _____ in.

„ „ „ „ Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.12	0.30	0.97	-	0.33	0.11	0.03	-	0.03	0.05	1
2	-	0.03	0.01	0.17	0.07	-	0.26	0.15	0.14	0.25	-	0.49	2
3	0.04	0.05	-	0.21	0.11	-	0.77	0.13	0.06	0.75	-	0.25	3
4	0.02	-	-	0.02	-	-	0.37	0.59	-	0.89	-	0.16	4
5	-	-	0.05	0.11	0.04	-	0.10	0.01	-	0.15	-	0.03	5
6	-	-	0.16	0.04	0.08	-	0.05	-	-	-	-	0.09	6
7	0.30	0.01	0.04	0.32	0.02	-	0.76	-	-	-	-	0.01	7
8	0.11	0.04	-	0.20	0.07	-	0.41	0.01	-	-	-	-	8
9	0.08	0.63	-	0.30	-	-	0.05	0.01	0.04	0.02	-	-	9
10	1.20	0.42	-	0.76	-	-	0.11	0.07	-	-	-	0.02	10
11	0.57	0.06	0.12	0.25	0.20	0.08	-	-	-	-	-	0.25	11
12	0.22	0.12	0.51	0.39	0.03	0.03	0.10	-	-	-	0.11	0.33	12
13	0.11	0.01	0.17	0.22	0.07	0.16	0.01	-	-	-	0.28	0.18	13
14	0.01	0.07	0.29	0.32	-	-	0.07	-	0.04	0.13	1.18	0.04	14
15	-	0.12	0.08	0.38	-	-	0.07	-	-	0.70	0.23	0.01	15
16	0.02	-	0.01	-	0.07	-	0.53	-	0.51	-	0.21	0.01	16
17	0.16	-	0.06	-	0.10	-	-	0.11	0.10	0.14	-	-	17
18	0.17	-	-	0.12	0.75	0.03	-	0.03	-	-	-	-	18
19	0.01	0.31	-	0.13	0.02	0.02	-	0.07	-	-	-	-	19
20	0.03	0.02	-	0.32	-	-	-	-	0.16	-	-	0.10	20
21	0.03	-	-	0.01	-	-	0.41	0.09	0.09	0.01	-	0.30	21
22	0.08	-	-	0.13	-	0.02	0.15	0.02	-	-	-	-	22
23	-	-	-	-	-	-	0.17	-	-	-	-	0.17	23
24	0.15	-	0.55	0.04	-	0.01	0.03	-	-	-	0.01	0.08	24
25	-	0.05	0.19	0.02	-	0.05	0.52	0.02	-	-	0.01	-	25
26	0.10	0.06	0.95	0.05	0.01	-	0.12	-	-	-	0.01	0.01	26
27	0.44	-	0.26	0.02	0.16	0.33	-	-	-	-	0.17	0.03	27
28	0.40	-	0.40	0.25	-	0.03	-	-	0.01	-	-	0.14	28
29	0.32	-	0.12	0.05	0.68	0.01	0.04	-	0.03	-	0.08	0.69	29
30	0.10	~~X~~	0.07	-	0.01	0.04	-	-	0.10	-	0.21	0.17	30
31	0.18	~~X~~	0.07	~~X~~	-	~~X~~	-	-	~~X~~	0.57	~~X~~	0.10	31
TOTAL	4.85	2.00	4.23	5.13	3.46	0.81	5.43	1.42	1.31	3.61	2.53	3.71	YEAR'S TOTAL 38.49
Days with "or more	24	15	20	26	18	12	22	14	12	10	12	24	209

REG
Kept at *Wetherby*
in the County of *York*
by *J. Mc Clellan*

WETHERBY
RIBSTON HALL GDNS

1911 - 1920

IMPORTANT NOTE.—
previous day. If an Observer
requested to add the reading
for it at the end of this p
the selection and placing
Organization are given in "R
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.
19 JAN 1922

in.
ound ft.
Level ft.
ne.
tance Direction
he result entered to the
sal rule, he is earnestly
in the space provided
t of rain,
h Rainfall
lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	34		04		13		15				03	06	2
3	05			04	26			10		07	06		3
4	03		12	20				14	03	07	38	23	4
5	06		03	12				16		15	28		5
6			05	05						04	16	40	6
7	17									02	10		7
8	04		15			06			03			45	8
9				05							16	03	9
10	04	02										36	10
11	21		03								40	05	11
12	13	04	09		19	04			40		30	03	12
13		03	21			02			01		03	52	13
14		08	08		30						05	56	14
15		15	14							04	12	16	15
16		06	11			04	09			05	12	09	16
17		04	02			60	02				18	11	17
18		20	09			03				02	19	09	18
19						19				18	46	06	19
20		04		25			10	90	15	02		18	20
21		42		01				25	04	12	07	02	21
22	05	05		01				10		76	05		22
23	02	35				55			25	03		14	23
24	17	04	05			1.26			02	22			24
25	02	14	02			20			49	03	06	15	25
26		02		04	09		06	03	03	63	26	23	26
27		10	04	08				30	19			02	27
28		07	04	20		02		02	05			18	28
29	02		03	12		25	05	15	55		06	03	29
30				02	11	04			06	15	02		30
31					10					11		02	31
Total	1.35	1.85	1.34	1.19	1.18	3.60	47	2.18	2.30	2.71	3.54	4.19	TOTAL for year
No. of Rain Days	14	17	18	13	7	13	6	11	14	18	22	25	178

Sh

REG

FORM A2.
BRITISH RAINFALL
19 JAN 1912

Kept at *Wetherby Ribston Hall*
in the County of *Yorkshire W. R.*
by *J. Mc Clelland*

RAIN GAUGE
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04					03				02	1
2	34				13		15				03	06	2
3	05			04	26			10		07	06		3
4	03		12	20				14	03	07	38	23	4
5	06		03	12				16		15	28		5
6			05	05						04	16	40	6
7	17									02	10		7
8	04		15			06			03			45	8
9				05							16	03	9
10	04	02										36	10
11	21		03								40	05	11
12	13	04	09		19	04			40		30	03	12
13		03	21			02			01		03	52	13
14		08	08		30						05	56	14
15		15	14							04	12	16	15
16		06	11			04	09			05	12	09	16
17		04	02			60	02				18	11	17
18		20	09			03				02	19	09	18
19						19				18	46	06	19
20		04		25			10	90	15	02		18	20
21		42		01				25	04	12	07	02	21
22	05	05		01				10		76	05		22
23	02	35				55			25	03		14	23
24	17	04	05			1.26			02	22			24
25	02	14	02			20			49	03	06	15	25
26		02		04	09		06	03	03	63	26	23	26
27		10	04	08				30	19			02	27
28		07	04	20		02		02	05			18	28
29	02		03	12		25	05	15	55		06	03	29
30				02	11	04			06	15	02		30
31					10					11		02	31
Total	1.35	1.85	1.34	1.19	1.18	3.60	47	2.18	2.30	2.71	3.54	4.19	TOTAL for year
No. of Rain Days	14	17	18	13	7	13	6	11	14	18	22	25	178

REGISTER OF RAINFALL IN 1912

Kept at *Wetherby, Ribston Hall*
in the County of *Yorkshire, W.R.*
by *J. McClelland*

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level 130 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

25 JAN 1913
BRITISH RAINFALL
FORM A2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	04		25	05		58	36			10			2
3	08		02			88	02	55	20			11	3
4	23		63	02		28		33					4
5	03			02	30	03					11		5
6	72	21			03	03		57					6
7	02	20	03			52		13	04				7
8	45	20	13	02					37				8
9	03	09	07	08		20				01	05		9
10			02	02				22			03		10
11	22	03									17	22	11
12	19	07	10			32	1.37				23		12
13	02	10								20	25	04	13
14	14		53								38		14
15	11	05	40			32						23	15
16	97		18		60	11				10		08	16
17	05	04	20	01			07	04				31	17
18	23	03						55		02	02	03	18
19	25	22	06				17	40		10			19
20	20	02			34	07	10				03		20
21			18		15	11				22			21
22		10	42		1.30	20		31		05			22
23					04		28	35					23
24	45		03			11	14	04				20	24
25			04			35		20			14	28	25
26	05	12	04			01	28	82		1.00	32		26
27		05			05	21	24			45	12	10	27
28		03				02		47		23			28
29		03	13		19	01		12	60		38	08	29
30			08		35	04	03			08			30
31			05		05		1.04	09					31
Total	4.48	1.59	3.72	23	3.40	4.73	4.11	5.37	1.32	2.72	2.23	1.91	TOTAL for year 35.81
No. of Rain Days	20	17	22	8	11	21	13	17	5	13	13	12	172

Cor. for W.D. and Cor. for aith 18. III. 14. and for S 13. IV. 14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
4-JAN 1914

Kept at Ribston Hall
in the County of Yorkshire
by W. Simpson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Acerton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
16. Dec.
front.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	-10	—	—	—	-10	—	-2	—	—	—	-3	1
2	—	-2	-5	-20	—	—	—	—	—	-8	—	—	2
3	-2	-4	-15	-10	—	-8	—	—	—	—	-6	-5	3
4	—	—	-6	—	-30	—	-10	—	-2	-40	—	-5	4
5	-50	-5	-3	—	—	—	-5	—	-9	-20	-12	-14	5
6	-9	-3	-14	—	—	-15	—	-4	-2	-24	—	—	6
7	-3	-10	-16	—	-42	—	-54	—	—	-5	-83	—	7
8	—	-24	—	—	-4	-24	-3	—	—	-62	—	-22	8
9	—	-4	-3	—	-35	—	—	-2	—	-10	—	-6	9
10	—	-10	-5	-5	-8	-8	—	-11	—	—	-20	—	10
11	(1.30)	-2	-5	-1	-2	—	—	—	—	—	-26	—	11
12	—	—	—	-40	-4	—	—	—	—	-5	-10	—	12
13	—	-2	—	—	—	—	—	-13	—	—	-6	—	13
14	-5	—	-3	-3	—	—	—	—	-15	—	-8	—	14
15	-6	-3	-9	-3	—	—	-8	—	—	-13	-3	—	15
16	-14	-2	-34	-22	—	—	-4	—	-2	—	-44	—	16
17	—	—	-5	—	—	—	-4	—	—	—	-2	-3	17
18	—	-2	-4	-4	—	-30	—	—	-43	—	-13	—	18
19	—	—	-45	-15	—	—	-3	—	—	—	-9	—	19
20	-13	—	-11	-12	—	—	—	—	—	-3	-5	—	20
21	-9	—	-8	-5	—	—	-26	—	-3	-5	-20	—	21
22	—	—	-4	-2	-14	—	-2	-12	—	—	—	—	22
23	-16	—	-24	—	-2	—	—	-25	-9	—	—	—	23
24	-14	—	-6	—	-2	-12	—	-20	-8	—	-4	-8	24
25	-21	-2	—	-4	—	-15	—	—	—	—	—	-30	25
26	—	—	—	-2	—	—	—	—	-19	—	—	—	26
27	—	—	-10	-14	—	-4	—	—	-10	-22	-16	—	27
28	—	-3	-2	-24	—	-12	—	—	—	—	—	-73	28
29	-39	—	-14	-45	—	—	—	-10	—	—	—	—	29
30	-3	—	-30	-44	-5	—	—	-11	—	—	—	—	30
31	-29	—	-3	—	—	—	—	—	—	-65	—	—	31
Total	2.36	2.91	2.98	2.81	1.54	1.41	1.22	1.10	1.22	2.85	2.04	1.69	YEAR'S TOTAL 23.49
Rain Days.	16	15	25	19	12	9	11	9	11	13	18	9	168
	81	2.98	2.81	1.67	1.31	1.24	1.08	1.22	2.85	2.10	1.66	(23.49)	

only one day 12-14-15

W M R

REGISTER OF RAINFALL IN 1914

FORM A
BRITISH RAINFALL
21 JAN 1915

Kept at Pelston Hall, Hetherby
in the County of W. R. Yorkshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12	05				2.10	44				21	1
2							45	35		09	48	08	2
3					18			(40)			05	48	3
4	05		03		10						18	67	4
5	07			22			04				25	15	5
6			17	20	12						10	05	6
7				09		33		10			10	10	7
8	13		30	10	16	30					04		8
9	10		03			75		05	10		13		9
10	33	08		28							30		10
11	23	12					20				05		11
12									20			39	12
13		30	05								17	30	13
14		15	28				10					38	14
15		09	03				75				63		15
16	03		13						45	07			16
17									55			17	17
18	05	10	18									10	18
19		04	02								10		19
20	03												20
21		13	25			15	10	09				21	21
22		40			15	04	04			10			22
23					38	20							23
24			03	03	13			35					24
25			15					19		60	18		25
26			02				20			20	20	35	26
27			45							05	28	20	27
28	09				11						21	72	28
29			08							32	06		29
30			14					22		20	10		30
31			14							30		20	31
Total	1.11	1.53	2.53	.92	1.33	1.77	3.98	2.19	1.30	1.93	3.61	4.76	26.96
Rain Days.	10	10	19	6	8	6	9	9	4	9	19	17	126

sh.

and practice sky run starts 27.1V.16

3549. 1/20

REGISTER OF RAINFALL IN 1915

FORM A
BRITISH RAINFALL

Kept at Ribston Hall, Ketterby
in the County of N. B. York
by H. Simpson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10	42			18		62		(37) 62		12	12	1
2		20	19	35			05	08					2
3	88			14			18					57	3
4	20				06		72					100	4
5	17	25				07						77	5
6	12	35		13			60					07	6
7	32	35	17	25			12	31				08	7
8	20	09						05			09		8
9												28	9
10	28		18							22			10
11		15		25	86			11			15		11
12	10									26	85		12
13		46											13
14		08					17						14
15	55									12			15
16		35			08		140						16
17		18										49	17
18		16	28				05						18
19													19
20	10											50	20
21		05		07								15	21
22			18									12	22
23	20						21			10		05	23
24			12						75			25	24
25												10	25
26		10				09	23					42	26
27							87			43		10	27
28		27						73					28
29					39		09	03			50	67	29
30		X				62							30
31	20	X		X		X		(25)	X		X	14	31
Total	342	346	112	119	157	78	469	(156)	(112)	113	171	588	2163
Rain Days.	13	15	6	6	5	13	6	2	5	5	18	97	

REGISTER OF RAINFALL IN 1916

Kept at Ribston Hall Gardens

in the County of R. Yorkshire

by W Simpson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

FORM A. BRITISH RAINFALL 30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	67		15			12	30				10		1
2	03		29						20	20			2
3		15		12					1.28	14	15		3
4					75	85			18	08	45		4
5		33			15	15				40	20		5
6		29	10	15	39		17				35		6
7		14			09		17			15		33	7
8			19			08							8
9					49	14			18				9
10						14							10
11		50	30	08		07							11
12			29		23		40	06		14			12
13		10	23				06	5.2		75	13		13
14			04		06			15	06				14
15			83				23	10					15
16		58	15	10			09	18					16
17							05		10	18			17
18		25						12	24	10	55		18
19	27		28	35				09			32		19
20	10		43					48					20
21	10			17	09		12					53	21
22						15				13			22
23			13										23
24		21						30		14	08		24
25		05			15			17					25
26			35							15			26
27		30						08		20			27
28		15			24					58		53	28
29		24								21		15	29
30		X								41			30
31		X		X		X			X		X		31
Total	1.17 1.16	3.29 3.24	3.76	.97 90	2.64	1.70	1.59	2.25	2.24	3.96	2.33	1.54	27.44 27.44
Rain Days.	5	13	14	6	10	8	9	11	7	16	9	4	112

REGISTER OF RAINFALL IN 1917

Kept at Ribston Hall, Wetherby
in the County of W. R. Yorkshire
by W. Simpson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				59		11		21	28		27	13	1
2						20		05					2
3	10												3
4										28	05		4
5	23		24							06	06		5
6				26		09				38	15		6
7						05		10		20			7
8	68			09				1.38		31			8
9	29			18	09			22					9
10	24		86	25				15		04	28		10
11				12		06		09		36			11
12					21			38		49			12
13	23			07	20			31	21				13
14								79					14
15	22			17			19						15
16								23					16
17				30	43		08	63					17
18	08			07	20		25	27				25	18
19	09	45			34	20							19
20		14	21			28			05			10	20
21		05								12			21
22						04		18			13	20	22
23			24		05							50	23
24								17		40	40		24
25								08		19			25
26						20		54	10	35			26
27			10			08	24	71		29			27
28			15				10	14			20		28
29							08				40		29
30		X	25								04		30
31		X		X		X			X		X	12	31
Total	2.16	64	2.05	2.10	1.52	1.31	94	6.63	64	3.47	1.98	1.30	24.74
Rain Days.	9	3	7	10	7	10	6	19	4	13	10	6	104

REGISTER OF RAINFALL IN 1918

Kept at Ribston Hall, Wetherby
in the County of W. B. York
by W. Simpson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
22.119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10	10	05	09					11	13	23	11	1
2		18		06					08			35	2
3		04	03		42						25		3
4					13			86	57	09	29	44	4
5			23		70			67		05			5
6		43		35						07			6
7		04						07	14	10	23		7
8		18		30		23		10	12	15			8
9		53		20			17		93		21		9
10	15	08					30		05			09	10
11	18	04	23		16			05				06	11
12		10		09			37		09				12
13				07	47				25	14			13
14				04			06		78			33	14
15							49		1.00			72	15
16						35	14		19			12	16
17	50				70	05	28					27	17
18	62						63		75	23		17	18
19	33		16	15			35	14	19	15			19
20	12	45				09	13		06				20
21	18	15			87				16	38			21
22	10						10					1.08	22
23							20		05				23
24		06			47		10		18				24
25							02	38	06				25
26							20		58		23	13	26
27								46	30		12	19	27
28		26	33						05			40	28
29							24		23			42	29
30		X	25						03			20	30
31		X	11	X		X			X		X		31
Total	2.20	2.64	1.39	1.35	3.92	.72	3.78	2.73	6.95	1.49	1.56	5.08	33.89
Rain Days.	9	14	8	9	8	4	16	8	24	10	7	16	133

REGISTER OF RAINFALL IN 1919

Kept at Ribston Hall, Wetherby
in the County of W. R. Yorkshire
by W. Simpson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	60				27		28		30	19		25	1
2	15		07		08		20						2
3					06	08	73				28	18	3
4	73					04	05		23		07		4
5	06	10			12			10			08	12	5
6			41		06								6
7	08		16		15			13					7
8					09	03					28		8
9			06								09		9
10			13		10					06		14	10
11			117		13		19						11
12	24		22			07			10	15			12
13	15						15			16			13
14							12					08	14
15	05	19	06	23								64	15
16	06	53									57		16
17				12				05			19		17
18			07					16				23	18
19	17	29	123				76	15			18		19
20	45	14				07	25	11	15			22	20
21	20	17				05	04			07		27	21
22		07						01	18		08	25	22
23										91			23
24				09	03	20				36			24
25	06							53			15		25
26		06	30			10		06	06	14		65	26
27	25			27						34			27
28				23				77		18		32	28
29						05		05		65		25	29
30	12	X		25		17			X			25	30
31		X		X		X			X	07	X		31
Total	3.37	1.55	3.88	1.19	1.09	.86	2.77	2.12	1.02	3.28	1.97	3.85	26.95
Rain Days	15	8	11	6	10	10	10	10	6	12	10	14	72

REGISTER OF RAINFALL IN 1920.

Kept at Robston Hall Gardens
in the County of N. York
by W. Simpson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

days usually short
Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.18	.05	.32	.40		.42	.12				.04	1
2			.10	.16			.21		.17	.18		.35	2
3				.05			1.05	.18	.12	.38		.25	3
4				.03			.46	.59	.14	.63		.42	4
5					.09		.11			.08			5
6				.18	.06							.08	6
7	.08						.69						7
8				.30	.10		.29	.28			.08		8
9	.23	.30		.50								.22	9
10	.85	.37		.30			.33						10
11	.28	.11		.20	.13	.08							11
12	.15		.16	.24							.04		12
13			.09	.06		.50					.16		13
14	.08	.08	.55	.17		.04			.24	.16	.10		14
15		.18	.14	.12						1.04	.15		15
16	.05						.60		.08		.11		16
17					.21				.11			.60	17
18	.20			.06	.05			.04					18
19		.50		.16				.20					19
20				.30		.15	.12						20
21				.09			.33	.25	.14			.06	21
22	.05			.19			.12						22
23							.40			.05			23
24			.43	.05			.09					.18	24
25	.04						.66						25
26		.08	.47				.04						26
27	.16				.26	.66					.38	.06	27
28	.83		.06	.13	.09							.08	28
29	(.30) .15		.24		.88		.05					.49	29
30	.23	~~X~~		.06		.13			.15		.25	.25	30
31		~~X~~	.05	~~X~~	.22	~~X~~		~~X~~	.41	~~X~~			31
TOTAL	3.68	1.80	2.34	3.67	2.49	1.56	5.97	1.66 1.68	1.15 1.11	2.92	1.27	3.08	31.69 31.60 802
Days with 0.1 in. or more	15	8	11	21	11	6	17	7	8	8	8	13	12

Kept at *Park Hill*
in the County of *West Yorkshire*
by *W. B. B. B.*

WETHERBY
PARK HILL
YORKSHIRE

1912, 13, 18.

IMPORTANT NOTE
previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2
BRITISH RAINFALL
JAN 1912
in. *1*
and *1* ft. *4* in.
Level *170* ft. *about*
Wetherby
Distance *1* mile Direction *W.N.W.*
result entered to the
rule, he is earnestly

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.39	0.07	0.15	0.10	0.00	0.25	1
2							0.26	0.00	0.00	0.00	0.00	0.00	2
3							0.01	0.62	0.17	0.00	0.00	0.10	3
4							0.00	0.31	0.00	0.00	0.15	0.00	4
5							0.00	0.02	0.00	0.00	0.00	0.00	5
6							0.00	0.61	0.00	0.00	0.00	0.00	6
7							0.00	0.04	0.17	0.00	0.00	0.00	7
8							0.00	0.00	0.20	0.00	0.04	0.00	8
9							0.00	0.00	0.00	0.00	0.14	0.02	9
10							0.00	0.21	0.00	0.00	0.10	0.00	10
11							0.00	0.00	0.00	0.00	0.19	0.32	11
12							0.74	0.00	0.00	0.00	0.22	0.00	12
13							0.00	0.00	0.00	0.18	0.25	0.02	13
14							0.00	0.00	0.00	0.00	0.01	0.08	14
15							0.00	0.00	0.02	0.00	0.00	0.06	15
16							0.00	0.00	0.00	0.08	0.00	0.03	16
17							0.08	0.15	0.00	0.00	0.00	0.42	17
18							0.00	0.14	0.00	0.03	0.00	0.00	18
19							0.25	0.44	0.00	0.14	0.07	0.00	19
20							0.16	0.05	0.00	0.26	0.00	0.00	20
21							0.05	0.00	0.00	0.00	0.00	0.00	21
22							0.01	0.36	0.00	0.05	0.00	0.00	22
23							0.31	0.26	0.00	0.00	0.09	0.00	23
24							0.18	0.18	0.00	0.00	0.00	0.25	24
25							0.00	0.17	0.00	0.00	0.35	0.08	25
26							0.26	0.98	0.00	1.00	0.09	0.23	26
27							0.22	0.00	0.00	0.45	0.00	0.20	27
28							0.09	0.49	0.00	0.22	0.44	0.00	28
29							0.02	0.02	0.72	0.11	0.00	0.11	29
30							0.00	0.00	0.15	0.00	0.00	0.02	30
31							0.98	0.21		0.00		0.00	31
Total							4.01	5.33	1.58	2.62	2.17	2.19	TOTAL for year
No. of Rain Days.							16	19	4	11	13	15	

Kept at *Park Hill Wetherby*
in the County of *West Riding, Yorkshire*
by *W. B. Bridgeman-Simpson*

RAIN GAUGE
Pattern
Diameter of top *5* in.
Height of top above Ground *—* ft. *4* in.
" " " Sea Level *170* ft. *about*
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Wetherby*
Distance *1 mile* Direction *N.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.39	0.04	0.15	0.10	0.00	0.25	1
2							0.26	0.00	0.00	0.00	0.00	0.00	2
3							0.01	0.62	0.14	0.00	0.00	0.10	3
4							0.00	0.31	0.00	0.00	0.15	0.00	4
5							0.00	0.02	0.00	0.00	0.00	0.00	5
6							0.00	0.61	0.00	0.00	0.00	0.00	6
7							0.00	0.04	0.14	0.00	0.00	0.00	7
8							0.00	0.00	0.20	0.00	0.04	0.00	8
9							0.00	0.00	0.00	0.00	0.14	0.02	9
10							0.00	0.21	0.00	0.00	0.10	0.00	10
11							0.00	0.00	0.00	0.00	0.19	0.32	11
12							0.44	0.00	0.00	0.00	0.22	0.00	12
13							0.00	0.00	0.00	0.18	0.25	0.02	13
14							0.00	0.00	0.00	0.00	0.01	0.08	14
15							0.00	0.00	0.02	0.00	0.00	0.06	15
16							0.00	0.00	0.00	0.08	0.00	0.03	16
17							0.08	0.15	0.00	0.00	0.00	0.42	17
18							0.00	0.14	0.00	0.03	0.00	0.00	18
19							0.25	0.44	0.00	0.14	0.04	0.00	19
20							0.16	0.05	0.00	0.26	0.00	0.00	20
21							0.05	0.00	0.00	0.00	0.00	0.00	21
22							0.01	0.36	0.00	0.05	0.00	0.00	22
23							0.31	0.26	0.00	0.00	0.09	0.00	23
24							0.18	0.18	0.00	0.00	0.00	0.25	24
25							0.00	0.14	0.00	0.00	0.35	0.08	25
26							0.26	0.98	0.00	1.00	0.09	0.23	26
27							0.22	0.00	0.00	0.45	0.00	0.20	27
28							0.09	0.49	0.00	0.22	0.44	0.00	28
29							0.02	0.02	0.42	0.11	0.00	0.11	29
30							0.00	0.00	0.15	0.00	0.00	0.02	30
31							0.98	0.21		0.00		0.00	31
Total							4.01	5.33	1.58	2.62	2.14	2.19	TOTAL for year
No. of Rain Days.							16	19	4	11	13	15	

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL

16 MAY 1914

Kept at Park Hill, Wetherby
in the County of York, West Riding
by W. B. Bridgman Simpson

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 170 ft. about
Time of Observation 9 a.m.
Nearest Railway Station { Name Wetherby
Distance 1 mile Direction WNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.25	.19						.05	.08		1
2			.15			.08							2
3	.05	.08	.05	.05	.35					.45	.10		3
4	.45	.05					.08			.20		.35	4
5	.06		.09			.26	.07		.05	.12			5
6		.08	.12		.42	.00	.37		.05	.06			6
7		.30			.07	.21				.61	.18		7
8					.39					.22	.05		8
9		.12			.08			.22		.05			9
10			.07										10
11	.50			.55						.12	.33		11
12													12
13				.06				.15	.05		.07		13
14	.10		.20	.35					.11	.15			14
15		.08	.37								.40		15
16			.05								.05		16
17				.06		.70					.11		17
18			.48	.12					.50		.10		18
19	.23		.10	.07									19
20	.08		.11	.06						.10	.17		20
21	.00		.10		.17		.18	.06					21
22	.10		.34					.32	.10				22
23	.07							.09	.07				23
24	.16			.07									24
25						.22			.14	.22	.16	.35	25
26			.15										26
27				.47		.15			.06				27
28	.37		.22	.37								.10	28
29			.30	.50	.08			.25				.50	29
30	.44									.57			30
31	.07				.04								31
Total	2.68	.71	3.11	2.92	1.60	1.62	.70	1.09	1.13	2.92	1.80	1.36	TOTAL 21.04
No. of Rain Days.	13	6	17	13	8	6	4	6	9	13	12	4	TH

REGISTER OF RAINFALL IN 1918

Kept at Putt Hill - Wetherby
in the County of York - West Riding
by _____

Lat. _____ Long. _____
Time of Observation 6 AM
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
14-1-18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'07	0'09	0'08	-	-	-	-	-	0'06	0'13	0'23	0'05	1
2	0'02	0'17	-	0'05	-	-	-	-	0'08	-	-	0'27	2
3	-	0'08	0'08	-	0'47	-	-	0'11	-	-	0'23	0'05	3
4	-	0'02	0'03	-	0'19	-	-	0'74	0'71	0'03	0'33	0'35	4
5	-	-	0'12	0'03	0'50	-	-	0'79	-	0'11	-	-	5
6	0'05	0'39	0'01	0'31	-	0'24	-	0'11	-	0'09	-	0'03	6
7	0'11	0'05	-	0'21	-	0'02	-	-	0'21	0'13	0'26	-	7
8	-	0'04	0'03	0'02	-	-	0'10	0'05	0'15	0'07	0'04	-	8
9	0'01	0'45	-	0'21	-	-	-	-	1'17	0'13	0'10	0'04	9
10	0'02	0'07	0'02	0'02	-	-	0'23	-	0'14	-	0'02	-	10
11	0'17	0'06	0'08	-	0'21	-	0'04	-	0'05	-	-	0'06	11
12	-	0'09	0'12	0'03	-	-	0'62	-	0'03	0'03	-	0'05	12
13	-	0'02	-	0'05	0'27	-	-	-	0'26	0'09	-	-	13
14	0'21	-	-	0'02	-	-	0'03	-	0'70	0'03	-	0'17	14
15	0'09	-	-	-	-	-	0'37	-	0'98	-	-	0'74	15
16	-	-	0'02	-	-	0'23	0'20	0'02	0'78	-	-	0'24	16
17	0'29	-	-	-	0'85	0'05	0'38	-	0'01	0'22	-	0'27	17
18	0'34	-	0'03	-	-	-	0'08	-	0'45	0'02	-	0'10	18
19	0'24	-	0'03	0'11	-	-	0'28	0'11	0'10	0'16	-	0'74	19
20	0'16	0'41	-	-	0'03	0'08	0'09	-	0'07	0'03	-	-	20
21	0'19	0'07	-	-	0'68	0'04	0'01	-	0'21	0'33	-	-	21
22	0'03	-	-	-	-	0'04	0'04	-	0'02	0'01	-	0'60	22
23	0'10	-	-	-	0'44	-	0'17	-	0'02	-	-	-	23
24	-	0'05	-	-	-	-	0'14	-	0'15	0'04	0'05	-	24
25	-	-	-	-	-	0'11	0'03	0'21	0'07	-	-	-	25
26	-	-	-	-	-	-	0'12	-	0'35	-	0'10	0'09	26
27	-	0'04	0'01	-	-	0'02	0'02	0'45	0'38	-	0'11	0'10	27
28	-	0'17	0'32	-	-	-	-	-	0'07	-	0'08	0'44	28
29	-	~~X~~	-	-	-	-	-	0'01	0'21	-	-	0'41	29
30	-	~~X~~	0'26	-	-	-	-	-	-	-	0'02	0'15	30
31	-	~~X~~	0'10	~~X~~	-	~~X~~	-	0'04	~~X~~	-	~~X~~	0'02	31
Total	2'00	2'27	1'34	1'06	3'64	0'83	2'95	2'64	7'03	1'64	1'54	4'77	31'81
Rain Days.	16	17	16	11	9	9	18	11	26	17	12	21	183

YEAR'S TOTAL

REC

WHITBY

FORM A2.
BRITISH RAINFALL
11 JAN 1919

Kept at Mulgrave Castle

in the County of York **MULGRAVE CASTLE GDNS**

by Florbert

in.
ound 1 ft. in.
a Level 410 ft.
me Sandun
stance 1 mile Direction E
e result entered to the
al rule, he is earnestly
in the space provided
it of rain,
h Rainfall
Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	—	—	—	—	—	.20	.73	—	.09	—	—	1
2	.12	—	.06	—	.02	—	.21	—	—	.05	.02	.15	2
3	.01	—	.01	.06	.24	—	—	—	—	.11	.01	.02	3
4	.02	.01	.16	.13	—	—	—	.09	—	.03	.08	.31	4
5	.17	—	—	.01	.07	—	—	.31	—	.10	—	.01	5
6	.30	—	.08	—	—	—	—	.08	—	.04	.01	.40	6
7	—	.01	—	—	—	—	—	—	—	—	.04	—	7
8	—	—	—	.01	—	.08	—	—	—	.07	.03	.15	8
9	—	—	.01	.01	—	—	—	—	—	—	—	.08	9
10	—	.20	—	—	—	.07	—	—	—	—	.17	.40	10
11	.51	—	—	—	—	—	—	—	—	—	.23	.06	11
12	.21	—	.11	—	.20	.11	—	—	.82	—	.13	.01	12
13	.01	—	.48	—	.01	.37	—	—	.30	—	.01	.26	13
14	—	.06	.09	—	—	—	.07	—	.43	—	.02	.50	14
15	—	.05	.19	—	—	—	.11	—	.03	.03	.17	.20	15
16	—	—	—	.02	—	—	—	—	—	—	.01	.05	16
17	—	—	.07	—	—	1.07	.02	—	—	—	.15	.21	17
18	—	.07	.02	—	—	.13	—	—	—	—	.51	.18	18
19	—	.03	.01	—	.10	—	—	.08	.01	.06	.52	.01	19
20	—	.01	—	—	—	—	.13	1.64	.03	—	.13	.49	20
21	.02	.34	—	—	—	—	—	.57	—	.31	.53	.03	21
22	.09	—	—	—	—	—	—	.80	—	.02	.06	—	22
23	—	.24	—	—	—	2.01	—	—	.42	.01	—	.09	23
24	—	—	.01	.01	—	1.91	—	—	—	.10	—	.08	24
25	—	.11	—	.06	—	.75	—	—	.27	.31	.05	.09	25
26	—	—	—	.03	—	—	.48	—	—	.66	.40	.03	26
27	—	.03	—	.10	—	—	—	.15	.08	.05	.03	.02	27
28	—	.82	.05	.11	—	.02	.01	.03	.01	.03	—	.07	28
29	—	X	—	.01	—	.03	.26	—	.43	.13	.01	.02	29
30	—	X	.01	—	.08	—	—	—	.33	.05	—	—	30
31	—	X	—	X	.39	X	—	—	X	.04	X	.04	31
Total	1.72	1.18	1.36	.56	1.11	6.55	1.49	1.48	3.16	2.29	3.32	3.96	31.18
No. of Rain Days.	11	13	15	12	8	11	9	10	12	20	23	27	171

REC

FORM A2.
BRITISH RAINFALL
11 JAN 1917

Kept at *Mulgrave Easter Gardens*
in the County of *Yorkshire*
by *Flordgett*

RAIN GAUGE { Pattern *normal*
Diameter of top *5* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *410* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Sanderson*
Distance *1 mile* Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	—	—	—	—	—	.20	.73	—	.09	—	—	1
2	.12	—	.06	—	.02	—	.21	—	—	.05	.02	.15	2
3	.01	—	.01	.06	.24	—	—	—	—	.11	.01	.02	3
4	.02	.01	.16	.13	—	—	—	.09	—	.03	.08	.31	4
5	.17	—	—	.01	.07	—	—	.31	—	.10	—	.01	5
6	.30	—	.08	—	—	—	—	.08	—	.04	.01	.40	6
7	—	.01	—	—	—	—	—	—	—	—	.04	—	7
8	—	—	—	.01	—	.08	—	—	—	.07	.03	.15	8
9	—	—	.01	.01	—	—	—	—	—	—	—	.08	9
10	—	.20	—	—	—	.07	—	—	—	—	.17	.40	10
11	.51	—	—	—	—	—	—	—	—	—	.23	.06	11
12	.21	—	.11	—	.20	.11	—	—	.82	—	.13	.01	12
13	.01	—	.48	—	.01	.37	—	—	.30	—	.01	.26	13
14	—	.06	.09	—	—	—	.07	—	.43	—	.02	.50	14
15	—	.05	.19	—	—	—	.11	—	.03	.03	.17	.20	15
16	—	—	—	.02	—	—	—	—	—	—	.01	.05	16
17	—	—	.07	—	—	1.07	.02	—	—	—	.15	.21	17
18	—	.07	.02	—	—	.13	—	—	—	—	.51	.18	18
19	—	.03	.01	—	.10	—	—	.08	.01	.06	.52	.01	19
20	—	.01	—	—	—	—	.13	1.64	.03	—	.13	.49	20
21	.02	.34	—	—	—	—	—	.57	—	.31	.53	.03	21
22	.09	—	—	—	—	—	—	.80	—	.02	.06	—	22
23	—	.24	—	—	—	2.01	—	—	.42	.01	—	.09	23
24	—	—	.01	.01	—	1.91	—	—	—	.10	—	.08	24
25	—	.11	—	.06	—	.75	—	—	.27	.31	.05	.09	25
26	—	—	—	.03	—	—	.48	—	—	.66	.40	.03	26
27	—	.03	—	.10	—	—	—	.15	.08	.05	.03	.02	27
28	—	.02	.05	.11	—	.02	.01	.03	.01	.03	—	.07	28
29	—	X	—	.01	—	.03	.26	—	.43	.13	.01	.02	29
30	—	X	.01	—	.08	—	—	—	.33	.05	—	—	30
31	—	X	—	X	.39	X	—	—	X	.04	X	.04	31
Total	1.72	1.18	1.36	.56	1.11	6.55	1.49	4.48	3.16	2.29	3.32	3.96	31.18
No. of Rain Days.	11	13	15	12	8	11	7	10	12	20	23	27	171

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
21 FEB 1913

Kept at Mulgrave Castle Gardens
in the County of Yorkshire **N5**
by Horrocks

Lat. 54°31' Long. 21°W
Time of Observation 9 a.m.
Nearest Railway Station Sandstead
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.12	.08	.02	.01	.30	.32	.83	.04	.08	.01	.14	1
2	—	.19	.03	.01	.02	.14	.66	.27	—	.10	.04	.02	2
3	.06	—	—	—	—	.63	.04	.16	.17	.06	—	.14	3
4	.14	—	.47	—	—	.70	.01	.23	—	—	.22	—	4
5	—	—	.03	—	.10	.16	—	—	—	—	.02	—	5
6	.56	.07	.02	—	—	.16	.02	.11	.02	.01	—	—	6
7	.02	.03	—	—	.11	—	—	.04	.50	—	.01	.01	7
8	.21	.13	.16	.01	—	.02	—	—	.31	—	.13	.01	8
9	.04	.03	.19	.08	—	.01	—	—	.15	—	.02	.01	9
10	.02	.01	—	.13	—	—	—	—	.06	—	.02	—	10
11	.05	.14	—	—	—	—	—	—	.04	.01	.29	.10	11
12	.05	.10	.02	—	—	.10	.51	.02	.01	.01	1.00	.01	12
13	—	.01	—	—	—	.50	.01	.28	—	.02	.30	—	13
14	.11	—	.23	—	—	.06	—	.07	.04	—	.10	.07	14
15	.01	.02	.41	—	.73	.01	—	.01	—	.02	.01	.13	15
16	.08	—	.01	—	.23	—	.03	—	—	.03	—	—	16
17	—	.02	.20	—	—	.42	.05	.08	.02	—	—	—	17
18	.12	.01	.02	—	—	.01	.29	—	—	.01	.01	—	18
19	.16	.21	—	—	—	—	.27	.24	.01	.02	.01	—	19
20	.02	.18	.02	—	.37	.04	.52	.01	—	.09	—	.01	20
21	.06	.02	.24	—	.35	—	.01	—	—	—	.01	—	21
22	.05	.04	.03	—	1.16	1.12	—	.05	—	.01	—	—	22
23	.01	—	.02	—	.10	.12	.05	.69	—	.65	—	.01	23
24	.51	—	—	—	—	.05	.27	.04	—	.06	—	.15	24
25	.31	—	—	—	—	.35	—	.38	—	.01	.13	.02	25
26	.11	.03	.01	—	—	.06	—	.05	—	.55	.08	.25	26
27	—	—	.09	—	—	.30	.45	—	—	.39	.09	.05	27
28	—	—	.06	.02	.04	.13	.02	.26	.05	.13	.19	—	28
29	—	.01	.21	.04	—	—	.16	—	.83	.05	—	—	29
30	.14	X	.06	—	—	.15	.07	.01	.33	.18	.14	.02	30
31	.06	X	.12	X	.05	X	1.60	.33	X	.36	X	—	31
Total	2.90	1.37	2.73	.31	3.27	5.54	5.36	4.16	2.58	2.85	2.83	1.15	35.05
Rain Days.	23	19	23	7	12	23	20	21	15	22	21	17	253

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.

20 FEB 1914

Kept at Mulgrave Castle
in the County of Yorkshire
by Horliff

Lat. 54° 31' Long. 11'
Time of Observation 9 a.m.
Nearest Railway Station Sandringham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	.06	.98	—	—	—	—	.52	—	.03	—	1
2	—	.01	.01	—	—	.09	.02	—	—	—	.05	—	2
3	.02	—	.06	—	.03	—	.08	.01	.06	.03	—	.01	3
4	.21	—	—	—	.04	.07	.15	—	.10	2.37	—	.08	4
5	.46	.07	.03	—	.01	.12	.51	.13	—	.22	.02	—	5
6	—	.16	.17	.02	.54	.08	.07	—	—	—	.20	—	6
7	—	.26	—	.03	.04	.11	.02	—	—	1.01	.10	—	7
8	—	.01	.01	.04	.75	.05	.06	—	.15	.29	.22	—	8
9	—	.09	—	.08	.14	.02	—	.02	—	—	.02	—	9
10	—	.05	.08	.04	.01	—	.04	—	.03	.22	.36	—	10
11	.65	—	—	.31	.32	.12	—	—	—	—	.08	—	11
12	.87	—	—	.04	.01	—	—	.01	.05	.01	.26	—	12
13	.07	.01	—	—	—	—	—	—	.01	—	.12	—	13
14	.13	.05	.02	.02	—	—	—	—	—	.04	—	.01	14
15	.27	.02	.35	.36	—	—	—	—	—	—	.01	—	15
16	.01	—	.01	—	—	—	—	—	—	—	.07	.01	16
17	.02	.04	.04	.08	.03	.01	—	.02	.06	—	.02	.01	17
18	—	—	.53	.13	.32	.12	—	—	.01	.01	.05	.04	18
19	.11	—	.03	.01	.04	—	—	—	.25	—	—	—	19
20	.47	—	.08	—	—	—	—	—	.03	.01	.13	—	20
21	.03	—	.01	—	—	—	.04	—	.01	—	—	—	21
22	.02	—	.26	—	.11	—	.02	.36	.15	.14	.01	—	22
23	.08	—	.10	—	—	.04	.24	—	.04	—	.08	—	23
24	.12	—	—	.01	—	.50	.01	.20	—	—	—	.03	24
25	—	—	—	.06	—	—	—	—	.11	.02	—	—	25
26	—	.01	—	.29	—	.02	—	—	.02	.33	.11	.35	26
27	.01	.08	.03	.23	.22	.16	—	—	—	.01	.01	.02	27
28	.10	—	.21	.28	.03	—	—	—	—	.04	.01	.26	28
29	.01	X	.30	.20	.10	—	—	.01	—	.01	.04	.45	29
30	.35	X	.03	—	.02	—	—	.05	—	.41	—	.16	30
31	.05	X	—	X	.10	X	—	.16	X	—	X	—	31
Total	4.09	.86	2.42	3.21	2.86	1.51	1.26	.97	1.60	5.17	2.00	1.43	27.38
Rain Days.	22	13	21	19	19	14	12	10	16	17	22	12	197

and by own. state 12.11.55
REGISTER OF RAINFALL IN 1914

Kept at Mulgrave Castle Gardens
in the County of Yorkshire NR 5
by J. Porter

Lat. 54°31' Long. 41'W
Time of Observation 9 a.m.
Nearest Railway Station Sandstead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 410 ft.

FORM A.
BRITISH RAINFALL
- 8 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	—	—	—	.81	.05	—	.05	.02	.12	1
2	—	—	—	—	—	—	.47	.31	—	.01	.41	.10	2
3	—	—	.09	—	.08	—	.12	—	—	—	.06	.28	3
4	.01	—	—	.03	.16	.02	—	—	—	.02	.09	.68	4
5	—	—	.11	.09	.05	.05	.04	—	—	—	.41	.01	5
6	.03	.05	—	.03	.09	—	—	—	—	—	.06	.13	6
7	—	.09	.04	.01	.04	.17	—	—	—	—	—	.06	7
8	.46	—	.13	.01	.22	.33	.01	.03	—	.08	.01	.02	8
9	.50	.02	.02	.17	.03	.75	—	.01	.27	.01	.07	.06	9
10	.24	.23	.02	.04	—	—	—	—	.03	—	—	.01	10
11	—	.33	.06	—	.19	.09	—	—	.11	—	.21	.33	11
12	.06	.03	—	—	.01	.02	—	—	.04	—	.01	.71	12
13	.04	.06	.12	—	—	—	—	—	.01	—	.16	.48	13
14	.05	.17	.01	—	—	—	.17	—	—	.02	.04	.29	14
15	.06	.03	.25	—	—	.02	.36	—	—	.01	.56	.27	15
16	.04	—	.08	—	—	.01	3.03	—	.15	—	.06	.01	16
17	.08	.15	—	—	—	—	—	—	.69	—	—	.05	17
18	.05	.11	.06	—	—	.21	—	.02	.08	—	—	.35	18
19	.02	—	.04	—	.01	—	—	—	.12	—	.08	.01	19
20	.06	.17	.36	—	—	.10	.01	.03	—	.11	—	—	20
21	.05	.58	.22	—	—	—	.07	—	—	.10	.08	—	21
22	.04	.01	.16	.04	.03	.07	—	.09	—	.02	.06	.11	22
23	—	.02	.01	.03	.48	.02	—	—	.01	—	—	.11	23
24	—	—	—	.18	.02	—	—	.11	—	—	.12	—	24
25	—	.17	.03	—	—	—	—	—	—	.38	.02	.21	25
26	—	—	.07	—	—	—	.19	.02	—	.39	.06	.55	26
27	—	—	—	—	—	—	—	—	—	.01	.14	.49	27
28	—	.02	—	—	—	—	.05	—	—	.02	—	.17	28
29	.01	X	.05	—	.03	—	—	.12	—	.66	.05	—	29
30	—	X	.06	.02	.01	—	—	.06	—	.11	.25	.43	30
31	.10	X	—	X	—	X	.14	—	X	.34	X	.01	31
Total	1.91	2.24	1.99	.65	1.45	1.86	5.47	.85	1.51	2.34	3.03	6.05	29.35
Rain Days.	19	17	21	11	15	13	13	11	10	17	23	27	191

REGISTER OF RAINFALL IN 1915

Kept at Mulgrave Castle Gardens
in the County of Yorkshire N 5
by Forrest

Lat. 54° 31' Long. 41'
Time of Observation 9 am
Nearest Railway Station Sandarsend
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 410 ft.

3691
FORM A.
BRITISH RAINFALL
1-MAR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.09	.05	.01	.29	—	.01	.57	.05	.02	.05	.38	1
2	—	.20	.19	.04	—	.02	.02	.15	.26	—	.14	.01	2
3	.57	—	.05	.10	—	—	.26	.25	.43	—	.12	.81	3
4	.15	—	.03	—	.03	—	.53	—	—	.03	.43	.82	4
5	.13	.01	.05	—	.25	—	.03	.01	—	—	.06	.84	5
6	.02	.41	.02	.09	.39	—	.92	.06	—	.03	—	.07	6
7	.26	.37	.03	—	.01	—	.28	.13	—	—	—	.01	7
8	.02	.06	.09	—	—	—	.05	.01	—	—	.04	.02	8
9	.15	.08	—	—	—	—	.29	.07	—	.02	—	.26	9
10	.14	.10	—	—	—	—	.03	.05	—	—	.04	.17	10
11	.04	.31	.01	.07	.66	—	.03	—	—	—	.03	.54	11
12	.21	.02	—	.29	.07	—	.03	.07	—	.27	.66	.16	12
13	—	.14	—	—	—	—	.02	.04	—	—	.01	.02	13
14	—	.21	—	.02	.07	—	—	.10	—	—	.05	.03	14
15	.23	.04	—	—	—	—	—	.22	—	—	—	.06	15
16	.07	.38	.01	—	—	—	1.27	.01	.03	.34	.11	.01	16
17	.38	.21	.08	—	—	—	.27	—	.15	.01	.20	.15	17
18	.01	.03	.45	—	—	—	—	—	.11	—	.01	.02	18
19	.03	—	.15	—	—	—	.05	.01	—	.12	—	—	19
20	.18	.01	.01	.07	—	—	—	—	—	.04	—	.43	20
21	.22	—	—	.14	.03	—	—	—	—	—	—	.15	21
22	.20	.04	.03	—	—	—	.02	.03	—	—	.01	.13	22
23	.03	.15	.01	.02	—	—	.27	—	.02	—	.02	.04	23
24	—	.01	.17	.12	—	.02	.01	—	.35	.04	.01	.70	24
25	.01	—	.01	—	—	.25	.15	—	.02	.04	.30	—	25
26	.02	.44	.06	.12	—	.05	.43	—	.05	.25	—	.13	26
27	.05	.09	.03	—	—	.01	.40	—	.02	.09	—	.25	27
28	—	.06	.10	—	.08	—	.16	.66	.12	.27	—	.03	28
29	.04	X	.02	—	.47	—	.05	.05	.60	.01	.12	.20	29
30	—	X	—	.11	.03	—	—	.09	.38	—	.01	.03	30
31	—	X	—	X	—	X	—	.27	X	.02	X	.14	31
Total	3.48	3.44	1.65	1.20	2.38	.35	5.58	2.85	2.59	1.60	2.42	6.61	34.17
Rain Days.	24	23	22	13	12	5	24	20	14	16	20	29	222

REGISTER OF RAINFALL IN 1916

Kept at Mulgrave Castle Gardens
in the County of Yorkshire NR
by Flower

Lat. 54° N Long. 41° W
Time of Observation 9 a.m.
Nearest Railway Station Sandwold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 410 ft.

FORM A
BRITISH RAINFALL
8 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	—	.16	—	—	.03	.16	—	—	—	.02	—	1
2	.03	.01	.12	—	—	.01	.02	—	.18	.07	—	—	2
3	—	—	.05	.07	—	—	—	—	.44	.05	—	.05	3
4	.01	.19	.08	.03	.75	.24	—	—	.11	.63	.45	.37	4
5	.14	.02	.22	—	.27	.15	—	.04	—	.29	.20	.15	5
6	—	.29	.09	.06	.38	.02	.11	—	—	.01	.25	.03	6
7	.01	—	.20	.06	.16	.20	.03	.02	—	.08	.01	.19	7
8	—	—	.31	—	.10	.08	—	.02	—	.01	.01	—	8
9	—	—	.09	—	.36	—	.11	—	.08	—	—	.61	9
10	.24	.01	.02	.01	—	.07	.05	—	—	—	.01	.23	10
11	—	.50	.34	.25	.01	.25	.15	—	.09	.05	—	.27	11
12	.08	—	.23	.02	.40	.25	.49	—	—	.01	—	.15	12
13	.02	—	.25	.12	.17	—	.09	.27	.09	.42	.06	.33	13
14	—	.09	.06	.01	.04	.15	—	.50	—	.01	—	.06	14
15	.05	.14	.29	—	.02	—	.01	.48	.02	.08	—	.05	15
16	—	—	.05	.18	—	—	.07	.22	—	.07	—	.15	16
17	.01	.02	.01	.11	—	—	.06	.07	.15	.10	.05	—	17
18	—	.24	.02	.48	—	.03	.01	.15	.15	.11	1.21	—	18
19	.09	.41	.02	.21	.14	—	.13	.01	.09	.15	.75	.14	19
20	.05	—	.27	.19	—	.01	—	.03	—	—	.13	.05	20
21	.02	.25	.03	.01	—	—	.04	.01	—	—	.01	—	21
22	—	.06	—	.01	—	.01	—	—	—	.03	—	.15	22
23	.02	.03	.05	—	—	.01	.01	—	—	—	.08	.02	23
24	—	.02	.05	.01	—	.19	—	.09	—	.14	—	—	24
25	—	.03	.16	—	.02	—	—	.26	—	.15	.23	.05	25
26	.11	.17	.03	—	—	—	—	—	—	.01	.15	—	26
27	—	.39	.01	—	—	.02	—	.63	.01	.16	—	.01	27
28	—	.23	.02	—	—	.11	—	.26	.02	.06	—	.11	28
29	—	.13	—	.01	—	.04	—	—	—	.19	—	.01	29
30	—	X	—	—	.01	.09	.01	—	.02	.21	.01	.01	30
31	—	X	—	X	.01	X	.04	—	X	.17	X	.02	31
Total	1.21	3.23	3.23	1.84	2.84	1.96	1.59	3.06	1.45	3.26	3.63	3.21	30.51
Rain Days.	15	20	27	18	15	20	18	16	13	25	17	23	227

REGISTER OF RAINFALL IN 1917

Kept at Malpas Carter
in the County of Yorkshire
by Robert

Lat. 54°N Long. 57°W
Time of Observation 9 AM
Nearest Railway Station Sandness
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 410 ft.

3477
FORM A.
BRITISH RAINFALL
1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	.19	—	.01	—	.55	.50	—	.09	.06	1
2	.01	—	.01	.57	—	.06	—	.34	.03	—	.02	—	2
3	.02	.06	.06	.05	—	.01	.01	.13	—	—	.01	—	3
4	—	.08	—	—	—	—	—	.02	—	.02	.01	—	4
5	.08	—	.13	.57	—	—	—	.02	—	.03	.01	.01	5
6	—	—	—	—	—	—	—	—	—	.92	.15	—	6
7	.43	—	.02	—	—	.09	—	—	—	.26	—	.08	7
8	.42	—	.10	.07	—	—	—	.91	.07	.28	.09	—	8
9	.14	.01	.01	.05	—	—	—	.43	.03	.18	.14	.01	9
10	.10	—	.62	.26	.15	—	—	.56	—	.26	.14	—	10
11	.14	.04	—	.05	—	.01	—	.04	—	.18	—	—	11
12	.99	—	.02	.23	.13	—	—	.16	—	.28	—	.01	12
13	.24	—	—	.09	.31	.05	—	.07	.13	.30	—	.05	13
14	.15	—	.03	.17	.55	—	.01	.31	—	.07	—	.03	14
15	.06	—	.02	.02	.03	—	.15	.15	.01	—	—	.04	15
16	.15	—	—	.17	—	—	—	.03	—	—	—	.29	16
17	.11	.02	—	.08	.32	.25	.68	.29	—	—	—	.11	17
18	.03	.01	—	.03	.05	—	.46	.10	.02	—	—	—	18
19	.14	.05	.32	—	.05	.29	—	—	—	—	—	.04	19
20	.09	.29	.12	.05	—	.38	—	.05	.01	—	.50	.04	20
21	—	.20	.12	—	.02	—	—	.01	—	—	.06	—	21
22	—	—	.09	—	—	.02	—	.04	—	.02	—	—	22
23	.04	.02	—	.01	.07	.01	.02	.10	—	—	—	.01	23
24	—	.05	—	.01	.12	.03	.02	—	—	.18	.20	.01	24
25	—	.04	.16	—	—	.19	—	.80	—	.05	.11	.17	25
26	—	—	.11	—	—	.17	—	.60	.04	.09	.29	.03	26
27	.01	—	.06	.01	—	.10	.43	.61	—	—	—	.03	27
28	—	—	.07	—	—	.01	.23	.33	—	.16	—	.01	28
29	.09	X	.03	—	—	—	.14	.01	—	.39	.01	—	29
30	.06	X	.08	.04	—	—	.30	—	—	.01	.01	.08	30
31	.09	X	.02	X	.02	X	.02	.03	X	—	X	—	31
Total	3.59	.88	2.20	2.66	1.82	1.68	2.46	6.59	.84	2.78	1.84	1.11	28.96
Rain Days.	32	13	21	20	12	16	12	26	9	18	16	19	209

REGISTER OF RAINFALL IN 1918

Kept at Mulgrave Castle Gardens
in the County of Yorkshire N.R.
by J. Corbett

Lat. 54°31' N Long. 41' W
Time of Observation 9 A.M.
Nearest Railway Station Sanderson
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 410 ft.

FORM A.
BRITISH RAINFALL
2.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	.03	.02	—	—	.01	—	.22	.03	.20	.03	1
2	.03	.15	—	.20	—	—	—	.01	.07	~~.01~~	—	.14	2
3	.06	—	.03	—	—	—	—	—	—	.04	.56	—	3
4	.04	.02	.08	—	.16	—	—	—	.11	.07	.22	.12	4
5	—	—	.08	—	.45	—	—	—	—	.03	.01	—	5
6	—	.21	—	.58	.01	.15	—	1.18	—	.13	.01	—	6
7	.24	.08	—	—	—	.09	—	~~1.11~~	—	.08	.29	.01	7
8	.01	.01	.10	—	—	—	.27	—	.13	—	—	—	8
9	—	.21	—	.05	—	.02	.07	—	.81	.16	—	.01	9
10	—	.02	—	.04	—	—	.05	—	.07	—	.01	.01	10
11	.21	.02	.01	.03	.29	—	.07	.02	.11	—	—	.01	11
12	.02	.03	.10	.03	.09	—	.02	.04	—	.13	.01	.07	12
13	—	.02	—	.13	—	—	—	—	.09	.07	—	—	13
14	.07	—	—	.03	—	—	.08	—	.65	—	—	.12	14
15	.02	—	.01	—	—	.18	.25	—	.83	.01	—	1.07	15
16	—	—	.04	—	—	.02	.20	.11	.13	.02	—	.25	16
17	.17	—	—	—	.30	.01	.35	.02	—	.70	.01	.33	17
18	.21	—	.04	.23	—	—	.33	—	.41	.09	—	.04	18
19	.17	—	.02	.25	—	—	.17	.14	.04	.34	—	—	19
20	.10	.44	—	.04	—	.09	.44	—	.07	.15	—	—	20
21	.07	.03	—	—	.48	.01	.02	—	.06	.11	.05	—	21
22	.02	—	—	.08	.05	—	.07	—	—	—	—	—	22
23	.10	—	—	.01	.46	—	.42	—	.13	—	—	—	23
24	—	.08	—	.01	—	—	.06	.02	.11	.04	.03	—	24
25	—	—	.03	—	—	.01	.12	.02	.06	.01	—	.08	25
26	—	—	—	—	—	—	.04	.07	.40	.01	.03	.01	26
27	—	.02	.01	—	—	.07	.01	.28	.16	—	.02	.18	27
28	—	.16	.48	—	—	—	—	—	—	—	.02	.43	28
29	—	X	.04	—	—	—	—	.01	(.05)	—	.01	.16	29
30	.01	X	.03	.03	—	—	—	.01	.10	—	.02	.49	30
31	—	X	.16	X	—	X	—	.04	X	—	X	.02	31
Total	1.69	1.50	1.29	1.76	2.29	.65	3.05	1.97	4.81	2.23	1.49	3.58	26.31
Rain Days.	18	15	17	16	9	10	20	14	22	20	16	20	217

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens Mulgrave Castle
in the County of North Yorkshire
by J. Corbett

Lat. 54° 41' N Long. 41' W
Time of Observation 9 A.M.
Nearest Railway Station Sandale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	04	—	—	23	—	25	—	28	01	04	09	1
2	06	04	02	—	—	—	48	01	02	01	21	—	2
3	57	—	—	34	09	02	47	—	04	—	19	04	3
4	32	03	80	—	04	09	02	10	07	—	34	—	4
5	61	24	01	—	—	06	04	—	04	—	06	02	5
6	01	—	28	—	05	—	—	—	02	05	15	07	6
7	02	—	40	—	24	—	—	—	—	—	02	46	7
8	11	—	—	05	12	01	01	01	—	03	12	06	8
9	02	17	05	—	—	—	03	—	—	20	12	—	9
10	—	01	01	—	09	—	—	—	—	11	13	20	10
11	—	—	74	—	04	—	11	—	—	04	09	—	11
12	—	01	78	10	—	—	—	—	10	30	06	01	12
13	03	—	43	—	—	08	01	05	—	21	13	01	13
14	20	—	02	39	—	—	—	04	—	36	04	—	14
15	02	11	19	19	—	—	—	—	—	25	01	41	15
16	01	01	02	04	—	—	—	—	—	12	01	02	16
17	—	04	—	—	02	01	—	03	—	—	14	—	17
18	—	—	—	—	10	—	02	24	04	—	—	05	18
19	04	103	57	05	—	—	45	14	35	—	01	02	19
20	15	24	02	—	—	02	03	02	19	—	—	19	20
21	07	12	05	—	—	—	—	01	03	—	02	10	21
22	—	26	25	—	—	—	33	—	04	—	03	—	22
23	—	01	04	—	01	27	06	01	—	77	09	01	23
24	01	03	02	07	—	02	02	—	—	49	04	—	24
25	02	12	—	09	01	12	01	45	—	07	13	01	25
26	—	04	—	74	—	02	—	23	—	45	13	24	26
27	17	01	—	06	—	02	05	01	—	39	10	05	27
28	03	01	—	03	—	—	06	107	02	39	10	18	28
29	14	X	—	16	—	12	—	01	—	106	01	153	29
30	02	X	01	04	—	51	—	—	—	15	17	15	30
31	07	X	07	X	—	X	06	—	X	12	X	21	31
TOTAL	274	164	478	235	104	137	251	243	124	558	269	275	3112
Days with "01 in. or more	23	19	21	14	12	14	19	16	13	21	28	23	223

REGISTER OF RAINFALL IN 1920.

Kept at Mulgrave Castle Gardens
in the County of Yorkshire
by Florkett

Lat. 54° 31' Long 41' W
Time of Observation 9 a.m.
Nearest Railway Station Sanxend
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	14	31	21	01	48	—	—	70	—	07	1
2	01	—	06	12	—	—	246	—	10	24	—	22	2
3	—	07	—	22	—	10	08	13	16	20	—	37	3
4	03	01	—	03	07	—	98	31	—	71	—	05	4
5	—	—	02	—	08	—	30	14	07	—	—	10	5
6	—	—	12	03	07	—	07	03	07	—	—	04	6
7	04	—	04	02	03	—	08	—	—	—	—	08	7
8	—	—	—	02	07	—	12	07	—	02	05	07	8
9	05	—	—	37	07	—	14	19	06	07	—	—	9
10	74	04	—	75	—	—	03	—	—	01	—	—	10
11	19	—	04	08	04	—	—	07	—	—	—	32	11
12	21	—	06	14	07	—	01	—	—	07	—	34	12
13	16	07	16	02	—	—	—	—	—	—	—	21	13
14	—	05	70	18	—	—	08	—	30	17	12	04	14
15	—	04	76	22	—	—	07	—	07	05	03	04	15
16	—	—	—	07	—	—	41	—	29	—	—	01	16
17	—	—	—	—	03	—	07	27	04	03	—	08	17
18	25	04	—	—	08	—	19	12	18	07	—	—	18
19	07	44	07	32	—	03	—	30	07	—	—	—	19
20	11	07	—	07	—	19	—	—	—	—	07	—	20
21	07	01	—	07	—	—	43	43	07	07	07	02	21
22	02	—	—	08	—	—	07	07	—	—	07	07	22
23	—	—	07	06	—	—	29	—	07	—	07	—	23
24	02	07	42	08	—	—	07	—	—	02	—	10	24
25	02	10	03	03	—	—	59	—	07	—	—	—	25
26	02	05	14	08	—	—	10	—	—	—	01	—	26
27	22	—	06	13	16	37	—	—	07	—	17	02	27
28	84	—	04	07	—	02	07	—	—	07	11	15	28
29	13	—	06	07	24	03	03	—	02	—	02	—	29
30	02	XX	—	07	14	02	—	—	19	—	13	50	30
31	04	XX	—	XX	03	XX	—	—	XX	1	XX	05	31
TOTAL	314	94	287	335	115	77	690	201	148	220	68	277	2826
Days with 01 in. or more	21	13	18	27	15	8	24	12	17	15	12	22	204
Days with 04 in. or more	12	9	14	10	8	5	16	9	9	6	5	16	123

REG

Kept at Whitby
in the County of Yorks.
by Thomas Newbitt

WHITBY
WESTHORPE

1911 - 1920

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this p
the selection and placing
Organization are given in "A

Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

in.
bund 1 ft. 0 in.
Level 125 ft.
at 9 a.m.
me Whitby Town
distance 400 Direction SE
result entered to the
rule, he is earnestly
in the space provided
of rain,
Rainfall
interested
to previous
day: always

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.290	-	-	-	-	-	.130	.200	-	.080	-	-	1
2	-	-	.020	-	.015	-	.240	-	-	.025	-	.130	2
3	.100	.010	.010	.030	.160	-	-	-	-	.200	-	-	3
4	.130	-	.120	.030	-	-	-	.070	-	.020	.110	.350	4
5	.050	-	-	.020	.010	-	-	.150	-	.010	-	.020	5
6	.310	-	.030	-	-	-	-	.030	-	.030	-	.450	6
7	.030	.015	-	-	-	-	-	-	-	-	.060	-	7
8	-	-	.040	-	-	.040	-	-	-	-	.010	.120	8
9	-	-	-	-	-	-	-	-	-	-	-	.080	9
10	.010	-	-	-	-	.080	-	-	-	-	.100	.370	10
11	.370	-	-	-	.080	-	-	-	-	-	.240	.035	11
12	.080	-	.140	-	.130	.070	-	-	.740	-	.085	-	12
13	.040	-	.270	-	.100	.290	-	-	.280	-	.010	.195	13
14	-	.060	.210	-	.020	.030	.030	-	.010	-	.015	.480	14
15	-	.025	.210	-	-	-	-	-	-	.030	.140	.240	15
16	-	-	.110	.020	-	-	.080	-	.020	-	.120	.030	16
17	-	-	.020	-	-	.530	.020	-	-	-	.015	.160	17
18	-	.030	.040	-	-	.240	-	-	-	-	.400	.110	18
19	-	-	-	-	.020	.060	-	.070	-	.110	.420	.030	19
20	-	-	-	-	-	-	.110	1.260	-	-	.080	.450	20
21	-	.190	-	-	-	-	-	.400	-	.300	.510	-	21
22	.040	-	-	-	-	-	-	.370	-	-	.120	-	22
23	-	.170	.010	-	-	1.530	-	-	.480	-	-	.110	23
24	-	-	.090	-	-	1.630	.010	-	-	.060	-	.060	24
25	-	.120	-	.070	-	.490	-	-	.220	.200	.010	.060	25
26	-	-	-	.020	-	-	.470	-	-	.480	.350	.020	26
27	-	.010	.010	.070	-	-	-	.115	.090	-	.020	.020	27
28	-	.010	.010	.050	-	.020	.020	-	.010	.130	-	.040	28
29	-	-	-	.030	-	.040	.390	-	.430	.110	.010	-	29
30	-	-	.010	-	.120	-	-	-	.150	.070	-	-	30
31	-	-	-	-	.460	-	-	-	-	.030	-	.040	31
Total	1.450	.640	1.350	.340	1.115	5.050	1.500	2.665	2.430	1.885	2.825	3.600	TOTAL for year 24.250
No. of Rain Days.	11	10	17	9	10	13	10	9	10	16	20	23	158 avg.

REC

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at

Whitby

in the County of

Yorks. (North Riding)

by Thomas Newbitt, Curator of Museum

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 125 ft.
Time of Observation daily at 9 a.m.
Nearest Railway Station { Name Whitby Town
Distance 400 yds. Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

entered
to previous
day: above

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.290	—	—	—	—	—	.130	.200	—	.080	—	—	1
2	—	—	.020	—	.015	—	.240	—	—	.025	—	.130	2
3	.100	.010	.010	.030	.160	—	—	—	—	.200	—	—	3
4	.130	—	.120	.030	—	—	—	.070	—	.020	.110	.350	4
5	.050	—	—	.020	.010	—	—	.150	—	.010	—	.020	5
6	.310	—	.030	—	—	—	—	.030	—	.030	—	.450	6
7	.030	.015	—	—	—	—	—	—	—	—	.060	—	7
8	—	—	.040	—	—	.040	—	—	—	—	.010	.120	8
9	—	—	—	—	—	—	—	—	—	—	—	.080	9
10	.010	—	—	—	—	.080	—	—	—	—	.100	.370	10
11	.370	—	—	—	.080	—	—	—	—	—	.240	.035	11
12	.080	—	.140	—	.130	.070	—	—	.740	—	.085	—	12
13	.040	—	.270	—	.100	.290	—	—	.280	—	.010	.195	13
14	—	.060	.210	—	.020	.030	.030	—	.010	—	.015	.480	14
15	—	.025	.210	—	—	—	—	—	—	.030	.140	.240	15
16	—	—	.110	.020	—	—	.080	—	.020	—	.120	.030	16
17	—	—	.020	—	—	.530	.020	—	—	—	.015	.160	17
18	—	.030	.040	—	—	.240	—	—	—	—	.400	.110	18
19	—	—	—	—	.020	.060	—	.070	—	.110	.420	.030	19
20	—	—	—	—	—	—	.110	1.260	—	—	.080	.450	20
21	—	.190	—	—	—	—	—	.400	—	.300	.510	—	21
22	.040	—	—	—	—	—	—	.370	—	—	.120	—	22
23	—	.170	.010	—	—	1.530	—	—	.480	—	—	.110	23
24	—	—	.090	—	—	1.630	.010	—	—	.060	—	.060	24
25	—	.120	—	.070	—	.490	—	—	.220	.200	.010	.060	25
26	—	—	—	.020	—	—	.470	—	—	.480	.350	.020	26
27	—	.010	.010	.070	—	—	—	.115	.090	—	.020	.020	27
28	—	.010	.010	.050	—	.020	.020	—	.010	.130	—	.040	28
29	—	—	—	.030	—	.040	.390	—	.430	.110	.010	—	29
30	—	—	.010	—	.120	—	—	—	.150	.070	—	—	30
31	—	—	—	—	.460	—	—	—	—	.030	—	.040	31
Total	1.450	.640	1.350	.340	1.115	5.050	1.500	2.665	2.430	1.885	2.825	3.600	TOTAL for year 24.850
No. of Rain Days.	11	10	17	9	10	13	10	9	10	16	20	23	158 days

REGISTER OF RAINFALL IN 1913

Kept at Whitby.
in the County of Yorkshire (N.R.)
by T. Woodhouse Parkinson.

Lat. 54° 29' N Long. 0° 37' W.
Time of Observation 9 a.m.
Nearest Railway Station Whitby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 125 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	.47	—	—	—	—	.29	—	.02	—	1
2	—	Trace	.01	—	—	.07	.01	—	—	—	.02	—	2
3	—	—	.04	—	.01	—	.10	—	.03	.01	—	Trace	3
4	.28	—	.01	—	Trace	.05	.07	—	.02	1.29	.06	.06	4
5	.20	.04	.03	—	.02	.12	.42	.08	Trace	.08	—	—	5
6	—	.11	.15	—	.64	.08	.07	.01	—	—	.15	—	6
7	—	.23	—	—	.06	.12	.07	—	—	.85	Trace	Trace	7
8	—	Trace	—	.02	.63	.06	.04	—	.14	.16	.08	—	8
9	—	.06	.04	.18	.15	—	—	Trace	Trace	—	.04	—	9
10	—	.06	.06	Trace	—	—	—	—	.01	.13	.36	—	10
11	.68	—	—	.26	.15	.17	—	—	—	—	.07	—	11
12	.40	—	—	—	—	—	—	Trace	.06	—	.07	—	12
13	.28	.01	—	—	—	—	—	.07	.03	—	.11	—	13
14	.12	.03	.04	Trace	—	—	—	—	—	.02	—	.01	14
15	.17	Trace	.23	.37	—	—	—	—	—	—	.01	—	15
16	—	—	.02	—	—	—	—	Trace	—	—	.07	Trace	16
17	—	.01	.08	.02	—	Trace	—	Trace	.06	—	.02	.02	17
18	.01	—	.46	.08	.38	.08	—	—	—	—	.07	Trace	18
19	.12	—	.04	.01	.05	—	—	—	.44	—	—	—	19
20	.40	Trace	.07	—	Trace	—	—	—	.01	.02	.12	—	20
21	.01	—	.03	—	.11	—	.03	.08	Trace	—	—	—	21
22	.01	—	.35	—	.05	.02	Trace	.29	.33	.01	—	—	22
23	.05	—	.02	—	Trace	.03	.14	—	.01	Trace	—	—	23
24	.18	—	—	—	—	.47	—	.13	—	—	—	.11	24
25	Trace	—	—	.03	—	Trace	—	—	.09	.02	—	.01	25
26	Trace	—	Trace	.19	—	.01	—	—	.02	.31	.07	.27	26
27	—	.06	.01	.14	.29	.14	—	—	—	.01	Trace	—	27
28	.09	.01	.24	.29	.03	Trace	—	—	—	.04	—	.26	28
29	.01	—	.29	.19	.08	—	—	Trace	—	.05	.02	.28	29
30	.30	—	—	—	.01	Trace	—	—	—	.32	—	.29	30
31	.02	—	—	—	.16	—	Trace	.09	—	—	—	Trace	31
Total	3.33	0.62	2.33	2.25	2.82	1.42	0.95	0.75	1.54	3.32	1.36	1.31	22.0"
Rain Days.	18	10	21	13	16	13	9	7	14	15	17	9	162 days

REGISTER OF RAINFALL IN 1914.

Kept at

Whitby.

in the County of

Yorkshire, (N.R.) 5

by

T. Woodhouse Parkinson.

Lat. $54^{\circ}29'N$ Long. $0^{\circ}37'W$.

Time of Observation 9 a.m.

Nearest Railway Station Whitby Town

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 125 ft.

FORM A.
BRITISH RAINFALL.
1 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	.59	.07	—	.02	Trace	.15	1
2	—	—	—	—	—	—	.53	.11	—	Trace	.38	.06	2
3	—	—	.06	—	.08	—	.15	—	—	—	.11	.35	3
4	Trace	—	—	.01	.15	.01	Trace	—	—	—	.27	.57	4
5	—	—	.10	.09	.01	.02	Trace	—	—	.01	.25	Trace	5
6	.04	.02	—	.07	.05	—	.12	—	—	—	.05	.09	6
7	—	.04	.06	.01	.02	.17	—	Trace	—	—	Trace	.05	7
8	.46	—	.05	.01	.16	.25	.01	.01	—	.06	—	.01	8
9	.40	.01	.16	.13	Trace	.54	—	Trace	.12	Trace	.04	.06	9
10	.24	.22	Trace	.02	—	—	—	—	.02	—	Trace	Trace	10
11	—	.28	.07	—	.12	.09	—	—	.01	—	.17	.31	11
12	.03	—	—	—	—	.01	—	—	.06	—	.01	.56	12
13	.01	.03	.10	—	Trace	—	—	—	Trace	Trace	.15	.36	13
14	.01	.18	Trace	.01	—	—	.10	—	Trace	.01	.21	.12	14
15	.06	Trace	.30	—	—	Trace	.37	Trace	—	Trace	.55	.14	15
16	.02	—	.02	—	—	—	2.53	—	.32	—	.06	Trace	16
17	.07	.11	—	—	—	—	Trace	—	.30	—	.01	.06	17
18	.06	.13	.06	—	—	.10	—	.02	.08	—	.01	.37	18
19	Trace	Trace	.09	—	Trace	—	Trace	—	.24	—	.07	Trace	19
20	.05	.13	.31	—	—	.12	.01	—	—	Trace	Trace	.01	20
21	.02	.47	.16	—	—	Trace	.02	.06	Trace	.09	.06	.01	21
22	.04	—	.11	.07	.05	.08	—	.07	—	.01	.02	.08	22
23	Trace	—	Trace	.03	.36	Trace	—	Trace	—	—	.02	.10	23
24	—	—	—	.15	.01	Trace	—	.28	—	—	.12	Trace	24
25	—	.05	Trace	—	—	Trace	—	—	—	.30	.01	.49	25
26	—	—	.02	—	—	—	.09	.21	—	.30	.05	.23	26
27	—	—	—	—	—	—	.01	—	—	Trace	.09	.46	27
28	.01	.01	—	—	—	—	.01	Trace	Trace	.03	.02	.24	28
29	Trace	—	.04	—	.01	—	—	.12	—	.51	.04	Trace	29
30	—	—	.06	.01	—	—	—	.03	—	.05	.07	.36	30
31	.06	—	Trace	—	—	—	.13	—	—	.34	—	Trace	31
Total	1.58	1.68	1.77	0.61	1.02	1.39	4.67	0.98	1.15	1.73	2.84	5.24	YEAR'S TOTAL 24.66
Rain Days.	16	13	17	12	11	10	14	10	8	12	25	24	172

REGISTER OF RAINFALL IN 1915.

Kept at Whitby
 in the County of Yorkshire, N. Riding 5
 by T. Woodhouse Parkinson

Lat. 54° 29' N Long. 0° 37' W
 Time of Observation 9 a.m.
 Nearest Railway Station Whitby
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 125 ft.

FORM A.
 BRITISH RAINFALL
 1-FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in—"Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.


Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	.09	.01	Trace	.20	Trace	Trace	.68	.10	.01	.10	.31	1
2	Trace	.16	.10	.03	—	—	Trace	.14	.13	Trace	.08	.02	2
3	.79	Trace	.06	.09	—	.01	.33	.27	—	—	.02	.74	3
4	.03	—	.01	—	Trace	—	.59	Trace	—	Trace	.28	.71	4
5	.05	.07	.02	—	.07	—	.07	.01	—	.05	.01	.56	5
6	.01	.48	.07	.07	.05	—	.74	.07	—	.01	—	.02	6
7	.20	.51	.03	—	Trace	—	.23	.09	—	—	—	.01	7
8	.10	.09	.06	—	—	—	.06	.02	—	—	.02	Trace	8
9	.21	.04	—	—	—	—	.24	.07	—	.01	.04	.43	9
10	.07	.11	—	—	—	—	Trace	.09	—	—	—	.02	10
11	.02	.28	—	.05	.56	—	.01	—	—	—	.02	.39	11
12	.20	Trace	—	.29	.04	—	.01	Trace	—	.03	.60	.16	12
13	—	.15	—	Trace	—	—	.01	.02	—	—	.03	.01	13
14	Trace	.13	—	.02	.09	—	Trace	.66	—	—	Trace	.02	14
15	.31	.06	—	—	—	—	.08	.20	—	.12	.08	.03	15
16	.13	.49	Trace	—	—	Trace	1.11	.01	.02	.14	.08	Trace	16
17	.32	.13	.07	—	—	—	.24	—	.11	Trace	.07	.05	17
18	.07	.02	.43	—	—	—	Trace	—	.04	.04	.01	.02	18
19	—	Trace	.02	—	—	—	.05	.01	—	.05	—	Trace	19
20	.02	—	Trace	.01	—	—	—	.01	—	.02	—	.48	20
21	.21	.01	—	.15	Trace	—	Trace	—	—	Trace	—	.07	21
22	.16	—	Trace	—	—	—	.02	—	—	—	.01	.08	22
23	.07	.14	.03	.01	—	—	.15	—	.01	—	.03	.04	23
24	Trace	Trace	.14	.11	—	—	—	—	.42	.04	.03	.03	24
25	—	Trace	.02	—	—	.01	.13	—	.01	.01	.29	—	25
26	.01	.38	.04	.05	—	.26	.36	—	.02	.45	.06	.19	26
27	.03	.11	.04	—	—	.03	.50	—	.03	.17	Trace	.22	27
28	.04	.08	.06	—	—	—	.05	.04	.11	.47	.01	Trace	28
29	Trace	~~X~~	.01	—	.16	—	.02	.09	.33	Trace	.11	.27	29
30	.03	~~X~~	—	.10	.26	—	Trace	.01	.17	Trace	Trace	.03	30
31	Trace	~~X~~	—	~~X~~	.01	~~X~~	—	.27	~~X~~	.01	~~X~~	.17	31
Total	3.34	3.53	1.22	0.98	1.44	0.31	5.00	2.76	1.50	1.63	1.98	5.08	YEAR'S TOTAL 28.77
Rain Days.	23	20	18	12	9	4	21	19	13	16	21	26	202

REGISTER OF RAINFALL IN 1916.

Kept at Whitby
 in the County of Yorkshire (N. Riding)
 by T. Woodhouse Parkinson

Lat. 54° 29' N Long. 0° 37' W.
 Time of Observation 9 a.m.
 Nearest Railway Station Whitby
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 125 ft.

FORM A.
 BRITISH RAINFALL
 15 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.


Jan. 1, following.


Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	—	.11	—	—	Trace	.10	—	—	—	.01	Trace	1
2	.01	Trace	.09	—	—	.01	Trace	—	.13	.02	Trace	.02	2
3	—	.13	.03	.03	—	.01	—	.02	.24	.07	.15	.10	3
4	Trace	.07	.18	.02	.80	.20	—	—	.06	.39	.29	.26	4
5	.13	.10	.12	Trace	.13	.15	—	Trace	—	.22	.13	.08	5
6	Trace	.19	.09	.10	.22	Trace	.05	—	—	.01	.30	.02	6
7	—	—	.09	.01	.13	.12	.02	—	Trace	.08	Trace	.15	7
8	—	—	.28	Trace	.06	.08	—	—	—	Trace	Trace	.05	8
9	—	—	.03	—	.32	.02	.09	—	.04	—	.01	.62	9
10	.15	.01	.03	Trace	Trace	.03	.02	—	Trace	Trace	Trace	.19	10
11	—	.45	.49	.26	.01	.27	.14	—	.05	.03	—	.37	11
12	.08	—	.25	.01	.30	.19	.46	.01	—	Trace	—	.11	12
13	Trace	—	.21	.07	.20	Trace	.08	.30	.12	.37	.03	.22	13
14	—	.13	.04	—	.02	.11	—	.26	Trace	.01	—	.35	14
15	.02	.14	.33	—	.01	—	.03	.74	.04	.03	Trace	.03	15
16	—	—	.04	.13	—	—	.07	.30	—	.03	—	.18	16
17	Trace	—	.01	.10	—	—	—	.08	.15	.07	.05	Trace	17
18	Trace	.21	.01	.38	—	.01	Trace	.12	.15	.10	.90	Trace	18
19	.12	.01	.01	.17	.07	—	—	.01	.07	.07	.59	.07	19
20	.03	Trace	.23	.14	—	Trace	.14	Trace	—	Trace	.06	.08	20
21	.01	.14	.04	Trace	.02	—	.03	Trace	—	Trace	Trace	.18	21
22	—	.03	.01	.01	—	Trace	—	—	—	.02	—	—	22
23	.01	Trace	.03	Trace	—	.02	.01	—	—	Trace	.06	.68	23
24	—	.01	.06	—	—	.18	—	.07	Trace	.17	—	.01	24
25	—	.04	.20	—	.02	—	—	.18	—	.10	.21	.04	25
26	.07	.14	.04	—	—	—	—	—	—	Trace	.20	Trace	26
27	—	.35	Trace	—	—	Trace	—	.77	Trace	.18	.01	Trace	27
28	—	.14	Trace	—	—	.03	—	.06	.01	.01	—	.04	28
29	—	.18	—	.01	—	.03	—	—	—	.20	—	.03	29
30	—	~~X~~	—	—	.01	.08	.04	—	.07	.21	—	.01	30
31	—	~~X~~	—	~~X~~	Trace	~~X~~	—	—	~~X~~	.19	~~X~~	.01	31
Total	0.87	2.47	3.05	1.44	2.32	1.54	1.28	2.92	1.13	2.58	3.00	3.90	YEAR'S TOTAL 26.50
Rain Days.	11	18	26	14	15	17	14	13	12	22	15	25	202

REGISTER OF RAINFALL IN 1917.

Kept at Whitby.
in the County of Yorkshire, N. Riding
by T. Woodhouse Parkinson

Lat. 54-29 N. Long. 0-37 W
Time of Observation 9-0 a.m.
Nearest Railway Station Whitby.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 125 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'01	—	'36	—	—	—	'38	'41	—	'09	'07	1
2	'01	—	Trace	'20	—	—	—	'26	Trace	—	Trace	—	2
3	—	'04	'06	'04	—	Trace	Trace	'11	—	—	Trace	—	3
4	—	'06	—	Trace	—	—	—	'01	—	'03	'03	—	4
5	'02	Trace	'05	'31	—	—	—	'02	—	'01	'01	—	5
6	—	Trace	Trace	Trace	—	—	—	Trace	Trace	'12	'10	—	6
7	'64	—	Trace	—	—	'10	—	—	—	'14	Trace	'07	7
8	'26	Trace	'02	'07	—	—	—	'84	'05	'22	'05	—	8
9	'06	Trace	Trace	'05	—	—	—	'25	—	'20	'04	'04	9
10	'08	—	'89	'22	'06	—	—	'77	—	'13	'37	—	10
11	'11	'01	Trace	'08	—	Trace	—	'17	—	'12	Trace	Trace	11
12	'56	'01	'01	'14	'09	—	—	'14	—	'20	—	Trace	12
13	'28	Trace	—	'06	'19	'14	—	'05	'09	'29	—	'04	13
14	'14	Trace	'04	'08	'55	—	'07	'46	—	'06	—	'03	14
15	'05	—	Trace	'01	'01	—	'02	'14	'01	Trace	—	'14	15
16	'13	—	—	'10	—	—	—	'01	—	—	—	'24	16
17	'05	'02	—	'06	'36	'85	'08	'13	—	—	—	'06	17
18	Trace	Trace	—	'01	'05	—	'48	'12	'01	Trace	—	—	18
19	'15	'04	'36	—	'05	'35	—	—	—	—	—	'01	19
20	'05	'17	'11	'02	—	'60	—	'31	'10	—	'37	'02	20
21	Trace	'17	'08	—	Trace	Trace	—	'03	—	—	'07	—	21
22	—	—	'02	—	—	'01	—	'06	—	'01	Trace	—	22
23	'04	'02	—	—	'10	'02	'05	'04	—	Trace	—	—	23
24	Trace	'03	—	Trace	'08	'02	'02	'01	—	'18	'15	'05	24
25	Trace	'02	'13	—	—	'16	Trace	—	—	'05	'11	'13	25
26	—	Trace	'08	—	—	'18	—	'66	'04	'05	'26	'05	26
27	'01	—	'02	—	—	'07	'33	'67	—	—	Trace	'03	27
28	Trace	—	'05	—	—	'01	'24	'45	—	'12	Trace	Trace	28
29	'04	X	Trace	—	—	—	'57	'31	—	'35	Trace	—	29
30	'04	X	'03	'02	—	—	'04	—	—	Trace	—	'03	30
31	'12	X	'08	X	Trace	X	'23	'03	X	—	X	'08	31
Total	2.84	0.60	2.03	1.83	1.54	2.51	2.13	6.43	0.71	2.28	1.65	1.09	25.64
Rain Days.	20	12	16	17	10	12	11	26	7	17	12	16	176

REGISTER OF RAINFALL IN 1918.

Kept at Whitby
in the County of Yorkshire. N.R.
by T. Woodhouse Parkinson

Lat. 54° 29' N Long. 0° 37' W
Time of Observation 9 A.M.
Nearest Railway Station Whitby.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 125 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.



Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.01	.01	.01	—	—	.02	—	.14	.03	.24	.03	1
2	.07	.02	.01	.30	—	—	—	—	.08	.02	—	.13	2
3	.03	Trace	.04	Trace	.03	—	—	.03	—	.01	.60	—	3
4	—	.01	.05	—	.14	—	—	—	Trace	.02	.15	.17	4
5	—	—	Trace	.01	.56	—	—	1.02	—	.02	Trace	—	5
6	.19	.12	—	.61	.01	.14	—	.09	Trace	.05	Trace	—	6
7	.04	.10	—	Trace	—	—	—	—	—	.04	.28	—	7
8	.01	—	.09	—	—	—	.25	—	.16	.01	.01	Trace	8
9	—	.13	—	.03	—	.02	.04	—	.80	.13	Trace	.01	9
10	—	.01	—	.01	—	—	.01	—	.02	—	Trace	Trace	10
11	.17	.02	.02	.01	.34	—	.14	.06	—	Trace	—	.07	11
12	—	.01	.05	.01	—	—	.03	.02	.20	.08	.01	.08	12
13	Trace	.01	Trace	.06	.04	—	—	—	.20	.03	—	—	13
14	.04	—	—	.02	—	—	.04	—	.38	—	—	.22	14
15	Trace	—	.02	Trace	—	.23	.17	—	.76	—	—	.84	15
16	—	—	Trace	—	—	.01	.07	.11	.06	.01	Trace	.14	16
17	.13	—	—	—	.16	.03	.47	.03	—	.53	Trace	.25	17
18	.32	Trace	.02	.19	—	—	.15	—	.40	.12	—	.02	18
19	.11	—	.01	.24	—	—	.16	.11	.01	.28	Trace	.01	19
20	.06	.47	—	.03	—	.07	.62	—	.03	.13	Trace	Trace	20
21	.07	.01	—	—	.42	Trace	—	—	.03	.14	Trace	Trace	21
22	.01	—	—	.07	.05	.01	.08	—	—	Trace	Trace	.28	22
23	.06	—	—	Trace	.31	—	.17	—	.20	Trace	—	—	23
24	Trace	.08	—	Trace	—	—	.01	.02	.10	.04	.02	.06	24
25	—	—	.01	—	—	Trace	.24	.03	.06	.04	.04	.38	25
26	—	—	—	—	—	—	Trace	.05	.22	.01	.01	.01	26
27	—	Trace	—	—	—	.04	—	.24	.11	—	.02	.15	27
28	—	.17	.25	—	—	—	—	—	Trace	—	.01	.35	28
29	—	~~X~~	.01	—	—	—	—	Trace	.12	—	.01	.25	29
30	Trace	~~X~~	.07	.01	—	—	—	—	.05	—	.10	.64	30
31	—	~~X~~	.14	~~X~~	—	~~X~~	—	.03	~~X~~	—	~~X~~	.04	31
Total	1.34	1.17	0.80	1.61	2.06	0.55	2.67	1.84	4.13	1.74	1.50	4.13	YEAR'S TOTAL 23.54
Rain Days.	15	14	15	15	10	8	17	13	21	20	13	21	182.

REGISTER OF RAINFALL IN 1920 1919.

Kept at

in the County of

by

Whitby

Yorkshire, N. Riding.

T. Woodhouse Parkinson.

Lat. 54-29N Long. 0-37W.

Time of Observation 9 a.m.

Nearest Railway Station Whitby (Town)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.02	—	—	.20	—	.29	.01	.20	Trace	.05	.06	1
2	.06	.06	.03	—	—	—	.54	—	Trace	Trace	.15	Trace	2
3	.58	Trace	Trace	.01	.07	.41	.01	—	.02	—	.18	.03	3
4	.28	.08	.51	—	Trace	.03	Trace	.12	.07	—	.39	—	4
5	.58	.15	Trace	—	—	.06	.01	—	.04	—	.03	.01	5
6	Trace	—	.25	—	.03	—	Trace	—	.01	.03	.27	.01	6
7	.02	Trace	.26	—	.23	—	—	—	—	—	.04	.37	7
8	.16	Trace	—	Trace	.07	Trace	—	.01	—	.01	.13	.10	8
9	.02	Trace	.02	—	Trace	—	—	—	—	.14	.15	.01	9
10	—	—	Trace	.01	Trace	—	—	—	—	.09	.24	.26	10
11	.01	—	.83	—	.06	—	.17	—	Trace	.05	.07	Trace	11
12	.01	Trace	.72	.08	—	—	—	—	.07	.24	.12	Trace	12
13	.03	—	.25	.07	—	.04	.08	.04	—	.18	.06	.01	13
14	.19	Trace	.02	.22	—	—	Trace	.03	—	.21	.01	Trace	14
15	.01	.12	.03	.11	—	—	—	.02	—	.41	.02	.44	15
16	Trace	Trace	—	.01	—	—	—	—	—	.07	.01	Trace	16
17	Trace	.07	—	Trace	—	.01	—	.02	—	Trace	.10	—	17
18	Trace	Trace	—	—	.12	—	.01	.28	.13	—	Trace	.04	18
19	.02	.18	.76	.03	—	—	.52	.07	.30	—	Trace	.02	19
20	.25	.15	—	—	—	.02	Trace	.02	.08	—	—	.17	20
21	.04	.12	.10	—	—	—	Trace	.01	.04	—	.01	.06	21
22	—	.19	.11	—	—	Trace	.31	Trace	.03	—	.01	.06	22
23	Trace	—	.06	.02	—	.29	Trace	.02	—	.66	.02	Trace	23
24	—	.02	.01	.01	.01	.01	Trace	Trace	—	.24	.03	Trace	24
25	.01	.04	—	.10	—	.10	—	.28	—	.01	.13	.01	25
26	Trace	.12	.12	.03	—	.02	—	.08	Trace	.82	.21	.42	26
27	.05	Trace	—	.54	—	.02	.02	—	—	.45	.03	—	27
28	.05	Trace	Trace	.03	—	—	.02	1.01	.01	.22	.07	.20	28
29	.10	~~X~~	.05	.02	—	.11	—	.01	—	.72	.01	.15	29
30	.07	~~X~~	.08	.13	—	.55	—	Trace	—	.14	.21	.15	30
31	.04	~~X~~	.05	~~X~~	—	~~X~~	.03	—	~~X~~	.08	~~X~~	.13	31
TOTAL	2.67	1.32	4.26	1.42	0.79	1.37	2.01	2.03	1.00	4.77	2.75	2.80	YEAR'S TOTAL
Days with 0.1 in. or more	22	13	19	16	8	13	12	16	12	19	27	21	198

REGISTER OF RAINFALL IN 1919

Kept at Whitby [M.O.]
 in the County of Yorkshire (N. Riding.)
 by J. Woodhouse Parkinson

Lat. 54° 29' Long. 0° 37' W
 Time of Observation 9h G.M.T.
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 125 ft.

FORM A.
 BRITISH RAINFALL
 FEB 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan. IN	Feb. IN	March. IN	April. IN	May. IN	June. IN	July. IN	Aug. IN	Sept. IN	Oct. IN	Nov. IN	Dec. IN	Date.
1	0.09	0.02	-	-	0.20	-	0.29	0.01	0.20	-	0.05	0.06	1
2	0.06	0.06	0.03	-	-	-	0.54	-	-	-	0.15	-	2
3	0.58	-	-	0.01	0.07	0.11	0.01	-	0.02	-	0.18	0.03	3
4	0.28	0.08	0.51	-	-	0.03	-	0.12	0.07	-	0.39	-	4
5	0.58	0.15	-	-	-	0.06	0.01	-	0.04	-	0.03	0.01	5
6	-	-	0.25	-	0.03	-	-	-	0.01	0.03	0.27	0.10	6
7	0.02	-	0.26	-	0.23	-	-	-	-	-	0.04	0.37	7
8	0.16	-	-	-	0.07	-	-	0.01	-	0.01	0.13	0.10	8
9	0.02	-	0.02	-	-	-	-	-	-	0.14	0.15	0.01	9
10	-	-	-	0.01	-	-	-	-	-	0.09	0.24	0.26	10
11	0.01	-	0.83	-	0.06	-	0.17	-	-	0.05	0.07	-	11
12	0.01	-	0.72	0.08	-	-	-	-	0.07	0.24	0.12	-	12
13	0.03	-	0.25	0.07	-	0.04	0.08	0.04	-	0.18	0.06	0.01	13
14	0.19	-	0.02	0.22	-	-	-	0.03	-	0.21	0.01	-	14
15	0.01	0.12	0.03	0.11	-	-	-	0.02	-	0.41	0.02	0.44	15
16	-	-	-	0.01	-	-	-	-	-	0.07	0.01	-	16
17	-	0.07	-	-	-	0.01	-	0.02	-	-	0.10	-	17
18	-	-	-	-	0.12	-	0.01	0.28	0.13	-	-	0.04	18
19	0.02	0.18	0.76	0.03	-	-	0.52	0.07	0.30	-	-	0.02	19
20	0.25	0.15	-	-	-	0.02	-	0.02	0.08	-	-	0.17	20
21	0.04	0.12	0.10	-	-	-	-	0.01	0.04	-	0.01	0.06	21
22	-	0.19	0.11	-	-	-	0.31	-	0.03	-	0.01	0.06	22
23	-	-	0.06	0.02	-	0.29	-	0.02	-	0.66	0.02	-	23
24	-	0.02	0.01	0.01	0.01	0.01	-	-	-	0.24	0.03	-	24
25	0.01	0.04	-	0.10	-	0.10	-	0.28	-	0.01	0.13	0.01	25
26	-	0.12	0.12	0.03	-	0.02	-	0.08	-	0.82	0.21	0.42	26
27	0.05	-	-	0.54	-	0.02	0.02	-	-	0.45	0.03	-	27
28	0.05	-	-	0.03	-	-	0.02	1.01	0.01	0.22	0.07	0.20	28
29	0.10	X	0.05	0.02	-	0.11	-	0.01	-	0.72	0.01	0.15	29
30	0.07	X	0.08	0.13	-	0.55	-	-	-	0.14	0.21	0.15	30
31	0.04	X	0.05	X	-	X	0.03	-	X	0.08	X	0.13	31
Total	2.67	1.32	4.26	1.42	0.79	1.37	2.01	2.03	1.00	4.77	2.75	2.80	YEAR'S TOTAL 27.19
Rain Days.	22	13	19	16	8	13	12	16	12	19	27	21	198

REGISTER OF RAINFALL IN 1920.

Kept at Whitby
in the County of Yorkshire
by D. S. Ramsdale, for the Library
& Philosophical Society

Lat. 54° 29' N Long. 0° 39' W
Time of Observation 9h G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.08	0.26	0.21	-	0.29	-	-	0.97	-	-	1
2	-	-	0.04	0.12	-	-	0.20	-	0.12	0.15	-	0.18	2
3	-	0.03	-	0.19	0.01	0.07	0.06	0.21	0.13	0.13	-	0.39	3
4	0.04	-	-	0.02	-	-	0.74	0.21	-	0.60	-	0.06	4
5	-	-	0.01	-	0.06	-	0.25	0.10	0.08	-	-	0.04	5
6	-	-	0.08	0.02	-	-	0.01	0.03	0.02	-	0.01	0.05	6
7	0.04	-	0.03	-	0.01	-	0.11	-	-	-	-	0.02	7
8	-	-	-	0.20	0.05	-	0.01	0.02	-	-	0.04	-	8
9	0.06	-	-	0.35	0.02	-	0.11	0.16	0.03	-	-	-	9
10	0.76	-	-	0.39	-	-	0.01	-	-	-	-	0.02	10
11	0.09	-	0.03	0.12	0.03	-	-	-	-	-	-	0.31	11
12	0.19	-	0.03	0.18	0.01	-	-	-	0.01	-	-	0.36	12
13	0.11	0.01	0.09	0.03	-	-	-	-	0.01	-	-	0.24	13
14	-	0.03	0.56	0.14	-	-	0.02	-	0.25	0.15	0.10	0.02	14
15	-	0.07	0.44	0.07	-	-	0.01	-	-	0.21	0.02	0.03	15
16	-	-	-	-	-	-	0.43	-	0.17	0.01	-	0.02	16
17	-	-	-	-	0.07	-	-	0.19	0.07	0.01	-	0.02	17
18	0.26	-	-	-	0.07	-	0.08	0.02	0.22	-	-	-	18
19	-	0.32	-	0.35	-	0.06	-	0.33	0.01	-	-	-	19
20	0.11	0.03	-	0.02	-	0.07	-	-	0.01	-	-	-	20
21	-	-	-	0.01	-	-	0.46	0.44	-	-	0.01	0.01	21
22	0.01	-	-	0.07	-	-	-	0.02	-	-	-	-	22
23	-	-	-	0.10	-	-	0.18	-	-	-	0.01	0.06	23
24	-	-	0.43	0.02	-	-	-	-	-	-	-	0.01	24
25	-	0.06	0.03	0.01	0.01	-	0.55	-	-	-	-	-	25
26	0.01	0.07	0.09	0.05	-	-	0.05	-	-	-	-	-	26
27	0.18	-	0.01	0.07	0.25	0.43	-	-	-	-	0.09	-	27
28	0.96	-	0.05	-	-	0.02	0.01	-	-	-	0.10	0.10	28
29	0.12	-	0.03	0.01	0.40	0.01	0.03	-	0.01	-	-	0.37	29
30	0.03	~~X~~	~~X~~	0.03	0.07	0.03	-	-	0.34	-	0.08	0.07	30
31	0.02	~~X~~	~~X~~	~~X~~	0.02	~~X~~	-	-	~~X~~	-	~~X~~	0.06	31
TOTAL	2.99	0.62	2.03	2.83	1.29	0.69	3.61	1.73	1.48	2.23	0.46	2.44	YEAR'S TOTAL 22.40
Days with 0.1 in. or more	16	8	16	24	15	7	20	11	15	8	9	21	170

REGIS

Kept at Park Hall
in the County of Yorkshire
by Rev. J. H. Richard

WHITBY

(PARK HALL AISLABY)

1911 - 1920

IMPORTANT NOTE.—R.
previous day. If an Observer
requested to add the reading a
for it at the end of this para
the selection and placing of
Organization are given in "Rule
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL
JAN 1912
1 ft. — in.
vel 500 ft.
Slights
1016 Direction NW. 1/2 W
result entered to the
rule, he is earnestly
the space provided
f rain,
Rainfall
tion to
Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .26	in.	in.	in.	in.	in. .00	in. .09	in. .74	in.	in. .13	in.	in.	1
2	.18		.09		.05		.14			.07	.01	.21	2
3	.04	.01	.02	.06	.37		.01	.03		.14			3
4	.14		.13	.11				.08		.02	.15	.42	4
5	.18			.02	.02			.28		.11		.03	5
6	.49		.10	.01				.06		.05	.03	.75	6
7	.02	.02									.06		7
8			.10	.01		.12			.02	.03	.03	.16	8
9			.02	.02		.03						.11	9
10	.02	.18	.02			.05					.11	.46	10
11	.45										.30	.07	11
12	.10		.10		.13	.09			.76		.31		12
13	.07		.19		.31	.31			.31		.02	.31	13
14		.04	.26	.04	.02	.05	.06		.03		.03	.55	14
15		.04	.15						.03	.04	.17	.22	15
16		.01	.23	.03			.12		.04	.01	.02	.07	16
17			.04			.98	.05				.20	.22	17
18		.04	.13	.01		.28					.52	.21	18
19		.03	.02		.07	.06		.08	.02	.06	.50	.04	19
20		.01					.10	1.40	.02		.12	.62	20
21	.01	.27						.41		.30	.52		21
22	.09							.54			.14		22
23	.02	.29	.01	.01		1.25			.34	.01		.14	23
24			.03	.02		1.87				.09		.11	24
25		.12		.07		.65			.29	.23	.04	.06	25
26				.02	.01	.03	.72	.02		.39	.36	.05	26
27		.02	.03	.09				.16	.10	.03	.03	.04	27
28		.03	.04	.09		.02	.02	.03	.02	.07		.05	28
29		X	.02	.03		.02	.30	.01	.49	.17		.03	29
30		X	.03		.08	.01			.31	.08			30
31		X	.01	X	.36	X			X	.03	X	.07	31
Total	2.07	1.11	1.77	.64	1.42	5.82	1.61	3.84	2.78	2.08	3.67	5.00	TOTAL for year 31.81
No. of Rain Days	14	14	22	16	10	16	10	13	14	20	21	24	194

REGIS

FORM A2.
BRITISH RAINFALL
5 JAN 1912

Kept at Park Hall Aislaby

in the County of Yorkshire (N. Riding) 5

by Rev. J. H. Richardson M.A.

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 500 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Sleights
Distance 10.16 Direction NW. 1/2 W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<u>.26</u>	in.	in.	in.	in.	<u>.00</u>	<u>.09</u>	<u>.74</u>	in.	<u>.13</u>	in.	in.	1
2	<u>.18</u>		<u>.09</u>		<u>.05</u>		<u>.14</u>			<u>.07</u>	<u>.01</u>	<u>.21</u>	2
3	<u>.04</u>	<u>.01</u>	<u>.02</u>	<u>.06</u>	<u>.37</u>		<u>.01</u>	<u>.03</u>		<u>.14</u>			3
4	<u>.14</u>		<u>.13</u>	<u>.11</u>				<u>.08</u>		<u>.02</u>	<u>.15</u>	<u>.42</u>	4
5	<u>.18</u>			<u>.02</u>	<u>.02</u>			<u>.28</u>		<u>.11</u>		<u>.03</u>	5
6	<u>.49</u>		<u>.10</u>	<u>.01</u>				<u>.06</u>		<u>.05</u>	<u>.03</u>	<u>.75</u>	6
7	<u>.02</u>	<u>.02</u>									<u>.06</u>		7
8			<u>.10</u>	<u>.01</u>		<u>.12</u>			<u>.02</u>	<u>.03</u>	<u>.03</u>	<u>.16</u>	8
9			<u>.02</u>	<u>.02</u>		<u>.03</u>						<u>.11</u>	9
10	<u>.02</u>	<u>.18</u>	<u>.02</u>			<u>.05</u>					<u>.11</u>	<u>.46</u>	10
11	<u>.45</u>										<u>.30</u>	<u>.07</u>	11
12	<u>.10</u>		<u>.10</u>		<u>.13</u>	<u>.09</u>			<u>.76</u>		<u>.31</u>		12
13	<u>.07</u>		<u>.19</u>		<u>.31</u>	<u>.31</u>			<u>.31</u>		<u>.02</u>	<u>.31</u>	13
14		<u>.04</u>	<u>.26</u>	<u>.04</u>	<u>.02</u>	<u>.05</u>	<u>.06</u>		<u>.03</u>		<u>.03</u>	<u>.55</u>	14
15		<u>.04</u>	<u>.15</u>						<u>.03</u>	<u>.04</u>	<u>.17</u>	<u>.22</u>	15
16		<u>.01</u>	<u>.23</u>	<u>.03</u>			<u>.12</u>		<u>.04</u>	<u>.01</u>	<u>.02</u>	<u>.07</u>	16
17			<u>.04</u>			<u>.98</u>	<u>.05</u>				<u>.20</u>	<u>.22</u>	17
18		<u>.04</u>	<u>.13</u>	<u>.01</u>		<u>.28</u>					<u>.52</u>	<u>.21</u>	18
19		<u>.03</u>	<u>.02</u>		<u>.07</u>	<u>.06</u>		<u>.08</u>	<u>.02</u>	<u>.06</u>	<u>.50</u>	<u>.04</u>	19
20		<u>.01</u>					<u>.10</u>	<u>1.40</u>	<u>.02</u>		<u>.12</u>	<u>.62</u>	20
21	<u>.01</u>	<u>.27</u>						<u>.41</u>		<u>.30</u>	<u>.52</u>		21
22	<u>.09</u>							<u>.54</u>			<u>.14</u>		22
23	<u>.02</u>	<u>.29</u>	<u>.01</u>	<u>.01</u>		<u>1.25</u>			<u>.34</u>	<u>.01</u>		<u>.14</u>	23
24			<u>.03</u>	<u>.02</u>		<u>1.87</u>				<u>.09</u>		<u>.11</u>	24
25		<u>.12</u>		<u>.07</u>		<u>.65</u>			<u>.29</u>	<u>.23</u>	<u>.04</u>	<u>.06</u>	25
26				<u>.02</u>	<u>.01</u>	<u>.03</u>	<u>.72</u>	<u>.02</u>		<u>.39</u>	<u>.36</u>	<u>.05</u>	26
27		<u>.02</u>	<u>.03</u>	<u>.09</u>				<u>.16</u>	<u>.10</u>	<u>.03</u>	<u>.03</u>	<u>.04</u>	27
28		<u>.03</u>	<u>.04</u>	<u>.09</u>		<u>.02</u>	<u>.02</u>	<u>.03</u>	<u>.02</u>	<u>.07</u>		<u>.05</u>	28
29		X	<u>.02</u>	<u>.03</u>		<u>.02</u>	<u>.30</u>	<u>.01</u>	<u>.49</u>	<u>.17</u>		<u>.03</u>	29
30		X	<u>.03</u>		<u>.08</u>	<u>.01</u>			<u>.31</u>	<u>.08</u>			30
31		X	<u>.01</u>	X	<u>.36</u>	X			X	<u>.03</u>	X	<u>.07</u>	31
Total	<u>2.07</u>	<u>1.11</u>	<u>1.77</u>	<u>.64</u>	<u>1.42</u>	<u>5.82</u>	<u>1.61</u>	<u>3.84</u>	<u>2.78</u>	<u>2.08</u>	<u>3.67</u>	<u>5.00</u>	TOTAL for year <u>31.81</u>
No. of Rain Days	<u>14</u>	<u>14</u>	<u>22</u>	<u>16</u>	<u>10</u>	<u>16</u>	<u>10</u>	<u>13</u>	<u>14</u>	<u>20</u>	<u>21</u>	<u>24</u>	<u>194</u>

REGISTER OF RAINFALL IN 1912

Kept at Park Hall Aislaby
N. Riding
in the County of Yorkshire **NS**
by Rev. J. H. Richardson, M.A.

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 500 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Sleights
Distance 3/4 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.09	.02		.24	.25	.69	.03	.07		.11	1
2		.16	.04	.02	.02	.23	.81	.23		.07	.17		2
3	.05	.17	.01			.53	.02	.18	.14	.05		.19	3
4	.10		.47			.71		.26			.22	.01	4
5			.03		.05	.12					.03		5
6	.62	.07	.04			.02	.01	.06	.02		.01		6
7	.02	.05			.10			.01	.43		.02		7
8	.26	.18	.30	.01		.01			.37		.13		8
9	.03	.03	.19	.04		.01			.17		.05		9
10	.02			.09					.08		.04	.10	10
11	.14	.12		.01		.08	.02		.04		.20		11
12	.05	.20	.02				.55	.03	.01		.97	.01	12
13	.02	.01				.71		.19		.02	.14		13
14	.10		.28			.06		.09	.03		.10	.08	14
15	.01		.37		.66	.05				.01	.01	.09	15
16	.09		.02		.19					.02			16
17		.03	.18			.42	.10	.06	.02				17
18	.10	.02	.03			.01	.28			.01	.01		18
19	.12	.14					.38	.21	.01	.02	.01		19
20	.02	.16	.02		.31	.01	.36	.02		.09			20
21	.05		.25		.26		.09			.05			21
22	.09	.07	.06		1.49	1.10		.03		.03			22
23			.02		.15	.18	.06	.65		.69	.13		23
24	.48		.01			.29	.12	.09		.05		.17	24
25	.34		.01			.34	.05	.27		.01	.14		25
26	.10	.06				.06		.12		.53	.10	.28	26
27			.09	.01		.25	.46	.01		.36	.06	.05	27
28			.03	.04	.01	.11	.08	.28	.06	.09	.19		28
29		.02	.18	.06		.01	.23		.68	.03	.01	.04	29
30	.17	X	.01			.30	.12	.03	.43	.29	.11		30
31	.03	X	.13	X	.06	X	1.45	.34	X	.42	X		31
Total	3.01	1.56	2.88	.30	3.30	5.85	5.44	3.85	2.52	2.91	2.85	1.13	TOTAL for year 35.60
No. of Rain Days.	23	17	25	9	11	24	19	21	15	20	22	11	217

REGISTER OF RAINFALL IN 1913

Kept at Park Hall Aislaby
in the County of Yorkshire
by Rev. J. H. Richardson M.A.

Lat. 54° 27' 59" Long. 0° 40' 16" W. 9
Time of Observation 9 a.m.
Nearest Railway Station Sleights
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 500 ft.

FORM A.
BRITISH RAINFALL
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.09	1.09					.60		.03		1
2		.01	.02		.01	.09	.03			.03	.06		2
3	.02		.06		.03		.04		.06				3
4	.16				.02	.08	.14		.11	1.80	.08	.09	4
5	.42	.05	.04		.01	.13	.41	.10		.21			5
6		.15	.19		.50	.06	.04	.04			.04		6
7		.36		.03	.06	.06	.11			1.29	.03		7
8		.01		.04	.75	.10	.16		.14	.26	.04		8
9		.04	.01	.17	.17			.01			.02	.02	9
10		.06	.03	.04					.03	.19	.36		10
11	.64			.32	.15	.14					.11		11
12	.77				.01			.12	.09		.09		12
13	.06								.01		.09		13
14	.10	.05	.06	.02						.04			14
15	.28	.02	.35	.52							.01		15
16			.03					.01			.07	.01	16
17	.01	.03	.03	.05					.07		.02	.01	17
18	.01		.66	.14	.32	.36					.13	.04	18
19	.15		.02	.05	.04				.21				19
20	.55		.07						.03	.02	.16		20
21	.04		.04		.12		.03	.07	.03				21
22	.02		.29		.06	.02	.01	.32	.15	.13			22
23	.08		.10			.05	.30		.03	.06			23
24	.22			.01		.54	.01	.27				.07	24
25				.04					.09	.01	.01	.03	25
26				.31		.02			.03	.36	.09	.34	26
27		.08		.23	.08	.14				.02	.02	.03	27
28	.15	.04	.26	.35	.03					.04		.13	28
29	.01	X	.34	.19	.09			.01		.02	.04	.46	29
30	.42	X	.03		.01					.47		.21	30
31	.04	X		X	.23	X		.22	X		X		31
Total	4.18	.90	2.72	3.60	2.69	1.79	1.28	1.17	1.68	4.95	1.50	1.44	27.90
Rain Days.	21	12	20	17	19	13	11	10	13	16	20	12	186

REGISTER OF RAINFALL IN, 1914

Kept at Park Hall Aislaby Sleights
N.R. Yorkshire
in the County of
by Rev. J. H. Richardson

Lat. 54° 27' 59" Long. 0° 40' 16"
Time of Observation 9 a.m.
Nearest Railway Station Sleights
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground one ft.
Sea Level 500 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.62	.05		.06	.06	.16	1
2							.67	.17			.46	.12	2
3			.09		.12		.14				.06	.30	3
4			.01	.05	.14	.02					.05	.57	4
5			.09	.09	.06	.04				.03	.45		5
6	.03	.04		.10	.05		.08				.05	.14	6
7		.07	.04	.02	.03	.18						.04	7
8	.39		.12	.03	.16	.24		.03		.13		.02	8
9	.47	.03	.09	.21	.04	.75			.22		.06	.06	9
10	.27	.32		.03					.03				10
11		.34	.19		.10	.11			.08		.27	.29	11
12	.06	.02				.02			.03		.01	.70	12
13	.03	.05	.15						.01		.17	.46	13
14	.04	.22		.01			.15			.03	.04	.25	14
15	.03	.01	.21			.02	.35		.15	.02	.60	.23	15
16	.02		.10			.01	3.37		.60		.12	.01	16
17	.08	.19				.01			.09		.01	.07	17
18	.06	.11	.12			.17		.01	.15		.02	.36	18
19	.02		.05		.01				.04		.06	.02	19
20	.02	.20	.40			.47	.01					.04	20
21	.05	.54	.27				.04			.10	.07	.03	21
22	.03	.06	.13	.05	.02	.07		.07		.03	.03	.06	22
23		.02	.01	.03	.43	.11						.18	23
24				.17	.03			.14			.12		24
25		.18	.01							.40	.01	.32	25
26			.09				.18	.18		.39	.05	.55	26
27										.03	.03	.48	27
28	.02	.02					.06			.04	.10	.19	28
29		X	.09					.11		.57	.10		29
30		X	.08	.03				.05		.09	.13	.52	30
31	.07	X		X		X	.15		X	.35	X		31
Total	1.69	2.42	2.34	.82	1.19	2.32	5.82	.81	1.40	2.27	3.13	6.17	30.38
Rain Days.	17	17	20	12	12	14	12	9	10	14	25	26	188

REGISTER OF RAINFALL IN 1915

Kept at Park Hall Airedale
 in the County of Yorkshire (N. Riding)
 by The Rev. J. H. Richardson M.A.

Lat. 54° 27' 59" Long. 0° 40' 16"
 Time of Observation 9 a.m.
 Nearest Railway Station Sleights
 Diameter of Funnel of Rain Gauge Five in.
 Height of top of Gauge above Ground one ft.
 " " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.13	.06		.17		.01	.46	.19		.08	.36	1
2	.01	.22	.19	.05		.02	.02	.08	.20		.07	.03	2
3	.62		.04	.08			.35	.21			.06	.69	3
4	.13		.03		.01		.65	.01			.36	.97	4
5	.09	.01	.01		.07		-	.01		.12	.06	.52	5
6		.44	.05	.15	.01		1.09	.06	.01	.03		.12	6
7	.35	.47	.04				.31	.09				.01	7
8	.01	.05	.03				.09	.01			.05	.01	8
9	.24	.13					.11	.06		.03	.06	.30	9
10	.14	.08						.01				.10	10
11	.02	.35		.02	.72		.06				.02	.56	11
12	.19	.01		.33	.07		.05	.01		.07	.75	.16	12
13		.14					.01	.04					13
14	.01	.19		.02	.15			.07				.06	14
15	.20	.06					.03	.10		.14	.04	.04	15
16	.14	.61					1.34	.12	.01	.27	.10	.01	16
17	.37	.29	.10				.38		.11		.22	.06	17
18	.03	.04	.47						.10	.01	.04	.04	18
19			.16				.09	.02		.09			19
20	.01			.03						.15		.44	20
21	.27	.02	.01	.22	.04			.01			.01	.14	21
22	.29						.01				.01	.13	22
23	.19	.12	.01	.01			.39		.01		.03	.04	23
24	.01		.23	.16		.01			.35	.07	.02	.05	24
25			.01			.23	.10		.03	.05	.26	.01	25
26		.54	.11			.04	.63		.10	.20	.09	.11	26
27	.02	.12	.01				.31		.02	.12		.31	27
28	.01	.04	.08	.08	.12		.10	.90	.12	.28		.01	28
29	.05	~~X~~	.03	.15	.44		.08	.05	.70	.01	.18	.26	29
30	.05	~~X~~			.03		.01	.06	.33			.04	30
31	.02	~~X~~		~~X~~		~~X~~		.28	~~X~~	.02	~~X~~	.15	31
Total	3.77	4.06	1.67	1.30	1.83	.30	6.22	2.66	2.28	1.66	2.51	5.73	33.99
Rain Days.	26	21	19	12	11	4	23	21	14	16	20	29	216

3626
REGISTER OF RAINFALL IN 1916

Kept at Park Hall, Airedale, S. Leights, S.O.
N. Riding
in the County of Yorkshire.
by Rev. J. H. Richardson, M.A.

Lat. 54° 27' 59" Long. 0° 40' 16" W
Time of Observation 9 a.m.
Nearest Railway Station Sleights
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

FORM A.
BRITISH RAINFALL
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35		10			02	23				02		1
2	03	02	20			01		06	05			01	2
3		12	09	05		01			38	12	18	09	3
4	01	24	09	03	75	29			24	55	26	38	4
5	12	01	25		27	13		03		32	18	10	5
6		28	07	06	35	02	04			02	39	04	6
7		01	10	05	13	09	02			09		15	7
8			31		15	06				01			8
9			07		46	06	06		07		01	68	9
10	17	02	04	01	01	02	04			01		21	10
11	03	45	46	11	02	35	14		05	04		27	11
12	06		42		36	27	51	02				20	12
13	01		24	03	24	01	06	33	10	39	04	27	13
14		17	05	03	04	17		44				10	14
15	06	13	29		01		01	15	01	09		04	15
16		01	04	10			06	28		05		33	16
17			01	10	01		06	43	13	08	07		17
18		23	01	50		02	02	14	16	13	1.00		18
19	08		01	15	08				10	06	79	12	19
20	04		27	21		01	04	10			15	10	20
21		17	05	10	02		06	01				12	21
22		04	02	04						05		02	22
23		01	01	01		01					09	56	23
24			07	01		25		07		14			24
25		11	17		02			19		16	25	05	25
26	07	13	06								18	01	26
27		41	01			03		73		18			27
28		11				04		12	01	06		10	28
29		23				04	01			16			29
30		X			02	11	05		05	40			30
31		X		X	01	X			X	18	X	02	31
Total	1.03	2.90	3.51	1.59	2.95	2.02	1.41	3.10	1.35	3.29	3.61	3.97	30.73
Rain Days.	12	20	27	17	18	22	16	15	12	22	14	23	218

REGISTER OF RAINFALL IN 1917

Kept at Park Hall, Aislaby,
N. Riding
 in the County of Yorkshire.
 by Rev. J. H. Richardsoo, M.A.

Lat. 54° 27' 59" Long. 0° 40' 16" W
 Time of Observation 9 a.m.
 Nearest Railway Station Sleights
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 500 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	~~—~~			.57				.78	.53		.07	.15	1
2	.01	~~—~~		.48			.02	.40	.04		.01		2
3		.03	.04	.04				.19			.03		3
4		.07	.02	.01				.02		.01	.01		4
5			.07	.37				.01		.02	.01		5
6											.15		6
7	.41		.01			.09				.66		.10	7
8	.33		.05	.09				1.22	.03	.26	.09		8
9	.12		.02	.08				.35	.05	.14	.07	.03	9
10	.07		.84	.30	.07			.50		.24	.28		10
X 11	.11	.03		.04				.06		.08			11
12	1.01	.01	.02	.35	.10			.15		.21			12
13	.30			.07	.21	.08		.07	.11	.27		.03	13
14	.14		.05	.15	.55		.07	.47		.04		.07	14
15	.13		.02	.02	.02		.03	.24	.01			.03	15
16	.14			.19				.14				.31	16
17	.10	.03		.10	.30	.67		.25		.02		.11	17
18	.02			.03	.05		.48	.15					18
19	.18	.06	.31		.04	.36						.01	19
20	.12	.20	.09	.04		.46		.57	.07		.52	.04	20
21		.19	.12		.02			.01			.06		21
22			.06			.01		.04		.02			22
23	.10	.02			.09		.03	.10			.23	.02	23
24		.06				.02	.03	.01		.24	.13		24
25		.03	.12			.24	.06		.05	.07	.26	.15	25
26	.02		.10			.12		.70		.05		.03	26
27	.01		.06			.10	.38	.60				.03	27
28			.07			.03	.24	.72		.16			28
29	.05	X					.17	.22		.53			29
30	.07	X	.12	.02			.08					.06	30
31	.09	X	.03	X	.01	X	.04	.06	X		X	.10	31
Total	3.53	.73	2.22	2.95	1.46	2.18	1.63	8.03	.89	3.02	1.92	1.27	29.83
Rain Days.	21	11	20	18	11	11	12	26	8	17	14	16	185

REGISTER OF RAINFALL IN 1918

Kept at Park Hall, Airedale, S. Leights. S.O.
in the County of Yorkshire (N. Riding)
by Rev. J. H. Richardson

Lat. 54° 27' 59" N Long. 0° 40' 16" W
Time of Observation 9 a.m.
Nearest Railway Station S. Leights
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

FORM A.
BRITISH RAINFALL
9.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.07	.03			.04		.33	.03	.18	.03	1
2	.07	.05		.22					.04	.03		.08	2
3	.03		.08		.02			.06		.05	.56		3
4	.01	.04	.07		.14				.04	.04	.25	.17	4
5			.05		.41			.99		.02			5
6	.10	.19		.54	.08	.09		.63	.02	.04			6
7	.17	.05				.08	.26			.08	.40		7
8			.12				.06		.03				8
9	.02	.21		.03		.05			.84	.15	.01	.03	9
10		.03		.05					.03			.01	10
11	.28	.02		.03	.30		.05	.02				.10	11
12		.02	.10	.02			.08	.10	.12	.04		.11	12
13	.01	.03		.09	.03				.07	.08			13
14	.09			.03			.05		.69	.01		.02	14
15						.37	.21		.70			1.04	15
16			.04			.05	.16	.12	.08	.02		.21	16
17	.14				.22	.04	.41	.03		.75		.43	17
18	.28		.05	.12			.17		.46	.09		.02	18
19	.20		.03	.28			.10	.17	.02	.41			19
20	.12	.42		.07		.05	.31		.07	.25			20
21	.07	.01		.01	.48	.01	.04		.05	.17			21
22	.03			.05	.04	.03	.02					.30	22
23	.04			.02	.45		.18		.21				23
24		.09		.01			.01	.01	.13	.03	.02	.05	24
25			.02				.21	.05	.01		.02	.15	25
26							.04	.28	.16	.01	.02	.03	26
27		.01			.04	.07	.01		.10		.03	.13	27
28		.12	.46						.01		.01	.41	28
29		X	.05						.18		.02	.15	29
30		X	.06	.01					.10		.12	.51	30
31		X	.22	X		X		.09	X		X	.04	31
Total	1.68	1.29	1.42	1.61	2.14	.84	2.41	2.55	4.51	2.30	1.64	4.02	26.41
Rain Days.	17	14	14	17	11	10	19	12	24	19	12	21	190

REGISTER OF RAINFALL IN 1919

3307

Kept at Park Hall, Airedale,
N. Riding, Yorkshire.
 in the County of Yorkshire.
 by Rev^d J. H. Richardson, M.A.

Lat. 54° 27' 59" Long. 0° 40' 16"
 Time of Observation 9 a.m. daily
 Nearest Railway Station Heights
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 500 ft.

FORM A. 1
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.04			.25		.51		.10		.07	.15	1
2	.02	.05	.04				.62	.01			.21		2
3	.70				.03	.03	.07		.04		.22	.06	3
4	.31	.09	.60		.07	.09	.03	.21	.08		.36		4
5	.72	.10				.05	.03		.05		.05		5
6			.23		.03		.01		.03	.03	.33	.06	6
7	.02		.46		.10						.02	.41	7
8	.16			.03	.11			.02		.05	.09	.02	8
9	.03		.02				.01			.16	.27		9
10				.03	.12					.08	.16	.38	10
11			.80		.06		.18			.04	.10		11
12			1.00	.09			.07		.11	.32	.04		12
13	.06		.53	.01		.10	.08	.05		.26	.06		13
14	.21	.03	.03	.40			.01	.04		.35	.06		14
15	.03	.12	.06	.19						.26	.01	.46	15
16	.01	.02	.01	.03						.11	.01		16
17		.07			.12			.03			.14		17
18							.01	.25	.08			.06	18
19	.03	.11	.61	.05			.71	.17	.49		.01	.02	19
20	.28	.19				.02	.03	.05	.12		.01	.11	20
21	.06	.12	.07				.03	.01	.04		.03	.13	21
22		.26	.17				.54		.04		.04	.07	22
23			.05	.02		.24	.08	.09		.78	.03	.01	23
24		.04	.06	.03		.03	.03			.55	.03		24
25	.02	.12		.05		.14		.30		.17	.18	.02	25
26		.11	.18	.11		.02		.21		.57	.09	.42	26
27	.04			.50		.01	.05			.31	.15	.02	27
28	.05			.07				1.24	.02	.27	.07	.24	28
29	.14		.04	.02		.09		.01		.87	.01	.15	29
30	.06		.10	.17		.59		.02		.18	.28	.18	30
31	.07		.12				.05			.15		.19	31
Total	3.16	1.47	5.20	1.80	.89	1.43	3.15	2.71	1.20	5.51	3.13	3.16	32.81
Rain Days	21	15	20	16	9	12	20	16	12	19	29	20	209
Days with rain	14	13	17	8	5	8	11	10	10	18	20	15	152

REGISTER OF RAINFALL IN 1920.

Kept at Park Hall, Aislaby,
N. Riding
in the County of Yorkshire
by Rev. J. H. Richardson, M.A.

Lat. 54° 27' 59" Long. 0° 40' 16"
Time of Observation 9 a.m.
Nearest Railway Station Sleights
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10	.33	.21		.51			.81			1
2			.04	.19		.07	1.53		.15	.29		.30	2
3		.04		.29	.05		.14	.19	.12	.21		.46	3
4	.03			.04			1.02	.37		.71		.08	4
5	.02		.02		.08		.30	.15	.04			.08	5
6			.10	.03			.05	.05	.04			.10	6
7	.05		.03	.03	.05		.07					.03	7
8				.19	.03		.07	.04	.04	.01	.06		8
9	.04	.01		.48			.25	.32		.01			9
10	.68	.01		.55			.02					.02	10
11	.22			.10	.03			.02				.10	11
12	.18		.12	.16	.01		.02		.01			.50	12
13	.14	.02	.18	.03					.03			.26	13
14		.06	.80	.21			.03		.25	.02	.16	.03	14
15		.08	1.30	.19			.03		.01	.35	.02	.04	15
16				.01			.46		.22				16
17					.06		.02	.17	.06	.06		.05	17
18	.25	.02			.07		.09	.25	.17	.01			18
19	.01	.59		.34				.35					19
20	.13	.04		.03		.13	.01						20
21		.03					.47	.49	.01				21
22	.02			.12			.01	.03				.01	22
23			.30	.10			.30				.01	.11	23
24			.03	.06			.01	.02				.03	24
25	.01	.07	.13	.04			.58						25
26	.01	.04		.08			.10						26
27	.31		.06	.11	.19	.37					.13	.03	27
28	1.06		.05	.01	.02	.03	.01				.10	.11	28
29	.19				.24	.03	.03		.01		.03	.43	29
30	.02			.03	.14	.03			.23		.20	.11	30
31	.06											.10	31
TOTAL	3.43	1.01	3.26	3.75	1.18	.66	6.13	2.45	1.39	2.48	.71	2.98	29.43
Days with .01 in. or more	19	12	14	25	13	6	25	13	15	10	8	21	181

✓
REGIS

WINCOBANK

S.W.

YORKSHIRE

1915 - 1920

Kept at WincoBank, Sheff
in the County of York
Sheffield Corporation
by Sewage Disposal Depart

IMPORTANT NOTE.

previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

FORM A.
BRITISH RAINFALL
JAN. 1915

1° 24' West

WincoBank, Millard Reany, Tinsley G. OR

in Gauge 8 in.

Above Ground 2 ft. — in.

Sea Level 99 ft.

and the result entered to the
universal rule, he is earnestly

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.128	.190	—	—	.355	—	.035	.040	.110	—	.040	.080	1
2	.030	.060	.050	.105	—	.015	.015	.160	.003	.085	.010	—	2
3	.670	—	—	.065	—	—	.270	.250	.005	—	.035	.460	3
4	.070	—	—	—	.010	—	.600	—	—	—	—	1.120	4
5	.008	.270	—	—	—	—	—	.050	—	.010	.040	.520	5
6	.025	.135	.026	.085	—	—	.520	.020	—	—	—	.070	6
7	.190	.190	*.024	.090	—	—	.020	.380	—	—	—	.095	7
8	.122	.140	—	.130	—	—	—	.105	—	—	.105	—	8
9	.020	.005	—	—	—	—	—	.095	—	.040	.100	*.600	9
10	.320	—	.080	—	—	—	—	—	—	—	.010	.400	10
11	.070	—	.010	.010	.460	—	.150	—	—	.005	.380	*.210	11
12	.010	—	—	.110	.190	—	—	.015	—	.015	1.620	*.070	12
13	—	.670	—	—	—	—	—	—	—	—	—	—	13
14	.015	.020	—	—	.010	—	—	.060	.030	—	—	.400	14
15	.490	—	—	—	—	—	.010	1.730	—	.010	*.130	.060	15
16	—	.255	—	—	.135	—	1.540	.025	—	—	—	—	16
17	—	.150	—	—	—	—	.080	—	—	—	—	—	17
18	—	.120	*.030	—	—	—	—	—	—	—	—	—	18
19	—	.010	—	—	—	—	.050	—	—	.010	—	—	19
20	—	—	—	—	—	—	.020	—	—	—	—	.180	20
21	*.030	—	—	.080	—	—	.070	—	—	—	—	.070	21
22	—	—	.180	.010	—	—	.200	—	—	—	—	.020	22
23	.010	*.040	.060	—	—	—	.100	—	.020	.110	.005	.040	23
24	—	—	.172	.030	—	—	—	—	.560	—	—	.220	24
25	—	—	—	—	—	.240	—	—	—	.015	—	.040	25
26	—	.230	—	—	—	.130	.060	—	—	—	—	.450	26
27	—	.090	—	—	—	.010	.005	—	—	.420	—	.500	27
28	—	.310	*.010	—	—	.125	—	.330	—	.040	—	.020	28
29	—	—	—	—	.040	.390	—	—	.010	—	.140	.440	29
30	.075	X	—	.010	—	.270	—	—	—	—	—	.005	30
31	.070	X	—	X	—	X	—	.100	X	.280	X	.180	31
*Snow													
Total	2.353	2.885	.642	.725	1.200	1.180	3.745	3.360	0.738	1.040	2.615	6.250	26.733
Rain Days.	18	17	10	11	7	7	17 ₁₆	14	7	12 ₁₁	12	22 ₃	156 ₁₅₃

John Haworth

REGIS

Kept at Kincobank, Sheffield
in the County of York
Sheffield Corporation
by Sewage Disposal Department J. Haworth
Manager

Lat. 53° 25 1/2' Long. 1° 24' West
Time of Observation 9 a.m.
Nearest Railway Station Kincobank, Midland Railway, Tinsley G. O.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.128	.190	—	—	.355	—	.035	.040	.110	—	.040	.080	1
2	.030	.060	.050	.105	—	.015	.015	.160	.003	.085	.010	—	2
3	.670	—	—	.065	—	—	.270	.250	.005	—	.035	.460	3
4	.070	—	—	—	.010	—	.600	—	—	—	—	1.120	4
5	.008	.270	—	—	—	—	—	.050	—	.010	.040	.520	5
6	.025	.135	.026	.085	—	—	.520	.020	—	—	—	.070	6
7	.190	.190	*.024	.090	—	—	.020	.380	—	—	—	.095	7
8	.122	.140	—	.130	—	—	—	.105	—	—	.105	—	8
9	.020	.005	—	—	—	—	—	.095	—	.040	.100	*.600	9
10	.320	—	.080	—	—	—	—	—	—	—	.010	.400	10
11	.070	—	.010	.010	.460	—	.150	—	—	.005	.380	*.210	11
12	.010	—	—	.110	.190	—	—	.015	—	.015	1.620	*.070	12
13	—	.670	—	—	—	—	—	—	—	—	—	—	13
14	.015	.020	—	—	.010	—	—	.060	.030	—	—	.400	14
15	.490	—	—	—	—	—	.010	1.730	—	.010	*.130	.060	15
16	—	.255	—	—	.135	—	1.540	.025	—	—	—	—	16
17	—	.150	—	—	—	—	.080	—	—	—	—	—	17
18	—	.120	*.030	—	—	—	—	—	—	—	—	—	18
19	—	.010	—	—	—	—	.050	—	—	.010	—	—	19
20	—	—	—	—	—	—	.020	—	—	—	—	.180	20
21	*.030	—	—	.080	—	—	.070	—	—	—	—	.070	21
22	—	—	.180	.010	—	—	.200	—	—	—	—	.020	22
23	.010	*.040	.060	—	—	—	.100	—	.020	.110	.005	.040	23
24	—	—	.172	.030	—	—	—	—	.560	—	—	.220	24
25	—	—	—	—	—	.240	—	—	—	.015	—	.040	25
26	—	.230	—	—	—	.130	.060	—	—	—	—	.450	26
27	—	.090	—	—	—	.010	.005	—	—	.420	—	.500	27
28	—	.310	*.010	—	—	.125	—	.330	—	.040	—	.020	28
29	—	—	—	—	.040	.390	—	—	.010	—	.140	.440	29
30	.075	X	—	.010	—	.270	—	—	—	—	—	.005	30
31	.070	X	—	X	—	X	—	.100	X	.280	X	.180	31
*Snow													
Total	2.353	2.885	.642	.725	1.200	1.180	3.745	3.360	0.738	1.040	2.615	6.250	26.733
Rain Days.	18	17	10	11	7	7	17 1/2	14	7	12 1/2	12	27 3/4	156 1/2

John Haworth

REGISTER OF RAINFALL IN 1916

Kept at Wincobank. Sheffield.

in the County of York. W. R.

Sheffield Corporation.

by Sewage Disposal Department.

John Haworth. Manager.

Lat. 53° 25½'. Long. 1° 24'. West.

Time of Observation 9 a.m.

Nearest Railway Station Wincobank. M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	250	010	400	-	-	050	130	-	-	-	130	-	1
2	230	050	180	-	-	-	-	-	090	130	010	-	2
3	-	290	010	010	-	-	060	-	290	180	100	-	3
4	010	150	-	015	400	140	-	-	320	040	360	-	4
5	-	-	-	-	050	040	-	-	-	250	280	-	5
6	050	400	050	010	340	-	200	-	-	-	300	-	6
7	030	-	010	-	050	-	100	-	-	040	030	330	7
8	-	-	140	-	-	-	-	-	-	030	010	-	8
9	-	-	020	-	450	030	010	-	090	-	010	-	9
10	-	110	010	030	-	140	010	-	030	-	-	220	10
11	-	400	190	040	-	070	-	-	015	-	-	110	11
12	-	020	520	-	410	020	100	010	-	-	-	020	12
13	-	040	250	010	0052	-	-	100	-	080	020	020	13
14	-	130	010	060	020	-	-	120	-	010	020	010	14
15	-	240	600	-	-	-	040	060	-	030	-	-	15
16	-	350	380	080	-	-	040	310	-	030	-	-	16
17	010	150	-	040	-	-	040	-	040	140	-	-	17
18	-	115	010	010	-	-	-	140	030	030	1060	040	18
19	030	-	250	210	-	020	-	115	-	-	240	150	19
20	080	-	210	080	310	-	-	-	-	-	-	040	20
21	050	-	120	-	-	-	050	-	-	-	-	240	21
22	-	050	-	-	-	020	-	-	-	090	-	110	22
23	-	010	-	055	-	-	-	060	-	020	140	300	23
24	-	440	-	010	-	008	-	060	-	050	-	120	24
25	-	020	330	-	020	-	-	150	-	060	160	060	25
26	-	-	030	-	-	-	-	040	-	045	-	-	26
27	-	240	-	-	-	-	-	050	-	200	-	-	27
28	-	250	009	-	-	-	-	010	-	-	-	100	28
29	-	200	-	-	-	410	-	020	-	300	-	240	29
30	-	X	-	-	090	010	-	-	-	100	-	-	30
31	-	X	-	X	-	X	-	-	X	050	X	-	31
Total	440	3695	3459	660	2445	1018	840	1305	905	1995	2900	2140	YEARS TOTAL 22432
Rain Days.	9	21	21	14	11	12	11	14	8	21	15	16	143

REGISTER OF RAINFALL IN 1914

Kept at Wincobank, Sheffield
in the County of York

by Sheffield Corporation Sewage Disposal
Department. John Haworth Manager.

Lat. 53° 25½ Long. 1° 24 West

Time of Observation 9 a.m.

Nearest Railway Station Wincobank, M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	180	-	010	-	345	115	-	100	025	1
2	020	-	-	-	-	050	-	090	-	-	005	-	2
3	-	-	-	015	-	020	-	115	-	040	030	-	3
4	-	-	-	-	-	-	-	100	-	040	-	-	4
5	280	-	055	080	-	-	-	050	-	090	140	-	5
6	-	015	-	-	-	070	-	-	-	120	020	-	6
7	330	010	-	-	-	230	-	-	-	410	005	-	7
8	410	-	025	180	-	-	-	805	-	450	120	060	8
9	240	-	010	030	-	-	-	-	-	065	160	-	9
10	140	-	540	045	110	-	-	100	-	020	-	-	10
11	-	-	-	340	-	-	-	185	-	155	-	-	11
12	100	-	-	005	320	-	-	220	-	040	-	010	12
13	060	-	-	030	020	-	-	140	035	050	-	-	13
14	100	-	-	040	-	-	-	060	-	-	-	080	14
15	015	-	-	010	-	-	065	-	-	-	-	020	15
16	030	080	-	020	-	060	-	035	-	-	-	285	16
17	010	050	-	025	380	030	115	265	040	-	-	140	17
18	010	-	-	080	030	-	430	015	320	-	-	-	18
19	-	100	240	-	140	600	-	-	-	-	-	-	19
20	-	100	-	-	440	410	-	-	050	-	010	-	20
21	-	002	080	-	080	010	-	025	-	015	-	-	21
22	006	-	030	-	-	-	-	035	-	-	-	-	22
23	-	080	-	-	080	-	-	120	020	015	-	010	23
24	-	-	-	-	-	060	-	028	-	365	235	-	24
25	-	-	050	-	-	-	-	-	-	045	090	-	25
26	-	-	-	-	-	085	-	220	040	040	-	-	26
27	-	-	065	-	-	150	140	380	-	-	-	050	27
28	-	-	090	-	-	030	020	080	-	005	-	100	28
29	-	-	025	-	-	-	020	-	-	185	-	145	29
30	-	X	260	-	-	-	055	085	-	010	-	-	30
31	010	X	-	X	-	X	-	015	X	-	X	020	31
Total	2090	434	1500	1080	1600	1715	845	3543	620	2190	915	1005	YEAR'S TOTAL 14540
Rain Days	15	8	12	13+4	9	14	4	23	4	19	10X	12	15+1

149

REGISTER OF RAINFALL IN 1918

Kept at Sheffield Sewage Disposal Works
Wincobank, Sheffield
in the County of York
by _____

Lat. 53°-25'28" N. Long. 1°-24' W.
Time of Observation _____
Nearest Railway Station Wincobank, N. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 99 ft.

FORM A.
BRITISH RAINFALL
1.
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·035	—	·005	—	—	—	—	·110	·060	·280	—	1
2	—	·060	—	·010	—	—	—	·130	·085	—	·010	·210	2
3	—	—	·015	—	·660	—	—	·140	·015	—	·130	—	3
4	—	—	—	—	—	—	—	·025	·350	·080	·230	·290	4
5	—	—	—	—	·215	—	—	·105	·120	·220	—	—	5
6	·005	·215	—	·315	—	·035	—	·035	—	·115	—	—	6
7	—	—	—	·155	—	—	—	—	·240	·035	·140	—	7
8	—	·050	·035	·055	—	—	·040	—	·230	·025	·020	—	8
9	·015	·515	—	·255	—	·005	·095	—	·425	·030	—	—	9
10	—	·010	—	·005	—	—	·040	—	—	—	·040	—	10
11	·045	·005	—	—	·090	—	·060	—	—	—	—	—	11
12	—	·030	—	·060	—	—	·940	—	·040	—	—	·015	12
13	—	—	—	·040	·210	—	—	—	·140	·080	—	·020	13
14	·195	—	—	·035	—	·010	·040	—	·615	·055	—	·240	14
15	—	—	—	—	—	·035	·385	—	·885	—	—	·050	15
16	·125	—	—	—	—	—	·230	—	·140	·035	—	·110	16
17	·160	—	—	—	·015	—	1·120	—	·225	·040	—	·130	17
18	·235	—	—	—	—	·025	·080	—	·630	—	—	·140	18
19	·045	—	·140	·065	—	—	·055	—	·010	·060	—	·250	19
20	·035	·090	—	·055	—	·115	·085	—	·045	·050	—	—	20
21	·130	·050	—	—	·435	·020	—	—	·120	·085	—	·020	21
22	·015	—	—	—	·145	—	·030	—	·105	—	—	·300	22
23	·010	—	—	—	·235	—	·045	—	—	—	—	·010	23
24	—	·055	—	—	—	—	·095	—	·055	—	·045	—	24
25	—	—	—	—	—	·035	·005	·155	—	—	—	—	25
26	—	—	—	—	—	—	·240	·015	·040	—	·035	·110	26
27	—	·020	—	—	—	—	—	·250	·360	—	—	·040	27
28	—	·090	·230	—	—	—	—	·120	·030	—	·045	·240	28
29	—	—	—	—	—	—	—	—	·020	—	—	·060	29
30	—	X	·265	—	—	—	—	—	·020	—	·055	·240	30
31	—	X	·030	X	—	X	—	—	X	—	X	—	31
Total	1·045	1·225	·445	1·055	2·005	·280	3·645	1·005	5·085	·940	1·060	2·535	YEAR'S TOTAL 20·685
Rain Days.	12	12	6	14	18	8	16	9	25	14	11	18	150

John Haworth

REGISTER OF RAINFALL IN 1919.

Kept at Sheffield Sewage Disposal Works
Minebank Sheffield.
in the County of Essex
by John Haworth, Manager

Lat. 53°-25½ N Long. 1°-24 W
Time of Observation 9 a.m.
Nearest Railway Station Minebank Mid. Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	460	-	-	-	125	-	315	-	055	055	100	120	1
2	150	-	-	-	-	-	165	-	390	055	130	-	2
3	280	-	-	-	020	045	840	-	065	-	245	055	3
4	-	-	340	-	-	065	085	225	045	-	030	240	4
5	640	-	-	-	-	-	-	-	085	-	-	225	5
6	-	-	030	-	385	-	-	-	-	030	-	080	6
7	-	-	135	-	-	-	-	-	-	-	-	-	7
8	180	-	-	-	-	-	-	-	-	-	-	-	8
9	-	-	-	-	-	-	-	-	-	-	035	-	9
10	-	-	060	035	040	-	-	-	-	-	020	040	10
11	-	-	940	010	140	-	090	-	-	-	-	005	11
12	-	-	840	065	-	025	090	-	045	-	-	-	12
13	220	-	-	140	-	-	-	-	910	045	010	020	13
14	230	-	-	140	-	-	-	020	010	005	040	005	14
15	190	180	-	025	-	-	-	-	-	-	-	540	15
16	140	805	010	040	-	010	-	-	-	-	120	-	16
17	130	520	-	015	-	055	005	040	-	-	135	-	17
18	-	-	130	-	055	-	005	480	-	-	-	160	18
19	045	235	865	-	-	050	1400	300	010	-	220	-	19
20	240	065	055	-	-	-	230	040	-	-	135	040	20
21	150	215	-	-	-	090	185	-	-	-	-	215	21
22	-	040	-	-	-	-	-	-	140	-	020	405	22
23	-	-	-	005	-	-	-	-	-	490	005	035	23
24	-	-	-	145	030	020	030	-	-	410	015	105	24
25	-	015	-	090	155	045	-	450	-	-	065	-	25
26	-	-	140	025	-	-	-	040	-	-	020	485	26
27	055	-	-	185	-	-	-	060	-	005	025	025	27
28	050	-	-	090	-	-	-	480	-	030	-	450	28
29	120	~~X~~	-	005	-	-	-	-	-	1140	-	060	29
30	015	~~X~~	-	040	-	065	-	-	-	025	130	135	30
31	015	~~X~~	-	~~X~~	-	~~X~~	020	-	~~X~~	045	~~X~~	020	31
TOTAL	3360	2045	3635	1055	950	500	3460	2495	1845	2695	1530	3525	YEAR'S TOTAL
Days with .01 in. or more	18	8	11	14	8	10	41	10	10	10	18	20	27.125

REGISTER OF RAINFALL IN 1920.

Kept at Sheffield Sewage Disposal Works
Trincobank Sheffield
 in the County of York
 by John Haworth J.C. J.C.S.

Lat. 53° 25' N. Long. 1° 24'
 Time of Observation 9.0 a.m.
 Nearest Railway Station Trincobank, Mid Rly.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 2 ft. 0 in.
 " " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	290	180	-	160	-	-	140	110	045	1
2	-	-	005	310	-	-	940	-	195	220	-	160	2
3	-	-	-	150	100	050	990	005	120	260	-	130	3
4	015	-	-	045	-	-	090	215	010	530	-	055	4
5	-	-	010	010	015	-	040	030	-	020	-	-	5
6	-	-	105	040	015	-	020	-	-	-	-	040	6
7	020	-	045	060	-	-	400	-	-	-	-	-	7
8	110	015	-	480	020	-	230	015	-	-	-	-	8
9	165	095	-	460	-	-	020	-	-	010	-	-	9
10	305	460	-	280	-	-	050	010	-	-	-	010	10
11	345	065	060	100	220	425	-	-	-	-	-	035	11
12	060	-	010	245	-	230	-	135	-	-	010	040	12
13	100	015	025	190	-	660	-	-	-	-	-	050	13
14	010	-	455	040	-	420	015	-	225	060	205	-	14
15	005	030	315	085	-	-	-	-	-	130	040	015	15
16	-	-	-	-	-	-	535	-	010	050	-	-	16
17	-	-	010	-	095	-	-	-	160	020	-	015	17
18	040	-	-	010	015	-	-	-	050	-	-	-	18
19	035	1800	-	100	020	185	-	080	010	-	-	-	19
20	-	095	-	260	-	165	060	-	-	-	-	-	20
21	020	-	-	-	-	-	265	100	-	-	-	025	21
22	030	-	-	205	-	-	145	-	-	-	-	-	22
23	-	-	005	-	-	-	035	-	-	-	-	355	23
24	010	-	140	-	-	-	-	-	-	-	-	040	24
25	-	065	040	005	-	020	460	-	-	-	-	-	25
26	080	015	105	025	050	-	105	-	-	-	-	-	26
27	240	-	-	030	145	195	-	-	-	-	230	250	27
28	1060	-	150	040	185	005	-	-	-	-	005	110	28
29	090	-	055	-	1960	005	010	-	-	-	060	545	29
30	095	~~X~~	005	085	010	020	-	-	125	-	135	245	30
31	080	~~X~~	050	~~X~~	035	~~X~~	-	-	~~X~~	260	~~X~~	130	31
TOTAL	2975	2655	1680	3615	3095	2380	4630	590	905	1430	795	2415	YEAR'S TOTAL
Days with "01 in. or more	22	10	15	23	15	10	19	4	9	11	4	19	165
Days with "04 in. or more	13	6	11	18	8	8	14	4	6	8	6	14	116

WOLD NEWTON
MANOR
YORKSHIRE
1920

Kept at *Wold*

in the County of

by *Ralph E...*

FORM A2.
BRITISH RAINFALL.

ad 1. ft. 6 in.

level 175 ft.

Hummanby
nce 5.24 Direction N.E.

IMPORTANT NOTE. The result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.39	38	.05	.26			.91			1
2			.08	.25			.07		.15			.43	2
3				.17				.07	.14	.23		.20	3
4					7		.84	.72		.68		.02	4
5			.04		8			.02					5
6			.05				.31						6
7			.08	.13			.08					.16	7
8		.08		.25			.12			.01			8
9				.26			.24	.32	.04			.03	9
10	.70		.03	.29			.13						10
11	.22			.16	.09							.41	11
12	.15		.11	.24			.03				.05		12
13			.13	.5					.07		.01	.09	13
14		.04	.42	.15			.07		.20	.14	.11		14
15	.06	.14	.32	.30					.04	.07	.02		15
16							.98		.14			.10	16
17					.09		.16		.34				17
18	.17				.41		.15	.05	.33				18
19				.50				.28	.15				19
20	.15	.42		.41		.20	.06					.02	20
21				.4			.48	.14					21
22	.02			.5			.01						22
23							.22					.15	23
24			.40	.14			.09					.02	24
25		.07	.04	.6			.60						25
26	.07	.04	.02	.11		.03	.17						26
27	.25				.67	.04					.24		27
28	.85		.26		.03		.05				.21		28
29	.11		.17	.11	.66		.01				.17	.63	29
30	.10								.24		.15	.30	30
31	.06												31
Total	2.94	.79	2.08	4.10	2.41	1.32	5.73	1.60	1.82	2.04	.96	2.00	TOTAL for year
No. of Rain Days.	13	6	14	21	9	4	22	7	11	6	8	15	78

RE

Kept at Womersley
in the County of York
by G. Hearn

WOMERSLEY PARK

1916-18, 20.

FORM A.
BRITISH RAINFALL.
16 JAN 1917

e _____ in.
und _____ ft. _____ in.
Level _____ ft.
result entered to the
rule, he is earnestly
the space provided

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.09		.15			.14	.13				.28		1
2	.05	.06								.01	.12		2
3		.10	.01	.09			.08		.12	.08			3
4					.82	.21		.01	.21	.42	.03		4
5	.01					.14			.22	.13	.31		5
6		.30	.20		.27		.06			.27	.22		6
7			.03	.02			.21				.29		7
8		.04	.25							.04	.03	.35	8
9			.17		.42	.03				.03	.01	.08	9
10				.04		.18			.18		.04	.22	10
11		.44	.28	.14	.01				.02			.04	11
12	.11	.03	.62	.04	.41	.14	.35		.03			.02	12
13	.01		.18				.03					.03	13
14		.04	.03		.10			.52		.58			14
15		.08	.70				.10	.36		.03	.01		15
16		.38	.15	.04			.02	.30		.01			16
17		.10		.15				.08		.05			17
18		.28	.02	.10				.09	.14	.13			18
19	.12		.18	.14				.20	.18	.03	.90		19
20	.06	.01	.30				.02	.06	.02		.34	.29	20
21			.04		.11	.05	.18	.02					21
22		.06		.12									22
23			.03	.07						.11			23
24		.32			.04			.14		.01	.04	.53	24
25		.14	.15							.03		.15	25
26		.06						.15		.04	.04		26
27		.44								.06	.02		27
28		.23	.04			.17				.08			28
29		.16				.15						.03	29
30	.01	X				.06				.26		.26	30
31		X		X		X			X	.04	X	.02	31
Total	.46	3.27 3.27	3.53 2.83	.95	2.18	1.27	1.18	1.93	1.12	2.44 2.72	2.68 2.40	2.02 1.5	22.28 23.03
Rain Days.	8	19	19	11	8	10	10	11	9	26	15	12	153

RE

RAINFALL IN 1911

FORM A.
BRITISH RAINFALL
10. JAN. 1911

Kept at Womersley Park
in the County of Yorkshire WR
by G. Hearn & J. Hughes

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.15			.14	.13				.28		1
2	.05	.06								.01	.12		2
3		.10	.01	.09			.08		.12	.08			3
4					.82	.21		.01	.21	.42	.03		4
5	.01					.14			.22	.13	.31		5
6		.30	.20		.27		.06			.27	.22		6
7			.03	.02			.21				.29		7
8		.04	.25							.04	.03	.35	8
9			.17		.42	.03				.03	.01	.08	9
10				.04		.18			.18		.04	.22	10
11		.44	.28	.14	.01				.02			.04	11
12	.11	.03	.62	.04	.41	.14	.35		.03			.02	12
13	.01		.18				.03					.03	13
14		.04	.03		.10			.52		.58			14
15		.08	.70				.10	.36		.03	.01		15
16		.38	.15	.04			.02	.30		.01			16
17		.10		.15				.08		.05			17
18		.28	.02	.10				.09	.14	.13			18
19	.12		.18	.14				.20	.18	.03	.90		19
20	.06	.01	.30				.02	.06	.02		.34	.29	20
21			.04		.11	.05	.18	.02					21
22		.06		.12									22
23			.03	.07						.11			23
24		.32			.04			.14		.01	.04	.53	24
25		.14	.15							.03		.15	25
26		.06						.15		.04	.04		26
27		.44								.06	.02		27
28		.23	.04			.17				.08			28
29		.16				.15						.03	29
30	.01	X				.06				.26		.26	30
31		X		X		X			X	.04	X	.02	31
Total	.46	3.27 3.27	3.53 2.83	.95	2.18	1.27	1.18	1.93	1.12	2.44 2.72 2.22	2.68 2.40 1.4	2.02 (-)	22.28 23.03
Rain Days.	8	19	19	11	8	10	10	11	9	9	12	12	153

REGISTER OF RAINFALL IN 1917

Kept at Womersley Park, Doncaster
in the County of Yorkshire
by J. Hughes

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station 1/4 mile - Womersley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" " " " Sea Level _____ ft.

3138
FORM A.
BRITISH RAINFALL
7 JAN 1918
Jan. 1, following.
(.05)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	—	—	.38	—	—	—	—	.06	—	—	—	1
2	~~.07~~	—	—	.34	—	—	—	.25	.15	—	.10	.04	2
3	.03	—	—	—	—	.07	—	.13	—	—	—	—	3
4	~~.07~~	—	—	—	—	.03 1/2	—	.25	—	.09	—	—	4
5	—	—	.13	—	—	—	—	—	—	.28	—	—	5
6	.29	—	.05	.21	—	—	—	—	—	.08	.04	—	6
7	—	—	—	—	—	.11	—	—	—	.39	.04	—	7
8	.43	—	—	—	—	—	—	—	—	.26	—	—	8
9	—	—	—	.09	—	—	—	.94	—	.60	.06	—	9
10	.04	—	—	.01	—	—	—	.01	—	.06	.31	—	10
11	.22	—	.58	.11	.10	—	—	.03	—	.01	.02	—	11
12	—	—	—	.38	—	—	—	.01	—	.31	—	—	12
13	.07	—	—	.02	.37	—	—	.09	—	.19	—	—	13
14	.19	—	—	.02	.06	—	—	.17	.13	.02	—	—	14
15	.20	—	—	.06	—	—	—	.42	—	—	—	.07	15
16	.02	—	—	.04	—	—	.22	—	.01	—	—	—	16
17	.01	—	—	—	—	.04	—	.10	—	—	—	.49	17
18	—	.22	.02	—	.63	.08	.02	.17	.10	—	—	.33	18
19	.04	—	—	—	.03	—	.32	.10	.27	—	—	—	19
20	.05	.12	.16	—	.40	.29 1/2	—	—	—	—	—	—	20
21	—	.20	—	—	.12	.35	—	—	—	—	.15	—	21
22	.04	.03	.01	—	—	—	—	.05	—	.04	—	—	22
23	—	—	.02	—	—	—	—	.04	.01	—	—	—	23
24	—	—	—	—	.19	.02	—	.08	—	.01	—	—	24
25	—	—	—	—	—	.12	.03	.01	—	.37	.17	—	25
26	—	—	.05	—	—	—	—	.04	—	.24	.02	—	26
27	—	—	.01	—	—	.02	—	.42	.05	.11	—	—	27
28	—	—	.05	—	—	.21	.07	.60	—	—	—	.03	28
29	—	—	.11	—	.02	.13	—	.06	—	.01	—	.14	29
30	—	X	.06	—	—	—	.02	—	—	.20	—	.05	30
31	—	X	.09	X	—	X	—	.02	X	—	X	—	31
Total	1.70	.57	1.34	1.66	1.92	1.47	.68	3.99	.78	3.27	.91	1.15	19.44
Rain Days.	1.63	.57	1.72	1.28	1.92	1.47	.68	4.05	.72	3.78	.99	1.29	19.42
	14	4	13	16	9	12	6	22	8	78	9	8	133

REGISTER OF RAINFALL IN 1918

Kept at Womersley Park, Doncaster
in the County of Yorkshire
by Joseph Hughes

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
11.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.07	.05	—	—	—	—	—	.03	—	—	1
2	—	—	—	—	—	—	—	—	.09	.05	.24	.12	2
3	—	.30	—	.05	—	—	—	.04½	.05	—	—	.24	3
4	—	.01	—	—	.53	—	—	.27	—	—	.20	—	4
5	—	—	.04	—	.09	—	—	.08½	.22	—	.10	.34	5
6	—	—	—	—	.31	—	—	.68	—	.12	—	—	6
7	.04	.48	—	.05	—	.15	—	—	.03	.07	—	.01	7
8	.01	—	—	.06	—	—	—	—	—	.07	.10	—	8
9	—	—	.05	—	—	—	.12	—	.09	—	—	—	9
10	.01	.36	—	.27	—	.11	.07	—	.45	.24	—	.04	10
11	—	.03	—	—	—	—	—	—	.31	—	—	—	11
12	.16	.04	—	.20	.14	—	.02	—	.06	—	—	.06	12
13	—	.06	—	—	—	—	.25	.08	—	—	—	.04	13
14	—	—	—	.09	.04	—	—	—	.22	.19	—	—	14
15	.10	—	—	.05	—	—	.06	—	.50	—	—	.24	15
16	.11	—	—	—	—	—	.19	—	.79	—	—	.12	16
17	—	—	—	—	—	.06	.04	—	.20	.01	—	.07	17
18	.27	—	—	—	—	.13	1.55	—	.04	.11	—	.16	18
19	.27	—	.07	—	—	—	.03	—	.73	—	—	.13	19
20	.10	—	.05	—	—	.10½	.05	—	.01	.08	—	.75	20
21	.04	.31	—	—	—	.07	.11	—	.03	.09	—	—	21
22	.07	.01	—	—	.61	.07	—	—	.09	.29	—	—	22
23	.11	—	—	.01	.01	.05	.12	—	.02	—	—	.40	23
24	.04	—	—	—	.46	—	.15	—	—	—	—	—	24
25	—	.07	—	—	—	—	.01	—	.02	.02	—	—	25
26	—	—	—	—	—	.42	.03	.31	.01	—	—	—	26
27	—	—	—	—	—	—	.25	—	.10	—	.15	—	27
28	—	—	—	—	—	—	—	.35	.28	—	.06	.05	28
29	—	—	.28	—	—	—	—	—	.01	—	.04	.56	29
30	—	X	—	—	—	—	—	.03	.03	—	—	.07	30
31	—	X	.35	X	—	X	—	—	X	—	X	.11	31
Total	1.33	1.67	.91	.65	2.19	1.07½	3.05	1.85	4.48	1.37	.89	3.51	22.97½
Rain Days.	13	17½	8	8	8	9	16	8	45½	13½	7	18	142

REGISTER OF RAINFALL IN 1920.

Kept at Womersley Park
in the County of Yorkshire
by George Hearn for Countess of Rose

Lat. _____ Long _____
Time of Observation 9 A.M.
Nearest Railway Station Womersley
Diameter of Funnel of Rain Gauge 8 1/2 in.
Height of top of Gauge above Ground 6 ft. 9 in.
" " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	20	34	05	08	—	—	15	07	01	1
2	—	—	07	21	—	—	97	—	18	20	—	20	2
3	—	—	—	08	03	09	83	—	10	12	—	09	3
4	—	—	—	03	—	—	40	54	09	93	—	16	4
5	—	—	02	—	13	—	05	10	04	03	—	—	5
6	—	—	09	09	13	—	08	—	—	—	—	06	6
7	—	—	03	03	—	—	39	—	—	—	—	—	7
8	—	04	—	26	—	—	18	07	—	02	—	—	8
9	19	02	—	47	—	—	—	05	01	01	—	—	9
10	13	20	—	16	—	—	13	06	—	—	—	—	10
11	35	—	—	20	09	07	—	—	—	—	—	11	11
12	—	—	09	27	02	—	01	07	—	—	04	06	12
13	03	02	—	10	—	34	—	—	27	03	—	08	13
14	01	—	42	11	—	30	—	—	27	03	14	—	14
15	—	08	37	06	—	—	05	—	13	07	04	—	15
16	—	—	—	01	—	—	34	—	04	—	—	—	16
17	—	—	—	—	09	—	25	—	24	—	—	—	17
18	03	—	—	11	06	02	—	10	04	—	—	—	18
19	01	13	—	16	02	—	—	—	—	—	—	—	19
20	03	04	—	25	—	32	01	—	—	—	—	—	20
21	—	—	—	15	—	—	47	14	—	—	—	03	21
22	—	—	—	27	—	—	02	—	—	—	—	—	22
23	—	—	—	—	—	—	25	—	—	—	—	—	23
24	—	—	19	05	—	—	—	—	—	—	01	03	24
25	—	10	06	—	—	—	56	—	—	—	—	—	25
26	10	—	03	—	21	—	19	—	—	—	—	01	26
27	14	03	—	03	35	34	—	—	—	—	36	23	27
28	66	—	13	19	06	—	05	—	—	—	35	04	28
29	27	—	15	02	22	02	—	—	01	—	11	39	29
30	20	—	—	09	—	—	03	—	11	—	13	24	30
31	06	—	04	—	05	—	—	—	—	37	—	07	31
TOTAL	221	166	169	360	270	153	534	113	126	103	125	212	YEAR'S TOTAL
Days with rain	14	9	13	25	14	9	21	8	12	10	9	17	161
Days with no rain	9	8	10	20	10	2	17	8	10	6	8	13	124

✓ WD cont. 2. v. 12

WOODHOUSE

HANDSWORTH

SEWAGE FARM

YORKSHIRE

1911 - 1914

Kept at *The Handsworth Farm*
in the County of *W.R.*

by *George Turner*
under the supervision of
IMPORTANT N

previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.
Jan. 1912
in *Yamora*
und *6* ft. *6* in.
Level *180* ft.
m. *Woodhouse for G.C.R.*
ne *233* Direction *W.N.W.*
tance *233* Direction *W.N.W.*
e result entered to the
al rule, he is earnestly

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.000	.00	.05	.00	.00	.00	.05	.00	.00	.02	.05	.00	1
2	.000	.00	.02	.18	.00	.02	.02	.02	.00	.00	.00	.00	2
3	.18	.00	.00	.00	.22	.00	.00	.00	.00	.00	.00	.05	3
4	.04	.00	.00	.00	.00	.00	.00	.04	.00	.00	.15	.00	4
5	.00	.00	.03	.00	.00	.00	.00	.00	.08	.19	.13	.22	5
6	.00	.00	.00	.06	.00	.00	.00	.08	.00	.12	.03	.00	6
7	.35	.00	.02	.00	.00	.00	.00	.09	.00	.21	.38	.85	7
8	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.15	.35	8
9	.15	.00	.09	.00	.00	.03	.00	.00	.04	.00	.08	.08	9
10	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.06	.40	10
11	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10	11
12	.14	.00	.03	.00	.00	.00	.00	.03	.00	.00	.39	.04	12
13	.00	.00	.05	.00	.00	.00	.00	.00	.34	.00	.25	.02	13
14	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.03	.40	14
15	.00	.05	.04	.00	.30	.00	.04	.00	.00	.02	.04	.50	15
16	.00	.10	.09	.00	.00	.00	.02	.00	.00	.05	.00	.11	16
17	.00	.06	.06	.00	.00	.03	.00	.00	.00	.03	.16	.04	17
18	.00	.00	.02	.02	.00	.25	.00	.00	.00	.00	.17	.12	18
19	.00	.27	.03	.00	.00	.02	.00	.00	.00	.00	.12	.22	19
20	.00	.06	.01	.03	.00	.07	.00	.00	.22	.10	.35	.02	20
21	.00	.04	.00	.05	.00	.00	.00	.50	.00	.04	.02	.20	21
22	.03	.22	.01	.00	.00	.00	.00	.06	.10	.28	.00	.00	22
23	.00	.03	.00	.05	.00	.00	.03	.00	.02	.16	.03	.26	23
24	.00	.30	.02	.00	.00	.50	.00	.02	.25	.00	.00	.13	24
25	.00	.10	.02	.00	.00	1.37	.00	.00	.00	.11	.06	.15	25
26	.04	.20	.00	.06	.00	.00	.00	.00	.12	.30	.00	.29	26
27	.00	.03	.09	.02	.18	.00	.00	.00	.00	.00	.30	.35	27
28	.00	.08	.00	.20	.00	.00	.00	.59	.24	.00	.00	.04	28
29	.00	.00	.00	.05	.00	.00	.00	.03	.02	.00	.05	.05	29
30	.00	.00	.03	.15	.00	.00	.00	.00	.11	.22	.00	.02	30
31	.00	.05	.00	.13	.00	.05	.00	.00	.02	.27	.00	.00	31
Total	.93	1.54	.83	.86	.83	2.29	.16	1.46	1.54	2.12	2.88	5.02	TOTAL for year
No. of Rain Days.	.93	1.59	.78	.86	.83	2.34	.11	1.46	1.56	2.15	2.83	5.02	20.46
	7	18	21	11	4	89	54	10	11	15	19	25	149
		14	20						12		18		

WD cont. 2. v. 12

Kept at The Handworth U.S. Council's Survey
Farm at Woodhouse Junction
in the County of W.R. of Yorkshire W. of Sheffield

by George Turner in charge of the Farm
under the superintendence of Bernard Powell the Surveyor

Pattern Hegstie & Yamba
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 6 ft. 6 in.
Sea Level 180 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Woodhouse Jn G.C.R.
Distance 233 Direction W. N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.000	.00	.05	.00	.00	.00	.05	.00	.00	.02	.05	.00	1
2	.000	.00	.02	.18	.00	.02	.02	.02	.00	.00	.00	.00	2
3	.18	.00	.00	.00	.22	.00	.00	.00	.00	.00	.00	.05	3
4	.04	.00	.00	.00	.00	.00	.00	.04	.00	.00	.15	.00	4
5	.00	.00	.03	.00	.00	.00	.00	.00	.08	.19	.13	.22	5
6	.00	.00	.00	.05	.00	.00	.00	.08	.00	.12	.03	.00	6
7	.35	.00	.02	.00	.00	.00	.00	.09	.00	.21	.38	.85	7
8	.05	.00	.04	.00	.00	.00	.00	.00	.00	.00	.15	.35	8
9	.15	.00	.09	.00	.00	.03	.00	.00	.04	.00	.08	.08	9
10	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.06	.40	10
11	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10	11
12	.14	.00	.03	.00	.00	.00	.00	.03	.00	.00	.39	.04	12
13	.00	.00	.05	.00	.00	.00	.00	.00	.34	.00	.25	.02	13
14	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.03	.40	14
15	.00	.05	.04	.00	.30	.00	.04	.00	.00	.02	.04	.50	15
16	.00	.10	.09	.00	.00	.00	.02	.00	.00	.05	.00	.11	16
17	.00	.06	.06	.00	.00	.03	.00	.00	.00	.03	.16	.04	17
18	.00	.00	.02	.02	.00	.25	.00	.00	.00	.00	.17	.12	18
19	.00	.27	.03	.00	.00	.02	.00	.00	.00	.00	.12	.22	19
20	.00	.06	.01	.03	.00	.07	.00	.00	.22	.10	.35	.02	20
21	.00	.04	.00	.05	.00	.00	.00	.50	.00	.04	.02	.20	21
22	.03	.22	.01	.00	.00	.00	.00	.06	.16	.28	.00	.00	22
23	.00	.03	.00	.05	.00	.00	.03	.00	.02	.16	.03	.24	23
24	.00	.30	.02	.00	.00	.50	.00	.02	.25	.00	.00	.13	24
25	.00	.10	.02	.00	.00	1.37	.00	.00	.00	.11	.00	.15	25
26	.04	.20	.00	.06	.00	.00	.00	.00	.12	.30	.00	.29	26
27	.00	.03	.09	.02	.18	.00	.00	.00	.00	.00	.30	.35	27
28	.00	.08	.00	.20	.00	.00	.00	.59	.24	.00	.00	.04	28
29	.00	.00	.00	.05	.00	.00	.00	.03	.02	.00	.05	.05	29
30	.00	.00	.03	.15	.00	.00	.00	.00	.11	.22	.00	.02	30
31	.00	.05	.00	.13	.00	.05	.00	.00	.02	.27	.00	.00	31
Total	.93	1.54	.83	.86	.83	2.29	.16	1.46	1.54	2.12	2.88	5.02	TOTAL for year
No. of Rain Days.	7	13	21	11	4	8	5	10	11	15	19	25	149

REGISTER OF RAINFALL IN 1912

Kept at *The Woodhouse Jn. Sewage Works*
in the County of *West Riding of York W7*
by *The Handsworth Urban District Council.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Woodhouse Jn G.C.R. 13*
Diameter of Rain Gauge *8"* in.
Height of top of Gauge above Ground _____ ft. *6"* in.
" " " " Sea Level *180* ft.

BRITISH RAINFALL FORM A.
15 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.15	.00	.20	.00	.27	.27	.41	.08	.02	1
2	.00	.00	.15	.00	.00	.35	.02	.00	.02	.00	.00	1.20	2
3	.00	.00	.00	.00	.00	.43	.47	.00	.05	.00	.00	.50	3
4	.05	.05	.00	.05	.10	.50	.07	.30	.20	.00	.00	.00	4
5	.00	.00	.62	.00	.12	.55	.00	.50	.05	.00	.16	.00	5
6	.25	.02	.02	.02	.11	.13	.00	.10	.00	.00	.01	.70	6
7	.75	.04	.00	.04	.05	.00	.00	.57	.00	.00	.00	.00	7
8	.50	.14	.00	.00	.03	.08	.00	.05	.00	.00	.00	.05	8
9	.05	.50	.20	.00	.00	.00	.10	.00	.12	.00	.00	.00	9
10	.04	.00	.10	.13	.00	.05	.00	.08	.00	.00	.00	.04	10
11	.02	.00	.05	.00	.00	.02	.00	.10	.00	.00	.34	.00	11
12	.18	.05	.03	.05	.00	.00	.00	.02	.00	.00	.07	.00	12
13	.08	.30	.00	.30	.00	.07	.75	.00	.06	.00	.08	.72	13
14	.01	.00	.00	.00	.00	.02	.00	.00	.00	.07	.07	.02	14
15	.06	.04	.36	.00	.00	.10	.00	.00	.00	.00	.00	.00	15
16	.16	.03	.11	.02	.38	.00	.00	.00	.00	.00	.00	.07	16
17	.58	.00	.12	.00	.04	.15	.00	.30	.02	.00	.00	.08	17
18	.02	.00	.15	.00	.00	.18	.05	.00	.00	.00	.00	.50	18
19	.36	.00	.11	.02	.00	.00	.00	.37	.04	.00	.00	.00	19
20	.32	.00	.05	.00	.00	.00	.75	.00	.00	.00	.05	.15	20
21	.19	.00	.20	.00	.12	.00	.27	.00	.00	.20	.02	.05	21
22	.00	.20	.43	.00	.55	.00	.50	.00	.00	.06	.00	.00	22
23	.00	.05	.03	.00	1.05	.80	.10	.67	.00	.00	.00	.07	23
24	.00	.00	.24	.00	.03	.00	.27	.15	.00	.00	.02	.02	24
25	.25	.10	.06	.00	.06	.00	.35	.10	.00	.00	.00	.20	25
26	.00	.02	.00	.00	.00	.17	.00	.00	.00	.00	.22	.15	26
27	.00	.00	.00	.00	.00	.00	.27	.87	.00	.80	.00	.00	27
28	.00	.09	.00	.00	.00	.21	.42	.00	.00	1.10	.13	.07	28
29	.00	.00	.06	.00	.00	.13	.22	.35	.05	.30	.00	.00	29
30	.00		.20	.00	.00	.00	.10	.00	.15	.07	.00	.08	30
31	.10		.00		.75		.00	.00		.05		.00	31
Total	3.97	1.63	3.29	.78	3.39	4.14	4.71	4.80	1.03	3.06	1.25	4.69	36.74
Rain Days.	19	14	20	98	13+	18	17	16	11	9	12	198	176

REGISTER OF RAINFALL IN 1913

Kept at the Handsworth Council Sewage Works
Woodhouse Junction, nr Sheffield
in the County of York
by Bernard Powell Engineer & Surveyor

Lat. 53.5 N Long. 1.35 W
Time of Observation 9 a.m.
Nearest Railway Station Woodhouse Junction G.B.R. 1914
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 180 ft.

FORM A.
BRITISH RAINFALL
6-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.21	.00	.14	.00	.00	.00	.00	.30	.00	.05	.00	1
2	.00	.26	.12	.00	.00	.00	.00	.00	.00	.00	.03	.35	2
3	.00	.06	.00	.00	.00	.00	.00	.00	.00	.02	.00	.25	3
4	.84	.15	.15	.00	.45	.08	.00	.00	.04	1.00	.00	.00	4
5	.05	.02	.04	.02	.13	.00	.15	.00	.06	.35	.16	.03	5
6	.00	.00	.00	.00	.05	.05	.85	.00	.00	.50	.05	.00	6
7	.00	.21	.12	.03	.50	.32	.00	.00	.00	.75	.00	.00	7
8	.00	.08	.00	.00	.10	.00	.00	.00	.10	.42	.15	.03	8
9	.00	.25	.00	.00	.40	.02	.11	.12	.00	.00	.00	.00	9
10	.00	.02	.04	.10	.47	.00	.00	.00	.00	.03	.00	.00	10
11	.98	.00	.02	.45	.11	.12	.00	.00	.00	.00	.50	.00	11
12	.00	.00	.00	.00	.00	.04	.00	.00	.00	.00	.06	.00	12
13	.00	.00	.00	.00	.00	.00	.00	.00	.15	.00	.35	.00	13
14	.15	.00	.06	.00	.00	.00	.00	.00	.00	.05	.50	.00	14
15	.00	.00	.50	.05	.00	.00	.00	.00	.00	.00	.25	.00	15
16	.00	.15	.56	.20	.00	.00	.00	.05	.00	.00	.00	.00	16
17	.00	.00	.14	.06	.00	.00	.00	.00	1.30	.00	.05	.00	17
18	.00	.00	.60	.00	.00	.00	.11	.00	.00	.00	.00	.00	18
19	.12	.00	.22	.10	.00	.00	.00	.00	.25	.00	.06	.00	19
20	.00	.00	.00	.10	.09	.00	.00	.00	.00	.10	.10	.00	20
21	.20	.05	.03	.15	.00	.00	.20	.00	.00	.00	.10	.00	21
22	.10	.00	.00	.00	.00	.00	.05	.80	.00	.02	.15	.00	22
23	.00	.00	.50	.00	.00	.00	.00	.00	.00	.00	.00	.00	23
24	.04	.00	.00	.00	.00	.04	.00	.00	.35	.00	.00	.00	24
25	.00	.00	.00	.03	.02	.00	.00	.00	.00	.00	.00	.03	25
26	.05	.00	.00	.17	.00	.00	.00	.00	.10	.15	.00	.16	26
27	.07	.00	.00	.00	.00	.00	.00	.50	.02	.00	.00	.34	27
28	.21	.00	.20	.60	.00	.00	.00	.10	.00	.03	.03	.08	28
29	.00		.15	.67	.00	.00	.00	.15	.00	.00	.00	.01	29
30	.22		.27	.57	.10	.00	.00	.00	.00	.43	.02	.30	30
31	.03		.00		.00		.00	.05		.00		.00	31
Total	3.06	1.46	3.72	3.44	2.42	.67	1.47	1.77	2.67	3.85	2.61	1.58	28.72
Rain Days.	13	11	17	16	11	7	6	7	10	13	17	10	138

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at *Handsworth U.D. Council's Sewage Works at Woodhouse*
in the County of *W. R. of Yorks*
by *George Turner*

Lat. *53.5 N* Long. *1.35 W*
Time of Observation *9 a.m.*
Nearest Railway Station *Woodhouse Jn G.C.R.*
Diameter of Rain Gauge *eight* in.
Height of top of Gauge above Ground *6* ft.
" " " " Sea Level *180* ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	00	00	00	07	90	~~22~~	00	00	00	16	1
2	00	00	00	00	00	00	155	~~03~~	00	00	62	12	2
3	00	00	00	00	12	00	00	~~13~~	00	00	30	50	3
4	20	00	08	20	19	00	05	00	00	00	10	25	4
5	12	00	00	15	00	00	00	~~02~~	00	00	05	10	5
6	00	00	28	25	09 ⁰⁹	00	40	~~12~~	00	00	00	15	6
7	03	00	05	11	00 ¹¹	05	20	~~00~~	00	00	00	11	7
8	30	00	00	00	00	40	05	~~10~~	100	00	00	05	8
9	00	00	00	15	00	60	00	~~20~~	00	00	00	00	9
10	32	02	00	12	00	02	60	~~02~~	00	00	60	00	10
11	00	20	30	05	00	00	00	~~01~~	00	00	50	35	11
12	00	05	12	15	00	00	00	00	00	00	42	45	12
13	02	03	03	00	00	00	00	00	05	00	40	40	13
14	06	00	14	00	00	00	00	~~00~~	00	40	00	32	14
15	00	25	30	00	00	00	00	00	32	00	50	00	15
16	05	04	00	00	03	00	21	00	30	00	00	20	16
17	00	12	06	00	00	00	20	00	06	00	00	40	17
18	00	00	10	00	00	00	00	00	10	00	00	21	18
19	00	00	22	00	00	00	00	~~05~~	00	00	00	25	19
20	05	01	04	00	00	00	00	00	00	00	00	05	20
21	00	60	05	00	00	65	00	~~00~~	00	05	00	00	21
22	02	02	02	00	15	05	02	~~02~~	00	00	00	15	22
23	05	00	00	00	45	00	00	00	00	00	03	00	23
24	00	05	08	00	00	00	22	20	02	20	15	00	24
25	00	00	15	00	00	00	00	~~06~~	00	00	00	45	25
26	00	00	00	00	00	00	05	~~00~~	00	60	00	10	26
27	08	05	00	00	00	00	00	~~00~~	00	15	00	80	27
28	06	04	25	00	00	00	00	00	00	00	00	58	28
29	00	~~X~~	00	00	00	00	00	~~00~~	00	04	20	00	29
30	08	~~X~~	02	00	00	00	00	~~00~~	00	63	15	30	30
31	00	~~X~~	00	~~X~~	03	~~X~~	31	~~05~~	~~X~~	25	~~X~~	04	31
Total	144	148	219	118	104	148	416	163	185	235	402	649	2964
Rain Days.	14	13	18	8	8	4	12	8	7	8	13	24	147

TELEGRAMS:
GILLING WEST.

THE LODGE,
GILLING WEST,
RICHMOND, YORKS.

19th March 1915
Carte Salter Esq.

Dear Sir

I herewith return Card
of March 21st Ball corrected
The amount on 3rd ought
to have been .03 and not .02
as first quoted. It was an
error in copying. This makes
the total 2.02 correct

Yours sincerely
G. Stoper

REGIS

WOODSETTS
GRANGE
YORKSHIRE

Kept at Woodsetts
in the County of Yorks
by Harry J. M.

26 AUG 1918
FORM A
BRITISH RAINFALL

in.
ft. in.
B.M. 234 ft.

ult entered to the
le, he is earnestly
the space provided

Jan. 1, following.

0

IMPORTANT NOTE

previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

1917 - 1920

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.82	.02	0	.09	0	0	0	.01	.07	0	0	.04	1
2	0	0	0	0	0	.11	0	.40	.07	0	.07	.01	2
3	0	0	0	.27	0	.31	0	.15	0	0	.04	0	3
4	.34	0	0	0	0	.03	0	.32	0	.04	.09	0	4
5	0	0	0	0	0	0	0	.02	0	.35	0	0	5
6	0	0	.12	.10	0	0	0	.02	.02	.04	.06	0	6
7	.38	0	0	0	0	.07	0	0	0	.31	.01	0	7
8	.87	0	0	0	0	.07	0	0	0	.19	.01	0	8
9	.06	0	0	.20	0	0	0	1.00	0	.42	.22	.01	9
10	.07	0	0	.19	0	0	0	.11	0	.03	.25	0	10
11	.06	0	.76	.17	.29	0	0	.05	.01	.01	.16	0	11
12	.15	0	.01	.44	0	0	0	.03	0	.25	0	0	12
13	.10	0	0	.05	.32	0	0	.53	.01	.05	0	.02	13
14	.02	0	0	.10	0	.02	0	.23	.03	.01	0	0	14
15	.07	0	0	.02	0	0	.03	.37	0	0	0	.07	15
16	.04	0	0	0	.07	0	.02	.23	0	.03	0	.02	16
17	.05	.08	0	.09	0	0	0	0	0	0	0	.22	17
18	.02	.03	.06	.10	.57	.14	.04	.15	.01	.16	0	.09	18
19	.02	0	0	.07	.04	.01	.36	.05	.33	.04	0	.05	19
20	.01	.12	.08	0	.20	.32	0	.01	.03	.03	0	0	20
21	0	.21	.02	0	.22	.12	0	.08	.01	0	.09	.01	21
22	.01	.04	.04	0	.01	.14	0	.06	0	.02	0	0	22
23	.06	0	.07	0	.01	0	0	.05	0	.04	0	0	23
24	0	.02	0	0	.25	.01	0	.07	.01	.04	.07	.01	24
25	0	0	0	0	0	.32	.02	.03	0	.32	.12	0	25
26	0	0	.09	0	0	0	0	.01	0	.02	.07	0	26
27	0	0	.01	0	0	.07	0	.25	.04	.01	.02	0	27
28	0	0	.08	0	0	.16	.15	.50	0	0	0	.02	28
29	0		.18	0	0	.07	0	.27	.01	0	0	.09	29
30	—	X	.13	0	.22	.20	.05	.01	0	.24	0	.32	30
31	.02	X	.16	X	0	X	.18	.13	X	.02	X	0	31
Total	2.37	.50	1.09	1.80	2.20	2.20	.86	5.32	2.58	2.72	1.32	0.98	22.86
Rain Days.	2.35	6	15	12	2.20	2.20	9	5.14	12	23	15	13	27.85

274 52 1.67 1.80 2.25 2.00 8.6 5.32 6.8 2.72 1.32 0.98 incorrect
W. 8,000, IX. 17. as this was smudged. 22.86

REGISTER OF RAINFALL IN 1918

26 AUG 1918
FORM A.
BRITISH RAINFALL

Kept at Woodsitts Grange
in the County of Yorkshire
by Harry J. Marsh

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level B.M. 234 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.82	.02	0	.09	0	0	0	.01	.07	0	0	.04	1
2	0	0	0	0	0	.11	0	.40	.07	0	.07	.01	2
3	0	0	0	.27	0	.31	0	.15	0	0	.04	0	3
4	.34	0	0	0	0	.03	0	.32	0	.04	.09	0	4
5	0	0	0	0	0	0	0	.02	0	.35	0	0	5
6	0	0	.12	.10	0	0	0	.02	.02	.04	.06	0	6
7	.38	0	0	0	0	.07	0	0	0	.31	.01	0	7
8	.87	0	0	0	0	.07	0	0	0	.19	.01	0	8
9	.06	0	0	.20	0	0	0	1.00	0	.42	.22	.01	9
10	.07	0	0	.19	0	0	0	.11	0	.03	.25	0	10
11	.06	0	.76	.17	.29	0	0	.05	.01	.01	.16	0	11
12	.15	0	.01	.44	0	0	0	.03	0	.25	0	0	12
13	.10	0	0	.05	.32	0	0	.53	.01	.05	0	.02	13
14	.62	0	0	.10	0	.02	0	.23	.03	.01	0	0	14
15	.07	0	0	.02	0	0	.03	.37	0	0	0	.07	15
16	.04	0	0	0	.07	0	.02	.23	0	.03	0	.12	16
17	.05	.08	0	.09	0	0	0	0	0	0	0	.22	17
18	.02	.03	.06	.10	.57	.14	.04	.15	.01	.16	0	.09	18
19	.62	0	0	.07	.04	.01	.86	.05	.33	.04	0	.05	19
20	.01	.12	.08	0	.20	.32	0	.01	.03	.03	0	0	20
21	0	.21	.02	0	.22	.12	0	.08	.01	0	.09	.01	21
22	.01	.04	.04	0	.01	.14	0	.06	0	.02	0	0	22
23	.06	0	.07	0	.01	0	0	.05	0	.04	0	0	23
24	0	.02	0	0	.25	.01	0	.07	.01	.04	.07	.01	24
25	0	0	0	0	0	.32	.02	.03	0	.32	.12	0	25
26	0	0	.09	0	0	0	0	.01	0	.02	.07	0	26
27	0	0	.01	0	0	.07	0	.25	.04	.01	.02	0	27
28	0	0	.08	0	0	.19	.15	.50	0	0	0	.02	28
29	0		.18	0	0	.07	0	.27	.01	0	0	.09	29
30	—	X	.13	0	.22	.20	.05	.01	0	.24	0	.32	30
31	.02	X	.16	X	0	X	.18	.13	X	.02	X	0	31
Total	2.37	.50	1.80	1.80	2.20	2.20	.86	5.32	5.32	2.72	1.32	0.40	YEAR'S TOTAL
Rain Days.	2.35	6	1.15	1.00	2.20	2.20	9	5.14	5.14	2.72	1.28	1.3	2.75

W. 8,000, IX. 17.
The above figures are correct, the daily figures written previously are incorrect as they were smudged. 22.86

REGISTER OF RAINFALL IN 1918

Kept at Old Vicarage, Woodsetts
 in the County of Yorkshire W.R.
 by Harry P. Marsh

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Shireoaks.
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level 245 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	—	.02	—	—	—	—	.14	.06	.22	—	1
2	—	.17	—	.05	—	—	—	.20	.07	.02	—	.29	2
3	—	.12	.06	.01	.51	—	—	.58	.02	.01	.27	—	3
4	—	.01	.03	—	.01	—	—	.03	.46	.04	.33	.43	4
5	—	—	.01	.01	.25	—	—	.20	.09	.15	—	.01	5
6	—	.18	.01	.50	—	.05	—	—	.01	.16	—	.01	6
7	—	.03	—	.40	—	.01	—	—	.03	.02	.14	—	7
8	—	.03	.08	.01	—	—	.16	—	.39	.04	.02	—	8
9	.01	.37	—	.49	—	.21	.05	—	.61	.09	—	.02	9
10	.06	.01	—	.02	—	—	.08	—	—	.01	.02	.05	10
11	.09	.20	—	.16	.16	—	.65	.04	.09	—	—	.02	11
12	.08	.02	.02	.14	.07	—	—	—	.05	—	—	.04	12
13	—	—	—	.01	.17	—	.05	—	.20	.05	—	—	13
14	.36	—	.01	.02	—	.04	.20	—	.32	.09	—	.20	14
15	—	—	—	—	.03	.05	.20	—	.70	—	—	.23	15
16	.03	—	—	.11	—	—	.42	—	.29	—	.01	.12	16
17	.25	—	—	.01	.05	—	.33	.03	.02	.06	—	.15	17
18	.24	—	—	—	—	.02	.10	—	(.45)	.01	—	.10	18
19	.05	.07	.19	.02	—	.02	.336	.02	—	.04	—	.45	19
20	.07	.05	—	.03	—	.15	—	—	.04	—	—	.01	20
21	.12	.01	—	—	.51	.02	—	—	.16	.10	—	—	21
22	.10	—	—	—	.65	.02	.08	—	.16	.04	.01	.34	22
23	.04	.07	—	—	.50	—	.14	—	.01	.01	—	.02	23
24	.0	—	—	—	—	.01	.01	—	.13	.02	.03	—	24
25	—	—	—	.01	—	.10	.03	.30	.01	—	.01	—	25
26	—	.02	—	—	—	—	.06	.07	.02	.04	.06	.05	26
27	—	.15	—	—	—	.01	.10	.29	.15	—	.07	.05	27
28	—	.01	.22	—	—	—	—	.09	.02	—	.12	.14	28
29	—	—	—	—	—	—	—	—	.13	—	.02	.15	29
30	~~.42~~	X	.35	—	—	—	—	—	.03	—	.05	.35	30
31	—	X	.06	X	—	X	—	.05	X	—	X	.01	31
Total	1.52	1.44	1.04	2.02	2.31	.71	6.02	1.87	4.83	1.06	1.38	3.24	27.32
Rain Days.	13	18	11	18	11	13	17	12	28	20	15	23	2742

REGISTER OF RAINFALL IN 1919.

Kept at Woodbatts Old Vicarage
in the County of York.
by Harry F. Marsh.

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	09	03	—	20	~~30~~	16	—	—	11	18	19	1
2	12	03	01	—	—	0	21	—	02	—	24	—	2
3	~~10~~ Snow	—	—	—	03	02	56	—	04	—	30	02	3
4	—	—	26	—	01	11	025	15	06	—	12	17	4
5	16	—	—	—	—	—	—	02	16	—	—	38	5
6	01	—	01	—	63	—	001	—	—	03	—	13	6
7	02	—	23	—	05	—	—	—	—	—	—	—	7
8	11	—	02	—	—	01	—	—	—	—	08	—	8
9	02	—	03	—	—	—	—	—	—	—	06	—	9
10	—	—	25	05	—	—	—	—	—	02	03	11	10
11	—	—	74	04	12	—	17	—	—	—	02	—	11
12	—	—	86	05	—	07	06	—	15	—	02	01	12
13	20	—	01	14	—	—	—	—	69	06	01	—	13
14	28	—	—	29	—	—	—	—	03	05	01	—	14
15	28	11	03	08	—	—	—	01	—	05	03	78	15
16	01	81	—	06	—	—	—	—	—	—	14	02	16
17	08	72	—	03	—	13	01	03	—	—	11	—	17
18	—	26	06	—	03	—	015	03	01	—	27	15	18
19	04	09	95	—	—	03	87	54	06	—	09	02	19
20	31	32	11	—	—	05	27	14	06	—	02	07	20
21	21	14	06	—	—	19	20	—	01	—	—	16	21
22	01	—	—	—	—	01	01	—	59	—	—	34	22
23	—	—	—	—	—	01	—	02	01	71	01	12	23
24	—	02	01	13	04	03	01	03	—	36	03	—	24
25	04	—	—	14	23	06	—	44	—	—	01	—	25
26	—	—	20	05	01	—	—	18	06	—	03	37	26
27	04	—	—	32	—	—	—	—	—	08	—	06	27
28	05	—	—	08	—	—	—	90	—	07	01	28	28
29	11	—	—	02	—	01	—	05	—	84	11	—	29
30	01	~~X~~	~~X~~	16	—	12	—	—	—	04	—	—	30
31	04	~~X~~	~~X~~	~~X~~	00	~~X~~	09	~~X~~	~~X~~	~~X~~	~~X~~	04	31
TOTAL	2.55	2.59	3.87	1.64	1.35	.85	2.66	2.54	1.93	2.42	1.93	3.42	27.75
Days with "1 in. or more	23	10	18	15	10	14	14	13	14	12	23	19	185

REGISTER OF RAINFALL IN 1920.

Kept at Woodsetts
in the County of York
by Harry P. Marsh

Lat. _____ Long. _____
Time of Observation 8 am.
Nearest Railway Station Shiresaks GCR.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
112
04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>add to previous month</u>	<u>.11</u>	<u>—</u>	<u>.10</u>	<u>.07</u>	<u>.06</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>.14</u>	<u>.12</u>	<u>.20</u>	1
2	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.25</u>	<u>.26</u>	<u>.02</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>.20</u>	<u>.16</u>	<u>.05</u>	2
3	<u>—</u>	<u>—</u>	<u>—</u>	<u>.15</u>	<u>.04</u>	<u>—</u>	<u>.32</u>	<u>—</u>	<u>.21</u>	<u>.16</u>	<u>.03</u>	<u>.12</u>	3
4	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.20</u>	<u>.01</u>	<u>.06</u>	<u>.38</u>	<u>—</u>	<u>.22</u>	<u>.19</u>	<u>—</u>	<u>.06</u>	4
5	<u>—</u>	<u>—</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>0</u>	<u>.19</u>	<u>.32</u>	<u>.04</u>	<u>.60</u>	<u>—</u>	<u>.13</u>	5
6	<u>.01</u>	<u>.01</u>	<u>.02</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.05</u>	<u>.18</u>	<u>.02</u>	<u>.03</u>	<u>—</u>	<u>.03</u>	6
7	<u>—</u>	<u>—</u>	<u>.20</u>	<u>.06</u>	<u>.04</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.08</u>	7
8	<u>.02</u>	<u>.01</u>	<u>.07</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	8
9	<u>.02</u>	<u>.05</u>	<u>—</u>	<u>.49</u>	<u>.04</u>	<u>—</u>	<u>.16</u>	<u>.03</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	9
10	<u>.14</u>	<u>.06</u>	<u>—</u>	<u>.44</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>.07</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	10
11	<u>.18</u>	<u>.10</u>	<u>—</u>	<u>.20</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	11
12	<u>.35</u>	<u>.04</u>	<u>.07</u>	<u>.21</u>	<u>.15</u>	<u>.35</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	12
13	<u>.08</u>	<u>—</u>	<u>.01</u>	<u>.28</u>	<u>.02</u>	<u>.24</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	13
14	<u>.09</u>	<u>.05</u>	<u>.05</u>	<u>.17</u>	<u>—</u>	<u>.77</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.01</u>	14
15	<u>.001</u>	<u>—</u>	<u>.50</u>	<u>.11</u>	<u>—</u>	<u>.37</u>	<u>.01</u>	<u>—</u>	<u>.20</u>	<u>.005</u>	<u>.13</u>	<u>.04</u>	15
16	<u>—</u>	<u>.06</u>	<u>.45</u>	<u>.39</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.37</u>	<u>.05</u>	<u>.02</u>	<u>—</u>	16
17	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.37</u>	<u>—</u>	<u>.02</u>	<u>.05</u>	<u>—</u>	<u>.01</u>	17
18	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.34</u>	<u>.03</u>	<u>—</u>	<u>.02</u>	18
19	<u>.08</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.08</u>	<u>.08</u>	<u>.01</u>	<u>—</u>	<u>.04</u>	<u>.005</u>	<u>—</u>	<u>—</u>	19
20	<u>.02</u>	<u>.75</u>	<u>—</u>	<u>.18</u>	<u>.13</u>	<u>.06</u>	<u>—</u>	<u>.32</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	20
21	<u>.01</u>	<u>.20</u>	<u>—</u>	<u>.27</u>	<u>.02</u>	<u>.33</u>	<u>.05</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	21
22	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.29</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	22
23	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.18</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.01</u>	<u>—</u>	23
24	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	<u>.32</u>	24
25	<u>.03</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.17</u>	25
26	<u>.01</u>	<u>.04</u>	<u>.06</u>	<u>.02</u>	<u>—</u>	<u>.02</u>	<u>.54</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	26
27	<u>.15</u>	<u>.02</u>	<u>.10</u>	<u>.02</u>	<u>.40</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	27
28	<u>.25</u>	<u>—</u>	<u>.01</u>	<u>.10</u>	<u>1.00</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.35</u>	<u>.23</u>	28
29	<u>.85</u>	<u>—</u>	<u>.08</u>	<u>.07</u>	<u>.10</u>	<u>.03</u>	<u>.07</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.16</u>	<u>.08</u>	29
30	<u>.12</u>	<u>X</u>	<u>.13</u>	<u>—</u>	<u>.56</u>	<u>.05</u>	<u>.08</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.06</u>	<u>.59</u>	30
31	<u>.19</u>	<u>X</u>	<u>.43</u>	<u>X</u>	<u>.03</u>	<u>X</u>	<u>.06</u>	<u>—</u>	<u>X</u>	<u>.045</u>	<u>X</u>	<u>.25</u>	31
TOTAL	<u>2.62</u>	<u>1.41</u>	<u>2.07</u>	<u>4.21</u>	<u>3.00</u>	<u>2.49</u>	<u>3.42</u>	<u>1.11</u>	<u>1.56</u>	<u>1.57</u>	<u>1.13</u>	<u>2.47</u>	YEAR'S TOTAL
Days with .01 in. or more	<u>22</u>	<u>14</u>	<u>18</u>	<u>25</u>	<u>18</u>	<u>13</u>	<u>22</u>	<u>10</u>	<u>14</u>	<u>14</u>	<u>12</u>	<u>23</u>	<u>27.06</u>
Days with .04 in. or more	<u>12</u>	<u>9</u>	<u>12</u>	<u>20</u>	<u>13</u>	<u>10</u>	<u>18</u>	<u>7</u>	<u>8</u>	<u>8</u>	<u>6</u>	<u>15</u>	<u>27.13</u>

8 made

RE

Kept at ACOMB LAND
in the County of YORK
by THE YORK WATER

NOTE.—Rain should be measured
of rain and particulars as to the B
to Dr. H. R. MILL, 62, Camden S

YORK W. W.
ACOMB LANDING
YORKSHIRE

1912

FORM A.
BRITISH RAINFALL.
7 (approx)
YORK
am
Five ins

ove Ground One ft. in.
Sea Level 39.70/00 ft.
ull instructions for the measurement
ervers," sent post-free on application

Date.	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	Nil	Nil	11	Nil	Nil	61	Nil	33	11	02	Nil	25	1
2	Nil	Nil	11	Nil	Nil	10	52	Nil	44	03	Nil	Nil	2
3	11	04	005	Nil	Nil	14	28	Nil	Nil	01	Nil	21	3
4	25	Nil	36	Nil	Nil	17	28	Nil	Nil	Nil	45	Nil	4
5	02	Nil	Nil	Nil	Nil	17	28	Nil	Nil	Nil	Nil	Nil	5
6	54	08	Nil	Nil	Nil	Nil	Nil	31	Nil	Nil	Nil	Nil	6
7	Nil	02	04	Nil	03	Nil	Nil	02	15	Nil	Nil	Nil	7
8	25	18	10	Nil	Nil	06	Nil	Nil	17	Nil	04	Nil	8
9	02	06	13	04	Nil	07	Nil	Nil	Nil	Nil	01	Nil	9
10	Nil	Nil	Nil	Nil	Nil	51	Nil	02	Nil	Nil	10	Nil	10
11	23	14	Nil	Nil	Nil	Nil	Nil	22	Nil	Nil	25	35	11
12	06	06	06	Nil	Nil	14	83	Nil	Nil	Nil	41	Nil	12
13	Nil	01	Nil	Nil	Nil	Nil	Nil	04	Nil	04	11	Nil	13
14	21	Nil	56	Nil	Nil	17	Nil	01	Nil	Nil	Nil	01	14
15	01	03	35	Nil	61	21	Nil	Nil	Nil	Nil	Nil	01	15
16	52	Nil	16	Nil	05	05	Nil	Nil	Nil	05	Nil	03	16
17	Nil	02	24	Nil	02	20	Nil	17	Nil	02	04	26	17
18	16	Nil	Nil	Nil	Nil	Nil	Nil	03	Nil	04	Nil	Nil	18
19	21	16	Nil	Nil	Nil	Nil	26	20	Nil	05	Nil	Nil	19
20	39	01	Nil	Nil	24	08	18	02	Nil	14	Nil	Nil	20
21	Nil	Nil	31	Nil	19	Nil	01	Nil	Nil	Nil	Nil	Nil	21
22	005	12	Nil	Nil	1.15	1.11	Nil	22	Nil	02	Nil	Nil	22
23	Nil	Nil	16	Nil	03	29	18	35	Nil	02	06	Nil	23
24	24	Nil	Nil	Nil	Nil	15	11	06	Nil	Nil	Nil	14	24
25	Nil	Nil	005	Nil	Nil	99	Nil	29	Nil	Nil	12	05	25
26	005	05	03	Nil	Nil	Nil	29	71	Nil	82	9	22	26
27	Nil	Nil	03	Nil	02	14	21	Nil	Nil	42	01	10	27
28	Nil	Nil	Nil	Nil	04	19	15	46	Nil	15	24	01	28
29	Nil	Nil	04	Nil	Nil	02	01	01	70	06	09	09	29
30	Nil		02	Nil	05	Nil	Nil	Nil	12	04	Nil	Nil	30
31	Nil		04		06		65	35		Nil		Nil	31
Total	3.23	.98	2.86	.04	2.79	6.38	3.40	4.43	16.2	2.02	2.08	1.73	TOTAL for year 31.56
No. of Rain Days	14	14	28	1	14	21	13	21	4	16	14	13	169

REGISTER OF RAINFALL IN 1912

Kept at ACOMB LANDING, YORK

in the County of YORK

by THE YORK WATERWORKS CO.

Lat. 53° 58' W. Long. 1° 7' (approx)

Nearest Railway Station YORK

Time of Observation 9 am

Diameter of Rain Gauge Five ins

Height of top of Gauge above Ground One ft. in.

Sea Level 39.7060 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>Nil</i>	<i>Nil</i>	<i>11</i>	<i>Nil</i>	<i>Nil</i>	<i>26</i>	<i>23</i>	<i>14</i>	<i>27</i>	<i>02</i>	<i>Nil</i>	<i>25</i>	1
2	<i>Nil</i>	<i>Nil</i>	<i>11</i>	<i>Nil</i>	<i>Nil</i>	<i>33</i>	<i>29</i>	<i>Nil</i>	<i>10</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	2
3	<i>11</i>	<i>04</i>	<i>005</i>	<i>Nil</i>	<i>Nil</i>	<i>61</i>	<i>Nil</i>	<i>33</i>	<i>11</i>	<i>01</i>	<i>Nil</i>	<i>21</i>	3
4	<i>25</i>	<i>Nil</i>	<i>36</i>	<i>Nil</i>	<i>10</i>	<i>52</i>	<i>Nil</i>	<i>44</i>	<i>Nil</i>	<i>Nil</i>	<i>45</i>	<i>Nil</i>	4
5	<i>02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>14</i>	<i>28</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	5
6	<i>54</i>	<i>08</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>31</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	6
7	<i>Nil</i>	<i>02</i>	<i>04</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>15</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	7
8	<i>25</i>	<i>18</i>	<i>10</i>	<i>Nil</i>	<i>Nil</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>14</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	8
9	<i>02</i>	<i>06</i>	<i>13</i>	<i>04</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	9
10	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>51</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>Nil</i>	<i>10</i>	<i>Nil</i>	10
11	<i>23</i>	<i>14</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>22</i>	<i>Nil</i>	<i>Nil</i>	<i>25</i>	<i>35</i>	11
12	<i>06</i>	<i>06</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>14</i>	<i>83</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>41</i>	<i>Nil</i>	12
13	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	<i>04</i>	<i>11</i>	<i>Nil</i>	13
14	<i>21</i>	<i>Nil</i>	<i>56</i>	<i>Nil</i>	<i>Nil</i>	<i>14</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	14
15	<i>01</i>	<i>03</i>	<i>35</i>	<i>Nil</i>	<i>61</i>	<i>21</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	15
16	<i>52</i>	<i>Nil</i>	<i>16</i>	<i>Nil</i>	<i>05</i>	<i>05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>05</i>	<i>Nil</i>	<i>03</i>	16
17	<i>Nil</i>	<i>02</i>	<i>24</i>	<i>Nil</i>	<i>02</i>	<i>20</i>	<i>Nil</i>	<i>14</i>	<i>Nil</i>	<i>02</i>	<i>04</i>	<i>26</i>	17
18	<i>16</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	<i>Nil</i>	18
19	<i>21</i>	<i>16</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>26</i>	<i>20</i>	<i>Nil</i>	<i>05</i>	<i>Nil</i>	<i>Nil</i>	19
20	<i>39</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>24</i>	<i>08</i>	<i>18</i>	<i>02</i>	<i>Nil</i>	<i>14</i>	<i>Nil</i>	<i>Nil</i>	20
21	<i>Nil</i>	<i>Nil</i>	<i>31</i>	<i>Nil</i>	<i>19</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	21
22	<i>005</i>	<i>12</i>	<i>Nil</i>	<i>Nil</i>	<i>115</i>	<i>111</i>	<i>Nil</i>	<i>22</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>Nil</i>	22
23	<i>Nil</i>	<i>Nil</i>	<i>16</i>	<i>Nil</i>	<i>03</i>	<i>29</i>	<i>18</i>	<i>35</i>	<i>Nil</i>	<i>02</i>	<i>06</i>	<i>Nil</i>	23
24	<i>24</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>15</i>	<i>11</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>14</i>	24
25	<i>Nil</i>	<i>Nil</i>	<i>005</i>	<i>Nil</i>	<i>Nil</i>	<i>99</i>	<i>Nil</i>	<i>29</i>	<i>Nil</i>	<i>Nil</i>	<i>12</i>	<i>05</i>	25
26	<i>005</i>	<i>05</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>29</i>	<i>41</i>	<i>Nil</i>	<i>82</i>	<i>9</i>	<i>22</i>	26
27	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>02</i>	<i>14</i>	<i>21</i>	<i>Nil</i>	<i>Nil</i>	<i>42</i>	<i>01</i>	<i>10</i>	27
28	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>04</i>	<i>19</i>	<i>15</i>	<i>46</i>	<i>Nil</i>	<i>15</i>	<i>24</i>	<i>01</i>	28
29	<i>Nil</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>01</i>	<i>01</i>	<i>40</i>	<i>06</i>	<i>09</i>	<i>09</i>	29
30	<i>Nil</i>		<i>02</i>	<i>Nil</i>	<i>05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>12</i>	<i>04</i>	<i>Nil</i>	<i>Nil</i>	30
31	<i>Nil</i>		<i>04</i>		<i>06</i>		<i>65</i>	<i>35</i>		<i>Nil</i>		<i>Nil</i>	31
Total	<i>3.23</i>	<i>.98</i>	<i>2.86</i>	<i>.04</i>	<i>2.79</i>	<i>6.38</i>	<i>3.40</i>	<i>4.43</i>	<i>1.62</i>	<i>2.02</i>	<i>2.08</i>	<i>1.43</i>	<i>31.56</i>
No. of Rain Days	<i>14</i>	<i>14</i>	<i>28</i>	<i>1</i>	<i>14</i>	<i>21</i>	<i>13</i>	<i>21</i>	<i>4</i>	<i>16</i>	<i>14</i>	<i>13</i>	<i>169</i>

RE 3074

Kept at Barnolds

York W.R.

in the County of York

by (Mr.) Asafu

BARNOLDSWICK

1910 - 30

1911 - 1920

IMPORTANT NO

previous day. If an requested to add the reading at 9 a.m. on 1st January for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

in.
round — ft. 1812
Sea Level 549 ft.

name Barnoldswick

Distance 16 ml Direction N.W.

the result entered to the
ersal rule, he is earnestly
ar in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. —	in. .61	in. —	in. .04	in. —	in. .05	in. —	in. —	in. —	in. .26	in. .01	1
2	.09	—	.04	—	.28	—	.05	.04	—	.04	.11	.17	2
3	.01	—	.45	—	.62	—	—	.08	—	—	.68	.11	3
4	.01	—	.10	—	—	—	—	.39	.06	.04	.77	.14	4
5	.02	—	.04	.09	—	—	—	.88	—	.01	.09	.14	5
6	.02	—	.03	.05	—	—	—	.49	—	.08	.43	.29	6
7	—	—	—	.01	—	—	—	—	—	.03	.16	—	7
8	.15	—	.43	—	—	—	—	—	—	—	.14	.36	8
9	.03	—	—	—	—	—	—	—	—	—	—	.28	9
10	.51	.08	.06	—	—	—	—	—	.03	—	—	.53	10
11	.13	—	.01	—	—	—	—	—	.06	—	.39	.14	11
12	—	—	.24	—	.01	—	—	—	1.07	—	.31	—	12
13	.01	.02	—	—	1.45	—	—	—	—	—	.21	.50	13
14	.06	.55	.02	—	.13	—	—	—	—	—	.04	—	14
15	—	.32	.03	.01	—	—	—	—	—	.05	.36	—	15
16	—	.69	.07	.02	—	.04	.02	—	—	.02	.26	—	16
17	.07	.02	.03	—	.21	.95	.01	—	—	—	.16	.81	17
18	—	.58	.06	—	—	.02	.02	—	—	.02	.02	.17	18
19	—	—	.01	.09	—	.04	.15	—	.75	.22	.06	.16	19
20	—	.17	—	.38	—	.01	.11	.30	.20	.03	—	.15	20
21	—	.89	—	.01	—	—	.07	.10	—	.15	—	.14	21
22	.12	.08	.01	.04	—	.06	—	.25	—	.29	—	—	22
23	—	.47	—	—	.23	1.00	—	—	.21	.17	.01	.18	23
24	.14	.33	.01	.16	—	1.13	.01	.02	—	.16	—	.06	24
25	.01	.53	—	.38	—	.06	.02	—	.80	.03	—	.25	25
26	.02	.01	—	.37	—	—	—	—	—	.88	.22	.28	26
27	.02	.53	.02	.22	—	—	—	.56	.46	—	.01	.08	27
28	—	.37	.01	.47	—	.25	—	—	.16	—	—	.25	28
29	—	—	—	.26	—	.32	.02	.31	.24	1.08	—	.15	29
30	—	—	—	.02	—	.03	—	—	—	.33	.01	—	30
31	—	—	.03	—	.26	—	—	—	—	.10	—	.01	31
Total	1.42	5.64	2.31	2.58	3.23	3.91	0.48	3.42	4.04	3.73	4.70	5.36	TOTAL for year 40.82
No. of Rain Days	18	16	21	16	9	12	10	13	11	19	21	28	194

RI

FORM A2.
BRITISH RAINFALL

Kept at Barnoldswick
in the County of Yorks. (W.R.) 2
by (Mr.) Asa Burniston

Pattern
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground — ft. 18 1/2 in.
" " " Sea Level 549 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Barnoldswick
Distance 1 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.09	—	.04	—	.28	—	.05	.04	—	.04	.11	.17	2
3	.01	—	.45	—	.62	—	—	.08	—	—	.68	.11	3
4	.01	—	.10	—	—	—	—	.39	.06	.04	.77	.14	4
5	.02	—	.04	.09	—	—	—	.88	—	.01	.09	.14	5
6	.02	—	.03	.05	—	—	—	.49	—	.08	.43	.29	6
7	—	—	—	.01	—	—	—	—	—	.03	.16	—	7
8	.15	—	.43	—	—	—	—	—	—	—	.14	.36	8
9	.03	—	—	—	—	—	—	—	—	—	—	.28	9
10	.51	.08	.06	—	—	—	—	—	.03	—	—	.53	10
11	.13	—	.01	—	—	—	—	—	.06	—	.39	.14	11
12	—	—	.24	—	.01	—	—	—	1.07	—	.31	—	12
13	.01	.02	—	—	1.45	—	—	—	—	—	.21	.50	13
14	.06	.55	.02	—	.13	—	—	—	—	—	.04	—	14
15	—	.32	.03	.01	—	—	—	—	—	.05	.36	—	15
16	—	.69	.07	.02	—	.04	.02	—	—	.02	.26	—	16
17	.07	.02	.03	—	.21	.95	.01	—	—	—	.16	.81	17
18	—	.58	.06	—	—	.02	.02	—	—	.02	.02	.17	18
19	—	—	.01	.09	—	.04	.15	—	.75	.22	.06	.16	19
20	—	.17	—	.38	—	.01	.11	.30	.20	.03	—	.15	20
21	—	.89	—	.01	—	—	.07	.10	—	.15	—	.14	21
22	.12	.08	.01	.04	—	.06	—	.25	—	.29	—	—	22
23	—	.47	—	—	.23	1.00	—	—	.21	.17	.01	.18	23
24	.14	.33	.01	.16	—	1.13	.01	.02	—	.16	—	.06	24
25	.01	.53	—	.38	—	.06	.02	—	.80	.03	—	.25	25
26	.02	.01	—	.37	—	—	—	—	—	.88	.22	.28	26
27	.02	.53	.02	.22	—	—	—	.56	.46	—	.01	.08	27
28	—	.37	.01	.47	—	.25	—	—	.16	—	—	.25	28
29	—	—	—	.26	—	.32	.02	.31	.24	1.08	—	.15	29
30	—	—	—	.02	—	.03	—	—	—	.33	.01	—	30
31	—	—	.03	—	.26	—	—	—	—	.10	—	.01	31
Total	1.42	5.64	2.31	2.58	3.23	3.91	0.48	3.42	4.04	3.73	4.70	5.36	TOTAL for year 40.82
No. of Rain Days	18	16	21	16	9	12	10	13	11	19	21	28	194

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Barnoldswick
in the County of Yorks. (W.R.) W2
by (Mr.) Asa Burniston

RAIN GAUGE
Pattern _____
Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 549 ft.
Time of Observation 9 a.m.
Name Barnoldswick
Nearest Railway Station { Distance 16 mls. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	.21	—	—	.19	.66	—	.24	—	—	—	1
2	.07	—	.38	.02	.07	.17	.27	—	.10	—	—	—	2
3	.23	—	.17	—	—	.57	—	.37	.61	—	.01	.77	3
4	.57	—	.51	.35	.05	.53	—	.80	—	—	.32	—	4
5	.15	—	.06	—	.29	.67	—	.16	.06	—	—	—	5
6	.42	.21	.01	—	.04	—	—	.51	—	—	.01	—	6
7	—	.12	.01	.12	.10	.02	.23	.20	.15	—	.19	.02	7
8	.60	.26	.09	.01	.04	.11	.01	.01	.05	—	.04	.01	8
9	.15	.08	.23	.25	—	.19	—	—	—	—	.09	.15	9
10	.21	—	—	.07	—	.42	.03	—	—	—	.66	—	10
11	.17	.02	—	—	.03	—	—	.05	—	—	.01	.65	11
12	.10	.08	.22	—	—	.22	.56	—	—	—	—	.21	12
13	.02	—	.01	—	—	—	—	.12	.04	.30	.03	.89	13
14	.27	—	.55	—	—	—	—	.09	—	—	—	.58	14
15	.19	.14	.01	—	.38	—	—	.01	—	.01	—	.08	15
16	.26	—	.35	—	.05	.79	—	—	—	.16	.03	.12	16
17	—	.18	.16	—	—	.78	—	—	—	—	.17	.76	17
18	—	—	.01	—	—	.14	—	.65	—	.21	.03	.11	18
19	.32	.07	—	—	—	.03	.01	.24	—	.66	.16	—	19
20	.16	—	.62	—	.32	.03	—	.08	—	.45	.03	—	20
21	.05	—	.17	—	.08	—	—	—	—	.13	—	.10	21
22	—	.30	—	—	.36	.14	.04	.47	—	—	.10	.04	22
23	—	.01	.18	—	—	.10	.65	—	—	—	.43	—	23
24	.17	.02	.06	—	.01	.10	.08	—	—	.07	.36	.06	24
25	—	—	.05	—	—	.29	.32	.64	—	—	.75	.12	25
26	—	.22	.17	—	—	—	.32	.23	—	1.95	.32	.19	26
27	—	.08	.36	—	—	.50	.16	—	—	.25	—	.33	27
28	—	.02	—	—	—	.35	.54	.89	.07	—	—	.03	28
29	—	.03	.10	—	—	.01	.37	.16	.38	.59	—	.23	29
30	—	—	.42	—	.06	.02	.05	.03	—	.05	—	.04	30
31	—	—	.13	—	.15	—	1.18	.23	—	—	—	.19	31
Total	4.14	1.84	5.24	0.82	2.03	6.37	5.48	5.94	1.70	4.83	3.74	5.68	TOTAL for year 47.81
No. of Rain Days.	24	16	27	6	15	25	17	24	9	14	19	24	217

REGISTER OF RAINFALL IN 1913

3074

BRITISH RAINFALL FORM A.
8 JAN 1914

Kept at Barnoldswick
in the County of Yorks. (W.R.)
by (Mr.) Asa Burniston

Lat. 53°55' N. Long. 2°10' W.
Time of Observation 9 a.m.
Nearest Railway Station Barnoldswick
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 549 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.12	.08	.14	—	—	—	—	—	—	.05	—	1
2	—	.13	.94	—	—	.17	—	—	—	—	.29	.12	2
3	.08	—	.49	—	.46	—	—	—	—	—	.07	.17	3
4	.48	.37	.09	—	.05	.05	.05	—	.01	.01	.06	.46	4
5	.23	.13	.17	—	.02	.05	.36	—	.01	—	~~0~~ .09	—	5
6	.10	.44	.20	—	.82	.12	.26	.03	—	.04	.02	.03	6
7	—	.21	.06	—	.20	.27	—	—	—	.86	.01	.04	7
8	—	.08	.05	—	.10	.04	—	.05	—	.03	.10	.03	8
9	—	.19	.31	—	.08	.89	—	.28	—	—	.03	.14	9
10	—	.02	.37	.06	.02	—	.01	—	.01	—	.04	~~0~~	10
11	—	.01	.01	.41	—	.16	—	—	—	.06	.11	.05	11
12	—	—	—	—	—	—	.03	—	.26	.07	.54	.05	12
13	—	—	.64	.05	—	—	—	.01	.22	.29	.18	—	13
14	.55*	—	.34	.21	—	—	—	—	—	—	.07	.02	14
15	.16	.03	.74	.52	—	—	—	.09	—	—	.52	.07	15
16	—	—	.09	.08	—	—	.03	.02	—	—	.15	—	16
17	.05	—	—	.19	.09	.05	.11	—	.05	—	.23	—	17
18	—	—	.44	.50	.02	.05	.07	—	—	—	—	—	18
19	.15	—	.02	.10	.02	.01	—	—	.09	.05	.96	—	19
20	.09	—	.08	.12	—	—	—	—	.02	.19	.12	—	20
21	—	—	.13	—	.09	—	.16	.30	—	—	.01	—	21
22	.44	—	.50	—	.06	.02	—	.10	.09	—	—	—	22
23	.29	—	.09	—	.26	.30	—	.50	.26	—	.13	.06	23
24	.47	.05	—	.04	—	.23	—	.06	—	—	.04	.04	24
25	—	—	—	.10	—	—	—	—	.60	.01	.05	.29	25
26	—	.02	.12	.75	—	—	—	—	.20	.03	—	.73	26
27	—	—	—	.44	—	—	—	—	—	.19	—	.18	27
28	.40	—	.20	.43	—	—	—	—	—	.05	.02	—	28
29	—	—	.23	.59	.07	—	—	.27	—	.01	.10	—	29
30	.75	—	—	—	.05	—	—	—	—	.31	.03	—	30
31	.23	—	.10	—	.06	—	—	—	—	—	—	—	31
Total	4.51	1.80	6.49	4.73	2.47	2.41	1.08	1.71	1.82	2.20	4.93	2.57	36.72
Rain Days.	18	14	25	17	17	14	9	11	12	15	26	17	195

YEAR'S TOTAL

* Including Snow for the 11th.

REGISTER OF RAINFALL IN 1914

Kept at Barnoldswick

in the County of Yorks. (W.R.) 2

by (Mr.) Asa Burniston

Lat. 53° 55' N. Long. 2° 10' W.

Time of Observation 9 a.m.

Nearest Railway Station Barnoldswick

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

" " " " Sea Level 549 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	.02	—	.01	—	.61	.64	—	.01	—	.40	1
2	—	—	.06	—	—	—	.20	.68	—	.07	.20	.21	2
3	.28	—	.12	—	.50	—	—	.10	—	—	.02	1.22	3
4	.31	—	.26	.24	.17	—	—	—	—	—	.03	.60	4
5	.12	—	.58	.10	.03	.17	.01	—	—	.02	.19	.32	5
6	—	.02	.13	.10	.20	—	—	—	—	—	.13	.07	6
7	.08	—	.18	.10	.22	—	—	.30	—	—	—	.29	7
8	.60	—	.08	.01	.26	.10	—	.40	—	—	.12	.20	8
9	.50	.21	—	.12	—	.66	—	.13	.02	—	.59	—	9
10	—	.05	—	.02	.02	—	—	—	.05	—	—	.01	10
11	—	.15	.27	—	.13	—	—	—	.17	—	.81	.33	11
12	—	.25	.07	—	.04	—	.23	—	.71	—	.38	.34	12
13	—	.54	.22	.06	—	—	—	—	.10	.08	.35	.09	13
14	.01	.63	.11	—	—	—	—	—	.16	—	.12	.25	14
15	—	.03	.27	—	—	—	—	—	.20	.01	.60	.15	15
16	.01	.01	.27	—	—	—	.90	—	.90	—	—	.03	16
17	.02	.50	.15	—	—	—	.10	—	.28	—	—	1.08	17
18	—	.28	.01	—	—	.60*	.02	—	—	—	—	.10	18
19	—	.06	.21	—	—	—	.03	—	—	—	.02	.26	19
20	—	.16	.07	—	—	—	—	—	—	—	.02	—	20
21	—	.25	—	—	—	.13	—	.10	—	—	—	.16	21
22	—	.30	—	.05	.15	.24	—	.04	—	.05	—	—	22
23	—	.01	.12	.07	.15	.09	.02	—	—	—	—	—	23
24	.15	—	.24	.05	.16	—	.26	.31	—	—	.10	—	24
25	.08	—	.12	—	—	—	.05	.23	—	.87	.04	—	25
26	.04	—	.06	—	—	—	.01	—	—	.30	.28	.82	26
27	.05	.01	—	—	—	—	—	—	—	.28	.54	.22	27
28	.08	.19	.09	—	—	—	—	—	—	.29	.30	.83	28
29	.13	—	.10	—	—	—	—	.02	—	.08	.17	.30	29
30	.08	—	.86	—	.02	—	—	.01	—	.04	.19	.02	30
31	.60	—	.18	—	.01	—	.30	—	—	.13	—	.26	31
Total	3.17	3.65	4.85	.92	2.07	1.99	2.74	2.96	2.59	2.23	5.20	8.56	40.93
Rain Days.	18	18	26	11	15	8	13	12	9	13	21	25	189

* Thunderstorm

REGISTER OF RAINFALL IN 1915

Kept at Barnoldswick
in the County of Yorks. (W.R.)
by (Mr.) Asa Burniston

Lat. 53° 55' N. Long. 2° 10' W.
Time of Observation 9 a.m.
Nearest Railway Station Barnoldswick
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " " Sea Level 549 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.73	.02	—	.32	—	.03	.39	.16	—	—	—	1
2	.47	.53	.29	—	—	.08	.20	.23	—	—	—	—	2
3	.10	.03	.14	.31	—	—	.27	.22	—	—	—	.31	3
4	.27	.24	—	.26	.07	.09	.10	—	—	—	—	.25	4
5	.20	.17	.22	—	.02	—	—	—	—	—	—	.75	5
6	.13	.03	.02	.30	—	—	.41	.07	—	—	—	.37	6
7	.41	.63	—	.40	—	—	.39	.50	—	—	—	.30	7
8	.79	.11	—	.23	—	—	.16	.06	—	—	.64	—	8
9	.38	.04	—	—	—	—	—	.08	—	—	.43	.49	9
10	.82	—	.06	.01	—	—	.01	.04	—	.08	—	.34	10
11	.13	.01	—	—	.64	—	.25	.42	—	—	.03	—	11
12	.15	—	—	—	.03	—	.10	.03	—	.20	—	—	12
13	.29	.21	—	.16	—	—	.20	.04	.01	—	—	.42	13
14	.16	—	—	.02	.04	—	.06	.17	—	.02	.33	.19	14
15	.83	—	—	.02	—	—	.49	—	.06	—	—	.16	15
16	—	.24	—	.02	.10	—	.04	.67	—	—	—	—	16
17	—	.50	.02	—	—	—	—	—	—	—	—	—	17
18	—	.71	.34	—	—	—	—	—	—	.01	—	.01	18
19	.02	.09	.04	.14	.04	—	.30	—	—	—	—	—	19
20	.41	.05	—	—	.05	—	.17	—	—	—	—	.23	20
21	.06	.06	—	—	—	—	.23	—	.07	—	—	.11	21
22	—	—	—	—	—	—	—	—	.54	.01	—	.14	22
23	—	—	.23	—	—	.01	.01	—	.26	.06	.35*	.39	23
24	—	—	.05	.02	—	—	.12	—	.05	.01	—	.66	24
25	—	—	—	—	—	.07	—	—	—	—	—	—	25
26	—	—	—	—	—	.19	—	—	—	—	—	.22	26
27	.02	.32	—	—	—	.09	.71	—	—	.73	—	.55	27
28	—	.62	—	—	—	.32	.04	.29	—	.17	—	.07	28
29	—	X	—	—	.18	.06	—	—	—	—	.11	.25	29
30	—	X	—	.24	.12	.04	—	—	—	—	—	.28	30
31	.28	X	—	X	—	X	—	.36	X	.02	X	.50	31
Total	5.92	5.32	1.43	2.13	1.61	.95	4.29	3.57	1.15	1.31	1.89	6.99	YEAR'S TOTAL 36.56
Rain Days.	19	19	11	13	11	9	21	15	8	10	6	22	164

REGISTER OF RAINFALL IN 1916

Kept at Barnoldswick
 in the County of Yorks. (W.R.)
 by (Mr.) Asafurniston

Lat. 53°55'N. Long. 2°10'W.
 Time of Observation 9 a.m.
 Nearest Railway Station Barnoldswick
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 0 ft. 10 in.
 " " " " Sea Level 549 ft.

FORM A
 BRITISH RAINFALL
 10 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.08	—	—	—	.14	.08	—	—	—	.07	—	1
2	.04	.21	.03	—	—	.08	.40	—	—	.14	.09	—	2
3	.06	.03	.05	.05	—	.13	.15	—	1.55	.18	.24	—	3
4	.06	.21	—	—	.43	1.00	—	—	.01	.70	.20	—	4
5	.60	.45	.05	—	.11	.23	—	—	—	2.00	.42	—	5
6	.06	.50	—	—	.31	.04	.16	—	—	.35	.11	—	6
7	—	.11	.06	—	.21	.02	.43	—	—	.28	.07	.33	7
8	.03	—	—	—	—	.05	.01	—	—	.08	.44	.02	8
9	—	—	.08	—	.61	.14	.10	—	.10	—	.10	.23	9
10	.08	.14	—	.18	—	.46	—	—	.03	1.01	.04	.04	10
11	—	.40	.17	.50	.01	.05	.11	—	.05	.03	.01	.08	11
12	.12	.20	.24	.08	.35	—	.65	.04	—	.11	—	.12	12
13	—	.11	.19	.14	—	—	—	.30	—	.83	—	—	13
14	.05	.12	—	.16	.32	—	—	.47	.03	.15	—	—	14
15	.04	.48	.31	.05	—	—	.33	.73	.01	.15	—	.03	15
16	.03	.37	.68	.27	—	—	—	.03	.02	.01	—	—	16
17	.17	.21	—	.38	—	—	—	—	.43	.22	.02	.06	17
18	.01	.50	—	.05	—	—	.04	.50	.32	.11	.29	—	18
19	.27	—	.20	.23	—	—	—	.07	—	—	.11	—	19
20	.32	—	.11	.11	—	—	—	—	—	—	.06	.12	20
21	.52	—	—	.03	.07	—	—	—	—	—	—	—	21
22	—	—	—	—	—	.08	—	—	—	.14	.02	—	22
23	—	.03	.10	.23	—	—	—	—	—	.01	.19	.30	23
24	—	—	—	.03	—	.41	—	.39	—	.08	—	.05	24
25	.14	.02	.24	—	.11	—	—	.10	—	.02	.19	.06	25
26	.11	.13	.37	—	—	.04	—	.15	—	.08	.03	—	26
27	—	—	—	—	—	—	—	.16	—	.38	—	.15	27
28	.02	.22	—	—	—	.05	—	—	—	.54	.02	.63	28
29	.01	.16	.09	—	—	.20	—	—	—	.30	.02	.03	29
30	.01	X	—	—	—	—	—	—	—	.99	—	.26	30
31	—	X	—	X	.11	X	—	.08	X	.30	X	.28	31
Total	2.86	4.68	2.97	2.49	2.64	3.12	2.46	3.02	2.55	9.19	2.74	2.79	41.51
Rain Days.	22	21	16	15	11	16	11	12	11	26	21	17	199

REGISTER OF RAINFALL IN 1917

Kept at Barnoldswick
 in the County of Yorks. (W.R.)
 by (Mr.) Asa Burniston

Lat. 53° 55' N. Long. 2° 10' W.
 Time of Observation 9 a.m.
 Nearest Railway Station Barnoldswick
 Diameter of Funnel of Rain Gauge 5 in. 14"
 Height of top of Gauge above Ground 0 ft. 10 in.
 " " " " Sea Level 549 ft.

FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.02	-	.62	-	-	-	-	.84	-	.26	.20	1
2	.46	-	-	.16	-	-	-	-	.10	-	-	-	2
3	.12	-	.07	-	-	.73	-	-	-	.53	-	-	3
4	.01	.01	-	-	-	-	-	-	-	.17	-	-	4
5	.22	.01	-	-	-	-	-	-	.01	-	.31	.04	5
6	.07	-	-	-	-	.15	-	-	-	-	.41	.20	6
7	.45	-	-	-	-	.36	-	-	-	1.24	.02	.32	7
8	-	.06	-	-	-	.01	-	.44	.03	.84	-	-	8
9	-	-	-	-	-	-	-	-	-	.07	.69	-	9
10	.47	-	.90	-	.16	-	-	-	-	.01	-	-	10
11	.03	-	-	-	.12	-	-	-	-	.39	-	-	11
12	-	-	-	-	.21	-	-	.34	.01	-	-	-	12
13	-	-	-	-	.04	-	-	.18	.49	.83	-	.30	13
14	-	-	-	-	.01	-	-	.39	-	-	-	-	14
15	.04	-	-	1.34	-	-	.74	.03	-	.09	-	-	15
16	.06	-	.26	.22	-	-	.12	.41	-	-	-	-	16
17	-	-	.04	.16	.40	.01	.13	-	-	.15	-	16 ft 17 ft 19 ft	17
18	-	-	.06	.01	-	-	.64	-	-	.02	-	-	18
19	.12	.31	.23	-	-	.15	-	.83	6 days	-	.02	.70	19
20	.03	-	.04	-	.53	.25	-	.03	15	-	.15	-	20
21	.07	.09	-	-	.13	-	-	.38	-	.05	-	-	21
22	.16	-	.02	-	.18	-	-	.44	-	.25	.03	-	22
23	-	.12	-	-	-	.57	-	.22	-	.06	-	-	23
24	-	-	-	-	-	-	-	.40	1.01	.85	.40	-	24
25	-	.16	.09	-	-	-	.03	.10	-	-	-	-	25
26	-	-	-	-	-	.07	-	.36	.26	-	.46	3 days 2 1/2	26
27	-	-	.06	-	-	.25	.50	.38	-	-	.16	-	27
28	-	.02	.26	-	-	-	-	.09	-	.95	.12	-	28
29	-	-	.07	-	-	-	.14	.05	-	.33	.14	-	29
30	-	X	-	-	-	-	-	.01	-	.12	.26	.07	30
31	-	X	-	X	.73	X	-	-	X	-	X	-	31
Total	2.41	0.80	2.10	2.51	2.51	2.55	2.30	5.08	2.75	6.95	3.43	1.83	35.22
Rain Days.	15	9	12	(10?)	(15)	13	7	(30?)	(13)	(22)	18	12	(176)

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Barnoldswick
in the County of Yorks. (W.R.)
by (Mr) Asa Burniston

Lat. 53° 55' N. Long. 2° 10' W.
Time of Observation 9 a.m.
Nearest Railway Station Barnoldswick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 549 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-		.98	-	-	-		.28				1
2					.01	-	-		.17	.18	3 days' rain		2
3		.39	.10		-	-	-		-	.43	-	.95	3
4		.01	.01			-	-	About	.61		.59		4
5	5 days' rain		.16		.65	-	-	3	.01		.15		5
6		1.03	-		-	.14	-	days' rain	-	1.01	-		6
7		.24	-		-	-	-			.43	.14		7
8			.08	-	-	-	.18		.88				8
9	.44		-	.10	-	.19	.03		1.07	.41		.35	9
10	.03	1.87	-	-	-	-	.31		.40	.08	.39		10
11		.13	-	-	-	-	.31	.88	.37		-		11
12		.30	-	.04	.15	-	-	.03			-		12
13	About		.01	-	.10	-	-	-			-	.36	13
14	9 days' heavy		-	-	-	-	.12	-		.34	-		14
15		-	-	-	-	-	.84	-		-	-		15
16		-	-	-	-	.50	.43		3.02		-		16
17		-	-	-	-	-	.14	.24		.37	-		17
18		-	.13	-		.09		-			-		18
19		.04	.10	.13		-		.18			-	2.64	19
20	2.32	.70	-			.05		-		.12	-	~~2.64~~	20
21	.17	.48	-	-				-			-		21
22	.07	-	-	-	3 days' (mostly on the 22nd)		1.21	.06	1.90	.07	-		22
23	.09	-	-	-		.20		-	.05	-	-		23
24	.08	.16	-	-		-			.11	-	.11		24
25	-	-	-	-		.48		.39	.31	.202			25
26	-	.15	-	-	.48	-		.06	.41	-			26
27	-	.22	.38	-	-	.03	1.24	.42		.10			27
28	-	-	-	-	-	-	-	.14		-	.38		28
29	-	-	.42	-	-	-	-	-	.62	-	-		29
30	-	X		-	-	-	-		-	.07	-	3.67	30
31	-	X		X	-	X	-	.24	X	.01	X	-	31
Total	3.20	5.89	1.22	1.25	1.39	1.68	4.51	2.64	10.21	3.64	1.76	7.97	YEAR'S TOTAL 45.36
Rain Days	19	20	11	11	8	12	18	15?	27	25	13	25?	(204)

REGISTER OF RAINFALL IN 1919.

Kept at

Barnoldswick

in the County of

Yorkshire (W.R.)

by

(Mr.) Asa Furniston

Lat. $53^{\circ} 55' N$ Long. $2^{\circ} 10' W$.

Time of Observation 9.30 a.m.

Nearest Railway Station Barnoldswick

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 549 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		About 4 dys. rain. } 5 days (7) } Unable to take rain gauge being frozen	-	-	.35	-	.26	Holiday	.41	.38		.08	1
2			.27	-		~~.09~~	.09	+	.19	-	.06	.14	2
3			-	-		.09	.65	Contd	.03	-	.14	.24	3
4			.36	-	.44	-	.01	not	.01	-	.02	.10	4
5		Unable to take rain gauge being frozen	-	-	.12	-	-	lake	-	.01		.26	5
6	2.05		.57	-	.54	-	-	rain		.02	.03	.12	6
7	.05			.03	.01	-	-	daily).	.02	-	.05	-	7
8	.07			-	.01	-	-	The	-	-	-	-	8
9	.99	Unable to take rain gauge being frozen	.26	-		-	-	total	-	-	-	-	9
10	-		1.16	.09		-	-	entered	-	-	-	.22	10
11	-				.45	-	-	on	-	.01	About 5 days' fall.	.01	11
12	.07		.94		-	.23	-	Aug. 17th is for the	-	.03	39 snow + 29 rain. Nearly all fell as rain between Jan. 1 & 17th	-	12
13	.30	Unable to take rain gauge being frozen	-	.45	-	-	.15	period from July 14 to Aug. 17.	-	.28		.13	13
14	.28		-	.37	-	-	-	here	-	-		.04	14
15	.30		-	.06	-	-	-		-	-		.30	15
16	.22		.75	.04	-	.03			-	-		.02	16
17	-	.01	-	-		.07	about	1.26	-	-	1.05	-	17
18	-	.35		-	-	-	5	.27	.13	-	.01	.42	18
19	.05	-	.44	-	-	.19		.04	.01	-	.38	.02	19
20	.45	-	.02	-	-		wet	.03	-	-	.10	.45	20
21	.02		.01	-	-		days	.02	.03	-	.04	.32	21
22	-		-	-	.04	.30	up		.50	-	.15	.54	22
23	-	.55	-		.04	.07	to		-	.99	.09	.16	23
24	-	-	-		~~.04~~			.16	.35	.23	.44	.33	24
25	-	-	-		-	.11	Aug.	.68	.15	-	.24	-	25
26		.02	.75		-	.05	17th	.40	.09	-		.53	26
27		-	.02	.75	-	-	(2	.02	-	-	.05	.10	27
28	.52	-	-	.01	-	-	was	.65	-	.12	-	.37	28
29	-			-	-	-	away	-	-	.33	-	.24	29
30	-	X		.03	-	.13	on	.02	-	.05	.07	.23	30
31	-	X	.19	X	-	X		-	X	-	X	.01	31
Total	5.37	1.68	4.99	1.83	2.00	1.27	4.71	1.92	2.45	2.96	5.38	34.56	YEAR'S TOTAL
Rain Days.	19	10	19	15	13	13	25	13	11	25	25	(188)	

REGISTER OF RAINFALL IN 1920.

Kept at Barnoldswick
in the County of Yorks. (W.R.)
by (Mr.) A. Burniston

Lat. 53°55' N. Long. 2°10' W.
Time of Observation 9.30 a.m.
Nearest Railway Station Barnoldswick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " " Sea Level 549 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	-	.11	.22	✓	-	-	.06	.21	.03	.07	.06	1
2	-	-	-	.09	x.18	-	1.33	.03	.29	.07	-	.40	2
3	.01	.17	-	.03	.09	-	.03	.40	✓	.25	-	.31	3
4	-	-	-	.10	.05	-	.26	1.11	✓	.60	-	.03	4
5	-	-	.08	.07	.28	-	.05	.14	✓	.27	-	.01	5
6	-	-	.34	.40	.24	-	.05	-	-	-	-	.11	6
7	.21	.06	.08	.01	.05	-	.27	-	✓	-	.06	-	7
8	.09	-	-	.09	.20	-	.01	.49	-	-	.02	-	8
9	.44	1.12	-	.36	-	-	.04	.06	-	-	.05	-	9
10	1.07	.37	.06	.21	-	-	.44	.09	-	-	-	.12	10
11	.16	.04	.14	.04	.27	✓	.01	.01	-	-	-	-	11
12	.14	~~.26~~	.32	.26	.04	✓	.14	-	-	-	.26	-	12
13	.16	.05	.12	.50	.04	46	.06	-	✓	-	.32	-	13
14	.03	.14	.12	.20	-	.41	.10	-	✓	.08	.78	-	14
15	.03	.23	-	.48	-	-	-	-	x	.27	.17	-	15
16	-	-	.15	.04	.09	-	.79	-	✓	-	.49	-	16
17	.12	-	-	-	✓	-	.01	-	✓	-	.04	-	17
18	.22	-	.02	.16	1.30	.15	.01	.31	✓	-	-	-	18
19	.05	.44	-	.05	.27	.06	.02	.15	x.1.31	-	-	.29	19
20	.07	-	-	.14	-	-	.16	-	.19	-	-	.05	20
21	~~.16~~	-	-	-	-	-	.55	.04	-	-	-	.15	21
22	.16	-	-	.42	-	.06	.44	.08	-	-	-	~~.16~~	22
23	-	-	-	.07	-	-	.34	-	-	-	-	.16	23
24	.02	-	.61	.16	-	-	.32	-	-	-	-	.32	24
25	-	.12	.12	.03	-	.01	.65	-	-	-	-	-	25
26	.17	.06	.55	.25	.13	-	.18	-	-	-	.01	.12	26
27	-	.01	.04	.09	.59	.59	.02	-	-	-	.15	-	27
28	.28	.02	.34	.20	.20	.07	.01	-	-	-	-	.22	28
29	.11	-	.15	.09	.82	x	.18	-	-	-	.22	.80	29
30	.41	~~X~~	~~X~~	.08	.10	.79	-	-	.14	-	.13	.36	30
31	.06	~~X~~	x.06	~~X~~	.06	~~X~~	.02	-	~~X~~	.33	~~X~~	.08	31
TOTAL	4.03	3.09	3.41	4.84	5.00	2.60	6.49	2.97	2.14	1.90	2.77	3.59	YEAR'S TOTAL
Days with 01 in. or more	22	14	19	28	21	12	28	13	(15)	8	14	18	(209)

REGISTER

YORK
CHERRY HILL

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Cherry Hill House
in the County of York
by Hy Richardson & Co

1911 - 1920

n.
d. 1 ft. 6 in.
level 50 ft.
York.
ice $\frac{3}{4}$ in. Direction S.W.
result entered to the
rule, he is earnestly

IMPORTANT NOTE.—Rain
previous day. If an Observer pro
requested to add the reading at 9
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.005		.010		.020	.010	.020	.080					1
2	.340				.120		.330			.005			2
3	.020			.020	.220			.050		.040	.020		3
4			.150	.200				.060	.140	.090		.140	4
5	.040			.020				.500		.160	.220		5
6			.010	.030						.020	.020	.290	6
7	.340		.130								.110		7
8	.005					.060			.140			.340	8
9				.020							.380		9
10		.020				.010					.020	.410	10
11	.100				.110				.020		.330		11
12	.150	.005	.040		.260	.210			.560		.200		12
13			.340		.900	.140					.020	.540	13
14		.190	.130		.050						.020	.460	14
15		.060					.100			.010	.040	.100	15
16			.030	.005		.030	.030				.120	.160	16
17						.160					.020		17
18			.060								.840	.060	18
19						.110	.050	.360	.040	.140		.050	19
20		.120		.160			.140		.090	.040	.430	.280	20
21		.250				.010		.130			.020	.020	21
22	.100	.030						.130		.610	.020		22
23	.005	.140		.020		.450				.360			23
24	.080		.050			(1.43)	.050			.120	.030	.440	24
25		.020	.010	.130	.160	(.30)	.250		.400		.250	.100	25
26				.060			.180			.600		.140	26
27		.080		.060				.360	.240		.050	.010	27
28			.030	.200				.020		.240	.010	.130	28
29			.050	.150				.050	.500		.010	.030	29
30					.080	.100	.050		.110	.150	.010	.030	30
31										.060			31
Total	1.245	.915	1.040	1.045	1.920	3.320	1.200	1.740	2.690	2.315	3.250	3.840	TOTAL for year 24.610
No. of Rain Days.	8	9	14	12	9	15	10	12	11	15	24	24	166

REGIST

FORM A2.
BRITISH RAINFALL
9 - JAN 1912

Kept at *Cherry Hill House. York*
in the County of *York. 10*
by *Hy Richardson & Co.*

RAIN { Pattern
Diameter of top 5 in.
GAUGE { Height of top above Ground 1 ft. 6 in.
" " " Sea Level 50 ft.
Time of Observation *9.0 a.m.*
Nearest Railway Station { Name *York*
Distance *3 1/4 m.* Direction *S.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.005		.010		.020	.010	.020	.080					1
2	.340				.120		.330			.005			2
3	.020			.020	.220			.050		.040	.020		3
4			.150	.200				.060	.140	.090		.140	4
5	.040			.020				.500		.160	.220		5
6			.010	.030						.020	.020	.290	6
7	.340		.130								.110		7
8	.005					.060			.140			.340	8
9				.020							.380		9
10		.020				.010					.020	.410	10
11	.100				.110				.020		.330		11
12	.150	.005	.040		.260	.210			.560		.200		12
13			.340		.900	.140					.020	.570	13
14		.190	.130		.050						.020	.460	14
15		.060					.100			.010	.040	.100	15
16			.030	.005		.030	.030				.120	.160	16
17						.160					.020		17
18			.060								.840	.060	18
19						.110	.050	.360	.040	.140		.050	19
20		.120		.160			.140		.090	.040	.430	.280	20
21		.250				.010		.130		.610	.020	.020	21
22	.100	.030						.130			.020		22
23	.005	.140		.020		.450			.360				23
24	.080		.050			(1.43)	.050			.120	.030	.440	24
25		.020	.010	.130	.160	(.30)	.250		.400		.250	.100	25
26				.060			.180			.600		.140	26
27		.080		.060				.360	.240		.050	.010	27
28			.030	.200				.020		.240	.010	.130	28
29			.050	.150				.050	.500		.010	.030	29
30					.080	.100	.050		.110	.150	.010	.030	30
31										.060			31
Total	1.245	.915	1.040	1.045	1.920	3.320	1.200	1.740	2.690	2.315	3.250	3.840	TOTAL for year 24.610
No. of Rain Days.	8	9	14	12	9	15	10	12	11	15	24	24	166

REGISTER OF RAINFALL IN 1912

Rain at Cherry Hill, York
 in the County of York W. 10

at Cherry Hill, York
W. 10

Pattern
 Diameter of top 5 in.
 Height of top above Ground 1 ft. 6 in.
 " " " Sea Level 50 ft.
 Time of Observation 9.0 am.
 Nearest Railway Station { Name York
 Distance 1 m. Direction N.W.

FORM A2.
 BRITISH RAINFALL
 6 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Ann. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.070	.050	.110		.010	.960	.300	.160	.310			.250	1
2		.020	.080				.370		.070	.050			2
3	.050	.100				.600		.910	.130			.200	3
4	.280		.380		.110	.500			.005		.460		4
5	.030				.190	.250		.040			.010		5
6	.550	.100			.010			.320					6
7			.030	.005	.030	.010		.100	.150		.090	.020	7
8	.350		.100			.170			.210				8
9		.250	.150	.060					.010				9
10	.020	.170				.510		.150			.110		10
11	.230										.160	.380	11
12	.070	.130	.060			.100	.600			.120	.480		12
13	.240	.020				.210		.060			.150	.010	13
14			.620					.010	.070	.010		.015	14
15	.020	.020	.360		.580	.280			.110				15
16	.500		.420		.060			.160		.060			16
17	.030	.020			.040	.240	.040					.290	17
18	.160					.020		.080		.050			18
19	.240	.180					.330	.270		.250			19
20	.420	.010			.260	.090	.220	.010					20
21			.280		.200					.010			21
22		.130			1.140	1.150		.300			.005		22
23					.030		.160	.340			.110		23
24	.240		.160			.130	.110						24
25	.010					.880		.360			.180	.450	25
26		.060	.030			.020	.290	.740		.1400			26
27						.130		.010			.020	(.16)	27
28		.005		.005	.430	.020		.460		.150	.340	.100	28
29		.005	.070			.010	.020	.010	.650	.070	.050		29
30			.180		.030			.005		.050			30
31					.030		.770	.320					31
Total	3.440	1.240	3.030	.070	3.150	6.280	3.560	4.815	1.715	2.220	2.160	1.880	TOTAL for year 33.590
No. of Rain Days.	29	18	14	2	15	25	14	22	9	14	15	13	184

Box 22
REGISTER OF RAINFALL IN 1913

Kept at Cherry Hill, York.
in the County of Yorkshire W 10
by Hy Richardson & Co.

Lat. _____ Long. _____
Time of Observation 9.0 am.
Nearest Railway Station York.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

BRITISH RAINFALL
FORM A.
6-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.260									1
2		.020	.300			.230					.090	.030	2
3	.100		.030		.250				.005	.600			3
4	.540	.050	.010			.040	.040	.020	.030		.250	.320	4
5			.080			.280		.020	.030	.300			5
6	.010	.150	.080		.530	.030	.310	.005		.020			6
7		.160			.040					.570	.040		7
8					.550	.240		.010	.040	.460			8
9		.100	.040	.050	.030			.080		.005	.170		9
10				.040							.350		10
11	.980			.550	.080						.200		11
12									.010		.120		12
13								.120	.110		.080		13
14	.110	.070	.140							.120	.030	.020	14
15	.110	.010	.390	.450			.030				.300	.050	15
16				.040				.001					16
17	.020		.330	.050		.440			.660		.070		17
18	.160			.060							.070		18
19			.090		.060	.010			.090		.005		19
20	.040		.060	.070						.070	.160		20
21					.110		.110	.120			.070		21
22	.070		.210			.010		.270	.090		.020		22
23	.070					.040		.110	.050				23
24	.130			.090		.380							24
25									.150		.050		25
26		.030	.040	.520					.020		.110	.450	26
27			.020			.070				.020	.030		27
28	.270		.180										28
29	.080		.260	.340	.080			.020				.400	29
30	.280									.450		.040	30
31	.080												31
Total	3.050	0.590	2.260	2.520	1.730	1.770	0.490	0.776	1.285	2.615	2.195	1.310	20.591
Rain Days.	19	10	22	13	10	12	5	12	12	10	22	10	(155)

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Cherry Hill York
in the County of Yorkshire WR 10
by Egon of late Hy Richardson & Co

Lat. _____ Long. _____
Time of Observation 9.0 am
Nearest Railway Station York
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04				1.59	44		02		13	1
2							1.22			03	66	04	2
3	03		10		21		09				11	34	3
4				33	04						20	56	4
5			08				04	05			22	08	5
6		05		04	12	25		05					6
7			29		05						04	12	7
8	67			02	09	26	14	13	05				8
9	33	04		01		42					01	03	9
10	26	11	21	14					01		06		10
11		20	03	02	06						18	22	11
12			26						23			45	12
13	03	11	16								10		13
14		09	24				16			04	44	30	14
15	06						34					05	15
16	01		02				92		42				16
17	03	14	01				01					20	17
18						15	08				03		18
19									40		01	33	19
20		09	11							03			20
21		34	02			20	02	08		09	08		21
22					16	24		04		03		16	22
23		01		01	40	33	02	15			02	05	23
24	01		03	02				15			20		24
25			10		03		21	09		42	03		25
26			15							34	10	30	26
27	005						01			03	16		27
28			18		06					005	14	10	28
29					02			16		40			29
30		X	03		02					06	09	08	30
31	06	X		X		X	48		X		X	03	31
Total	1.495	1.180	2.060	0.590	1.560	2.150	5.39	1.34	1.11	1.825	2.94	4.63	26.300
Rain Days.	44	10	24	9	14	8	18	13	9	11	24	26	176

REGISTER OF RAINFALL IN 1915

3521
FORM A.
BRITISH RAINFALL

Kept at Cherry Hill, York
in the County of Yorks 10
by H. Richardson & Co

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.37	—	—	.18	—	—	.25	1.22	—	.07	.03	1
2	—	.15	.23	.27	—	.04	.07	.04	.02	—	.01	—	2
3	.67	—	—	—	—	—	.75	.21	.01	—	—	.48	3
4	.16	—	.02	—	.03	—	—	.34	—	—	.03	1.65	4
5	.13	.12	—	—	.18	—	—	—	—	—	.03	—	5
6	.05	.55	.12	.14	—	—	.70	.005	.03	—	—	.06	6
7	.37	—	—	—	—	—	.16	.30	—	—	.01	.02	7
8	.08	.03	—	.13	—	—	.12	—	—	—	—	—	8
9	.23	.01	—	—	—	—	—	.05	—	.05	—	.68	9
10	—	—	—	—	—	—	—	.02	—	—	.17	.02	10
11	—	.23	.08	.04	.65	—	—	—	—	—	—	.08	11
12	.07	.09	—	.25	.03	—	.01	.07	—	.18	.88	—	12
13	.01	.18	—	—	.02	—	—	—	—	—	.04	—	13
14	—	—	—	—	—	—	.05	.06	—	—	—	.08	14
15	.24	—	—	—	.02	—	.12	—	—	.02	.24	.11	15
16	—	.26	—	—	—	—	.96	—	—	.02	.01	.01	16
17	—	.15	—	—	—	—	.08	—	—	—	—	.03	17
18	—	—	.25	—	—	—	—	.03	—	—	—	—	18
19	—	—	.06	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	.45	20
21	.13	—	—	.05	—	—	.10	—	—	—	—	.08	21
22	—	—	.10	—	—	—	.14	—	—	—	—	.12	22
23	.10	.09	.04	—	—	—	.16	—	—	.07	—	.03	23
24	—	—	.11	.02	—	—	—	—	.63	—	—	—	24
25	—	—	—	—	—	.05	.01	—	.02	—	.02	.78	25
26	.05	.15	.01	—	—	—	.27	—	—	—	—	—	26
27	—	.06	.02	—	—	.31	.04	—	—	.45	—	—	27
28	—	—	—	—	.07	.05	—	.38	—	.10	—	.02	28
29	—	—	—	—	.25	.02	.02	—	.03	—	.21	.32	29
30	.28	X	—	.17	—	.28	.02	.04	—	—	.05	.01	30
31	—	X	—	X	—	X	—	.39	X	.06	X	.18	31
Total	2.630	2.44	1.04	1.07	1.43	.75	3.78	2.185	1.96	.95	1.77	5.24	25.245
Rain Days.	18	17	14	10	12	6	19	16	8	11	14	26	171

REGISTER OF RAINFALL IN 1916

Kept at Cherry Hill, York
in the County of Yorkshire
by W. Richardson Esq

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station 4.0 a.m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 5.0 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	—	.01	—	—	.24	.19	—	—	.20	.13	—	1
2	—	.08	.16	—	—	—	—	—	.43	—	.03	—	2
3	.01	.11	.04	.05	—	.34	—	.05	—	.23	—	—	3
4	—	.23	.15	—	.70	—	—	—	—	.25	.46	—	4
5	.02	.23	—	—	.20	.29	—	—	—	—	—	—	5
6	.01	—	.16	.07	.38	—	—	—	—	.05	.31	—	6
7	—	.09	.07	—	—	.005	.10	—	—	.12	.02	.27	7
8	—	.10	.14	—	.01	.05	.10	—	—	—	.001	.10	8
9	—	—	.05	—	.55	—	—	—	.13	.05	.02	—	9
10	—	—	.02	—	—	.33	—	—	—	.06	—	.09	10
11	.15	.45	.55	.06	—	—	.04	—	—	.02	—	—	11
12	.09	.07	—	.02	.20	.02	.52	.55	.05	.06	—	.14	12
13	—	—	.21	—	.15	—	.11	—	.03	.55	—	.08	13
14	—	.03	.49	—	—	—	.01	.30	—	.10	—	.09	14
15	—	.27	—	.09	—	—	.18	.39	—	—	—	—	15
16	—	—	.13	—	—	—	—	.55	—	—	—	—	16
17	—	—	—	.20	—	—	.08	.45	.32	.19	—	—	17
18	—	.19	.24	—	—	.02	—	.01	—	—	.65	.01	18
19	.11	.01	—	.14	—	—	—	—	—	—	—	.26	19
20	.10	—	.28	.13	.02	—	—	.30	—	—	.03	—	20
21	.08	—	.02	—	—	—	.37	.03	—	.10	—	.10	21
22	—	.09	—	—	—	.08	—	—	—	—	—	—	22
23	—	—	.03	.05	—	.02	—	—	—	—	.07	—	23
24	—	.12	—	.07	—	—	—	.22	—	.02	—	.35	24
25	—	.17	.10	—	—	—	—	.17	—	—	.07	—	25
26	—	.32	—	—	—	.06	—	—	—	.08	—	—	26
27	—	—	.01	—	.03	—	—	—	—	.14	—	—	27
28	—	.24	—	—	—	—	—	—	—	.27	—	.13	28
29	—	—	—	—	—	.05	—	—	—	—	—	—	29
30	—	X	—	—	.08	.01	—	—	—	—	—	—	30
31	—	X	—	X	—	X	—	—	X	—	X	.01	31
Total	.77	2.70	2.86	.88	2.32	1.515	1.70	2.985	.96	2.49	1.791	1.630	22.601
Rain Days.	10	22	24	14	13	14	12	12	8	23	12	16	(180)

REGISTER OF RAINFALL IN 1917

Kept at Cherry Hill, York
in the County of Yorkshire
by W. Richardson & Co

Lat. 54° Long. 1° (about)
Time of Observation 9-0 a.m.
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 50 ft.

3303
FORM A.
BRITISH RAINFALL

16 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	.31	—							.12	1
2	.01	—	—	.12		.10		.165	.23		.20	—	2
3	—	.10	.06	—				.090		.11	—	—	3
4	—	—	—	—				.180		.15	—	—	4
5	—	—	—	.27				—		.04	.08	—	5
6	—	—	.07	—				—		.58	.20	—	6
7	.62	—	.05	—		.13		.030			.005	.01	7
8	.60	—	—	.11				.030		.28	—	—	8
9	.37	—	.54	.20				1.200		.03	.46	.01	9
10	.27	—	—	.15				.250		.43	—	—	10
11	.37	—	—	.10				.025			—	—	11
12	—	—	—	—	.58			.110		.37	—	—	12
13	.62	—	—	.04	—				.15	—	—	.03	13
14	—	—	—	.11	—			.500		.09	—	.05	14
15	.14	—	—	—	—	.18		.007		.005	—	.15	15
16	.03	.02	—	.15	—			.070	.02	.07	—	.22	16
17	—	—	—	.18	.28	.35		.360	—	—	—	.09	17
18	.11	.09	.05	.01	—		.33	.110	.10	—	—	—	18
19	.02	—	.03	—	.25	.28	.04	—	.03	—	—	—	19
20	.14	.31	.01	—	—	.25	—	.050	.01	—	.53	—	20
21	—	.08	.19	—	—	—	—	.100	.02	.07	—	—	21
22	—	—	—	—	—	—	—	.060	.03	—	—	—	22
23	—	—	—	—	.14	.25	—	.080	—	.01	—	—	23
24	—	—	—	—	—	—	—	.020	—	.26	.20	—	24
25	—	.03	.04	—	—	—	.25	.880	—	.13	—	.04	25
26	—	—	.14	—	—	.22	—	—	—	.22	.19	.02	26
27	—	—	.01	—	—	—	.10	.420	—	—	—	.05	27
28	—	—	.16	—	—	.03	—	.110	—	—	.03	—	28
29	—	X	—	—	—	—	—	.090	—	.37	—	—	29
30	—	X	.16	.10	—	—	.159	.010	—	.03	—	.03	30
31	—	X	.19	X	—	X	—	.030	X	—	X	.05	31
Total	3.31	.63	1.70	1.885	1.25	1.61	1.059	4.977	.59	3.245	1.895	.87	22.906
Rain Days.	16	6	17	14	6	11	6	25	10	21	10	13	154

REGISTER OF RAINFALL IN 1918

Kept at Cherry Hill, York
in the County of Yorkshire
by F. Richardson & Co.

Lat. 54° N. Long. 1° W.
Time of Observation 9-0 a.m.
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 50 ft.

276
FORM A.
BRITISH RAINFALL.
4-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.04~~	—	.05	.06	—	—	—	—	.15	.09	.30	.05	1
2	.04	{ .36	{ .05	—	—	—	.09	—	.12	—	{ .28	.26	2
3	—	{ .36	—	—	.59	—	—	{ .36	.10	.03	{ .28	.03	3
4	—	—	.03	—	{ .40	—	—	{ .36	.65	.01	—	.40	4
5	—	—	.03	.01	{ .40	—	—	.84	.13	{ .14	—	—	5
6	—	.3	—	{ .49	—	.26	—	.06	—	{ .14	—	.02	6
7	.03	.05	—	{ .49	—	.01	—	—	.12	.04	.20	—	7
8	.13	.05	.05	—	—	{ .07	.21	.03	.04	.04	.02	—	8
9	—	{ .35	—	.04	—	{ .07	—	.01	1.09	—	—	.04	9
10	—	{ .35	—	—	—	—	.08	—	.23	—	—	—	10
11	.13	—	—	.03	{ .40	—	.05	—	.04	—	—	.09	11
12	—	.15	.02	.04	{ .40	—	.20	—	.03	{ .12	—	.02	12
13	—	.01	—	{ .06	.18	—	{ .10	—	.28	{ .12	—	—	13
14	.17	—	—	{ .06	—	—	—	—	—	—	—	{ .78	14
15	.06	—	—	—	—	—	.25	—	{ 1.20	—	—	{ .78	15
16	—	—	—	—	—	.28	—	—	.18	—	—	{ .52	16
17	.28	—	.04	—	—	.18	.65	—	—	.20	—	—	17
18	.28	—	—	—	—	—	.26	.02	.41	—	—	—	18
19	{ .35	—	—	—	—	—	.22	—	—	{ .11	—	—	19
20	—	.43	—	{ .16	—	—	{ .16	.15	.14	{ .11	—	—	20
21	.15	.03	—	{ .16	.26	—	—	—	{ .43	—	—	{ .60	21
22	{ .16	—	—	.02	—	—	{ .16	—	—	—	—	{ .60	22
23	{ .16	{ .07	—	—	.47	—	—	—	—	.02	{ .11	—	23
24	.005	{ .07	—	—	—	—	.04	—	.26	.15	{ .11	—	24
25	—	—	—	—	—	—	.10	—	.06	.01	—	—	25
26	—	—	—	—	—	—	.16	.20	.39	{ .02	.16	{ .16	26
27	—	—	.02	—	—	.14	—	.025	.46	{ .02	.14	{ .16	27
28	—	.20	.41	—	—	—	—	.44	{ .14	—	.05	{ .57	28
29	—	X	.03	—	—	—	—	—	—	—	—	{ .57	29
30	—	X	{ .46	—	—	—	—	—	.09	—	.12	.25	30
31	—	X	{ .46	X	—	X	—	—	X	—	X	.01	31
Total	1.785	2.00	1.19	.91	2.30	.94	2.73	2.135	6.84	.98	1.38	3.80	YEARS TOTAL
Rain Days.	13	14	13	12	8	7	18	11	25	17	11	18	171

REGISTER OF RAINFALL IN 1919..

Kept at Cherry Hill, York
in the County of Yorkshire
by Sty Richardson & Co.

Lat. 54° N. Long. 1° W.
Time of Observation 9.0 am.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	—	{.08		.30.		.34.		.29.	.04.	.26}	.04.	1
2	.15	—			—		.48.		.005.			—	2
3	.61.	—	—		{.05	.15	.41.		—		.29.	.20.	3
4	{.14	.04.	.45.			.17.		.18.	.10.		.10.	—	4
5		—	—		—				.15		.03.	.01.	5
6	.01.	—	.05.		—						.05.	.14}	6
7	—	—	.32.		.23								7
8	.06	—	{.12							.02	.14}	—	8
9	—	—		.03.						—		—	9
10	—	—	.12.		{.19					.04.	.05.	.21.	10
11	—	—	1.11	.04.			.15.			.24}	.03.	.01.	11
12	—	—	.66.	{.18		.13.	.31}					.01.	12
13	.16.	—	.03.					.04.		.24.		.03}	13
14	.15	—	—	.19			.03.	.09.			.10		14
15	—	{.36	—	.04.			—	.03.			.13}	1.00.	15
16	.05.		—			.05	—					—	16
17	—	.05.	—		{.13		—	.04.			.16	—	17
18	—	—	.06.	~~.06.~~			—	.34.			—	.04.	18
19	.15.	.30.	.69			.03.		.16.			.09.		19
20	.63	.10.	—				1.61}	.10.	.15}		—	.36}	20
21	.14.	.19.	—					—			.04.		21
22	—	.12				.09.	—	—	.24.		.14}		22
23	—	—	—			.20.		—	—	.80.			23
24	—	—	—			—		.10.	.01	.30	—		24
25	.03.	.04.	—			.10.		.41		.15}	.09.		25
26	—	—	.19.					.23			.08	.90}	26
27	—	—		{.90				—		.89.	—		27
28	.09.	—				{.03		1.03.		.21.			28
29	—			.03.						1.21.	.18}	.12.	29
30	.01.	~~X~~		.20.		.04.						.19.	30
31	.03.	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	.05.	31
TOTAL	2.80	1.23.	3.88.	1.61.	.90	.93.	3.45	2.84.	.945	4.23	2.02	3.34	YEAR'S TOTAL 18.205
Days with 01 in. or more	17	9	14	11	8	10	11	12	7	13	23	22	(157)

REGISTER OF RAINFALL IN 1920.

Kept at Cherry Hill York
in the County of Yorkshire
by Hy Richardson & Co.

Lat. 54° N Long. 1° W
Time of Observation 9 a.m.
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.34}		.25			.25		.02	1
2		.03	.14	.50}					.12	.55}		.16	2
3			.06				.56}		.19			.24	3
4				.04					.10}	1.10		.04}	4
5					.22		.20	.99					5
6			.08}	.15			.04			.01			6
7							.43						7
8	.04			.32			.15			.03	.03		8
9	.25	.11						.13					9
10	.61}			.33}	.12		.34}						10
11		.08										.25}	11
12	.16			.18	.01	.26}					.04		12
13	.05			.02				.08}	.04		.19}	.18	13
14		.22}	.59	.15								.05	14
15			.20	.25			.04		.24		.11		15
16			.02				.96		.13	.08	.03		16
17					.14			.06					17
18	.12}					1.35	.005}		.03				18
19	.11	.54		.40				.05	~~.03~~				19
20				.23	.01	.22}	.11						20
21				.05			.43					.03	21
22	.03			.22			.04		.03				22
23	~~.03~~			.04									23
24			.38									.23	24
25		.04	.04				1.23}						25
26		.03	.14	.01	.02							.15}	26
27	.14			.10	.26	.64					.40}		27
28	.49		.08	.14	.19							.05	28
29	.11		.16		.83}	.16					.12	.46	29
30	.18	~~X~~							.09	.06	.08	.24	30
31	.11	~~X~~	.06	~~X~~		~~X~~			~~X~~		~~X~~	.15	31
TOTAL	2.43	1.08	1.98	3.19	2.20	2.63	5.815	1.31	1.03	2.08	1.03	2.25	YEAR'S TOTAL 27.325
Days with ".01 in. or more	15	8	13	19	12	8	14	6	10	8	10	18	1445
Days with ".04 in. or more	14	6	12	14	9	8	14	6	8	6	8	16	124

Kept at Dunnington

in the County of York

by Miss A. Dunnington

DUNNINGTON HALL

1911-1920

IMPORTANT
previous day. If
requested to add th
for it at the end
the selection and
Organization are given in

Dr. H. R. MILL, 62, Camden Square, London, N.W.

311

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

op 8 in.

above Ground 1 ft.

Sea Level 110 ft.

8-30 AM

Name Holtby Station
Distance 2 1/2 Direction East

and the result entered to the
universal rule, he is earnestly
g year in the space provided
surement of rain,
British Rainfall
on application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.1	—	—	—	—	—	—	1.4	—	—	—	—	1
2	3.1	—	—	—	1.5	—	2.6	—	—	—	—	1.3	2
3	0.5	—	—	0.4	1.8	—	—	0.1	—	1.3	0.3	0.1	3
4	0.2	—	1.3	2.2	—	—	—	—	1.7	1.6	2.7	1.3	4
5	0.5	—	—	0.5	0.4	—	—	3.4	—	2.0	0.3	—	5
6	3.0	—	0.3	0.3	—	—	—	2.2	—	0.2	0.5	2.6	6
7	—	0.1	—	—	—	—	—	—	—	—	0.4	0.1	7
8	0.4	—	1.5	—	—	0.5	—	—	1.1	0.2	0.2	3.1	8
9	—	—	—	0.1	—	—	—	—	—	—	1.0	0.5	9
10	0.1	—	—	—	—	—	—	—	—	—	0.6	3.6	10
11	1.2	—	0.1	0.1	0.5	—	—	—	0.1	—	2.9	0.1	11
12	3.6	0.1	1.3	—	2.5	1.1	—	—	4.1	—	2.0	0.1	12
13	0.1	0.1	2.4	—	2.8	0.4	—	—	0.1	—	0.5	5.1	13
14	0.1	1.4	1.3	0.1	0.3	—	—	—	—	—	0.2	4.0	14
15	—	0.4	1.5	—	—	—	—	—	—	0.1	0.7	1.5	15
16	—	—	0.5	—	—	0.2	0.9	—	—	0.1	0.6	1.0	16
17	—	0.1	0.2	0.1	—	0.2	0.4	—	—	—	2.7	1.2	17
18	—	0.4	0.7	—	—	0.6	—	—	—	—	2.6	0.8	18
19	—	—	0.1	—	—	0.8	0.5	0.4	1.0	1.1	4.6	0.4	19
20	—	0.8	—	1.7	—	—	1.5	2.5	0.8	0.2	0.3	4.2	20
21	—	2.3	—	—	—	—	—	1.2	—	2.8	2.7	0.5	21
22	1.5	0.8	—	—	—	—	—	2.1	—	4.6	0.4	—	22
23	0.1	1.6	—	0.1	—	0.7	—	0.2	4.8	0.2	—	1.8	23
24	0.7	—	0.4	0.8	—	1.0	0.1	—	—	1.3	—	1.1	24
25	—	0.1	0.1	0.6	1.5	2.0	1.1	—	3.8	0.3	0.1	1.0	25
26	—	—	—	0.8	—	—	6.8	0.1	—	4.9	2.9	1.4	26
27	—	0.9	0.4	2.1	—	—	—	3.8	2.1	0.5	—	0.3	27
28	0.1	0.2	0.2	0.8	—	—	—	0.5	4.6	0.1	0.7	1.5	28
29	—	—	0.1	—	1.1	0.2	0.6	0.3	1.1	2.7	0.2	0.3	29
30	—	—	—	—	—	—	—	—	—	1.2	0.1	0.1	30
31	—	—	0.1	—	0.4	—	—	—	—	0.3	—	0.3	31
Total	15.3	9.3	12.9	10.7	13.0	23.3	12.5	18.2	25.3	25.7	30.2	4.02	TOTAL for year
No. of Rain Days	16	14	18	15	10	11	9	13	12	20	25	28	191

Kept at Dunnington Hall
in the County of Yorkshire **ER.**
by Miss Kildyard

Pattern
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 110 ft.
Time of Observation 8-30 AM
Nearest Railway Station { Name Holby Station
Distance 2 1/2 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<u>01</u> in.	<u>—</u> in.	<u>—</u> in.	<u>—</u> in.	<u>—</u> in.	<u>—</u> in.	<u>—</u> in.	<u>14</u> in.	<u>—</u> in.	<u>—</u> in.	<u>—</u> in.	<u>—</u> in.	1
2	<u>31</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>15</u>	<u>—</u>	<u>26</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>13</u>	2
3	<u>05</u>	<u>—</u>	<u>—</u>	<u>04</u>	<u>18</u>	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>13</u>	<u>03</u>	<u>01</u>	3
4	<u>02</u>	<u>—</u>	<u>13</u>	<u>22</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>17</u>	<u>16</u>	<u>27</u>	<u>13</u>	4
5	<u>05</u>	<u>—</u>	<u>—</u>	<u>05</u>	<u>04</u>	<u>—</u>	<u>—</u>	<u>34</u>	<u>—</u>	<u>20</u>	<u>03</u>	<u>—</u>	5
6	<u>30</u>	<u>—</u>	<u>03</u>	<u>03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>22</u>	<u>—</u>	<u>02</u>	<u>05</u>	<u>2.6</u>	6
7	<u>—</u>	<u>0.1</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>04</u>	<u>01</u>	7
8	<u>04</u>	<u>—</u>	<u>15</u>	<u>—</u>	<u>—</u>	<u>05</u>	<u>—</u>	<u>—</u>	<u>11</u>	<u>02</u>	<u>02</u>	<u>31</u>	8
9	<u>—</u>	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>10</u>	<u>05</u>	9
10	<u>01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>06</u>	<u>36</u>	10
11	<u>12</u>	<u>—</u>	<u>01</u>	<u>01</u>	<u>05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>29</u>	<u>01</u>	11
12	<u>36</u>	<u>01</u>	<u>13</u>	<u>—</u>	<u>25</u>	<u>11</u>	<u>—</u>	<u>—</u>	<u>41</u>	<u>—</u>	<u>20</u>	<u>01</u>	12
13	<u>01</u>	<u>01</u>	<u>27</u>	<u>—</u>	<u>28</u>	<u>04</u>	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>05</u>	<u>51</u>	13
14	<u>01</u>	<u>14</u>	<u>12</u>	<u>01</u>	<u>03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>02</u>	<u>49</u>	14
15	<u>—</u>	<u>04</u>	<u>15</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>01</u>	<u>07</u>	<u>13</u>	15
16	<u>—</u>	<u>—</u>	<u>05</u>	<u>—</u>	<u>—</u>	<u>02</u>	<u>09</u>	<u>—</u>	<u>—</u>	<u>01</u>	<u>06</u>	<u>10</u>	16
17	<u>—</u>	<u>01</u>	<u>02</u>	<u>01</u>	<u>—</u>	<u>02</u>	<u>04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>27</u>	<u>12</u>	17
18	<u>—</u>	<u>04</u>	<u>07</u>	<u>—</u>	<u>—</u>	<u>06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>26</u>	<u>08</u>	18
19	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>—</u>	<u>08</u>	<u>05</u>	<u>04</u>	<u>10</u>	<u>11</u>	<u>46</u>	<u>04</u>	19
20	<u>—</u>	<u>08</u>	<u>—</u>	<u>17</u>	<u>—</u>	<u>—</u>	<u>15</u>	<u>2.5</u>	<u>08</u>	<u>02</u>	<u>03</u>	<u>42</u>	20
21	<u>—</u>	<u>23</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>12</u>	<u>—</u>	<u>28</u>	<u>27</u>	<u>05</u>	21
22	<u>15</u>	<u>08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>21</u>	<u>—</u>	<u>46</u>	<u>04</u>	<u>—</u>	22
23	<u>01</u>	<u>16</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>67</u>	<u>—</u>	<u>02</u>	<u>48</u>	<u>02</u>	<u>—</u>	<u>18</u>	23
24	<u>07</u>	<u>—</u>	<u>06</u>	<u>08</u>	<u>—</u>	<u>106</u>	<u>01</u>	<u>—</u>	<u>—</u>	<u>13</u>	<u>—</u>	<u>11</u>	24
25	<u>—</u>	<u>01</u>	<u>01</u>	<u>06</u>	<u>15</u>	<u>20</u>	<u>11</u>	<u>—</u>	<u>38</u>	<u>03</u>	<u>01</u>	<u>10</u>	25
26	<u>—</u>	<u>—</u>	<u>—</u>	<u>08</u>	<u>—</u>	<u>—</u>	<u>68</u>	<u>01</u>	<u>—</u>	<u>49</u>	<u>29</u>	<u>14</u>	26
27	<u>—</u>	<u>09</u>	<u>04</u>	<u>21</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>38</u>	<u>21</u>	<u>05</u>	<u>—</u>	<u>03</u>	27
28	<u>01</u>	<u>02</u>	<u>02</u>	<u>08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>05</u>	<u>46</u>	<u>01</u>	<u>07</u>	<u>15</u>	28
29	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>11</u>	<u>02</u>	<u>06</u>	<u>03</u>	<u>11</u>	<u>27</u>	<u>02</u>	<u>03</u>	29
30	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>12</u>	<u>01</u>	<u>01</u>	30
31	<u>—</u>	<u>—</u>	<u>01</u>	<u>—</u>	<u>04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>03</u>	<u>—</u>	<u>03</u>	31
Total	<u>153</u>	<u>93</u>	<u>129</u>	<u>107</u>	<u>130</u>	<u>233</u>	<u>145</u>	<u>182</u>	<u>253</u>	<u>257</u>	<u>302</u>	<u>402</u>	TOTAL for year
No. of Rain Days	<u>16</u>	<u>14</u>	<u>18</u>	<u>15</u>	<u>10</u>	<u>11</u>	<u>9</u>	<u>13</u>	<u>12</u>	<u>20</u>	<u>25</u>	<u>28</u>	<u>191</u>

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at *Dunstable Hall*
in the County of *Hertfordshire*
by *J. J. Hildyard Esq.*

Pattern
RAIN GAUGE Diameter of top *8* in.
Height of top above Ground *1* ft.
" " " Sea Level *110* ft.
Time of Observation *8.30 AM*
Nearest Railway Station { Name *Holtby*
Distance *2 1/2* Direction *East*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	01	05	01	—	27	37	—	02	05	—	19	2
3	14	26	—	—	—	70	—	31	12	05	—	—	3
4	21	—	32	—	11	55	—	16	01	—	49	—	4
5	04	01	03	—	22	50	—	—	—	—	—	—	5
6	45	07	—	—	01	02	02	31	04	—	—	—	6
7	—	01	04	—	04	01	—	05	12	—	—	01	7
8	20	21	11	—	—	03	02	—	20	—	08	01	8
9	02	08	21	00	—	00	02	—	—	—	01	01	9
10	01	—	—	—	—	102	—	06	01	—	10	—	10
11	21	04	05	—	—	—	—	13	01	—	10	38	11
12	06	05	—	—	—	11	16	—	—	01	52	—	12
13	—	—	—	—	—	06	—	04	—	09	20	—	13
14	19	—	55	—	—	22	—	04	01	—	—	02	14
15	03	04	43	—	59	12	—	—	—	—	—	01	15
16	29	—	18	—	05	05	—	01	—	06	—	02	16
17	—	—	23	—	04	28	—	31	—	—	05	22	17
18	15	02	01	—	—	01	—	01	—	08	—	—	18
19	22	20	—	—	—	—	45	34	—	06	03	—	19
20	33	03	—	—	22	10	16	—	—	16	—	—	20
21	—	—	28	—	22	—	02	—	—	—	—	01	21
22	01	12	—	—	135	96	—	28	—	—	—	01	22
23	01	01	15	—	04	—	05	32	—	01	06	—	23
24	24	—	—	—	—	10	34	05	—	—	—	07	24
25	03	—	—	—	—	41	01	08	—	01	10	05	25
26	03	07	04	—	—	—	51	57	—	84	07	24	26
27	—	—	04	—	01	16	27	—	—	50	02	10	27
28	—	—	—	01	25	10	19	44	—	14	29	—	28
29	—	—	03	03	—	—	02	07	65	05	15	07	29
30	06	—	01	—	23	—	—	01	13	08	27	—	30
31	—	—	00	—	11	—	50	35	—	—	—	—	31
Total	293	125	296	13	351	608	326	411	164	221	254	148	TOTAL for year
No. of Rain Days	21	17	20	4	16	23	17	22	12	16	16	14	200

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL
6-JAN 1914

Kept at

Durrimington Hall

in the County of

Essex

by

T. H. H. H.

Lat.

Long.

Time of Observation 8.30 A.M.

Nearest Railway Station H. C. C.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	01	10	25	—	—	—	—	—	—	02	—	1
2	01	04	09	03	—	08	—	—	—	—	06	01	2
3	03	01	02	—	21	—	01	—	01	66	—	03	3
4	50	03	04	—	—	01	03	—	01	08	24	37	4
5	03	03	06	—	—	21	03	02	03	35	—	01	5
6	01	05	06	—	45	03	17	02	—	—	—	—	6
7	—	12	—	01	04	14	—	—	—	33	03	01	7
8	—	01	—	—	62	08	—	—	03	21	07	—	8
9	—	09	02	02	13	—	—	05	—	—	06	—	9
10	—	03	01	10	03	02	—	—	—	01	34	—	10
11	20	—	—	32	01	04	—	—	—	01	15	—	11
12	55	02	01	—	—	—	—	—	—	01	09	—	12
13	02	01	10	10	—	—	01	06	20	—	08	04	13
14	02	08	25	03	—	—	—	—	—	11	—	—	14
15	18	—	03	44	—	—	01	—	—	—	30	—	15
16	—	—	11	02	—	—	—	—	—	01	05	01	16
17	03	—	20	06	—	26	—	—	72	—	03	—	17
18	02	—	04	05	02	01	02	—	51	—	13	—	18
19	10	—	04	02	07	—	—	—	02	—	—	—	19
20	04	—	21	03	—	—	—	—	02	05	13	—	20
21	—	—	02	02	22	—	05	14	23	—	22	—	21
22	08	—	—	—	01	01	—	34	08	—	01	—	22
23	10	—	—	—	01	24	—	09	06	—	01	—	23
24	13	—	04	07	—	—	—	01	—	—	01	—	24
25	—	—	01	05	—	02	—	—	10	26	03	01	25
26	01	02	17	03	—	10	—	—	03	06	08	16	26
27	—	01	29	28	—	—	—	—	—	08	03	03	27
28	20	—	—	27	—	—	—	—	—	04	—	03	28
29	01	—	02	33	07	—	—	03	—	—	02	35	29
30	32	—	—	—	07	—	—	—	—	32	—	18	30
31	06	—	—	—	14	—	01	—	—	—	—	—	31
Total	265	59	194	255	210	125	34	76	155	259	219	124	19.75
Rain Days.	22	15	23	21	15	14	9	9	14	16	23	13	194

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at *Durham Hall*
 in the County of *Yorkshire E.R. 1*
 by *John T. Hildyard*

Lat. _____ Long. _____
 Time of Observation *8.30*
 Nearest Railway Station *Holby N.E. 1/4*
 Diameter of Rain Gauge *8 in.*
 Height of top of Gauge above Ground *1* ft. *2* in.
 " " " " Sea Level *110* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	65	18	—	—	—	15	1
2	—	—	—	—	—	—	79	21	—	01	19	05	2
3	01	—	11	—	19	—	06	—	—	—	14	32	3
4	06	—	02	18	02	—	—	—	—	—	14	41	4
5	02	—	09	14	—	02	02	—	—	—	20	04	5
6	—	11	—	01	13	—	01	05	—	—	06	04	6
7	—	01	18	01	07	14	—	—	—	—	03	08	7
8	43	—	08	—	07	26	04	08	—	—	02	—	8
9	25	04	01	10	—	58	—	05	03	—	01	02	9
10	33	11	—	08	—	—	—	—	04	—	03	04	10
11	—	11	21	02	10	—	—	—	01	—	29	21	11
12	01	02	01	—	02	—	—	—	28	—	—	20	12
13	02	11	23	—	01	—	—	—	—	—	09	20	13
14	03	10	18	02	—	—	06	—	—	03	08	27	14
15	04	—	14	—	—	—	—	—	—	—	34	10	15
16	05	—	03	—	—	—	94	—	43	—	05	—	16
17	05	12	01	—	—	—	—	—	38	01	—	14	17
18	02	—	11	—	—	17	—	—	01	—	01	34	18
19	—	—	03	—	—	—	18	—	03	03	03	10	19
20	—	06	04	—	—	—	—	01	—	03	—	01	20
21	—	30	—	—	—	13	—	05	—	03	04	09	21
22	—	02	02	02	20	26	04	09	—	01	02	07	22
23	—	04	01	—	52	26	—	—	—	—	02	02	23
24	—	—	02	03	02	—	—	92	—	—	23	36	24
25	—	03	13	—	02	—	07	11	—	44	05	20	25
26	—	—	—	—	—	—	12	09	—	39	10	63	26
27	01	—	—	—	—	—	02	—	—	02	11	11	27
28	—	04	—	—	01	—	—	—	—	01	12	—	28
29	—	—	16	—	01	—	—	13	—	32	02	13	29
30	—	—	02	—	01	—	—	03	—	04	03	—	30
31	05	—	—	—	—	—	48	03	—	19	—	02	31
Total	148	122	184	56	140	182	383	133	121	186	245	435	YEAR'S TOTAL 23.35
Rain Days.	15	15	22	10	15	8	16	14	8	14	26	27	190

REGISTER OF RAINFALL IN 1915

Kept at Dunnington Hall
in the County of Yorkshire E
by John T. Hildyard

Lat. _____ Long. _____
Time of Observation 8-30 AM
Nearest Railway Station Holtby 7.9 1/2
Diameter of Rain Gauge 8 inch in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 10 ft.

FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.8	35	—	—	21	—	—	140	96	—	05	08	1
2	—	07	17	12	—	03	04	19	01	—	01	01	2
3	—	—	12	09	—	—	—	10	03	—	05	42	3
4	15	—	02	—	01	—	—	04	—	—	01	73	4
5	15	05	02	—	13	—	—	01	—	—	03	74	5
6	04	15	05	16	—	—	62	01	04	—	—	11	6
7	12	39	09	11	—	—	11	20	—	—	02	03	7
8	06	03	01	01	—	—	03	02	—	—	02	—	8
9	05	01	—	—	—	—	—	06	—	06	—	40	9
10	24	23	—	—	—	—	—	—	—	06	04	09	10
11	—	02	03	01	54	—	—	01	—	—	85	09	11
12	08	—	—	26	03	—	22	24	—	09	—	—	12
13	—	27	—	—	02	—	—	—	01	—	—	—	13
14	—	10	—	—	—	—	08	04	—	—	44	11	14
15	20	02	—	08	01	—	18	02	—	10	—	15	15
16	01	26	—	—	—	—	100	01	—	09	01	03	16
17	19	13	—	—	—	—	09	—	—	01	04	02	17
18	—	12	62	—	—	—	—	01	—	01	01	—	18
19	—	—	06	—	—	—	02	—	—	—	—	—	19
20	07	—	01	07	—	—	—	—	—	—	—	44	20
21	(.11)	03	—	—	—	—	02	—	—	—	—	05	21
22	02	—	08	—	—	—	09	—	—	01	—	15	22
23	15	09	04	03	—	—	16	—	05	01	01	04	23
24	01	—	11	—	—	—	—	—	42	05	—	17	24
25	—	—	—	—	—	06	—	—	—	04	06	09	25
26	01	13	01	—	—	18	16	—	04	02	—	39	26
27	01	02	02	—	—	17	29	—	—	39	—	12	27
28	—	01	05	—	19	01	—	28	—	12	—	01	28
29	—	—	—	—	27	02	—	01	02	01	18	33	29
30	11	X	—	15	—	—	12	—	—	—	01	01	30
31	27	X	—	X	—	X	—	36	X	01	X	21	31
Total	284	254	141	109	134	47	406	271	158	108	184	502	2549
Rain Days.	21	20	17	11	9	6	18	18	9	16	19	26	188

W D L
REGISTER OF RAINFALL IN 1916

FORM A
BRITISH RAINFALL
15 JAN 1917

Kept at Dunnington Hall
in the County of Yorkshire E.R.
by John T. Hildyard

Lat. _____ Long. _____
Time of Observation 8.30 A.M.
Nearest Railway Station Holtby N.E.M.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	—	13	—	—	22	14	—	—	04	21	—	1
2	23	07	22	—	—	—	—	—	08	08	—	—	2
3	—	14	08	05	—	—	—	01	61	14	04	01	3
4	02	09	02	01	69	30	—	—	02	39	33	—	4
5	05	01	25	—	12	—	—	—	01	24	10	—	5
6	01	29	28	06	25	29	10	—	—	05	30	04	6
7	—	06	09	01	11	09	07	—	—	08	01	20	7
8	—	08	20	—	06	03	—	—	—	07	01	05	8
9	—	—	03	—	51	—	—	—	01	—	03	17	9
10	—	05	03	03	—	03	04	—	10	02	01	03	10
11	20	47	20	10	—	07	11	—	04	03	—	19	11
12	10	—	24	04	29	08	58	09	—	03	—	09	12
13	—	06	16	—	15	05	33	95	02	46	03	08	13
14	—	04	03	—	10	—	—	39	—	03	—	17	14
15	—	17	45	02	—	—	04	26	01	02	—	—	15
16	—	13	09	11	—	—	06	33	—	01	—	—	16
17	02	—	01	28	—	—	07	10	18	11	01	04	17
18	—	30	—	16	—	—	—	08	10	08	64	22	18
19	07	02	20	06	—	01	—	02	04	01	19	01	19
20	07	01	23	38	—	—	01	15	01	—	05	25	20
21	04	—	05	03	01	—	05	02	—	—	01	02	21
22	—	15	01	—	—	—	—	—	—	09	—	28	22
23	—	03	02	04	—	05	—	05	01	01	05	02	23
24	01	05	—	10	—	—	01	18	—	02	—	08	24
25	01	06	06	—	01	—	—	17	—	10	07	—	25
26	—	15	04	—	—	—	—	01	—	01	—	01	26
27	—	26	—	—	—	—	—	02	—	18	01	—	27
28	—	14	01	—	15	—	—	01	—	12	—	10	28
29	01	10	—	—	19	04	—	—	—	15	—	11	29
30	01	X	—	—	03	01	—	—	—	13	—	—	30
31	—	X	—	X	—	X	01	—	X	—	X	—	31
Total	79	283	308	148	267	125	162	284	127	270	210	217	YEAR'S TOTAL 24.80
Rain Days.	15	24	25	16	14	13	14	17	14	27	18	21	218

REGISTER OF RAINFALL IN 1917

Kept at *Dunnington Hall*
in the County of *Yorkshire*
by *John T. Hildyard*

Lat. _____ Long. _____
Time of Observation *8.30 AM*
Nearest Railway Station *Holtby N.E. R.*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" " " " Sea Level *110* ft.

3370
FORM A.
BRITISH RAINFALL
JAN 1 1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				13				23	37		20	17	1
2	03	01		14		06		14					2
3		09		02		03		15		04	21		3
4			03					02		25	01		4
5	12		07	24				01	01	04	18		5
6	45					05		02		03	09		6
7	51		08			04		94		55		02	7
8	18		01	14				06		33	01		8
9	25		02	22				06		03	23	02	9
10	02		49	13	06					09	26		10
11	55			16				10		36		01	11
12	18			04	24			04		23		01	12
13	34			03	24			30	12	11	01	03	13
14	20			09	02			05				05	14
15	01			01			16	09	01			13	15
16		05		19				13			01	35	16
17	02	09	03	13	19	45	03	22	03	01		07	17
18	09	01		01	04	19	38	06	11				18
19	11	10	10		12	13	06					04	19
20	04	31	09	01				03	02			01	20
21	02	10	10					21	03	02	42		21
22					32	03		04	04	04	01		22
23	02					02	01	08	04	02		01	23
24						09	03	08		15			24
25	01	04	10				16	07		07	20	10	25
26			32			63		41	02	24		12	26
27			03			11	09	28		01	30	04	27
28			20			04	04	16		03		02	28
29	01		04				05	04		25	01	02	29
30	01	X	23	03			05	02		03	01	01	30
31	02	X	42	X	01	X		05	X		X	06	31
Total	322	80	131	172	124	187	106	143	80	293	196	129	23.63
Rain Days.	22	9	17	17	9	13	21	29	11	22	16	20	196

REGISTER OF RAINFALL IN 1918

Kept at Dunnington Hall
 in the County of Yorkshire E.R.
 by John P. Hildyard

Lat. _____ Long. _____
 Time of Observation 8-30 A.M.
 Nearest Railway Station Holtby N.E.R.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 " " " " Sea Level 110 ft.

FORM A.
 BRITISH RAINFALL
 1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	03	03	05	—	—	—	—	17	05	25	10	1
2	05	28	01	16	—	—	—	—	—	03	—	25	2
3	—	02	04	—	29	—	—	24	08	—	34	01	3
4	—	03	02	—	16	—	06	23	57	02	32	37	4
5	—	01	02	03	16	—	—	133	—	04	—	02	5
6	01	24	—	36	—	15	—	06	01	06	01	02	6
7	14	07	—	10	—	04	—	—	—	06	16	01	7
8	03	02	03	—	—	—	41	01	05	03	—	01	8
9	—	27	—	02	—	11	05	—	78	30	03	05	9
10	02	03	—	01	—	—	07	—	08	—	02	02	10
11	06	03	—	02	35	—	09	01	08	—	—	12	11
12	—	12	02	09	60	—	31	02	04	04	—	03	12
13	—	—	—	03	23	—	—	—	29	09	—	05	13
14	11	—	—	03	—	—	12	—	33	04	21	66	14
15	09	—	—	—	01	02	34	—	85	—	—	24	15
16	04	—	—	—	—	16	07	04	23	—	—	24	16
17	21	—	—	—	42	14	91	04	03	16	—	94	17
18	25	—	03	05	—	01	39	—	63	—	—	07	18
19	32	—	04	11	—	—	21	15	02	12	—	—	19
20	07	42	—	05	—	02	08	—	12	05	01	—	20
21	12	02	—	—	36	02	02	—	15	26	01	—	21
22	02	—	—	03	01	—	03	—	07	—	—	31	22
23	11	—	—	—	49	—	09	—	04	—	02	—	23
24	—	07	—	—	—	—	03	—	21	03	06	—	24
25	—	—	01	—	—	01	09	25	03	—	01	02	25
26	—	—	—	—	—	—	08	02	30	03	14	05	26
27	—	06	02	—	—	02	06	46	27	—	13	07	27
28	01	20	40	—	—	—	—	—	—	—	03	30	28
29	—	—	01	—	—	—	—	—	06	—	02	32	29
30	01	X	33	—	—	—	—	—	16	—	06	24	30
31	—	X	33	X	—	X	—	08	X	—	X	03	31
Total	172	194	159	114	288	70	353	284	573	141	163	371	YEAR'S TOTAL 28.60
Rain Days.	19	17	15	15	11	11	20	14	26	17	18	26	209

REGISTER OF RAINFALL IN 1979

Kept at Dunnington Hall
 in the County of Yorkshire
 by Miss Kelly

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station Wetherby, N.E.
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level 110 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	26	01	01	—	31	—	46	—	22	07	10	04	1
2	15	—	11	—	02	—	57	—	04	—	07	—	2
3	57	05	—	—	03	01	38	—	08	—	—	19	3
4	12	01	40	—	02	07	—	11	15	—	09	04	4
5	06	—	01	—	—	—	—	—	10	—	—	05	5
6	02	—	02	—	02	—	—	—	—	02	06	08	6
7	05	—	24	—	16	—	—	—	—	—	—	16	7
8	—	—	—	—	03	—	—	03	—	01	11	02	8
9	01	—	02	01	—	—	—	—	—	01	12	—	9
10	01	—	22	06	03	—	—	—	—	03	10	16	10
11	—	—	92	01	07	—	17	—	—	04	04	01	11
12	02	—	53	10	—	15	18	—	—	25	01	02	12
13	14	—	02	03	—	—	10	02	04	23	01	02	13
14	20	—	—	15	—	—	05	10	—	01	09	01	14
15	08	10	05	06	—	—	—	01	—	—	11	99	15
16	01	26	—	02	02	—	—	—	01	—	06	—	16
17	01	08	—	—	—	08	—	07	—	01	18	01	17
18	—	—	01	—	04	—	03	24	02	—	—	04	18
19	05	—	44	—	—	—	110	15	02	—	12	04	19
20	48	19	—	—	—	01	19	13	11	—	01	21	20
21	24	21	02	—	—	05	06	—	06	—	05	24	21
22	01	10	02	—	—	01	18	—	26	—	01	23	22
23	—	13	02	—	—	18	—	—	—	68	13	01	23
24	01	—	01	20	01	11	—	—	—	24	03	04	24
25	03	07	—	01	—	—	—	47	—	01	01	—	25
26	—	02	18	35	—	01	—	43	—	12	14	41	26
27	03	01	—	08	—	01	01	—	18	75	04	12	27
28	02	—	—	05	—	04	—	78	—	14	—	29	28
29	06	—	01	—	—	—	—	07	—	48	01	10	29
30	02	×	08	22	—	08	—	01	—	02	14	17	30
31	04	×	01	×	—	×	03	—	×	08	×	05	31
Total	270	129	335	135	76	81	351	254	129	201	211	377	YEAR'S TOTAL 2734
Rain Days.	26	13	22	14	12	13	14	14	13	19	27	27	214

REGISTER OF RAINFALL IN 1920.

Kept at Warrington Hall
in the County of Cheshire
by Miss Kilday

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Holby R.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	10	25	32	03	28	—	08	27	—	02	1
2	—	—	05	23	—	—	14	—	08	37	—	27	2
3	—	02	—	03	01	01	14	—	06	20	—	08	3
4	03	—	—	02	15	—	32	06	20	28	—	08	4
5	—	—	03	—	14	—	53	84	05	104	—	08	5
6	—	01	14	11	06	—	16	03	—	01	—	03	6
7	01	01	03	03	—	—	07	03	—	—	—	05	7
8	—	02	—	29	02	—	34	22	—	01	—	01	8
9	16	08	—	35	—	—	02	30	02	—	—	01	9
10	45	05	05	13	—	—	29	—	—	—	—	04	10
11	18	01	04	18	05	—	02	—	00	03	10	12	11
12	07	—	—	09	01	—	—	—	26	—	—	20	12
13	05	—	06	13	—	—	04	—	—	—	03	14	13
14	—	06	38	25	—	07	01	+	04	—	21	02	14
15	—	10	22	—	—	—	—	—	13	—	12	01	15
16	—	—	—	—	—	—	06	—	—	—	—	—	16
17	—	01	—	08	15	—	02	07	22	06	05	01	17
18	09	—	—	32	15	16	—	—	03	—	—	01	18
19	01	43	—	26	—	02	01	21	01	—	—	—	19
20	13	01	—	14	—	22	10	—	—	—	01	01	20
21	—	02	—	19	—	—	51	25	—	—	01	02	21
22	03	01	—	02	—	—	05	—	02	01	01	—	22
23	—	—	26	10	—	—	27	—	01	01	—	—	23
24	02	—	06	—	—	—	—	—	—	—	—	—	24
25	—	04	15	04	—	04	73	—	01	—	—	05	25
26	05	—	—	32	05	—	03	—	—	—	01	—	26
27	13	01	10	08	41	61	—	—	01	—	—	02	27
28	73	02	—	03	01	01	08	—	—	—	38	09	28
29	10	—	14	—	73	07	—	—	01	—	05	05	29
30	11	—	02	—	—	—	—	—	—	—	07	—	30
31	15	—	03	—	03	02	—	—	14	—	15	18	31
	—	—	—	—	—	—	01	—	—	—	—	—	
TOTAL	250	91	186	367	232	123	578	195	132	215	122	230	YEAR'S TOTAL
Days with "01 in. or more	18	14	17	24	16	11	25	8	17	13	14	26	27.21
	13	11	13	19	10	5	18	7	9	6	8	15	206
	13	11	13	19	10	5	18	7	9	6	8	15	134

Miss Hildyard is at
a loss how to fill in
the 2 last columns as every
day's rainfall is .01. or more
She encloses the original
Mainfall page -

YORK

1911

FORM A2.
BRITISH RAINFALL
2-JAN 1912

Kept at Hesling
in the County of York
by The Hon. J. de

HESLINGTON

8 in.
Ground — ft.
Sea Level 35 ft.
2.1
Name York
Distance 2 1/2 Direction N.W.

1911-17, 1919-1920

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of t
the selection and plac
Organization are given i
Dr. H. R. MILL, 62, Camden Square, London, N.W.

d the result entered to the
iversal rule, he is earnestly
ear in the space provided
ment of rain,
ritish Rainfall
application to
Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.in. 02	in.	in.	in.	in. 01	in.	in.	.in. 08	in.	in.	in.	in.	1
2	.46	—	—	—	.14	—	.39	—	—	—	—	.12	2
3	.04	—	—	.02	.19	—	—	.01	—	.05	.03	—	3
4	.02	—	.14	.16	—	—	—	.04	.19	.13	.30	.12	4
5	.08	—	.02	.07	—	—	—	.22	—	.19	.02	—	5
6	.34	—	.02	.04	—	—	—	.22	—	.03	.08	.26	6
7	.01	—	.03	—	—	—	—	—	—	—	.05	—	7
8	.06	—	.13	—	—	.06	—	—	.12	.02	—	.40	8
9	—	—	—	—	—	—	—	—	—	—	.30	.65	9
10	—	.03	—	.01	—	—	—	—	—	—	.04	.38	10
11	.12	—	—	—	.12	—	—	—	.03	—	.36	.02	11
12	.28	.02	.08	.02	.29	.18	—	—	.47	—	.23	.01	12
13	—	~~.02~~	.34	—	.19	.07	—	—	—	—	.04	.52	13
14	—	.23	.09	—	.05	—	—	—	—	—	.02	.56	14
15	—	.07	.11	.01	—	—	—	—	—	—	.06	.16	15
16	—	—	.04	—	—	.02	—	—	—	.02	.09	.13	16
17	—	—	—	—	—	.04	.11	—	—	—	.24	.12	17
18	—	.03	.07	.02	—	.06	.03	—	—	—	.18	.07	18
19	—	—	—	—	—	.09	.05	—	.11	.16	.55	.08	19
20	—	.07	—	.18	—	—	.15	.38	.10	.04	.03	.28	20
21	—	.27	—	—	—	—	—	.16	.02	.33	.26	.03	21
22	.11	.09	—	—	—	—	—	.10	—	.45	.05	—	22
23	.02	.15	—	.04	—	.61	—	—	.41	—	—	.21	23
24	.07	.02	.05	.04	—	1.48	.03	—	—	.13	—	.13	24
25	.01	.03	—	.10	—	.28	.08	—	.41	.05	.02	.12	25
26	—	—	—	.07	.19	—	.84	.03	—	.55	.26	.17	26
27	—	.09	.03	.08	—	—	—	.46	.20	.03	—	.03	27
28	—	.03	.02	.22	—	—	—	.01	—	—	.06	.13	28
29	—	—	—	—	—	.03	.06	.06	.54	.29	.01	.04	29
30	—	—	—	—	.10	.08	—	—	.9	.12	.02	~~.04~~	30
31	—	—	.02	—	.02	—	—	.02	—	.07	—	.04	31
Total	1.64	1.13	1.19	1.08	1.30	3.00	1.74	1.79	2.69	2.66	3.30	4.18	TOTAL for year
No. of Rain Days	14	13	14	15	10	12	9	13	12	17	24	25	178

2 - JAN 1912

Kept at Heslington
in the County of Yorkshire - E. Riding
by The Hon. Lilla de Yarburgh-Bateson

Pattern Glaisher
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground — ft.
" " " Sea Level 35 ft.
Time of Observation 9.2.2
Nearest Railway Station { Name York
Distance 2 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	1
2	<u>.46</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>.39</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	2
3	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.05</u>	<u>.03</u>	<u>—</u>	3
4	<u>.02</u>	<u>—</u>	<u>.14</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.19</u>	<u>.13</u>	<u>.30</u>	<u>.12</u>	4
5	<u>.08</u>	<u>—</u>	<u>.02</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>—</u>	<u>.19</u>	<u>.02</u>	<u>—</u>	5
6	<u>.34</u>	<u>—</u>	<u>.02</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>—</u>	<u>.03</u>	<u>.08</u>	<u>.26</u>	6
7	<u>.01</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>—</u>	7
8	<u>.06</u>	<u>—</u>	<u>.13</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>.02</u>	<u>—</u>	<u>.40</u>	8
9	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.30</u>	<u>.05</u>	9
10	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.38</u>	10
11	<u>.12</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.36</u>	<u>.02</u>	11
12	<u>.28</u>	<u>.02</u>	<u>.08</u>	<u>.02</u>	<u>.29</u>	<u>.18</u>	<u>—</u>	<u>—</u>	<u>.47</u>	<u>—</u>	<u>.23</u>	<u>.01</u>	12
13	<u>—</u>	<u>.22</u>	<u>.34</u>	<u>—</u>	<u>.19</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.52</u>	13
14	<u>—</u>	<u>.23</u>	<u>.09</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.56</u>	14
15	<u>—</u>	<u>.07</u>	<u>.11</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>.16</u>	15
16	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.09</u>	<u>.13</u>	16
17	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.24</u>	<u>.12</u>	17
18	<u>—</u>	<u>.03</u>	<u>.07</u>	<u>.02</u>	<u>—</u>	<u>.06</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.18</u>	<u>.07</u>	18
19	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>.05</u>	<u>—</u>	<u>.11</u>	<u>.16</u>	<u>.55</u>	<u>.08</u>	19
20	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.18</u>	<u>—</u>	<u>—</u>	<u>.15</u>	<u>.38</u>	<u>.10</u>	<u>.04</u>	<u>.03</u>	<u>.28</u>	20
21	<u>—</u>	<u>.27</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.16</u>	<u>.02</u>	<u>.33</u>	<u>.26</u>	<u>.03</u>	21
22	<u>.11</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>.45</u>	<u>.05</u>	<u>—</u>	22
23	<u>.02</u>	<u>.15</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.61</u>	<u>—</u>	<u>—</u>	<u>.41</u>	<u>—</u>	<u>—</u>	<u>.21</u>	23
24	<u>.07</u>	<u>.02</u>	<u>.05</u>	<u>.04</u>	<u>—</u>	<u>1.48</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.13</u>	<u>—</u>	<u>.13</u>	24
25	<u>.01</u>	<u>.03</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>.28</u>	<u>.08</u>	<u>—</u>	<u>.41</u>	<u>.05</u>	<u>.02</u>	<u>.12</u>	25
26	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>.19</u>	<u>—</u>	<u>.84</u>	<u>.03</u>	<u>—</u>	<u>.55</u>	<u>.26</u>	<u>.17</u>	26
27	<u>—</u>	<u>.09</u>	<u>.03</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.46</u>	<u>.20</u>	<u>.03</u>	<u>—</u>	<u>.03</u>	27
28	<u>—</u>	<u>.03</u>	<u>.02</u>	<u>.22</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>.13</u>	28
29	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.06</u>	<u>.06</u>	<u>.54</u>	<u>.29</u>	<u>.01</u>	<u>.04</u>	29
30	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>.9</u>	<u>.12</u>	<u>.02</u>	<u>—</u>	30
31	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.04</u>	31
Total	<u>1.64</u>	<u>1.13</u>	<u>1.19</u>	<u>1.08</u>	<u>1.30</u>	<u>3.00</u>	<u>1.74</u>	<u>1.79</u>	<u>2.69</u>	<u>2.66</u>	<u>3.30</u>	<u>4.18</u>	TOTAL for year
No. of Rain Days	<u>14</u>	<u>13</u>	<u>14</u>	<u>15</u>	<u>10</u>	<u>12</u>	<u>9</u>	<u>13</u>	<u>12</u>	<u>17</u>	<u>24</u>	<u>25</u>	<u>178</u>

REGISTER OF RAINFALL IN 1912

Kept at Heslington
 in the County of Yorkshire - East Riding
 by The Hall Lilla de Yarburgh - Barton

Pattern Glaisher
 Diameter of top 8 in.
 Height of top above Ground - ft.
 " " " Sea Level 35 ft.
 Time of Observation 9.2 a.m.
 Nearest Railway Station { Name York
 Distance 2 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. .02	in. .11	in. —	in. .02	in. .31	in. .40	in. .22	in. .27	in. .04	in. .01	in. .28	1
2	—	—	.08	.01	—	.43	.45	—	.06	.01	—	—	2
3	.13	^{snow} .25	.38	—	—	.64	—	.35	.13	.02	—	.20	3
4	.24	—	—	—	.10	.54	—	.58	—	—	.47	.02	4
5	.03	—	—	—	.21	.30	—	—	—	—	.01	.02	5
6	.53	.07	—	—	.03	.01	—	.35	—	.02	—	—	6
7	—	.02	.04	—	.04	.08	—	.09	.16	—	—	—	7
8	.43	.21	.10	—	—	.02	.01	—	.25	—	.08	.02	8
9	.02	.10	.18	.06	—	.01	—	—	—	—	.02	.01	9
10	.01	—	—	—	—	.53	—	.05	—	—	.13	—	10
11	.24	.09	—	—	—	—	—	.11	—	—	.14	.39	11
12	.07	.07	.06	—	—	.13	.85	—	—	.01	.46	—	12
13	—	.03	—	—	—	.07	—	.05	—	.09	.19	—	13
14	.24	—	.62	—	—	.19	—	.03	.01	.01	—	.02	14
15	.03	.03	.36	—	.59	.25	—	—	—	—	—	.01	15
16	.22	.01	.19	—	.06	.04	—	.01	—	.07	—	.05	16
17	.02	—	.23	—	.02	.24	.02	.19	—	—	.07	.38	17
18	.20	.02	.01	—	—	.01	—	.02	—	.06	—	.01	18
19	.27	.18	—	—	—	.34	.32	—	—	.10	.02	—	19
20	.39	.03	—	—	.23	.11	.26	—	—	.17	—	~~.02~~	20
21	—	.01	.28	—	.23	—	.04	—	—	—	—	.02	21
22	.01	.14	—	—	<u>1.26</u>	<u>1.15</u>	—	.23	—	—	—	—	22
23	—	—	.15	—	.04	—	.12	~~.42~~	—	.03	.07	.02	23
24	.27	.01	—	—	—	.04	.18	.04	—	—	—	.15	24
25	.02	—	—	—	—	.70	—	.30	—	.02	.14	.06	25
26	.03	.06	.03	—	—	—	.28	.73	—	.91	.10	.27	26
27	—	—	.05	—	.03	.16	.25	—	—	.49	.03	.12	27
28	—	—	—	.02	.19	.04	.06	.53	—	.14	.36	—	28
29	—	.01	.05	—	—	—	.03	.02	.75	.07	.12	.12	29
30	.05	—	.02	—	.03	—	.02	.01	.15	.05	—	—	30
31	—	—	.08	—	.09	—	.45	.38	—	.03	—	—	31
Total	3.65	1.36	3.02	0.09	3.17	6.02	3.76	5.03	1.78	2.34	2.42	2.17	TOTAL for year 34.81
No. of Rain Days	21	19	19	3	16	23	16	22	8	19	17	19	202

REGISTER OF RAINFALL IN 1913

Kept at Heslington
in the County of Yorks: East Riding
by The Hon. Lilla de Yarburgh-Bateman

Lat. _____ Long. _____
Time of Observation 9.2 a.m.
Nearest Railway Station York² (2½ miles)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. in.
Sea Level 35 ft.

BRITISH RAINFALL FORM A.
3-JAN 1914

IMPORTANT
previous day. If an
requested to add the
for it at the end of
the selection and pla
Organization are giv
Dr. H. R. MILL, 62,

cs/g. Heslington. York
Ap. 26
I am much obliged for
your this morning. I think
1.09. I think a fair
computation. I felt sure
some rain must have
drifted into the gauge &
it made me very doubtful
whether to enter as to the
fall.
Lilla de Yarburgh-Bateman

m. and the result entered to the
most universal rule, he is earnestly
giving year in the space provided
measurement of rain,
the British Rainfall
free on application to

Jan. 1, following.

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.1	—	—	—	—	—	—	—	—	—	1
2	—	.02	.1	—	—	—	—	—	—	—	—	—	2
3	.07	.03	.0	—	—	—	—	—	—	.58	—	.08	3
4	.52	.02	.1	—	—	—	—	—	—	.02	.28	.30	4
5	.05	.04	—	—	—	—	—	—	—	.35	.01	—	5
6	.01	.06	.0	—	—	—	—	—	—	.03	.01	—	6
7	—	.26	—	—	—	—	—	—	—	.47	.02	.02	7
8	—	—	—	—	—	—	—	—	—	.08	.07	—	8
9	—	.10	.0	—	—	—	—	—	—	—	.10	—	9
10	—	.01	—	.06	—	.01	—	—	—	—	.36	—	10
11	~~1.54~~	.01	—	.30	.03	—	—	—	—	—	.12	—	11
12	.03	.01	—	—	.04	—	—	—	—	.01	.10	—	12
13	—	—	.03	.05	—	—	.02	.11	.15	.01	.09	—	13
14	.08	.06	.11	.02	—	—	.02	—	—	.12	.02	.03	14
15	.17	—	.39	.46	—	—	—	—	—	—	.26	.03	15
16	—	—	—	—	—	—	—	—	—	—	.04	—	16
17	.04	.01	.16	.04	—	.46	—	—	.77	—	.06	—	17
18	—	—	.24	.05	—	—	.02	—	—	—	.11	—	18
19	.15	—	.06	.04	.07	—	—	—	.08	.01	—	—	19
20	.06	—	.02	.05	—	—	—	—	—	.13	.12	—	20
21	.01	—	.05	.01	.23	—	.08	.15	—	—	.20	—	21
22	.11	—	.21	—	.01	—	—	.28	.08	.01	—	—	22
23	.08	—	—	—	.02	.04	—	.10	.07	.03	.03	—	23
24	.13	—	—	.13	—	.33	—	.03	—	—	.02	—	24
25	—	—	—	.07	—	—	—	—	.13	.01	.06	.06	25
26	—	—	.05	.03	—	—	—	—	.03	.23	.09	.26	26
27	—	.04	—	.46	—	.07	—	—	—	—	.05	—	27
28	.29	—	.17	.33	—	—	—	—	—	.03	—	.09	28
29	.02	—	.28	.35	.06	—	—	.02	—	.06	—	.44	29
30	.36	—	.01	—	.04	—	—	—	—	.30	—	.14	30
31	.05	—	—	.16	—	—	—	—	—	—	—	—	31
Total	3.82	.67	2.25	2.71	2.08	1.54	.51	.87	1.42	2.48	2.33	1.47	YEAR'S TOTAL
Rain Days.	19	13	19	18	13	11	.9	9	.10	18	24	11	21.65

REGISTER OF RAINFALL IN 1913

Kept at *Heslington*

in the County of

by *The Harrogate*

IMPORTANT
previous day. I
requested to add
for it at the end
the selection and
Organization are gi
Dr. H. R. MILL, 62



CARD

*Allen Square
Camden
London*

Long. _____
Observation *9.2.14.*
Railway Station *York* (*2 1/2 miles*)
of Rain Gauge *8* in.
Top of Gauge above Ground _____ ft. *7* in.
Sea Level _____ ft. *35*
m. and the result entered to the
most universal rule, he is earnestly
iving year in the space provided
measurement of rain,
the British Rainfall
free on application to

Jan. 1, following.

Date.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.14	.24	—	—	—	—	—	—	.04	.02	1
2	—	.02	.10	—	—	.08	—	—	—	—	.07	—	2
3	.07	.03	.02	—	.27	—	.03	—	—	.58	—	.08	3
4	.52	.02	.11	—	—	.05	.04	.02	.03	.02	.28	.30	4
5	.05	.04	—	—	—	.27	.05	.03	.04	.35	.01	—	5
6	.01	.06	.07	—	.53	.02	.24	.01	—	.03	.01	—	6
7	—	.26	—	—	.03	.09	—	—	—	.47	.02	.02	7
8	—	—	—	—	.53	—	—	—	.04	.08	.07	—	8
9	—	.10	.03	.02	.10	.09	—	.14	—	—	.10	—	9
10	—	.01	—	.06	—	—	.01	—	—	—	.36	—	10
11	~~1.54~~	.01	—	.30	.03	—	—	—	—	—	.12	—	11
12	.03	.01	—	—	—	.04	—	—	—	.01	.10	—	12
13	—	—	.03	.05	—	—	.02	.11	.15	.01	.09	—	13
14	.08	.06	.11	.02	—	—	.02	—	—	.12	.02	.03	14
15	.17	—	.39	.46	—	—	—	—	—	—	.26	.03	15
16	—	—	—	—	—	—	—	—	—	—	.04	—	16
17	.04	.01	.16	.04	—	.46	—	—	.77	—	.06	—	17
18	—	—	.24	.05	—	—	.02	—	—	—	.11	—	18
19	.15	—	.06	.04	.07	—	—	—	.08	.01	—	—	19
20	.06	—	.02	.05	—	—	—	—	—	.13	.12	—	20
21	.01	—	.05	.01	.23	—	.08	.15	—	—	.20	—	21
22	.11	—	.21	—	.01	—	—	.28	.08	.01	—	—	22
23	.08	—	—	—	.02	.04	—	.10	.07	.03	.03	—	23
24	.13	—	—	.13	—	.33	—	.03	—	—	.02	—	24
25	—	—	—	.07	—	—	—	—	.13	.01	.06	.06	25
26	—	—	.05	.03	—	—	—	—	.03	.23	.09	.26	26
27	—	.04	—	.46	—	.07	—	—	—	—	.05	—	27
28	.29	—	.17	.33	—	—	—	—	—	.03	—	.09	28
29	.02	—	.28	.35	.06	—	—	.02	—	.06	—	.44	29
30	.36	—	.01	—	.04	—	—	—	—	.30	—	.14	30
31	.05	—	—	—	.16	—	—	—	—	—	—	—	31
Total	~~3.82~~	.67	.25	2.71	2.08	1.54	.51	.87	1.42	2.48	2.33	1.47	YEAR'S TOTAL
Rain Days.	19	13	19	18	13	11	.9	9.8	.10	18	24	11	22.15
													21.65
													17.4

REGISTER OF RAINFALL IN 1941

Kept at Heslington

in the County of E. Yorkshire

by The Hon. Lilla de Yarburgh-Balcan

Lat. _____ Long. _____

Time of Observation 9.2.2

Nearest Railway Station York

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	.01	.94	.20	—	.02	—	.14	1
2	—	—	—	—	—	—	.41	.18	—	.02	.37	.03	2
3	—	—	.10	—	.21	—	.07	—	—	—	.21	.36	3
4	—	—	.02	.17	.02	—	—	—	—	—	.19	.30	4
5	.10	—	.09	.16	—	.01	.03	.02	—	—	.24	.08	5
6	—	.10	—	.02	.13	—	.04	.06	—	—	.06	.05	6
7	.02	—	.20	.01	.06	.31	—	—	—	—	.06	.06	7
8	.55	—	.09	.01	.11	.25	.09	.10	—	—	—	—	8
9	.44	.05	—	.12	—	.57	—	.04	—	—	.02	.03	9
10	.29	.11	—	.03	—	—	—	—	.05	—	.05	—	10
11	—	.14	.21	.02	.04	—	—	—	—	—	.22	.24	11
12	—	.01	.02	—	—	—	—	—	.25	—	.01	.22	12
13	.02	.08	.27	—	—	—	—	—	.01	—	.43	.24	13
14	.03	.08	.15	—	—	—	.13	—	—	.04	.14	.29	14
15	.04	—	.17	—	—	—	.51	—	—	.01	.35	.06	15
16	.03	—	.02	—	—	—	.98	—	.39	—	.02	—	16
17	.04	.14	—	—	—	—	—	—	.34	—	.01	.13	17
18	—	—	.05	—	—	.14	—	—	.01	—	—	.28	18
19	—	—	—	—	—	—	.08	—	—	—	.03	.10	19
20	.01	.07	.05	—	—	—	—	.01	.01	.02	—	—	20
21	—	.34	—	—	—	.21	—	.05	—	.03	.07	.10	21
22	—	.03	.03	.02	.16	.22	.04	.06	—	.04	.02	.11	22
23	—	—	.05	—	.51	.26	—	—	—	—	—	.04	23
24	.01	—	.10	.03	.07	—	—	.21	—	—	.21	—	24
25	—	.02	.03	—	.01	—	.06	.14	—	.70	.02	.24	25
26	—	—	.10	—	—	—	.18	.09	—	.37	.13	.14	26
27	—	—	—	—	—	—	.01	—	—	.02	.09	.70	27
28	.03	.05	—	—	.06	—	—	—	—	.01	.14	.10	28
29	—	—	.20	—	.02	—	—	.11	—	.36	.03	—	29
30	—	—	.03	—	—	—	—	.02	—	.09	.02	.12	30
31	.08	—	—	—	—	—	.48	.01	—	.19	—	—	31
Total	1.69	1.22	2.00	.59	1.40	1.98	4.05	1.30	1.06	1.92	2.84	4.39	24.44
Rain Days.	14	13	.20	10	12	9	15	15	7	14	25	24	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Heslington
 in the County of Yorkshire - East Riding
 by The Hall
Lilla de Yarbrough - Bateman

Lat. _____ Long. _____
 Time of Observation 9.2 a.m.
 Nearest Railway Station York
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground _____ ft. 7 in.
 " " " " Sea Level 35 ft.

FORM A.
 BRITISH RAINFALL.
 3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.37	.01	.13	.19	—	—	.34	1.23	—	.04	.09	1
2	~~.61~~	.08	.16	.11	—	.05	.08	.07	.01	—	.01	.01	2
3	.61	—	.08	—	—	—	.07	.16	.02	—	.05	.47	3
4	.18	.01	.02	—	.02	—	.62	.35	—	—	—	.80	4
5	.15	.11	—	—	.32	—	—	.01	—	.01	.03	.80	5
6	.03	.21	.04	.15	—	.02	.59	.02	.03	—	—	.07	6
7	.40	.41	.09	.11	—	—	.13	.24	—	—	.02	.02	7
8	.05	.03	.01	.02	—	—	.09	.03	—	—	.03	.51	8
9	.01	.02	—	—	—	—	—	.09	—	.06	—	.08	9
10	.24	.01	—	—	—	—	—	.02	—	.06	—	.07	10
11	—	.42	.05	—	.58	—	—	.02	—	—	.12	—	11
12	.07	.03	—	.29	.03	—	.02	.01	—	.08	.85	—	12
13	.01	.22	—	—	—	—	—	.20	—	—	.03	—	13
14	—	.09	—	—	.03	—	.04	.05	—	—	—	.08	14
15	.17	—	—	—	—	—	.06	—	—	.03	.30	.14	15
16	.01	.28	—	—	.16	—	.95	—	—	.03	—	—	16
17	.08	.14	—	—	—	—	.08	—	—	—	—	.04	17
18	—	.12	.05	—	—	—	—	—	—	—	.05	—	18
19	—	—	.45	—	—	—	.02	.02	—	—	—	—	19
20	.04	—	.02	—	—	—	—	—	—	—	—	.49	20
21	.12	.04	—	.05	—	—	.02	.01	—	—	—	.08	21
22	.02	—	.10	—	—	—	.08	—	—	.01	—	.16	22
23	.11	.07	.05	—	—	—	.19	—	.03	.01	.01	.05	23
24	.01	—	.10	.03	—	—	—	—	.56	.04	—	.18	24
25	—	—	—	—	—	.06	—	—	—	.05	.01	.06	25
26	.02	.14	—	—	—	.16	.35	—	.06	—	—	.47	26
27	.03	.04	.02	—	—	.11	.13	—	—	.37	—	.10	27
28	—	.03	.05	—	.06	.31	—	.30	—	.16	—	—	28
29	.01	~~X~~	.01	—	.24	.02	—	—	.02	—	.19	.34	29
30	.10	~~X~~	—	.14	.02	.51	.05	.07	—	—	.02	.01	30
31	.22	~~X~~	—	~~X~~	—	~~X~~	—	.30	~~X~~	.06	~~X~~	.16	31
Total	2.80	2.87	1.31	1.03	1.65	1.24	3.57	2.31	1.96	.97	1.76	5.26	26.73
Rain Days.	24	21	17	9	10	8	18	19	8	13	15	24	186

REGISTER OF RAINFALL IN 1916

Kept at Heslington
 in the County of Yorkshire - East Riding
 The House Lilla de Yarlburgh Bateson
 by

Lat. _____ Long. _____
 Time of Observation 9.2 m
 Nearest Railway Station York
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground _____ ft. 7 in.
 " " " " Sea Level 35 ft.

BRITISH RAINFALL
 FORM A.
 2 JAN 1917
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	—	.12	—	—	.24	.17	—	—	.06	.19	—	1
2	.03	.07	.19	—	—	—	—	—	.09	.09	.01	—	2
3	—	.13	.03	.05	—	.02	—	—	.39	.27	.04	—	3
4	—	.17	.02	.01	.73	.33	—	—	.01	.27	.33	—	4
5	.05	—	.12	—	.19	.34	—	.01	—	.27	.10	—	5
6	.01	.25	.16	.06	.27	—	.12	—	—	.03	.32	—	6
7	—	.07	.08	—	.10	.03	.11	—	—	.11	—	.29	7
8	—	.07	.16	—	.02	—	—	—	—	—	.02	.03	8
9	—	—	.01	—	.50	.26	—	—	—	—	—	.22	9
10	—	.03	.03	.03	—	.10	.03	—	.12	.06	.03	.05	10
11	.15	.49	.20	.04	—	.11	.12	—	.06	.04	—	.08	11
12	.07	.02	.33	.03	.20	.02	.47	.13	~~.06~~	—	—	.09	12
13	—	.06	.17	—	.13	—	.13	.75	.02	.59	—	.07	13
14	—	.05	.02	—	.07	—	—	.27	—	.03	.01	.09	14
15	—	.13	.55	—	—	—	.06	.38	—	—	—	—	15
16	—	.11	.11	.10	—	—	.12	.26	—	.07	—	—	16
17	.03	—	.01	.22	—	—	.04	.24	.20	.12	—	—	17
18	—	.19	—	.15	—	.01	—	.04	.12	.09	.53	.04	18
19	.07	.03	.24	.11	—	—	—	.04	.05	.03	.15	.24	19
20	.07	—	.30	.09	—	—	.03	.34	—	—	.06	.04	20
21	.05	—	.03	—	.03	—	.39	.03	—	—	—	.09	21
22	—	.10	.03	—	—	.07	—	—	—	.13	—	—	22
23	—	.04	—	.04	—	.02	—	.04	—	.03	.05	.31	23
24	—	.10	—	.09	—	—	—	.19	—	.04	—	.10	24
25	—	.07	.03	—	—	—	—	.19	—	.08	.08	.05	25
26	—	.10	.04	—	—	.16	—	.03	—	—	—	—	26
27	—	.25	.03	—	—	—	—	.03	—	.17	—	—	27
28	.02	.18	—	—	.08	.05	—	.02	—	.13	—	.13	28
29	—	.17	—	—	—	—	—	—	—	.16	—	.16	29
30	—	X	—	—	.02	.01	—	—	—	.15	—	—	30
31	.01	X	.01	X	.02	X	—	—	X	.01	X	.01	31
Total	.69	2.88	3.02	1.02	2.36	1.77	1.79	2.93	1.06	3.03	1.42	2.09	YEAR'S TOTAL 24.56
Rain Days.	12	23	25	13	13	15	12	17	9	24	14	18	195

REGISTER OF RAINFALL IN 1917

Kept at Heslington

in the County of Yorkshire - East Riding

by The Hon. J. de Yarburgh-Bateson

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station York

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.37				.30	.41		.20	.01	1
2	.02			.12		.04		.13				.14	2
3		.12				.05		.18		.03	.02		3
4			.05	.03				.03		.24			4
5	.15		.10	.27						.03	.18	.01	5
6	.45					.15			.01	.07	.11		6
7	.43		.02	.12		.03		.37		.54		.03	7
8	.42		.02					1.45		.29	.03		8
9	.24		.01	.23				.10		.05	.22		9
10	.26		.58	.20	.05			.03		.07	.27		10
11	.03			.11				.20		.36			11
12	.34			.04	.33			.08		.24			12
13	.28			.06	.27			.37	.17	.11		.04	13
14	.23			.09				.05				.05	14
15	.45			.03			.18	.30	.03			.15	15
16	.07	.05		.17				.10				.25	16
17	.02	.08		.16	.26	.69	.03	.39	.02	.01		.12	17
18	.07			.02	.05		.06	.04	.11	.03			18
19	.06	.12	.11		.15	.19	.04	.03					19
20	.04	.39				.28		.03	.03		.46		20
21	.02	.09	.12					.08	.02	.04			21
22			.08			.12		.04	.03				22
23	.04				.15		.01	.10	.01	.06			23
24						.07	.05	.03		.28	.23		24
25		.03	.03				.13	.07		.11		.10	25
26			.19			.83		.81		.34	.22	.03	26
27			.03			.12	.07	.46					27
28			.18			.02	.07	.09		.02		.03	28
29	.01		.03				.06	.08		.33		.02	29
30	.01	X	.19	.16				.03		.03		.02	30
31	.03	X	.17	X	.01	X	.04	.03	X		X	.07	31
Total	3.37	.88	1.94	2.18	1.27	2.61	1.04	6.00	.86	3.28	1.94	1.07	26.47
Rain Days.	22	7	19	16	8	12	11	29	10	21	10	15	177

REGISTER OF RAINFALL IN 1919

Kept at Heslington

in the County of Yorkshire (E Riding)
by The Hon. J. de Yarmouth-Batter

Lat.

Long.

Time of Observation 9.20 (am)

Nearest Railway Station York

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 10 ft.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					.31		.39		.24	.08	~~.10~~	.05	1
1	.31	—	—	—	.02	—	.50	—	.02	—	.10	.05	1
2	.15	—	.11	—	.03	—	.65	—	.08	—	.08	—	2
3	.53	—	—	—	—	.06	—	—	.10	—	.23	.20	3
4	.06	.03	—	—	—	.30	—	.24	.03	—	.06	.01	4
5	.04	.01	.21	—	—	—	—	—	.11	—	.09	.07	5
6	.02	—	.02	—	.03	—	—	—	—	—	.07	.06	6
7	.02	—	.21	—	.22	—	—	—	—	—	—	—	7
8	.07	—	—	—	.07	—	—	—	—	—	.09	.05	8
9	.01	—	.04	—	—	—	—	—	—	—	.10	—	9
10	—	—	.19	.10	.03	—	—	—	—	—	.10	.22	10
11	—	—	.97	.01	.17	—	.17	—	—	.15	.05	—	11
12	—	—	.39	.08	—	.13	.05	—	—	.28	—	.02	12
13	.18	—	.02	—	—	—	.30	.09	.03	.26	—	.03	13
14	.20	—	.03	.27	—	—	.03	.12	—	—	.06	—	14
15	.06	.10	—	.07	—	—	—	.02	—	—	.10	1.13	15
16	.02	.28	—	.01	.03	—	—	—	—	—	.08	—	16
17	—	.07	—	—	—	.09	—	.05	—	—	.20	—	17
18	—	—	.04	—	.04	—	.03	.18	—	—	—	.03	18
19	.08	.17	.65	—	—	—	1.20	.24	.01	—	.08	.12	19
20	.66	.24	—	—	—	.02	.30	.19	.13	—	—	.12	20
21	.24	—	.02	—	—	—	.09	—	.04	—	.07	.28	21
22	—	.12	.02	—	—	—	.06	—	.22	—	.02	.26	22
23	—	—	.01	—	—	.21	.06	.05	—	.51	.12	.01	23
24	.03	—	—	.04	—	.12	—	.48	—	.28	.02	.11	24
25	—	.07	—	.18	—	—	—	.36	—	.02	—	—	25
26	—	.01	.18	—	—	—	—	.01	—	.06	.12	.43	26
27	.02	—	—	.36	—	—	—	—	—	.87	.02	.11	27
28	—	—	—	.07	—	—	—	.81	—	.11	—	.40	28
29	.09	—	—	.01	—	.16	—	.01	—	1.02	—	.12	29
30	.02	X	—	.22	—	.07	—	.03	—	.10	.13	.18	30
31	.02	X	—	X	—	X	.02	—	X	.07	X	.05	31
Total	2.83	1.10	3.11	1.42	.95	1.16	3.85	2.88	1.01	3.71	2.00	4.06	28.08
Rain Days.	21	10	16	12	10	9	14	15	11	13	22	23	176

REGISTER OF RAINFALL IN 1920.

Kept at Heslington
in the County of Yorkshire (East Riding)
by The Hall
Lilla de Yarburgh-Baltem

Lat. _____ Long. _____
Time of Observation 8.2.20
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 7 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.11	.26	.35	.04	.35	—	—	.26	—	.02	1
2	—	—	.07	.20	.00	—	.21	—	.12	.30	—	.33	2
3	—	.02	—	.05	.03	.01	.39	.15	.16	.30	—	.11	3
4	.02	—	—	.02	.04	—	.52	.73	.09	1.13	—	.05	4
5	—	—	.04	—	.14	—	.16	.03	.01	—	—	—	5
6	—	—	.12	.06	.09	—	.09	—	—	—	—	.06	6
7	—	.03	.02	.10	—	—	.44	—	—	—	—	.01	7
8	.02	—	—	.33	—	—	.15	.19	—	.02	.04	—	8
9	.20	.09	.02	.40	—	—	.02	.08	.02	—	—	—	9
10	.44	.06	.06	.18	—	—	.29	—	—	—	—	.02	10
11	.25	.04	—	.16	.10	—	—	—	—	—	—	.06	11
12	.07	—	.04	.17	.02	—	.03	—	.06	—	.07	.04	12
13	.05	.05	.06	.15	—	.19	—	—	.28	—	—	.16	13
14	.01	—	.36	.18	—	—	.04	—	—	.03	.22	.24	14
15	—	.11	.31	.25	—	—	.03	—	.04	.02	.07	—	15
16	—	—	.01	—	—	—	1.15	—	.15	—	.06	—	16
17	—	—	—	—	.15	—	.08	.03	.21	.05	—	.02	17
18	.08	—	—	.02	.08	1.11	—	.04	.03	.03	—	—	18
19	—	.51	—	.42	—	—	—	.08	.01	—	—	—	19
20	.16	.01	—	.23	—	.20	.09	—	.02	—	mir .03	—	20
21	—	—	—	.12	—	—	.51	.21	—	—	mir .01	.03	21
22	.05	—	—	.24	—	—	.05	—	—	.02	—	—	22
23	.00	—	.01	.10	—	—	.30	—	—	—	—	.24	23
24	.05	—	.36	.02	—	—	.05	—	—	—	—	.08	24
25	—	.06	.05	.02	—	.02	.77	—	—	mir .01	mir .03	—	25
26	.05	—	.14	.03	—	—	.05	—	—	—	—	—	26
27	.16	—	—	.09	.37	.65	—	—	Christ .02	—	.38	.13	27
28	.90	.04	.10	.14	.02	—	.07	—	—	—	.07	.07	28
29	.11	—	.19	—	.88	.16	.10	—	—	—	.08	.48	29
30	.10	—	.01	.02	.04	.02	—	—	.11	—	.15	.18	30
31	.21	—	.05	—	.05	—	.03	—	—	.05	—	.17	31
TOTAL	2.93	1.02	2.13	3.06	2.36	2.40	5.07	1.54	1.33	2.22	1.21	2.37	YEAR'S TOTAL 295.9
Days with .01 in. or more	18	11	20	26	14	9	25	9	15	12	12	20	191

Helsingfors. Toll 3077
Ap. 8. 1921

I am so sorry to have ⁴ ~~the~~ ¹⁰²¹ male
apparently, seen a Carabid worm
in the Laidak y Ste.: Please
very kindly adopt the total for
myself, making it 2.52.60.

Lilla de /arkun. Balseron

POST CARD.

THE ADDRESS TO BE WRITTEN ON THIS SIDE.

The Superintendent

John Gaspari &

62. Camden Square

London

N. W. 1



REGI

YORK

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Mount Vi

in the County of WRY

by S Elizabeth

MOUNT VILLAS

1911 - 1920

5 in.
above Ground 1 ft. in.
Sea Level 70 ft.
9 a.m.
Name York
Distance 1 m. Direction N

and the result entered to the
universal rule, he is earnestly

IMPORTANT NOTE.
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.005			.08			.01		1
2	.36				.11		.50					.095	2
3	.04				.19					.05	.02	.01	3
4	.005		.13	.215				.03	.175	.09	.23	.10	4
5	.07		.02	.05	.01			.08		.16	.03		5
6	.33		.01	.02				.31		.03	.09	.24	6
7	.01		.005	.005				.18			.05		7
8	.04		.115			.075			.13	.01	.01	.365	8
9	.005			.005							.32	.07	9
10	.06	.01		.005							.02	.30	10
11	.16		.005		.075				.03		.37	.01	11
12	.005		.07		.26	.13			.625		.18	.01	12
13		.01	.385		.635	.07			.015		.04	.51	13
14		.105	.13		.04					.015	.015	.45	14
15		.07	.14	.005						.01	.05	.11	15
16			.02			.03	.11			.01	.12	.105	16
17						.07	.07				.23	.09	17
18		.03	.06			.11					.22	.07	18
19			.005			.20	.05		.08	.14	.43	.05	19
20		.06		.14			.04	.37	.11	.02	.02	.26	20
21		.25		.005				.12	.01	.22	.57	.02	21
22	.09	.075						.11		.48	.025		22
23	.005	.11		.005		.73			.33	.01	.01	.185	23
24	.07	.01	.065	.02		1.41	.075		.01	.11		.195	24
25	.005	.01		.10		.27	.175		.40	.01	.01	.12	25
26	.005			.06	.14		.20	.01		.55	.26	.18	26
27		.07	.03	.06				.36	.21	.01	.01	.02	27
28		.01	.02	.18				.02	.015		.05	.13	28
29			.005	.125		.015		.06	.49	.27	.01	.04	29
30				.005	.12	.06	.04		.06	.13	.02		30
31			.02					.01		.08		.03	31
Total	1.260	.900	1.235	1.005	1.585	3.170	1.360	1.740	2.690	2.405	3.420	3.765	TOTAL for year 24.535
No. of Rain Days.	13	13	16	14	9	12	9	13	15	20	28	26	188

REGI

FORM A2.
BRITISH RAINFALL
13 JAN 1912

Kept at Mount Villas York
in the County of WR York 10
by S. Elizabeth Hornetree

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 70 ft.
Time of Observation 9 a.m.
Name York
Nearest Railway Station { Distance 1 m. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.005			.08			.01		1
2	.36				.11		.50					.095	2
3	.04				.19					.05	.02	.01	3
4	.005		.13	.215				.03	.175	.09	.23	.10	4
5	.07		.02	.05	.01			.08		.16	.03		5
6	.33		.01	.02				.31		.03	.09	.24	6
7	.01		.005	.005				.18			.05		7
8	.04		.115			.075			.13	.01	.01	.365	8
9	.005			.005							.32	.07	9
10	.06	.01		.005							.02	.30	10
11	.16		.005		.075				.03		.37	.01	11
12	.005		.07		.26	.13			.625		.18	.01	12
13		.01	.385		.635	.07			.015		.04	.51	13
14		.105	.13		.04					.015	.015	.45	14
15		.07	.14	.005						.01	.05	.11	15
16			.02			.03	.11			.01	.12	.105	16
17						.07	.07				.23	.09	17
18		.03	.06			.11					.22	.07	18
19			.005			.20	.05		.08	.14	.43	.05	19
20		.06		.14			.04	.37	.11	.02	.02	.26	20
21		.25		.005				.12	.01	.22	.57	.02	21
22	.09	.075						.11		.48	.025		22
23	.005	.11		.005		.73			.33	.01	.01	.185	23
24	.07	.01	.265	.02		<u>1.41</u>	.075		.01	.11		.195	24
25	.005	.01		.10		.27	.175		.40	.01	.01	.12	25
26	.005			.06	.14		.20	.01		.55	.26	.18	26
27		.07	.03	.06				.36	.21	.01	.01	.02	27
28		.01	.02	.18				.02	.015		.05	.13	28
29			.005	.125		.015		.06	.49	.27	.01	.04	29
30				.005	.12	.06	.04		.06	.13	.02		30
31			.02					.01		.08		.03	31
Total	1.260	.900	1.235	1.005	1.585	3.170	1.360	1.740	2.690	2.405	3.420	3.765	TOTAL for year 24.535
No. of Rain Days.	~~13~~ 13	13	~~16~~ 18	~~14~~ 17	~~9~~ 10	12	9	13	15	20	28	26	~~188~~ 197

REGISTER OF RAINFALL IN 1912 3323

FORM A.
BRITISH RAINFALL
22 JAN 1913

Kept at Monk Villas York
in the County of York W.10
by S Elizabeth Pomtree

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station York
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level C 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'01	'02	'11		'01	'33	'31	'18	'26	'03		'36	1
2		'03	'08	'01		'40	'38	'01	'09	'03		'02	2
3	'11	'12	'36	'01		'625		'35	'13	'02		'19	3
4	'24				'105	'48		'54	'01		'46	'01	4
5	'03	'01			'195	'27	'01	'01			'015	'01	5
6	'58	'10		'01	'02	'01		'40		'015		'01	6
7		'05	'04		'035		'01	'12	'153		'01		7
8	'37	'185	'10			'02			'175	'01	'07		8
9	'03	'07	'135	'05		'125			'01		'01	'015	9
10	'15	'01	'01	'01		'53					'11	'01	10
11	'21	'175	'01					'06			'25	'38	11
12	'065	'085	'065			'12	'75			'01	'54	'015	12
13	'01	'02	'01			'015	'01	'04		'085	'16	'01	13
14	'22		'61			'22		'02			'01	'01	14
15	'03	'025	'35		'59	'29				'01	'01	'015	15
16	'51		'175		'08	'06				'06		'04	16
17	'07		'26		'03	'215	'04	'17				'28	17
18	'16		'015			'015		'06		'04	'04	'015	18
19	'24	'16	'01				'325	'21		'08	'01		19
20	'395	'01			'26	'085	'24			'175		'01	20
21		'01	'265		'23		'03			'01		'01	21
22	'025	'13	'01		1'17	1'16	'01	'29		'01		'01	22
23	'01		'15		'03	'045	'26	'32		'035			23
24	'30		'01			'155	'165	'09			'01	'14	24
25	'015					1'09	'01	'33		'015	'10	'055	25
26	'01	'02	'03			'01	'45	'735		'81	'075	'22	26
27			'045		'03	'145	'22	'015		'46		'165	27
28					'045	'04	'12	'47	'01	'165	'385	'01	28
29		'01	'045		'01	'01	'03	'01	'64	'075	'02	'10	29
30	'035		'025		'05		'02		'125	'055		'01	30
31			'07		'095		'89	'32		'01			31
Total	3'825	1'240	2'990	'09	2'985	6'465	4'280	4'750	1'603	2'210	2'285	2'120	34'843
Rain Days.	24	19	25	5	17	25	20	22	10	22	18	26	233

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
27 JAN 1914

Kept at *Monks Villas, York*
in the County of *York W.D.*
by *S. Elizabeth Portree*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *York*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *7* in.
" " " " Sea Level *70* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.26		.015				.015	.04		1
2	.01	.03	.10	.01		.06					.06	.02	2
3	.06	.02	.02		.26		.07			.58		.03	3
4	.49	.03	.02		.01	.04	.035	.02	.04	.06	.28	.32	4
5	.08	.03	.09			.20	.025	.03	.035	.21			5
6	.02	.04	.08		.47	.02	.30	.04		.035	.02		6
7	.01	.245	.01		.065	.14	.01			.605	.01	.01	7
8		.01	.015		.43	.045	.01	.02	.04	.31	.085	.01	8
9		.09	.02	.02	.055	.025		.11		.01	.15		9
10		.015	.01	.06	.01		.01				.345		10
11	1.55	.015		.50	.045					.01	.21	.005	11
12	.015	.01		.015		.03			.015	.01	.075		12
13			.015	.035				.12	.11	.02	.09		13
14	.06	.05	.13	.03			.05			.13		.02	14
15	.11		.305	.37			.01			.01	.31	.02	15
16	.015		.06	.01				.02			.03		16
17	.03	.01	.135	.07		.48			.83	.02	.06		17
18	.02		.225	.05		.02	.02				.08	.01	18
19	.115		.07	.02	.08				.06	.01	.01		19
20	.04		.03	.05					.01	.06	.095		20
21			.05	.02	.11		.08	.14			.17		21
22	.11		.24		.01	.05	.01	.26	.095				22
23	.065		.035		.01	.05	.01	.08	.07	.01	.035		23
24	.135			.08		.22		.03	.01		.02	.01	24
25				.035		.01			.18	.01	.045	.03	25
26		.01	.06	.02		.015			.03	.26	.105	.235	26
27	.01	.02	.01	.38		.055				.01	.08	.09	27
28	.27		.24	.41					.01	.01	.01	.21	28
29	.02		.305	.41	.09	.01		.04		.03		.585	29
30	.31		.01	.02	.06					.39	.005	.04	30
31	.045						.005						31
Total	3.590	.625	2.395	2.875	1.705	1.485	.645	.910	1.535	2.815	2.420	1.645	22.645
Rain Days.	23	15	26	22	14	18	14	12	14	23	25	16	222

REGISTER OF RAINFALL IN 1914

Kept at Mount Villas York
in the County of York WR 10
by S. E. Pountney

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station York
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 70 ft.

FORM A.
BRITISH RAINFALL
29 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.035	.01	.20	1
2	.015			.01			1.85	.19		.01	.52	.07	2
3	.015		.10		.235		1.50	.20			.14	.38	3
4	.03		.04	.18	.025		.045	.05			.23	.55	4
5	.03	.02	.09	.185			.03				.25	.095	5
6		.055		.02	.125		.03	.06			.085	.06	6
7	.01	.01	.28	.015	.08	.265	.01	.07			.08	.11	7
8	.565		.055		.08	.30	.09				.01	.01	8
9	.535	.04	.01	.12		.67		.14			.01	.03	9
10	.29	.10		.02		.01		.03	.05		.055	.01	10
11		.20	.23		.045						.225	.315	11
12	.01	.01	.03				.01		.22		.01	.285	12
13	.03	.115	.325								.13	.25	13
14	.02	.08	.09				.13			.035	.36	.365	14
15	.04		.17				.275	.02	.03	.01	.16	.04	15
16	.04		.01				1.095		.49		.015		16
17	.02		.025				.01		.41			.20	17
18	.01	.01	.075			.055					.01	.255	18
19			.01				.10		.01		.02	.13	19
20	.005/.09		.05						.01	.025		.03	20
21		.38	.015			.145	.02	.07		.08	.08	.10	21
22		.01	.005		.21	.16	.015	.06		.035	.01	.08	22
23		.01	.25		.56	.36				.01	.01	.045	23
24	.005		.21		.23			.17	.015	.01	.21	.015	24
25	.005/.015	.01	.02	.03			.02	.16		.69	.035	.45	25
26			.135				.18	.10		.40	.10	.19	26
27	.025		.01				.01		.01	.02	.145	.86	27
28	.015	.055	.01		.045					.015	.12	.16	28
29	.01		.19		.025			.14		.385	.04		29
30		X	.03		.015			.04		.21	.04	.12	30
31	.06	X		X	.01	X	.56		X	.205	X		31
Total	1.785	1.200	2.455	.570	1.715	1.965	5.980	1.500	1.245	2.175	3.110	5.405	29.105
Rain Days.	22	16	26	8	14	8	19	15	9	16	28	28	209 days

REGISTER OF RAINFALL IN 1915

Kept at Moss Villas - York
 in the County of York 10
 by S. E. Pountney

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station York 1 mile
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level c 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.115	.375	.01		.18		.01	.41	1.80		.03	.10	1
2		.15	.17	.14		.04	.075	.075	.03		.02	.015	2
3	.865		.06	.12			.11	.16	.01		.02	.58	3
4	.22		.02		.02		.665	.045	.01			.93	4
5	.16	.16	.01	.005	.20	.015		.01			.01	.98	5
6	.03	.215	.065	.13	.005		1.025	.01	.02		.005	.075	6
7	.43	.44	.08	.13			.10	.24			.01	.02	7
8	.07	.025	.015	.04			.19	.03			.03		8
9	.02						.01	.08		.06		.635	9
10	.27	.01	.02					.03				.03	10
11	.07	.28	.05	.02	.73				.01		.135	.08	11
12		.05	.01	.28	.035		.01	.08		.12	.89		12
13		.28			.01					.01	.01	.01	13
14		.035		.005	.025		.055	.05		.01		.07	14
15	.26	.02					.09	.05		.02	.34	.17	15
16	.02	.28			.025		.94			.01		.04	16
17	.12	.165	.005				.08			.01		.03	17
18		.13	.22							.01	.025	.01	18
19		.01	.04				.01				.01		19
20	.03		.01							.015		.565	20
21	.115	.03		.03			.09					.08	21
22	.02	.01	.12				.12			.01		.14	22
23	.15	.08	.04				.05		.025	.015		.04	23
24			.09	.03			.005		.63	.035		.195	24
25	.015		.005			.05				.015	.01	.07	25
26	.015	.165	.01			.135	.23		.06			.55	26
27	.02	.08				.09	.03			.43		.08	27
28		.04	.01			.35	.005			.09		.01	28
29	.02		.005		.25	.02	.005	.36		.01	.18	.43	29
30	.135	X	.005	.13	.05	.275	.04	.03	.015		.03	.01	30
31	.15	X		X	.01	X		.42	X	.07	X	.155	31
Total	3.320	3.030	1.070	1.060	1.540	.975	3.945	2.080	2.610	.940	1.755	6.100	28.425
Rain Days.	23	22	23	12	12	8	23	16	10	17	16	28	240
													205

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Mount-Villes. York

in the County of York WR

by S. Eliz. Rountree

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground C 1 ft. _____ in.
" " " " Sea Level C 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17		.14	.005		.21	.205			.045	.17		1
2	.035	.06	.185			.01	.005		.09	.10	.04	.005	2
3		.12	.04	.035		.01			.335	.16	.035		3
4	.02	.26	.01	.01	.74	.37			.04	.32	.30		4
5	.03	.045	.105	.005	.475	.455				.30	.115		5
6	.01	.25	.18	.065	.30	.01	.13			.03	.345	.01	6
7		.09	.18	.015	.095	.035	.10			.10	.025	.315	7
8		.08	.23	.01	.01	.01				.01	.015	.06	8
9	.01		.02		.55	.25			.08		.02	.25	9
10	.01	.025	.02	.01	.01	.075	.02		.075	.04	.015	.06	10
11	.175	.54	.26	.03		.10	.09		.055	.04	.01	.07	11
12	.10	.015	.40	.03	.215	.025	.56		.01	.05		.125	12
13		.055	.23		.045		.05	.09		.555		.105	13
14		.035	.025		.075		.005	.71		.04	.005	.085	14
15		.25	.63				.06	.28		.03	.005		15
16		.16	.15	.09			.11	.44		.03		.01	16
17	.02	.01	.05	.19			.065	.83	.175	.11	.01	.01	17
18	.005	.21	.01	.11				.15	.115	.08	.655	.06	18
19	.11		.23	.18			.005	.03	.05	.01	.23	.21	19
20	.08		.355	.05		.01	.04	.05			.03	.01	20
21	.08	.025	.02	.08	.03	.005	.175	.08		.005	.01	.125	21
22		.05	.01			.085				.09	.02	.05	22
23		.03	.03	.01		.015			.005	.01	.065	.39	23
24		.09	.01	.07		.01	.01	.06		.01	.01	.105	24
25	.01	.12	.05		.01			.20		.08	.06	.05	25
26	.01	.085	.05			.19		.18	.005	.03	.005		26
27		.32	.02			.01		.02		.135		.01	27
28		.28			.06			.03	.005	.13		.135	28
29		.10			.005	.05		.03		.195		.18	29
30	.01	X			.03	.025			.01	.115		.01	30
31	.005	X		X	.015	X			X	.01	X	.005	31
Total	.890	3.305	3.640	.995	2.665	1.960	1.630	3.180	1.050	2.860	2.195	2.445	26.815
Rain Days.	17	25	27	18	16	21	16	15	14	29	23	25	247

REGISTER OF RAINFALL IN 1917

Kept at Mount Villas York
in the County of York
by S E Rowntree

Lat. _____ Long. _____
Time of Observation 9 a.m. Actually 8 a.m. from April 8 to Sept 16 inclusive
Nearest Railway Station York
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. _____ in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.005		.265				.16	.265		.22	.14	1
2	.01			.16		.045		.10	.01		.01		2
3	.005	.08		.015		.05		.20		.04	.01		3
4			.10	.01				.035		.21	.02		4
5	.18		.09	.26				.01		.03	.06		5
6	.01		.005	.01		.39		.01	.01	.14	.10	.01	6
7	.53		.02			.04		.12		.50		.02	7
8	.57		.005	.13				1.34		.28	.06		8
9	.29		.04	.24				.11		.03	.27	.01	9
10	.27		.655	.25				.03		.07	.17		10
11	.025		.005	.12				.04		.39	.01		11
12	.47	.005	.005	.03	.24			.10		.36		.03	12
13	.39			.05	.315			.36	.155	.10	.01	.02	13
14	.25			.09				.18				.06	14
15	.11			.07			.21		.02	.02		.14	15
16	.01	.04		.14				.08	.005		.02	.40	16
17	.015	.07	.01	.18	.365	.35	.02	.49	.01	.01		.13	17
18	.05	.01		.03	.06		.33	.07	.10	.01			18
19	.055	.12	.085	.01	.165	.45	.02			.005		.04	19
20	.08	.35	.015		.01	.23			.03	.005	.49		20
21	.015	.08	.13			.005		.15	.02	.02	.01		21
22		.005	.12			.11		.06	.01	.02			22
23	.01	.005	.01		.12	.04	.015	.07	.01	.015		.01	23
24	.01		.005		.005	.06		.03		.285	.22		24
25		.02	.025			.005	.155	.06		.170			25
26			.15			.24	.005	1.23	.02	.310	.19	.04	26
27			.04			.115	.08	.50	.005	.02		.045	27
28			.15			.02	.155	.085		.015	.01	.01	28
29	.015		.015				.09	.095		.36	.02	.02	29
30	.01	X	.165	.175				.02		.02		.01	30
31	.01	X	.26	X	.005	X	.01	.025	X	X	X	.045	31
Total	3.390	.790	2.105	2.235	1.285	2.150	1.090	5.760	.670	3.435	1.900	1.180	25.990
Rain Days.	24	12	23	19	9	15	11	28	14	26	18	18	217
		10	20					13	25				269

REGISTER OF RAINFALL IN 1918

Kept at Mom's Villas York
in the County of York W
by S. Elizabeth Pontree

Lat. _____ Long. _____
Time of Observation 9 a.m. (See note)
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level C 70 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.065	.03	.12					.11	.08	.30	.10	1
2	.03	.360	.04	.055				.01	.11	.02	.005	.30	2
3		.035	.015		.64			.21		.005	.31	.03	3
4		.02	.04	.005	.06		.02	.125	.75	.015	.295	.44	4
5		.01	.01	.045	.39			.90	.01	.04	.005		5
6		.35		.375	.01	.29		.06		.11		.03	6
7	.14	.04	.05	.12					.12	.05	.23	.01	7
8		.025	.005	.01			.19	.03	.065	.05	.01	.01	8
9	.01	.360	.005	.03		.045	.04		1.19	.18	.03	.05	9
10		.045	.01	.01		.005	.025		.28	.005	.015	.03	10
11	.185	.04	.025	.02	.32		.025	.015	.01			.09	11
12	.01	.17	.005	.025	.01		.20		.01	.005		.02	12
13		.01		.02	.16				.415	.09			13
14	.18			.04	.01		.11		.39	.02	.01	.07	14
15	.06					.005	.34		1.11	.005	.025	.80	15
16	.01					.27	.04	.03	.21		.005	.23	16
17	.31		.01		.34	.16	.54	.04	.005	.195		.31	17
18	.285		.025			.01	.25		.44	.005		.04	18
19	.32		.02	.04			.25	.09	.04	.15		.37	19
20	.09	.49	.005	.07		.04	.22		.11	.025	.01	.01	20
21	.13	.015			.405	.02	.01		.30	.175	.005		21
22	.015	.005		.02		.08	.02		.07	.005		.36	22
23	.11				.45	.005	.27		.06		.02		23
24	.01	.065			.01		.055		.23	.02	.07	.01	24
25		.005	.01			.02	.11	.25	.16		.01	.01	25
26							.125	.04	.33	.01	.155	.05	26
27		.06	.035			.025	.01	.48	.55	.01	.14	.115	27
28		.15	.35			.005		.005	.02	.005	.045	.36	28
29	.01		.005					.005	.185		.02	.27	29
30		X	.36						.125		.02	.24	30
31		X	.115	X		X		.03	X		X	.035	31
Total	1.905	2.320	1.170	1.005	2.805	.980	2.850	2.320	7.405	1.275	1.735	4.390	30.160
Rain Days.	17	20	24	16	12	14	20	16	28	24	22	27	23

REGISTER OF RAINFALL IN 1919.

Kept at Mount Villers York
in the County of York
by S. Elizabeth Rowntree

Lat. _____ Long. _____
Time of Observation 9 AM (Solar time all the year)
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.005	.01		.39		.38		.275	.10	.17	.06	1
2	.16		.08		.02		.68		.01	.005	.07	.01	2
3	.70			.005	.04	.15	.69		.06		.30	.22	3
4	.05		.21		.01	.22		.20	.09		.08	.015	4
5	.04	.03	.24			.005		.005	.16	.015	.05	.07	5
6	.02		.03		.03				.01	.01	.05	.05	6
7	.02	.01	.255		.22							.01	7
8	.06		.01		.01			.01	.005	.005	.08	.02	8
9	.01		.07								.07	.01	9
10			.13	.06	.03					.04	.10	.215	10
11	.01		1.21	.01	.295					.06	.01	.01	11
12	.01		.53	.09	.005	.14	.15		.005	.22	.02	.02	12
13	.17		.03	.06		.01	.05	.09	.005	.28		.03	13
14	.21		.005	.17			.30	.04			.065	.005	14
15	.05	.10	.02	.09			.07	.03		.005		1.06	15
16	.01	.37			.09						.15	.01	16
17		.05		.01	.02	.05		.05	.005		.20	.01	17
18			.045		.01			.37	.02		.01	.05	18
19	.08	.25	.79			.01	.02	.09	.085		.07	.03	19
20	.82	.18	.01			.01	1.63	.055	.04		.01	.215	20
21	.22	.23					.26		.04		.055	.18	21
22	.005	.13	.01			.01	.09		.275		.025	.325	22
23					.005	.14	.10	.06		.77	.10	.01	23
24	.01			.04	.01	.115	.005	.01	.01	.31	.01	.12	24
25	.015	.07		.16	.005			.43		.02	.01		25
26			.17	.055		.005		.22		.16	.095	.56	26
27	.02	.005	.005	.39		.01	.01			.81	.01	.01	27
28		.005		.13				.915		.22		.345	28
29	.13		.005	.01		.065		.005		1.13		.135	29
30		~~X~~	.01	.25		.07		.03		.09	.21	.225	30
31	.03	~~X~~	.01	~~X~~		~~X~~	.02	.005	~~X~~	.06	~~X~~	.08	31
TOTAL	3.210	1.435	3.885	1.530	1.190	1.010	4.455	2.615	1.095	4.310	2.020	4.110	YEAR'S TOTAL
Days with '01 in. or more	23	12 10	21 20	15	14 13	14 13	15 14	16 15	14 12	18 16	25	30	216 206

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1920.

Kept at Mount Villas York
in the County of York
by S. Elizabeth Pountney

Lat. _____ Long. _____
Time of Observation 9 a.m. Solar time to keep.
Nearest Railway Station York
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 4m 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01	.14	.285	.385		.36			.27	.005	.015	1
2	.01		.04	.02	.01		.705			.48		.295	2
3		.01		.02			.50	.13	.13	.255		.175	3
4	.02		.005	.255	.065		.54	.74	.175	1.220		.075	4
5		.01	.015		.12		.21	.02	.105	.01		.01	5
6	.01		.095	.13	.08		.05		.01		.005	.05	6
7	.01	.03	.03	.005	.01		.33			.01		.005	7
8	.01	.01	.01	.385	.015		.10	.14	.005	.02	.03		8
9	.24	.10	.005	.495			.015	.05	.01	.01	.005	.01	9
10	.51	.075	.05	.19			.37	.04				.005	10
11	.265	.05	.02	.125	.08		.01					.11	11
12	.07	.01	.01	.20	.01		.01				.06	.24	12
13	.05	.02	.07	.25		.34			.05	.01	.01	.18	13
14	.005	.06	.585	.175		.01	.01		.29	.015	.18	.025	14
15	.005	.13	.415	.27			.03			.005	.11		15
16	.01	.01	.01		.01		1.08		.12		.03	.01	16
17					.17			.06	.285	.04			17
18	.125	.01		.10	.09	.34	.005		.01		.01	.005	18
19	.01	.63		.315	.005	.115			.01		.01		19
20	.11	.01		.275		.10	.11		.005	.005	.01	.01	20
21		.015		.05			.51	.23	.015		.005	.015	21
22	.025	.01		.25			.06	.005	.005	.01	.01		22
23	.01		.02	.06			.29		.01	.01	.01	.29	23
24	.01	.01	.37	.02			.02		.01	.01	.005	.07	24
25	.005	.04	.03	.015		.01	1.00		.01		.01	.01	25
26	.055	.015	.165	.01	.03		.015		.005	.01	.01	.02	26
27	.125	.01	.01	.05	.21	.615			.01	.01	.32	.10	27
28	1.04	.005	.085	.13	.14		.04		.01	.01	.07	.05	28
29	.11		.175	.04	1.00	.18	.08		.01	.01	.08	.50	29
30	.20	~~X~~	.01	.01		.04	.03		.07	.01	.16	.25	30
31	.11	~~X~~	.05	~~X~~	.08	~~X~~			~~X~~	.07	~~X~~	.08	31
TOTAL	3.150	1.280	2.415	4.130	2.510	1.750	6.480	1.415	1.360	2.500	1.145	2.605	YEAR'S TOTAL
Days with .01 in. or more	23	22	22	26	17	9	25	8	21	21	20	25	30.740
Days with .04 in. or more	13	7	12	19	11	7	17	7	8	6	14	13	262

FORM 1090
(Revised March, 1960)

RE

Kept at **YORK MUSEUM**
in the County of

YORK MUSEUM

Diameter of funnel of gauge

Height of top of gauge above ground

Height of ground above sea level

1911 - 20

THE MORNING MEASURE

An observer who does not conform to this rule should insert the following in the right of this paragraph.

Please read the Notes and Instructions Overleaf

78610

AY

ice on the

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
11	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	-	-	-	-	.08	-	-	-	-		1
2	.32	-	-	-	.14	-	.27	-	-	-	-	.11		2
3	.03	-	-	.03	.22	-	-	.02	-	.04	.02	-		3
4	.01	-	.12	.21	-	-	-	.08	.10	.06	.22	.11		4
5	.08	-	.02	.05	-	-	-	.37	-	.16	.02	-		5
6	.32	-	.01	.03	-	-	-	.21	-	.02	.06	.24		6
7	.03	-	.02	-	-	-	-	-	-	-	.05	-		7
8	.05	-	.12	-	-	.06	-	-	.11	.01	-	.37		8
9	-	-	-	.02	-	-	-	-	-	-	.36	.05		9
10	-	.02	.01	.01	-	-	-	-	.03	-	.02	.34		10
11	.12	-	-	-	.15	-	-	-	-	-	.36	-		11
12	.16	-	.08	-	.21	.17	-	-	.63	-	.16	-		12
13	-	.01	.31	-	1.28	.10	-	-	-	-	.03	.56		13
14	-	.17	.11	-	.05	-	-	-	-	-	.02	.46		14
15	-	.06	.16	-	-	-	-	-	-	-	.07	.10		15
16	-	-	.02	-	-	.03	.10	-	-	.01	.74	.11		16
17	-	-	.01	-	-	.07	.03	-	-	-	.20	.09		17
18	-	.02	.05	-	-	.11	-	-	-	-	.19	.07		18
19	-	-	-	-	-	.26	.05	-	.07	.15	.43	.05		19
20	-	.09	-	.11	-	-	.12	.39	.09	.01	.03	.26		20
21	-	.21	-	-	-	-	-	.12	-	.33	.44	.02		21
22	.12	.07	-	-	-	-	-	.12	-	.38	.02	-		22
23	.01	.11	-	.01	-	.97	-	-	.37	-	-	.25		23
24	.09	-	.06	.02	-	1.34	.09	-	-	.11	-	.07		24
25	-	.02	-	.12	-	.31	.16	-	.40	.03	.03	.10		25
26	-	-	-	.06	.16	-	.15	.02	-	.62	.25	.17		26
27	-	.08	.03	.05	-	-	-	.39	.20	-	-	-		27
28	-	.01	.03	.20	-	-	-	.01	-	-	.05	.12		28
29	-	X	.01	.15	-	.02	.05	.02	.49	.25	.01	.03		29
30	-	X	-	-	.09	.06	-	-	.09	.16	.01	-		30
31	-	X	.02	X	.02	X	-	.01	X	.07	X	.03		31
TOTAL	1.36	.87	1.19	1.07	2.32	3.50	1.02	1.84	2.58	2.41	3.19	3.71	Year's total	25.06
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

No.

3448

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

(Revised March, 1960)

REGISTER OF RAINFALL IN 1911

Kept at YORK MUSEUM

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan. in.	Feb. in.	Mar. in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	†	Date
1	.02	—	—	—	—	—	—	.08	—	—	—	—		1
2	.32	—	—	—	.14	—	.27	—	—	—	—	.11		2
3	.03	—	—	.03	.22	—	—	.02	—	.04	.02	—		3
4	.01	—	.12	.21	—	—	—	.08	.10	.06	.22	.11		4
5	.08	—	.02	.05	—	—	—	.37	—	.16	.02	—		5
6	.32	—	.01	.03	—	—	—	.21	—	.02	.06	.24		6
7	.03	—	.02	—	—	—	—	—	—	—	.05	—		7
8	.05	—	.12	—	—	.06	—	—	.11	.01	—	.37		8
9	—	—	—	.02	—	—	—	—	—	—	.36	.05		9
10	—	.02	.01	.01	—	—	—	—	.03	—	.02	.34		10
11	.12	—	—	—	.15	—	—	—	—	—	.36	—		11
12	.16	—	.08	—	.21	.17	—	—	.63	—	.16	—		12
13	—	.01	.31	—	1.28	.10	—	—	—	—	.03	.56		13
14	—	.17	.11	—	.05	—	—	—	—	—	.02	.46		14
15	—	.06	.16	—	—	—	—	—	—	—	.07	.10		15
16	—	—	.02	—	—	.03	.10	—	—	.01	.14	.11		16
17	—	—	.01	—	—	.07	.03	—	—	—	.20	.09		17
18	—	.02	.05	—	—	.11	—	—	—	—	.19	.07		18
19	—	—	—	—	—	.26	.05	—	.07	.15	.43	.05		19
20	—	.09	—	.11	—	—	.12	.39	.09	.01	.03	.26		20
21	—	.21	—	—	—	—	—	.12	—	.33	.44	.02		21
22	.12	.07	—	—	—	—	—	.12	—	.38	.02	—		22
23	.01	.11	—	.01	—	.97	—	—	.37	—	—	.25		23
24	.09	—	.06	.02	—	1.34	.09	—	—	.11	—	.07		24
25	—	.02	—	.12	—	.31	.16	—	.40	.03	.03	.10		25
26	—	—	—	.06	.16	—	.15	.02	—	.62	.25	.17		26
27	—	.08	.03	.05	—	—	—	.39	.20	—	—	—		27
28	—	.01	.03	.20	—	—	—	.01	—	—	.05	.12		28
29	—	X	.01	.15	—	.02	.05	.02	.49	.25	.01	.03		29
30	—	X	—	—	.09	.06	—	—	.09	.16	.01	—		30
31	—	X	.02	X	.02	X	—	.01	X	.07	X	.03		31
TOTAL	1.36	.87	1.19	1.07	2.32	3.50	1.02	1.84	2.58	2.41	3.19	3.71	Year's total	25.06
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed)

(P.T.O.)

REG

Kept

York

in the County of

from met

YORK MUSEUM YORKSHIRE 1912

FORM A.
BRITISH RAINFALL

16 JUL 1913

nd ft. in.
Level ft.result entered to the
rule, he is earnestly
the space provided
of rain,

Jan. 1, following.

IMPORTANT NOTE
previous day. If an observer is requested to add the reading at a given time for it at the end of this paragraph. Full instructions on the selection and placing of rain gauges and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.02						.12				.28	1
2	-	.02						-				.01	2
3	.13	.12						.34				.20	3
4	.27	-						.60				-	4
5	.03	.01						.01				-	5
6	.53	.11						.33				-	6
7	.01	.02						.10				.01	7
8	.30	.19						-				.02	8
9	.02	.07						-				.02	9
10	.01	-						.02				-	10
11	.22	.11						.16				.47	11
12	.07	.07						-				-	12
13	-	.02						.04				-	13
14	.23	-						.02				.01	14
15	.01	.03						-				.02	15
16	.45	-						.02				.04	16
17	.03	.02						.16				.26	17
18	.14	-						.06				-	18
19	.25	.18						.26				-	19
20	.41	.01						.01				-	20
21	-	-						-				-	21
22	.01	.12						.30				.01	22
23	-	-						.29				.01	23
24	.25	-						.11				.14	24
25	.01	-						.24				.06	25
26	.01	.06						.71				.23	26
27	-	-						-				.13	27
28	-	-						.49				-	28
29	-	.01						-				.10	29
30	.05							.01				-	30
31	.08							.32				-	31
Total	3.52	1.19						4.72				2.02	YEAR'S TOTAL
Rain Days.	23	18						23				18	

REG

Kept at

in the County of

from Met. Office.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A.
BRITISH RAINFALL

16 JUL 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.02						.12				.28	1
2	-	.02						-				.01	2
3	.13	.12						.34				.20	3
4	.27	-						.60				-	4
5	.03	.01						.01				-	5
6	.53	.11						.33				-	6
7	.01	.02						.10				.01	7
8	.30	.19						-				.02	8
9	.02	.07						-				.02	9
10	.01	-						.02				-	10
11	.22	.11						.16				.47	11
12	.07	.07						-				-	12
13	-	.02						.04				-	13
14	.23	-						.02				.01	14
15	.01	.03						-				.02	15
16	.45	-						.02				.04	16
17	.03	.02						.16				.26	17
18	.14	-						.06				-	18
19	.25	.18						.26				-	19
20	.41	.01						.01				-	20
21	-	-						-				-	21
22	.01	.12						.30				.01	22
23	-	-						.29				.01	23
24	.25	-						.11				.14	24
25	.01	-						.24				.06	25
26	.01	.06						.71				.23	26
27	-	-						-				.13	27
28	-	-						.49				-	28
29	-	.01						-				.10	29
30	.05	-						.01				-	30
31	.08	-						.32				-	31
Total	3.52	1.19						4.72				2.02	YEAR'S TOTAL
Rain Days.	23	18						23				18	

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 19**12**

Kept at **YORK MUSEUM**
in the County of _____
Diameter of funnel of gauge _____ in.
Height of top of gauge above ground _____ ft. _____ in.
Height of ground above sea level _____ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
12	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	02	11	-	-	28	38	12	35	03	-	28		1
2	-	02	08	-	-	39	35	-	07	03	-	01		2
3	13	12	01	-	-	63	-	34	12	04	-	20		3
4	27	-	37	-	12	48	-	60	-	-	45	-		4
5	03	01	-	-	18	22	-	01	-	-	01	-		5
6	53	11	-	-	-	01	01	33	-	01	-	-		6
7	01	02	03	-	02	01	-	10	-	-	-	01		7
8	30	19	10	-	-	04	01	-	16	-	08	02		8
9	02	07	14	06	-	14	-	-	18	-	01	02		9
10	01	-	-	-	-	48	-	02	-	-	10	-		10
11	22	11	-	-	-	-	-	16	-	-	20	47		11
12	07	07	06	-	-	12	65	-	-	-	50	-		12
13	-	02	-	-	-	01	-	04	-	07	15	-		13
14	23	-	62	-	-	19	-	02	-	-	-	01		14
15	01	03	37	-	57	22	-	-	-	-	-	02		15
16	45	-	17	-	05	04	-	02	-	07	-	04		16
17	03	02	23	-	03	22	01	16	-	-	05	26		17
18	14	-	-	-	-	01	-	06	-	06	-	-		18
19	25	18	-	-	-	-	30	26	-	06	01	-		19
20	41	01	-	-	25	09	17	01	-	18	-	-		20
21	-	-	27	-	20	-	02	-	-	-	01	-		21
22	01	12	-	-	115	114	-	30	-	-	-	01		22
23	-	-	16	-	02	09	13	29	-	03	07	01		23
24	25	-	-	-	-	13	10	11	-	-	01	14		24
25	01	-	01	-	-	96	-	24	-	-	12	06		25
26	01	06	03	-	-	-	27	71	-	81	09	23		26
27	-	-	03	-	02	14	23	-	-	43	02	13		27
28	-	-	-	-	15	03	10	49	-	14	33	-		28
29	-	01	03	-	-	-	02	-	69	07	03	10		29
30	05	X	02	-	-	01	-	01	11	12	-	-		30
31	08	X	08	X	-	X	83	32	X	-	X	-		31
Total	3.52	1.19	2.92	06	276	6.08	3.58	4.72	1.68	2.15	2.24	2.02	Year's total	✓
*Days with .01 in. or more					✓									
*Days with .04 in. or more					✓									

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

Section **A**

for the entry of Daily Observations

Station No. **3448**

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1913

Kept at **YORK MUSEUM**

in the County of

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft. in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
13	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.10	.26	-	-	-	-	-	.01	.02	-		1
2	-	.03	.09	-	-	.06	-	-	-	-	.06	.02		2
3	.06	.01	.02	-	.23	-	.03	-	.01	.52	-	.02		3
4	.55	.01	.03	-	-	.03	.05	.02	.02	.11	.26	.28		4
5	.03	.02	.06	-	-	.28	.01	.02	.03	.17	-	-		5
6	.01	.08	.05	-	.52	.02	.25	-	-	.01	.02	-		6
7	-	.26	-	-	.04	.16	-	-	-	.51	-	-		7
8	-	.01	.02	-	.56	.03	-	-	.05	.26	.07	-		8
9	-	.08	.01	.02	.04	.01	-	.09	-	-	.12	-		9
10	-	.01	.01	.06	.01	-	-	-	-	-	.31	-		10
11	1.16	.01	-	.48	.06	-	-	-	-	-	.17	-		11
12	.03	.01	-	.01	-	.03	-	-	-	-	.08	-		12
13	.02	-	.01	.03	-	-	-	.11	.12	.02	.07	-		13
14	.07	.05	.14	.02	-	-	-	-	-	.10	-	.02		14
15	.12	.01	.27	.41	-	-	-	-	-	-	.31	.12		15
16	.01	-	.05	-	-	-	-	-	-	-	.02	-		16
17	.02	.01	.12	.07	-	.39	-	-	.65	-	.06	-		17
18	.02	-	.20	.06	.01	.01	.01	-	-	-	.06	-		18
19	.11	-	.06	.01	.02	.01	-	-	.06	-	-	-		19
20	.05	-	.05	.02	-	-	-	-	-	.06	.09	-		20
21	.01	-	.05	.02	.10	-	.09	.15	-	-	.14	-		21
22	.09	-	.22	-	.01	.03	-	.27	.09	-	-	-		22
23	.07	-	.02	-	.02	.04	-	.11	.05	-	.01	-		23
24	.13	-	-	.07	-	.31	-	.06	-	-	.01	-		24
25	-	-	-	.04	-	-	-	-	.16	.01	.05	.03		25
26	-	-	.05	.02	-	.01	-	-	.03	.22	.10	.19		26
27	-	.03	.01	.45	-	.06	-	-	-	-	.05	.06		27
28	.24	-	.16	.42	-	-	-	-	-	.01	-	.10		28
29	.01	~~X~~	.28	.36	.08	-	-	.02	-	.09	.01	.44		29
30	.31	X	-	-	.07	-	-	-	-	.32	-	.05		30
31	.07	X	-	X	.20	X	-	-	X	-	X	-		31
Total	3.19	.63	2.08	2.83	1.97	1.48	.44	.85	1.27	2.36	2.09	1.33	Year's total	20.52
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed).....(P.T.O.)

Section **A**

for the entry of Daily Observations

Station No. **3448**

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1914

Kept at **YORK MUSEUM**

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
14	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	1.68	.19	—	.03	—	.20		1
2	—	—	—	—	—	—	1.44	.21	—	.02	.41	.06		2
3	—	—	.09	—	.20	—	.07	—	—	—	.12	.32		3
4	.03	—	.02	.17	.06	.01	—	—	—	—	.22	.42		4
5	.03	—	.09	.13	—	—	.02	.03	—	—	.20	.07		5
6	—	.06	—	.02	.11	—	.03	.05	—	—	.08	.05		6
7	—	.01	.27	.01	.05	.25	—	.01	—	—	.06	.07	X	7
8	.57	—	.03	.09	.12	.25	.06	.11	—	—	—	.01		8
9	.45	.03	—	.14	—	.65	—	.03	—	—	.02	.02		9
10	.23	.15	—	.02	—	—	—	—	.04	—	.06	—		10
11	—	.19	.21	—	.07	—	—	—	—	—	.23	.22	X	11
12	.01	—	.03	—	—	—	—	—	.21	—	—	.25		12
13	.02	.14	.26	—	—	—	—	—	—	—	.08	.19		13
14	.02	.08	.16	—	—	—	.14	—	—	.02	.26	.29		14
15	.03	—	.14	—	—	—	.20	—	—	.01	.18	.05		15
16	.06	—	.01	—	—	—	.90	—	.42	—	.01	—		16
17	.03	.13	.02	—	—	—	—	—	.40	—	—	.19		17
18	.01	—	.06	—	—	.14	—	—	—	—	—	.23		18
19	—	—	—	—	—	—	.09	—	—	—	.02	.10		19
20	—	.08	.04	—	—	—	—	—	.03	.02	—	.01		20
21	—	.33	.01	—	—	.18	.02	.14	—	.04	.01	.09		21
22	—	—	—	—	.19	.19	.01	.08	—	.03	.03	.09		22
23	—	—	.02	—	.40	.31	—	—	—	—	.01	.03		23
24	—	—	.05	.03	.10	—	—	.18	—	—	.21	—		24
25	—	.03	—	—	.03	—	.09	.44	—	.65	.02	.46		25
26	—	—	.12	—	—	—	.15	.09	—	.34	.11	.11	X	26
27	.03	—	—	—	—	—	.02	—	—	.04	.15	.68		27
28	.01	.05	—	—	.05	—	—	—	—	—	.11	.10		28
29	—	X	.16	—	.02	—	—	.02	—	.34	.03	—		29
30	—	X	.02	—	—	—	—	—	—	.05	.02	.11		30
31	.06	X	—	X	.01	X	.50	—	X	.28	X	—		31
TOTAL	1.59	1.28	1.81	.53	1.41	1.98	5.42	1.28	1.10	1.87	2.65	4.42	Year's total	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed) (P.T.O.)

Section **A**

for the entry of Daily Observations

Station No. **3448**

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 19**15**

Kept at **YORK MUSEUM**

in the County of.....

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft..... in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
15	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.33	-	-	.17	-	-	.24	1.09	-	.04	.07		1
2	.01	.12	.15	.16	-	.03	.06	.04	.01	-	.02	.02		2
3	.62	-	.07	.12	-	-	.22	.12	.02	-	.03	.47		3
4	.17	-	.01	-	.02	-	.52	.15	-	-	-	.76		4
5	.13	.12	-	-	.21	-	-	-	-	-	.02	.88		5
6	.03	.18	.03	.14	-	-	.77	.01	.01	-	-	.08		6
7	.40	.41	.05	.13	-	-	.23	.22	-	-	.01	.01		7
8	.09	.02	-	.02	-	-	.14	.02	-	-	.03	-		8
9	.01	-	-	-	-	-	-	.07	-	.08	-	.55		9
10	.22	.01	.02	-	-	-	-	.02	-	.01	-	.01		10
11	-	.26	.04	.02	.61	-	-	-	-	-	.10	.07		11
12	.06	.05	-	.27	.02	-	-	.07	-	.19	.74	-		12
13	.01	.18	-	-	-	-	-	-	-	-	-	.01		13
14	-	.03	-	-	.02	-	.05	.05	-	-	-	.07		14
15	.36	.01	-	-	-	-	.21	.02	-	.03	.25	.14		15
16	.01	.21	-	-	.01	-	.82	-	-	.02	-	.02		16
17	.09	.14	-	-	-	-	.06	.06	-	-	-	.03		17
18	.01	.10	.37	-	-	-	-	-	-	.01	.02	.01		18
19	-	-	.05	-	-	-	.01	-	-	-	-	-		19
20	.04	-	.01	-	-	-	-	-	-	-	-	.47		20
21	.11	.02	-	.03	-	-	.03	.01	-	-	-	.08		21
22	.02	-	.10	-	-	-	.21	-	-	-	-	.13		22
23	.11	.07	.03	-	-	-	.35	-	.02	.01	-	.03		23
24	-	-	.09	.03	-	-	-	-	.52	.05	-	.17		24
25	-	-	-	-	-	.05	-	-	-	-	.02	.08		25
26	.02	.16	.01	-	-	.15	.21	-	.05	-	-	.52		26
27	.01	.06	-	-	-	.04	.03	-	-	.45	-	.03		27
28	-	.02	.02	-	.05	.08	-	.30	-	.08	-	.01		28
29	.01	X	-	-	.24	.01	.01	-	.02	-	.16	.35		29
30	.11	X	-	.15	.02	.13	.01	.04	-	-	.01	.01		30
31	.19	X	-	X	-	X	-	.39	X	.05	X	.05		31
TOTAL	2.94	2.60	1.05	1.07	1.37	.49	3.94	1.83	1.74	.98	1.45	513	Year's total	
*Days with .01 in. or more												513		
*Days with .04 in. or more												513		

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed) **513 5449** (P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

3448

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1946.

Kept at YORK (MUSEUM)

in the County of YORKSHIRE

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 57 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
16	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	—	.15	—	—	.22	.19	—	—	.06	.15	—		1
2	.03	.05	.15	—	—	—	—	—	.10	.10	.08	—		2
3	—	.10	.04	.05	—	.01	—	.01	.35	.13	.03	—		3
4	.02	.23	.01	—	.67	.45	—	—	.02	.34	.31	—		4
5	.03	.06	.12	—	.19	.31	—	—	—	.28	.09	—		5
6	.01	.20	.15	.05	.28	—	.15	—	—	.06	.30	.02		6
7	—	.07	.06	.01	.10	.02	.09	—	—	.13	.02	.23		7
8	—	.08	.18	—	—	.04	—	—	—	—	—	.06		8
9	—	—	.02	—	.47	.19	—	—	.07	—	.02	.22		9
10	—	.02	.01	.01	—	.15	.03	—	.09	.03	.02	.04		10
11	.12	.44	.16	.04	—	.09	.11	—	.04	.02	—	.09		11
12	.08	.01	.29	.02	.20	.01	.50	.08	—	.06	—	.09		12
13	—	.07	.18	—	.08	—	.11	.57	.01	.52	.01	.08		13
14	—	.02	.01	.01	.15	—	—	.26	—	.07	.01	.08		14
15	—	.21	.52	—	—	—	.06	.36	—	.02	—	—		15
16	—	.10	.12	.09	—	—	.11	.70	—	.06	—	—		16
17	.02	—	—	.20	—	—	.02	.39	.18	.12	.01	—		17
18	—	.20	—	.09	—	.02	—	.03	.11	.09	.48	.07		18
19	.09	—	.23	.14	—	—	—	.01	.04	.01	.16	.19		19
20	.08	—	.27	.10	—	—	.04	.22	—	—	.03	—		20
21	.07	.01	.01	.05	.04	—	.22	.04	—	—	—	.12		21
22	—	.06	.01	—	—	.08	—	—	—	.11	—	.03		22
23	—	.02	.03	.02	—	.02	—	.07	—	.01	.07	.25		23
24	—	.08	—	.09	—	—	—	.18	—	.02	—	.10		24
25	—	.08	.05	—	—	—	—	.17	—	.07	.06	.04		25
26	.01	.07	.04	—	—	.06	—	.01	—	.02	—	—		26
27	—	.26	.01	—	—	—	—	.02	—	.13	—	—		27
28	—	.18	—	—	.04	—	—	.04	—	.11	—	.12		28
29	—	.09	—	—	.01	.05	—	—	—	.16	—	.14		29
30	.01	X	—	—	.17	.01	—	—	—	.12	—	—		30
31	—	X	—	X	.04	X	—	—	X	—	X	—		31
TOTAL	0.76	2.71	2.82	0.97	2.44	1.73	1.63	3.16	1.01	2.95	1.85	1.97	23.90	Year's Total
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

Section

A

for the entry of Daily Observations

Station No.

3448

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1947

Kept at YORK (MUSEUM)
in the County of YORKSHIRE
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
17	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.31	—	—	—	.13	.26	—	.19	.12		1
2	.02	—	—	.12	—	.08	—	.09	—	—	—	—		2
3	—	.08	—	—	—	.04	—	.19	—	.04	—	—		3
4	—	—	.07	—	—	—	—	.03	—	.17	.02	—		4
5	.13	—	.07	.27	—	—	—	—	.01	.02	.04	—		5
6	—	—	—	—	—	.28	—	—	—	.12	.09	—		6
7	.44	—	.02	—	—	.03	—	.08	—	.37	—	.01		7
8	.52	—	.01	.11	—	—	—	1.17	—	.21	.02	—		8
9	.25	—	.03	.21	—	—	—	.13	—	.02	.25	.01		9
10	.22	—	.57	.18	.04	—	—	.03	—	.06	.14	—		10
11	.03	—	—	.11	—	—	—	.04	—	.37	—	—		11
12	.35	—	—	.01	.28	—	—	.10	—	.32	—	—		12
13	.30	—	—	.04	.31	—	—	.45	.13	.08	—	.03		13
14	.22	—	—	.09	—	—	—	.10	—	—	—	.05		14
15	.20	—	—	.03	—	—	.14	.01	.01	—	—	.15		15
16	.02	.04	—	.14	—	—	—	.10	—	—	—	.22		16
17	.02	.06	—	.16	.30	.21	.02	.49	.01	.02	—	.09		17
18	.07	—	—	.02	.05	—	.32	.18	.10	.01	—	—		18
19	.11	.11	.09	—	.15	.33	.05	—	—	—	—	—		19
20	.06	.31	.02	—	—	.22	—	—	.06	—	.30	—		20
21	.04	.08	.12	.01	—	—	—	.12	.04	.02	—	—		21
22	—	—	.11	—	—	.12	—	.06	.01	.06	—	—		22
23	.02	—	—	—	.13	.09	.01	.08	.01	.02	.01	—		23
24	—	—	—	—	—	.02	—	.02	—	.20	.10	—		24
25	—	.03	.03	—	—	—	.21	.06	—	.07	—	.04		25
26	—	—	.15	—	—	.10	—	.86	.01	.15	.15	.02		26
27	.01	—	.03	—	—	.10	.09	.39	—	—	—	.05		27
28	.01	—	.17	—	—	.01	.13	.12	—	.01	—	—		28
29	.01	X	—	—	—	—	.08	.03	—	.25	.02	.02		29
30	.01	X	.16	.04	—	—	—	.02	—	.01	—	.01		30
31	.01	X	.19	X	—	X	—	.03	X	—	X	.04		31
TOTAL	3.07	0.71	1.84	1.85	1.36	1.63	1.05	5.11	0.65	2.60	1.33	0.86	21.96	Year's Total
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

3448

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1948

Kept at YORK (MUSEUM)
in the County of Yorkshire
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 5.7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
18	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.06	.03	.03	—	—	—	—	.14	.09	.28	.09		1
2	.03	.24	—	.07	—	—	—	—	.09	.03	—	.25		2
3	—	.04	.03	—	.47	—	—	.18	—	—	.27	.02		3
4	—	.01	.01	—	.10	—	.06	.12	.57	.01	.26	.36		4
5	—	—	.02	.05	.28	—	—	.85	—	.03	—	—		5
6	.01	.23	—	.27	—	.23	—	.06	—	.08	—	.02		6
7	.14	.03	—	.11	—	—	—	—	.12	.05	.18	—		7
8	—	.02	.05	.02	—	—	.16	.02	.04	.04	—	—		8
9	—	.21	—	.02	—	.04	.05	—	.94	.16	.04	.04		9
10	—	.03	—	—	—	—	.03	—	.15	—	.02	.02		10
11	.11	.02	—	.01	.34	—	.03	.02	.08	—	—	.06		11
12	—	.12	.04	.08	.13	—	.17	—	.08	.01	—	.01		12
13	—	—	—	.03	.17	—	—	—	.31	.08	—	—		13
14	.15	—	—	.02	—	—	.08	—	.24	.02	—	.10		14
15	.06	—	—	—	—	—	.25	—	.81	—	—	1.12		15
16	.02	—	—	—	—	.28	.03	.02	.18	—	—	.22		16
17	.25	—	—	—	.40	.18	.54	.05	—	.19	—	.19		17
18	.27	—	.03	—	—	.01	.18	—	.37	—	—	.05		18
19	.21	—	.02	.03	—	—	.22	.11	.04	.12	—	.18		19
20	.08	.40	—	.10	—	.03	.12	—	.10	.02	—	—		20
21	.15	.02	—	—	.28	.02	—	—	.23	.14	—	—		21
22	.01	—	—	.02	—	.03	.01	—	.05	—	—	.25		22
23	.11	—	—	—	.48	—	.19	—	.04	—	.03	—		23
24	—	.06	—	—	—	—	.03	—	.22	.02	.04	—		24
25	—	—	—	—	—	.02	.07	.19	.12	—	—	—		25
26	—	—	—	—	—	—	.13	.01	.32	.03	.12	.04		26
27	—	.06	.03	—	—	.03	—	.42	.32	—	.12	.10		27
28	—	.13	.34	—	—	—	—	—	—	—	.04	.27		28
29	—	X	—	—	—	—	—	—	.13	—	.02	.23		29
30	—	X	.28	—	—	—	—	—	.12	—	.02	.20		30
31	—	X	.11	X	—	X	—	.10	X	—	X	.03		31
Total	1.62	1.68	0.99	0.86	2.65	0.87	2.35	2.15	5.81	1.12	1.44	3.85	25.39	Year's Total
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1919

Kept at York (museum) [M.O.]

in the County of Yorkshire

by The Meteorological Curator.

Lat. 53° 57' Long. 1° 5 W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.25	-	0.01	-	0.27	-	0.34	-	0.27	0.07	0.10	0.03	1
2	0.14	-	0.08	-	0.02	-	0.46	-	0.02	-	0.05	-	2
3	0.60	-	-	-	0.04	0.14	0.34	-	0.07	-	0.21	0.14	3
4	0.05	0.04	0.38	-	0.01	0.18	-	0.19	0.09	-	0.05	0.02	4
5	0.03	0.01	-	-	-	-	-	-	0.15	-	0.06	0.06	5
6	0.02	-	0.02	-	0.02	-	-	-	-	0.03	0.05	0.05	6
7	0.01	-	0.20	-	0.16	-	-	-	-	-	-	0.01	7
8	0.06	-	-	-	0.03	-	-	0.03	-	-	0.07	0.03	8
9	-	-	0.06	-	-	-	-	-	-	-	0.06	-	9
10	-	-	0.14	0.04	0.01	-	-	-	-	0.04	0.08	0.12	10
11	-	-	0.82	0.01	0.19	-	0.16	-	-	0.04	-	-	11
12	-	-	0.30	0.07	-	0.13	0.04	-	-	0.23	0.01	0.01	12
13	0.11	-	0.04	0.04	-	-	0.27	0.07	-	0.22	-	0.02	13
14	0.14	-	-	0.19	-	-	0.03	0.04	-	-	0.10	-	14
15	0.04	0.10	0.01	0.08	-	-	-	0.03	-	0.01	0.04	0.85	15
16	0.01	0.20	-	-	0.08	-	-	-	-	-	0.09	-	16
17	-	0.03	-	-	-	0.05	-	0.04	-	-	0.14	-	17
18	-	-	0.03	-	0.04	-	0.02	0.28	-	-	-	0.06	18
19	0.06	0.21	0.56	-	-	0.01	1.26	0.07	0.08	-	0.07	0.03	19
20	0.51	0.13	-	-	-	0.01	0.22	0.07	0.04	-	-	0.20	20
21	0.15	0.18	-	-	-	-	0.08	-	0.04	-	0.07	0.13	21
22	-	0.12	0.01	-	-	0.01	0.08	0.01	0.25	-	0.02	0.23	22
23	-	-	-	-	0.03	0.16	-	0.01	-	0.65	0.10	0.01	23
24	-	-	-	0.03	0.01	0.10	-	-	-	0.20	0.02	0.09	24
25	0.02	0.05	-	0.14	-	-	-	0.39	-	0.01	0.04	-	25
26	-	-	0.17	0.04	-	-	-	0.22	-	0.13	0.05	0.42	26
27	0.02	-	-	0.26	-	0.01	-	-	-	0.56	0.01	0.01	27
28	-	-	-	0.11	-	-	-	0.73	-	0.15	-	0.23	28
29	0.08	X	0.01	0.01	-	0.04	-	0.01	-	0.75	-	0.12	29
30	0.01	X	0.01	0.21	-	0.05	-	-	-	0.07	0.11	0.17	30
31	0.04	X	0.03	X	-	X	0.02	-	X	0.05	X	0.05	31
99													
Total	2.35	1.07	2.88	1.23	0.91	0.89	3.32	2.19	1.01	3.21	1.60	3.09	YEAR'S TOTAL 23.75
Rain Days.	20	10	18	13	13	12	13	15	9	16	23	24	186

REGISTER OF RAINFALL IN 1920.

Kept at York Museum (M.A.)

in the County of Yorkshire

by G. E. Graham M.A. for the Yorkshire Philosophical Society

Lat. 53° 57' N Long. 1° 5' W

Time of Observation 9.2 A.M.T.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>20</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.12	0.25	0.32	-	0.32	-	-	0.24	-	0.01	1
2	-	-	0.03	0.22	0.02	-	0.51	-	0.11	0.31	-	0.28	2
3	-	0.01	-	0.01	-	-	0.49	0.09	0.16	0.24	-	0.11	3
4	0.02	-	-	0.02	0.07	-	0.44	0.60	0.08	1.02	-	0.03	4
5	-	-	0.02	-	0.10	-	0.17	0.02	-	0.02	-	0.02	5
6	-	-	0.08	0.12	0.07	-	0.06	-	-	-	-	0.05	6
7	-	0.01	0.03	-	-	-	0.47	-	-	-	-	0.01	7
8	0.01	-	-	0.26	0.03	-	0.18	0.13	0.01	0.01	0.04	-	8
9	0.21	0.07	0.01	0.39	-	-	0.01	0.04	0.01	-	-	-	9
10	0.39	0.05	0.04	0.13	-	-	0.30	0.02	-	-	-	0.01	10
11	0.18	0.02	0.02	0.14	0.08	-	-	-	-	-	-	0.12	11
12	0.06	-	0.01	0.15	0.01	-	0.01	-	-	-	0.05	0.13	12
13	0.04	0.03	0.07	0.09	-	0.09	-	-	0.05	-	0.03	0.20	13
14	-	0.06	0.39	0.14	-	-	0.01	-	0.24	0.02	0.20	0.02	14
15	-	0.09	0.27	0.22	-	-	0.04	-	0.01	-	0.09	-	15
16	-	-	-	-	-	-	0.89	-	0.43	-	0.03	-	16
17	-	-	-	-	0.14	-	-	0.05	0.23	0.05	-	0.01	17
18	0.10	-	-	0.07	0.10	1.35	-	-	0.01	-	-	-	18
19	0.01	0.44	-	0.23	-	0.10	-	0.02	-	-	-	-	19
20	0.12	-	-	0.18	-	0.09	0.10	-	-	-	0.01	-	20
21	-	0.01	-	0.10	-	-	0.42	0.18	0.02	-	-	0.02	21
22	0.02	-	-	0.20	-	-	0.04	-	-	0.01	-	-	22
23	-	-	0.01	0.06	-	-	0.35	-	-	0.01	0.02	0.18	23
24	0.01	-	0.34	0.02	-	-	0.02	-	-	-	0.01	0.06	24
25	-	0.04	0.04	-	-	0.02	0.75	-	-	-	0.01	-	25
26	0.05	0.03	0.11	0.02	0.02	-	0.01	-	-	-	-	0.02	26
27	0.07	-	-	0.04	0.31	0.55	0.01	-	-	-	0.30	0.08	27
28	0.70	-	0.08	0.19	0.08	0.01	0.06	-	-	-	0.15	0.05	28
29	0.09	-	0.16	0.01	0.80	0.13	0.08	-	0.02	-	0.06	0.38	29
30	0.15	~~X~~	-	-	-	0.03	-	-	0.09	-	0.11	0.16	30
31	0.08	~~X~~	0.04	~~X~~	0.08	~~X~~	0.04	-	~~X~~	0.05	~~X~~	0.06	31
99	2.31	0.86	1.87	3.26	2.23	2.37	5.78	1.15	1.17	1.98	1.11	2.01	YEAR'S TOTAL
TOTAL	18	12	19	24	15	9	25	9	14	11	14	22	26.10
Days with "01 in. or more	13	6	12	19	15	9	25	9	14	11	14	22	192